# Cucumber Report

| **Start : Nov 18, 5:09:07.908 PM** | **End : Nov 18, 5:11:20.412 PM** | **Duration : 2 m 12.504 s** |
| :---: | :---: | :---: |
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 1<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 40<br>FAILED - 1<br>SKIPPED - 19 |

| Feature | | Scenario | | | | Step | | | |
|---|---|---|---|---|---|---|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| *Verify the SIS Provisioning Creation Functionality* | *2 m 12.504 s* | 2 | 1 | 1 | 0 | 60 | 40 | 1 | 19 |

| # | Feature Name | Scenario Name |
|---|---|---|
| 1 | *Verify the SIS Provisioning Creation Functionality* | *Verify the Users Creation Functionality with valid Data* |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Verify the SIS Provisioning Creation Functionality | 2 | 1 | 1 | 0 | 2 m 12.504 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Verify the SIS Provisioning Creation Functionality | Checking the School, Classroom, Section Creation Functionality With valid Data | 20 | 20 | 0 | 0 | 44.652 s |
| 2 | | Verify the Users Creation Functionality with valid Data | 40 | 20 | 1 | 19 | 1 m 27.786 s |

## Verify the SIS Provisioning Creation Functionality

| FAILED | DURATION - 2 m 12.504 s | | Scenarios | | Steps | |
|---|---|---|---|---|---|---|
| / 5:09:07.908 PM // 5:11:20.412 PM / | | | Total - 2 | 2 | Total - 60 | 60 |
| | | | Pass - 1 | | Pass - 40 | |
| | | | Fail - 1 | | Fail - 1 | |
| | | | Skip - 0 | | Skip - 19 | |

## Checking the School, Classroom, Section Creation Functionality With valid Data

| PASSED | DURATION - 44.652 s | | Steps | |
|---|---|---|---|---|
| / 5:09:07.916 PM // 5:09:52.568 PM / | | | Total - 20 | 20 |
| Verify the SIS Provisioning Creation Functionality | | | Pass - 20 | |
| | | | Fail - 0 | |
| | | | Skip - 0 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User launch the application with Valid URL | PASSED | 4.869 s |
| 2 | And User able to see all Fields | PASSED | 2.005 s |
| 3 | Then User enters the credentials from the excel sheet at 0 | PASSED | 9.422 s |
| 4 | And User Click on SIS provisining tab under Administration in Left menu | PASSED | 0.753 s |
| 5 | Then User Navigate to School tab | PASSED | 6.562 s |
| 6 | And User Click on the Add New School button | PASSED | 1.186 s |
| 7 | When User Enter the Name and Description | PASSED | 0.815 s |
| 8 | And User Select the Timezone from Dropdown 0 | PASSED | 2.148 s |
| 9 | Then User Saved the School and Search for the Created School in Search here Field | PASSED | 1.593 s |
| 10 | And User Navigate to Classroom tab | PASSED | 0.292 s |
| 11 | Then User Select the Created School in School dropdown | PASSED | 2.421 s |
| 12 | And User Click on the Add New Classroom button | PASSED | 0.483 s |
| 13 | Then User Enter the Classroom Name and Description | PASSED | 0.843 s |
| 14 | And User Saved the Classroom and Search for the Created Classroom in Search here Field | PASSED | 1.537 s |
| 15 | Then User Navigate to Sections tab | PASSED | 0.273 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 16 | And User Select the Active Year from year Dropdown 0 | PASSED | 1.695 s |
| 17 | Then User Click on the Add New Sections button | PASSED | 0.206 s |
| 18 | And User Enter the Section Name and Description | PASSED | 1.390 s |
| 19 | Then User Saved the Section and Search for the Created Section in Search here Field | PASSED | 1.668 s |
| 20 | Then Store the data in Excel | PASSED | 0.285 s |

## Verify the Users Creation Functionality with valid Data

| FAILED | DURATION - 1 m 27.786 s |
|---|---|
| / 5:09:52.626 PM // 5:11:20.412 PM / | |
| *Verify the SIS Provisioning Creation Functionality* | |

Steps
Total - 40
Pass - 20
Fail - 1
Skip - 19

40

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User launch the application with Valid URL | PASSED | 6.054 s |
| 2 | And User able to see all Fields | PASSED | 2.010 s |
| 3 | Then User enters the credentials from the excel sheet at 0 | PASSED | 7.659 s |
| 4 | And User Click on SIS provisining tab under Administration in Left menu | PASSED | 0.643 s |
| 5 | When User Navigate to District User tab | PASSED | 6.282 s |
| 6 | And User Click on Add New User button | PASSED | 0.528 s |
| 7 | Then User Enters the District user Email, District user First name, District user Last name into the Respective Fields | PASSED | 0.985 s |
| 8 | When User Saved the District User and Search for the User in search here Field | PASSED | 1.232 s |
| 9 | And user Click on Edit option for Logins Creations | PASSED | 0.424 s |
| 10 | Then Click on Create New login button | PASSED | 0.217 s |
| 11 | And User Reset the Password and save the user | PASSED | 5.907 s |
| 12 | And User Click on Settings option at User level Ellipses | PASSED | 3.412 s |
| 13 | Then User Check the Is District Admin Checkbox | PASSED | 0.131 s |
| 14 | And User Close the Settings Pop up | PASSED | 0.072 s |
| 15 | Then Store the users data in Excel | PASSED | 0.110 s |
| 16 | When User Navigate to Teachers tab | PASSED | 0.186 s |
| 17 | Then User Select the Created School in School dropdown | PASSED | 2.147 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 18 | And User Click on Add New Teacher button | PASSED | 1.146 s |
| 19 | Then User Enters the Teacher Email, Teacher First name, Teacher Last name into the Respective Fields | PASSED | 0.772 s |
| 20 | When User Saved the Teacher and Search for the User in search here Field | PASSED | 1.225 s |
| 21 | And user Click on Edit option for Logins Creations | FAILED | 42.167 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //mat-icon[contains(text(),'more_vert')]' (tried for 30 second(s) with 1000 milliseconds interval)<br>    at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:265)<br>    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)<br>    at com.Utils.Wait.elementToBeClickable(Wait.java:30)<br>    at com.Assessments.pages.SISProvisioningPage.EditScreen(SISProvisioningPage.java:259)<br>    at AssessmentsStepdef.SISProvisioningStepdefinitions.user_click_on_edit_option_for_logins_creations(SISProvisioningStepdefinitions.java:139)<br>    at ?.user Click on Edit option for Logins Creations(file:///C:/Users/SureshRajaboina/OneDrive%20-%20FocalPointK12,%20Inc/Focalpoint%20Automation/Benchmarks_AC/src/test/resources/AssessmentsFeatures/SIS%20Provisioning.feature:52)<br>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//mat-icon[contains(text(),'more_vert')]"}   (Session info: chrome=131.0.6778.69) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9f3e1e3a5b7a88e0c6b0fdfbf2b6afb7, findElement {value=//mat-icon[contains(text(),'more_vert')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.69, chrome: {chromedriverVersion: 131.0.6778.69 (77e2244bbcda..., userDataDir: C:\Users\SURESH~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57189}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57189/devtoo..., se:cdpVersion: 131.0.6778.69, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9f3e1e3a5b7a88e0c6b0fdfbf2b6afb7<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)<br>    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)<br>    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.$Proxy28.isDisplayed(Unknown Source) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:287) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:656) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:652) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) | | |
| | at com.Utils.Wait.elementToBeClickable(Wait.java:30) | | |
| | at com.Assessments.pages.SISProvisioningPage.EditScreen(SISProvisioningPage.java:259) | | |
| | at AssessmentsStepdef.SISProvisioningStepdefinitions.user_click_on_edit_option_for_logins_creations(SISProvisioningStepdefinitions.java:139) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:56) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) | | |
| | at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) | | |
| | at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) | | |
| | at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) | | |
| | at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:829) | | |
| | at org.testng.TestRunner.run(TestRunner.java:602) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:330) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1099) | | |
| | at org.testng.TestNG.run(TestNG.java:1067) | | |
| | at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) | | |
| | at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) | | |
| | at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 22 | Then Click on Create New login button | SKIPPED | 0.001 s |
| 23 | And User Reset the Password and save the user | SKIPPED | 0.000 s |
| 24 | And User Click on Settings option at User level Ellipses | SKIPPED | 0.000 s |
| 25 | Then User Navigate to Classrooms tab in settings Pop up | SKIPPED | 0.000 s |
| 26 | And User Select the Values in the Year 0, Section, Classroom dropdown and Click on Add button | SKIPPED | 0.000 s |
| 27 | And User Close the Settings Pop up | SKIPPED | 0.001 s |
| 28 | Then Store the users data in Excel | SKIPPED | 0.000 s |
| 29 | Then User Navigate to Students tab | SKIPPED | 0.001 s |
| 30 | When User Select the Created School in School dropdown | SKIPPED | 0.000 s |
| 31 | And User Click on Add New Student button | SKIPPED | 0.000 s |
| 32 | When User Enters the Student Email, Student First name, Student Last name into the Respective Fields | SKIPPED | 0.001 s |
| 33 | Then User Saved the Student and Search for the User in search here Field | SKIPPED | 0.000 s |
| 34 | And user Click on Edit option for Logins Creations | SKIPPED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 35 | Then Click on Create New login button | SKIPPED | 0.000 s |
| 36 | And User Reset the Password and save the user | SKIPPED | 0.001 s |
| 37 | And User Click on Settings option at User level Ellipses | SKIPPED | 0.000 s |
| 38 | Then User Select the Value from Classroom dropdown and Click on Add button | SKIPPED | 0.000 s |
| 39 | And User Close the Settings Pop up | SKIPPED | 0.001 s |
| 40 | Then Store the users data in Excel | SKIPPED | 0.000 s |
| | AFTER - Hooks.AppHooks.tearDown(io.cucumber.java.Scenario) <br><br> Verify_the_Users_Creation_Functionality_with_valid_Data <br><br>  | PASSED | 1.314 s |