

File Home Insert Draw Page Layout Formulas Data Review View Automate Help Kofax PDF

Clipboard Font Alignment Number Styles Cells Editing Sensitivity Add-ins Analyze Data

A37 4. Test Execution Steps : 1. Create a folder "Scripts" in LRE to store the scripts and scenario 2. Create a test scenario which includes Rampup, duration,

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
1	Module 1 : CreditCard to Cash																	
2	1. Test Objective : 1. Measure the response times under different user load 2. Identify Performance bottlenecks 3. Determine maximum user capacity																	
3	2. Test Environment Setup : Hardware : 16GB RAM, 500GB storage Software : LRE 2023 Network : 100 MBPS																	
4	3. Data and Parameters : Concurrent Users : 15 Parameters : Sender, receiver details will be generated randomly. Credit card we can use some precised cards which are having limit																	

File Edit View Search Design Record Replay Tool

Parameter List

- <D> CreditCardLastFourParam
- <D> CreditCardParam
- <D> ENVURL
- <D> p_receiverFirstName
- <D> p_senderFirstName
- <D> p_senderLastName
- <D> Param

Parameter type: File

File path: ENVURL.dat

Add Column... Add Row... Delete Column... Delete Row...

	ENVURL
1	https://wudispatcher-uatrs3.westernunion.com
2	https://wudispatcher-uatci2.westernunion.com

R3_RS3..._0429_2024 : Action.c x

```
1 Action()
2 {
3
4     char *suffix = "@mailosaur.io";
5     char *prefix = "PerfCash_";
6
7     lr_param_sprintf("RandomChar", "%s%s%s%s",
8                     lr_eval_string("{Param}"),
9                     lr_eval_string("{Param}"),
```


AutoSave Off PerformanceAssignment Public (Approved for Release) • Saved to this PC Gopi Jutu

File Home Insert Draw Page Layout Formulas Data Review View Automate Help Kofax PDF Comments Share

Clipboard Font Alignment Number Styles Cells Editing Sensitivity Add-ins Analyze Data

A37 4. Test Execution Steps : 1. Create a folder "Scripts" in LRE to store the scripts and scenario 2. Create a test scenario which includes Rampup, duration,

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
18	9				lr_eval_string("{Param}"),													
19	10				lr_eval_string("{Param}"),													
20	11				lr_eval_string("{Param}");													
21	12																	
22	13				lr_param_sprintf("param_email", "%s%s%d%s", prefix, lr													
23	14				web_set_sockets_option("SSL_VERSION", "AUTO");													
24	15				web_set_sockets_option("TLS_SNI", "0");													
25	16				web_add_auto_header("Accept-Language",													
26	17				"en-US,en;q=0.9");													
27	18																	
28	19				lr_start_transaction("WU02_RS3_S01_LoginPage");													
29	20				lr_start_sub_transaction("WU02_RS3_S01_LoginPage_T01_Lo													
30	21																	
31	22				addDynatraceHeaderTest("TSN=WU02_RS3_S01_LoginPage;PC=1													
32	23				web_url("login",													
33	24				"URL={ENVURL}/us/en/web/user/login",													
34	25																	
35	26																	

TestSteps Module1_CCtoCash Module2_CCtoBank Test Results

Ready Accessibility: Investigate Display Settings 100%

Edit with Notepad... Import Values Simulate Parameters

Select column

☐ By number: 1

☒ By name: ENVURL

File format

Column delimiter: Comma

First data line: 1

Select next row: Sequential

Update value on: Once

When out of values: Continue with last value

Allocate Vuser values in the Controller

☒ Automatically allocate block size

☐ Allocate values for each Vuser

PerformanceAssignment Public (Approved for Release)

AutoSave Off

File Home Insert Draw Page Layout Formulas Data Review View Automate Help Kofax PDF

Clipboard Paste Font Alignment Number Styles Cells Editing Sensitivity Add-ins Analyze Data

General Conditional Formatting Insert Delete Format

Font: Aptos Narrow, 11, Bold, Italic, Underline, Color, Background Color

Alignment: Left, Center, Right, Justify, Indent, Decrease Indent, Increase Indent

Number: General, Currency, Percentage, Thousand Separator, Comma Separator, Negative numbers, Fraction, Date, Time, Text, Custom

Styles: Conditional Formatting, Format as Table, Cell Styles

Cells: Insert, Delete, Format

Editing: Sum, Find, Replace, Sort, Filter, Undo, Redo

Sensitivity: Sensitivity, Add-ins

Add-ins: Add-ins

Analyze Data: Analyze Data

4. Test Execution Steps : 1. Create a folder "Scripts" in LRE to store the scripts and scenario 2. Create a test scenario which includes Rampup, duration, Rampudown and adjust Runtime setting

Scripts

- R3_RS3_CCtoBANK_0429_2024
- R3_RS3_CCtoCASH_0429_2024
- UATR53_JS_0321
- R3_RS3_CCtoCASH_0140_2024
- R3_UATR53

← → ↺ 🌐 🔍 ☆ 🏠 👤

lreorgprod3-pst.saas.microfocus.com/Loadtest/pcx/app/tabs

WEST... TESTING 1 ? WUAR3_Bin_Vault

Test Management > Test Id 181 | R3_UATR53 Last Modified Apr 29, 2024, 5:04

Groups and Workload Assets SLA

TestSteps Module1_CCtoCash Module2_CCtoBank Test Results +

SAVE TEST RUN TEST

AutoSave PerformanceAssignment Public (Approved for Release) • Saved to this PC

File Home Insert Draw Page Layout Formulas Data Review View Automate Help Kofax PDF

Clipboard Font Alignment Number Styles Cells Editing Sensitivity Add-ins

R44

Test Management > Test Id 181 | **R3_UATRS3**

Groups and Workload Assets SLA

Validation Passed Basic Workload By Test, By Number Total Users 30 Number of Groups 2 Controller Dedicated Load Generators 2 Trending Off

Groups (2)

+ Add Group Assign LGs Test Options More

R3_UATRS3 30 2

Group Name	Script Name	Script Type	Vusers	# of LG
r3_rs3_ccrocash_0429_2024	R3_RS3_CCroCASH_0429_2024	Web - HTTP/HTML	15	2
r3_rs3_ccrobank_0429_2024	R3_RS3_CCroBANK_0429_2024	Web - HTTP/HTML	15	2

R3_UATRS3

Schedule Load Generators (2)

- Initialize Each Vuser just before it runs
- Start All Vusers: 5 every 00:00:15 (HH:MM:SS)
- Duration 00:00:00 (HH:MM:SS)
- Stop All Vusers: 5 every 00:00:15 (HH:MM:SS)

TestSteps **Module1_CCtoCash** Module2_CCtoBank Test Results

