

# Architecture

# Restaurant Rating Prediction

**Gopal Singh Chouhan** 



# **Document Version Control**

Date Issued	Version	Description	Author
25-june-23	v1	first draft	Gopal Singh Chouhan

# **Contents**

Do			2
1	Intro	oduction	3
	1.1	Why this Low-Level Design Document?	3
	1.2	Scope	4
	1.3	Constraints	4
	1.4	Risks	4
	1.5	Out of Scope	4
2	Tecl	nnical specifications	5
	2.1 Da	taset	5
	2.1.1 [	Dataset overview	5
	2.1.2 I	nput schema	6
	2.2 Pre	edicting Rating	7
	2.3 Lo	gging	7
3	Tecl	nnology stack	8
4	Pro	posed Solution	8
5	Mod	del training/validation workflow	9
6	Use	r I/O workflow	10
7	Exce	eptional scenarios	11
8	Perf	ormance	11



## **Abstract**

Whenever we go for a food application to order some the 1st thing that comes to our mind is that we order food where we get quality food. To accomplish that, whether the restaurant can provide quality food or not, is we first look for the restaurant rating and what other customers have mentioned about the restaurant food. Bengaluru is the IT capital of India. Most of the people here are dependent mainly on the restaurant food as they don't have time to cook for themselves. With such an overwhelming demand for restaurants, studying the demography of a location has become important. In the world of rising new technology and innovation, the industry is advancing with the role of Artificial Intelligence. Machine learning algorithms can help early detection of the disease and improve the quality of life. This study demonstrates how different Regression algorithms can forecast the rating of restaurants so that one user can make a real decision whether to buy food from the restaurant or not as per their ratings. Different regression algorithms such as Linear Regression, Decision Tree, Random forest, etc have been tested and compared to predict the better outcome of the model.

## 1 Introduction

## 1.1 Why this Low-Level Design Document?

The basic idea of analyzing the Zomato dataset is to get a fair idea about the factors affecting the aggregate rating of each restaurant, the establishment of different types of restaurant at different places, Bengaluru being one such city has more than 12,000 restaurants with restaurants serving dishes from all over the world. With each day new restaurants opening the industry hasn't been saturated yet and the demand is increasing day by day. In spite of increasing demand, it however has become difficult for new restaurants to compete with established restaurants. Most of them serve the same food. Bengaluru is the IT capital of India. Most of the people here are dependent mainly on the restaurant food as they don't have time to cook for themselves. With such an overwhelming demand for restaurants, it has therefore become important to study the demography of a location. What kind of food is more popular in a locality. Does the entire locality love vegetarian food? If yes, then is that locality populated by a particular set of people for eg. Punjabis, Marwaris, Gujaratis who are mostly vegetarian. This kind of analysis can be done using the data, by studying different factors.

## Low Level Design



This project shall be delivered in two phases:

Phase 1: All the functionalities with PyPi packages.

Phase2: Integration of UI to all the functionalities.

## 1.2 Scope

This software system will be a Web application. This system will be designed to predict the rating of the restaurant based on the input by the user.

#### 1.3 Constraints

The restaurant rating prediction application must be user-friendly, as automated as possible and users should not be required to know any of the workings.

#### 1.4 Risks

Document specific risks that have been identified or that should be considered.


## 1.5 Out of Scope

Delineate specific activities, capabilities, and items that are out of scope for the project.



## 2 Technical specifications

#### 2.1 Dataset



#### 2.1.1 Dataset overview

#### The dataset consists of a table with 51717 records and 17 features.

- url: contains the URL of the restaurant on the zomato website.
- address: contains the address of the restaurant in Bengaluru
- name: contains the name of the restaurant
- online\_order: whether online ordering is available in the restaurant or not
- book\_table: table book option available or not
- rate: contains the overall rating of the restaurant out of 5
- votes: contains the total number of ratings for the restaurant as of the above-mentioned date
- phone: contains the phone number of the restaurant
- location: contains the neighborhood in which the restaurant is located
- rest\_type: restaurant type
- dished liked: dishes people liked in the restaurant
- cuisines: food styles, separated by comma
- approx.\_cost(for two people): contains the approximate cost for a meal for two people
- reviews: list of tuples containing reviews for the restaurant, each tuple consists of two values, rating and review by the customer
- menu\_item: contains a list of menus available in the restaurant

# Low Level Design



• listed\_in(type): type of meal

• listed\_in(city): contains the neighborhood in which the restaurant is listed

# 2.1.2 Input schema

Feature name	Null/Required
Restaurant Type	Required
Book Table Facility	Required
No. of Votes	Required
Online order Facility	Required
Cuisines	Required
Cost for Two People	Required
Location	Required



## 2.2 Predicting Rating

- The system presents the set of inputs required from the user.
- The user gives the required information.
- The system then predicts that the rating of the restaurant given the above inputs.

## 2.3 Logging

We should be able to log every activity done by the user.

- The System identifies at what step logging required
- The System should be able to log every system flow.
- Developers can choose logging methods. You can choose database logging/ File logging as well.
- The system should not be hung even after using so many loggings. Logging just because we can easily debug issues so logging is mandatory to do.

## 2.4 Deployment

✓ AWS





# 3 Technology stack

Front End	HTML
Backend	Python Flask
Deployment	AWS

# **4 Proposed Solution**


The proposed solution for this project is Machine learning algorithms that can be implemented to predict the rating of the restaurant. Considering various features like online order, book table, votes, rest type, cuisines, review as inputs from the web app, the implemented classification model will predict the output as a rating of the restaurant.

Here we tried different algorithms such as Linear Regression, Random forest, Decision tree regressor etc.

The final model with the highest accuracy (90%) turns out to be an Random Forest Regressor.




# 5 Model training/validation workflow





# 6 User I/O workflow





# **7** Exceptional scenarios

Step	Exception	Mitigation	Module
25 – June - 2022	1.1	First Draft	Gopal Singh Chouhan

# 8 Performance

We can observe that the accuracy of the predicted output was seen at 90% using Random Forest Regressor.