

Visoka skola strukovnih studija za informacione I komunikacione  
tehnologije sa sedistem u Beogradu(Visoka ICT skola)

## WEB PROGRAMIRANJE – PHP 2

Dokumentacija za sajt: <http://mysocks-urukalo.byethost31.com>

# Sadržaj

## 1. Uvod

1.1 Korisceni programski jezici:

1.2 Opis funkcionalnosti:

1.3 Template za sve stranice:

1.4 Korisceni CSS:

## 2. Organizacija

2.1 Organizaciona sema(fizicka):

2.2 Stranice:

## 3. Kodovi

3.1 Javascript:

3.2 CSS:

3.3 PHP:

## 4. Dizajn baze

# 1.Uvod

## 1.1 Korisceni programski jezici:

HTML, CSS, JavaScript, JQuery, PHP, AJAX, MySQL

## 1.2 Opis funkcionalnosti:

Sajt je radjen u Visual Studio Code/Atom, sajt je namenjen za kupovinu carapa. Sajt mogu da pristupe neautorizovani, autorizovani kao i administrator.

Sajt je sastavljen tako da stranica index.php bude glavna dok se ostale menjaju na mesto sadrzaja strane. Neautorizovani korisnici mogu videti proizvode, njen opis i cenu (popust ako postoji). Da bi kupili proizvod korisnik mora da se registruje pa potom uloguje. Posle registracije korisnik mora da poseti svoj email kako bi verifikovao profil. Logovanje se stiti sesija,a. Ulogovan korisnik ima mogucnost promene svojih podataka. Ako je korisnik zaboravio lozinku i ne moze da se loguje postoji i stranica kojom se postize slanje na njegov email nova genericka sifra.

Prijava korisnika se otvara klikom na login u gornjem desnom uglu ili u footeru u sekciji My account.

Na stranici sa proizvodima korisnik vidi slike proizvoda i prelaskom misa preko slike proizvoda dobija kratak opis tog proizvoda. Ispod slike se nalazi cena proizvoda kao i popust ako je proizvod na snizenju. Klikom na sliku ili cenu proizvoda otvara se taj proizvod u detaljnijem izdanju. U sklopu opisa proizvoda postoji i kolicina kao i velicina proizvoda koju korisnik moze da izabere. Ako je izabrao velicinu i kolicinu proizvoda moze da pritisne dugme da doda u torbu.

Kada je korisnik ulogovan moze videti koliko ima proizvoda u torbi. Klikom na torbu ili link u footeru pod nazivom Bag moze videti sve proizvode koje je dodao u torbu dotad. Moze da menja kolicinu proizvoda kao da ukloni proizvod iz torbe.

Na sajtu postoji pretraga koja se nalazi u gornjem desnom uglu.

Meni sajta se vuce iz baze i pritom obezbedjen dinamicki meni.


Postoji anketa na koju korisnik moze glasati i rezultat se upisuje u bazu.

Contact us je strana gde korisnik moze da kontaktira administratora sajta.

Admin panel je namenjen samo za administratore sajta I njemu mogu samo oni da pristupe. Prilikom ulaska u admin panel, administrator dobija nedeljan izvestaj broja posetilaca sajta. Postoji padajuci meni kojim bira vrstu vremenskog prikaza posetilaca (godisnje/mesecno/nedeljno/dnevno). Administrator moze u meniu da izabere korisnike, proizvode, popuste, cesta pitanja I ankete. Kada izabere jedan od stavki iz meni dobija ponudu da dodaje, promeni, obrise I pregleda.

Postoji stranica 404 koja automatski redirektuje na index.php stranicu.

### 1.3 Template za sve stranice:



```
<?php @session_start(); ?>

<!DOCTYPE html>

<html>

<head>

<meta charset="UTF-8">

<title>My socks</title>

<link rel="stylesheet" type="text/css" href="css/mystyle.css">

<link rel="shortcut icon" href="images/socks_icon.png">


<script type="text/javascript" src="js/script.js"></script>

<meta name="keywords" content="socks"/>

<meta name="description" content="Socks"/>

</head>

<body>

<div id="site">

<?php

include("cont/header_cont.php");

echo"<div class='template'></div>";

include("cont/footer_cont.php");

?>

</div>

</body>


</html>
```

## 1.4 Korisceni CSS:

Nije koriscen tudji css.


## 2. Organizacija

### 2.1 Organizaciona sema:








## 2.2 Stranice: Author\_cont.php



[HOME](#) [MEN'S SOCKS](#) [LADIES SOCKS](#) [KIDS SOCKS](#) [SALE](#)

[Login](#) [Register](#)



**URUKALO GORAN**  
goran.urukalo11714@ict.edu.rs

UPON FINISHING HIGH SCHOOL I GOT ACCEPTED TO 'ICT COLLEGE OF VOCATIONAL STUDIES' IN BELGRADE IN 2014, WHERE I'M CURRENTLY IN THE THIRD YEAR OF STUDIES.

**Information**

- [Contact Us](#)
- [Author](#)
- [FAQ](#)

**My account**

- [Login](#)
- [Register](#)






**Quick links**


- [Newest](#)
- [Price \[High - Low\]](#)
- [Price \[Low - High\]](#)
- [Oldest](#)
- [A - Z](#)

**Newsletter**


You may [unsubscribe](#) at any time.

**Follow us**



[Login](#) [Register](#)



[HOME](#) [MEN'S SOCKS](#) [LADIES SOCKS](#) [KIDS SOCKS](#) [SALE](#)

## My socks

### Contact us

Feel free to ask any question.

### Pool

Do you like our website?

☐ Yes

☐ No

#### Information

- [Contact Us](#)
- [Author](#)
- [FAQ](#)

#### My account

- [Login](#)
- [Register](#)






#### Quick links

- [Newest](#)
- [Price \[High - Low\]](#)
- [Price \[Low - High\]](#)
- [Oldest](#)
- [A - Z](#)


#### Newsletter

You may [unsubscribe](#) at any time.


#### Follow us

My socks © 2017 by Unukalo Goran



[Login](#) [Register](#)



[HOME](#) [MEN'S SOCKS](#) [LADIES SOCKS](#) [KIDS SOCKS](#) [SALE](#)

## My socks

FAQ

v Do you have a physical store location?

v Which size sock should I order?

v Where are your socks made?

v Can I order custom socks?

v I haven't seen any verification email in my inbox.

v How do I unsubscribe to the My socks Newsletter?

**Information**  
[Contact Us](#)  
[Author](#)  
[FAQ](#)






**My account**  
[Login](#)  
[Register](#)

**Quick links**  
[Newest](#)  
[Price \[High - Low\]](#)  
[Price \[Low - High\]](#)  
[Oldest](#)  
[A - Z](#)


**Newsletter**

You may [unsubscribe](#) at any time.


**Follow us**

My socks © 2017 by Urunkalo Goran



[Login](#) [Register](#)



[HOME](#) [MEN'S SOCKS](#) [LADIES SOCKS](#) [KIDS SOCKS](#) [SALE](#)

# My socks

Forgot your password?

**Information**

- [Contact Us](#)
- [Author](#)
- [FAQ](#)

**My account**

- [Login](#)
- [Register](#)






**Quick links**

- [Newest](#)
- [Price \[High - Low\]](#)
- [Price \[Low - High\]](#)
- [Oldest](#)
- [A - Z](#)


**Newsletter**

You may [unsubscribe](#) at any time.


**Follow us**

My socks © 2017 by Urunkalo Goran





## Login\_cont.php



My socks

HOME   MEN'S SOCKS   LADIES SOCKS   KIDS SOCKS   SALE

Search Item      

My socks

Log in

E-MAIL

PASSWORD

SIGN IN

[Forgot your password?](#)

Information

[Contact Us](#)  
[Author](#)  
[FAQ](#)

My account

[Login](#)  
[Register](#)

Quick links






[Newest](#)  
[Price \[High - Low\]](#)  
[Price \[Low - High\]](#)  
[Oldest](#)  
[A - Z](#)

Newsletter

YOUR EMAIL ADDRESS   [SUBSCRIBE](#)


You may [unsubscribe](#) at any time.

Follow us

My socks © 2017 by Unukalo Goran

## Myprofile\_cont.php



Logout

SEARCH ITEM

Q

HOME

MEN'S SOCKS

LADIES SOCKS

KIDS SOCKS

SALE

# My socks

My profile

First name: Goran  
Last name: Unukalo  
Email:   
Registration date: 28/01/2017 18:32:18

MANAGE PROFILE

Information

Contact Us  
Author  
FAQ

My account

cPanel  
Documentation  
My profile  
Bag (0)  
Logout

Quick links

Newest  
Price [High - Low]  
Price [Low - High]  
Oldest  
A - Z

Newsletter

YOUR EMAIL ADDRESS

SUBSCRIBE

You may [unsubscribe](#) at any time.

Follow us

f

@


t

y

+

My socks © 2017 by Unukalo Goran

## Product\_cont.php



Logout

SEARCH ITEM

Q

HOME

MEN'S SOCKS

LADIES SOCKS

KIDS SOCKS

SALE

FILTERS

v Color


v Size

v Material


v Pattern

Sort by: Newest ▾ View: 9 ▾

PREV 1 NEXT



\$21.99



~~\$25~~ \$20 (-20%)

Sort by: Newest ▾ View: 9 ▾

PREV 1 NEXT

**Information**

Contact Us

Author

FAQ

**My account**

cPanel

Documentation

My profile

Bag (0)

Logout

**Quick links**

Newest

Price [High - Low]

Price [Low - High]

Oldest

A - Z

**Newsletter**

YOUR EMAIL ADDRESS

SUBSCRIBE

You may [unsubscribe](#) at any time.

**Follow us**

f


G+

My socks © 2017 by [Urakalo Goran](#)

16



oneproduct\_cont.php



Logout

SEARCH ITEM

Q


HOME

MEN'S SOCKS

LADIES SOCKS

KIDS SOCKS

SALE



### Trooper 2 Socks

41

\$21.99

S

-1+

ADD TO BAG

White

**Description**  
Admit it, the Empire music always gave you chills. Its OK. Its doesnt mean youve gone over to the Dark Side. It is pretty awesome.

**Information**  
Contact Us  
Author  
FAQ

**My account**  
cPanel  
Documentation  
My profile  
Bag (0)  
Logout

**Quick links**  
Newest  
Price (High - Low)  
Price (Low - High)  
Oldest  
A - Z

**Newsletter**

YOUR EMAIL ADDRESS

SUBSCRIBE

You may [unsubscribe](#) at any time.

**Follow us**

f

@


t

y



+

My socks © 2017 by Urunkalo Goran

## Register\_cont.php



[Login](#) [Register](#)

[HOME](#) [MEN'S SOCKS](#) [LADIES SOCKS](#) [KIDS SOCKS](#) [SALE](#)

### My socks

---

#### Register

[Already have an account?](#)

#### Information

- [Contact Us](#)
- [Author](#)
- [FAQ](#)

#### My account

- [Login](#)
- [Register](#)






#### Quick links

- [Newest](#)
- [Price \[High - Low\]](#)
- [Price \[Low - High\]](#)
- [Oldest](#)
- [A - Z](#)

#### Newsletter


You may [unsubscribe](#) at any time.

#### Follow us


    

My socks © 2017 by Urunkalo Goran

## Shoppingbag\_cont.php



[Login](#) [Register](#)



[HOME](#) [MEN'S SOCKS](#) [LADIES SOCKS](#) [KIDS SOCKS](#) [SALE](#)

### My bag (0)

PRODUCT	QUANTITY	TOTAL
Your bag is empty.		

Total: \$0

CHECKOUT

**Information**

- [Contact Us](#)
- [Author](#)
- [FAQ](#)

**My account**

- [Login](#)
- [Register](#)






**Quick links**

- [Newest](#)
- [Price \[High - Low\]](#)
- [Price \[Low - High\]](#)
- [Oldest](#)
- [A - Z](#)

**Newsletter**


You may [unsubscribe](#) at any time.

**Follow us**


    

My socks © 2017 by Urukalo Goran

## Unsubscribe\_cont.php



[Login](#) [Register](#)



[HOME](#) [MEN'S SOCKS](#) [LADIES SOCKS](#) [KIDS SOCKS](#) [SALE](#)

### My socks

---

#### Unsubscribe

#### Information

- [Contact Us](#)
- [Author](#)
- [FAQ](#)

#### My account

- [Login](#)
- [Register](#)






#### Quick links

- [Newest](#)
- [Price \[High - Low\]](#)
- [Price \[Low - High\]](#)
- [Oldest](#)
- [A - Z](#)

#### Newsletter


You may [unsubscribe](#) at any time.

#### Follow us

My socks © 2017 by Urunkalo Goran

Every\_cont.php



Index\_cont.php (for n1shhh.php)



[MY SOCKS SITE](#)

[CPANEL](#)

[USER](#)


[PRODUCT](#)

[SALE](#)

[FAQ](#)

[POLL](#)

Search visits per:



My socks © 2017 by Unukalo Goran

# User.php



[MY SOCKS SITE](#)

[CPANEL](#)

[USER](#)

[PRODUCT](#)

[SALE](#)

[FAQ](#)

[POLL](#)

## USER > ADD

My socks © 2017 by Unukalo Goran

[MY SOCKS SITE](#)[CPANEL](#)[USER](#)[PRODUCT](#)[SALE](#)[FAQ](#)[POLL](#)

## USER > VIEW

	Goran Urakalo dev@dev.com	
	Pera Peric pera.peric@gmail.com	
	Nena Nenic nena.nenic@gmail.com	
	Vera Veric vera.veric@gmail.com	
	Milos Milosevic milos.milosevic@gmail.com	

[PREV](#)[1](#)[NEXT](#)



[MY SOCKS SITE](#)[CPANEL](#)[USER](#)[PRODUCT](#)[SALE](#)[FAQ](#)[POLL](#)


## USER > REMOVE

	Goran Urakalo goran@dev.com	
	Pera Peric pera.peric@gmail.com	
	Nena Nenic nena.nenic@gmail.com	
	Vera Veric vera.veric@gmail.com	
	Milos Milosevic milos.milosevic@gmail.com	

[PREV](#)**1**[NEXT](#)

## Sale.php

---



MY SOCKS SITE   CPANEL   USER   PRODUCT   SALE   FAQ   POLL

---

Product     \$25  
price:  
NEW PRICE: \$20

My socks © 2017 by Urakalo Goran

# Product.php



MY SOCKS SITE

CPANEL

USER

**PRODUCT**

SALE

FAQ

POLL

## PRODUCT > ADD

PRODUCT NAME	
PRODUCT PRICE	
DESCRIPTION	
CHOOSE COLOR *	
CHOOSE MATERIAL *	
CHOOSE PATTERN *	
CHOOSE GENDER *	
PRODUCT QUANTITY	
Browse file...	Upload
PRODUCT ALT	
ADD PRODUCT	

My socks © 2017 by Unukalo Goran

[MY SOCKS SITE](#)[CRANEL](#)[USER](#)[PRODUCT](#)[SALE](#)[FAQ](#)[POLL](#)

Darth Vader
25
Darth Vader, also known by his birth name Anakin Skywalker, is a fictional character in the Star Wars film franchise.
black
Wool
Culture
Sale
CHOOSE MEN
150
Browse file... Upload
Darth Vader socks image
20
MANAGE PRODUCT

# Poll.php



[MY SOCKS SITE](#)

[CPANEL](#)

[USER](#)

[PRODUCT](#)

[SALE](#)

[FAQ](#)

[POLL](#)

## POLL > ADD

Add answer!

ADD POLL

My socks © 2017 by Urakalo Goran

# Faq.php



MY SOCKS SITE

CPANEL

USER

PRODUCT

SALE

**FAQ**

POLL

## FAQ > ADD

QUESTION?

ANSWER?

ADD FAQ

My socks © 2017 by Urkalo Goran

## 3. Kodovi

### 3.1 Javascript

Chart.js

```
var labels= [];  
var ourdata = [];  
var label = "";  
var myLineChart = null;  
var http;  
function ajaxGiveVisitsData(x){  
  if(window.XMLHttpRequest){  
    http=new XMLHttpRequest();  
  }else{  
    http=new ActiveXObject("Microsoft.XMLHTTP");  
  }  
  http.open("GET","visit_api.php?visitPer="+x, true);  
  http.send();  
  http.onreadystatechange = initChart;  
  label = x.charAt(0).toUpperCase() + x.slice(1);  
}
```

```

function initChart(){
  if(http.readyState==4){
    JSON.parse(http.responseText, function(key,value){
      labels.push(key);
      ourdata.push(value);
    });
    labels.pop();
    ourdata.pop();
    ostalo();
  }
}

```

```

function ChartUpdate(x){

  labels = [];
  ourdata = [];

  //
  // moram rucno da ocistim iframe posto chart functions ne rade kako
  treba
  //
  var cc = document.getElementById('canvasParent');

```



```

cc.innerHTML = "";

cc.innerHTML = "<canvas id='myChart' width='800'
height='600'></canvas>";


    ajaxGiveVisitsData(x.value);
}

//
//inicijalizacija
//
ajaxGiveVisitsData("week");//year,month,week,day


function ostalo(){
var ctx = document.getElementById("myChart").getContext("2d");
ctx.canvas.width = 800;
ctx.canvas.height = 600;


//
//ajaxom trazi ovo dvoje dole
//


//var label = "Year";

```

```
//var labels = ["Jan", "Feb", "Mar", "Apr", "May", "Jun",  
"Jul","Avg","Sep","Oct","Nov","Dec"];
```

```
//var ourdata = [252, 592, 830, 814, 562, 555, 405];
```

```
var data = {  
  labels: labels,  
  datasets: [  
    {  
      label: label,  
      fill: false,  
      lineTension: 0.1,  
      backgroundColor: "rgba(75,192,192,0.4)",  
      borderColor: "rgba(75,192,192,1)",  
      borderCapStyle: 'butt',  
      borderDash: [],  
      borderDashOffset: 0.0,  
      borderJoinStyle: 'miter',  
      pointBorderColor: "rgba(75,192,192,1)",  
      pointBackgroundColor: "#fff",  
      pointBorderWidth: 1,  
      pointHoverRadius: 5,  
      pointHoverBackgroundColor: "rgba(75,192,192,1)",
```

```

        pointHoverBorderColor: "rgba(220,220,220,1)",
        pointHoverBorderWidth: 2,
        pointRadius: 1,
        pointHitRadius: 10,
        data: ourdata,
        spanGaps: false,
    }
]
};

```

```

myLineChart = new Chart(ctx, {
    type: 'line',
    data: data,
    options: {
        scales: {
            yAxes: [{
                stacked: true
            }]
        }
    }
}

```

```
});
```

```
}
```

Cpscript.js

```
var regSearch = /^[\w\s\d]+$/;
var regEmail = /^\\w+([\\.\\-]?\\w+)*\\@\\w+([\\.\\-]?\\w+)*\\.\\w{2,3}+$/;
var regFirstName = /^[A-Z]{1}[a-z]{2,30}$/;
var regLastName = /^[A-Z]{1}[a-z]{3,30}$/;
var regPassword = /^[a-zA-Z0-9!@#%^&*.]{6,127}$/;
var regTextArea = /^[\w\d\s\\.\\!\\?]{2,255}$/;
var regFullName = /^[A-Z]{1}[a-z]{3,30}\\s[A-Z]{1}[a-z]{3,30}$/;
var regNumber = /^\\d+$/;
var regTimeOfReg = /^[1-9]{1}[0-9]{9}$/;
var regVerificationCode = /^[A-z0-9]{20}$/;
var regSalePercent = /^[1-9]{0,1}[0-9]{1,2}$|^100$/;

var regProductName = /^[A-z0-9\\s]{3,127}$/;
var regProductPrice = /^[0-9]{1,4}(\\.?[0-9]{2})?$/;
var regProductDescription = /^[a-zA-Z0-9!\\$\\%\\&\\.\\,\\s]{3,254}$/;
var regProductQuantity = /^[0-9]{1,10}$/;
var regProductImageAlt = /^[A-z0-9\\s]{3,127}$/;

var regQuestion = /^[\w\\?\\s\\'\\.\\,]{3,254}$/;
var regAnswer = /^[\w\\s\\'\\.\\,\\!\\d]{1,127}$/;
```

```

function adduser(){
    var err = 0;

    if(!regFirstName.test(document.getElementById("firstname").value)){err
r++;}

    if(!regLastName.test(document.getElementById("lastname").value)){err
++;}

    if(!regEmail.test(document.getElementById("email").value)){err++;}

    if(!regPassword.test(document.getElementById("password").value)){err
++;}


    if(!err){
        return true;
    }
    return false;
}

function manageuser(){
    var err = 0;

```

```
if(!regFirstName.test(document.getElementById("firstname").value)){err++;}


```

```
if(!regLastName.test(document.getElementById("lastname").value)){err++;}


```

```
if(!regEmail.test(document.getElementById("email").value)){err++;}


```

```
if(!regTimeOfReg.test(document.getElementById("timeofreg").value)){err++;}


```

```
if(!regVerificationCode.test(document.getElementById("verificationcode").value)){err++;}


```

```
    if(!err){
        return true;
    }
    return false;

return false;
}
```

```
function managesale(){
```

```
if(regSalePercent.test(document.getElementById("saleprocent").value))
{return true;}

    return false;
}
```

```
function addproduct(){
```

```
    var err = 0;
```

```
if(!regProductName.test(document.getElementById("productname").value)){err++;}
```

```
if(!regProductPrice.test(document.getElementById("productprice").value)){err++;}
```

```
if(!regProductDescription.test(document.getElementById("productdescription").value)){err++;}
```

```
if(!regProductQuantity.test(document.getElementById("productquantity").value)){err++;}
```

```
if(!regProductImageAlt.test(document.getElementById("productimagealt").value)){err++;}
```

```
    if(!err){
```



```

        return true;
    }
    return false;
}

function manageproduct(){
    if(addproduct()){

        if(regSalePercent.test(document.getElementById("productsaleprocent"
        ).value)){return true;}

        return false;
    }
    return false;
}

function addpoll(){
    var err = 0;

    if(!regQuestion.test(document.getElementById("question").value)){err+
    +;}

    var two= 0;

    for(var i = 0; i<
    document.getElementsByName("answers[]").length;i++){

```

```
if(!regAnswer.test(document.getElementsByName("answers")[i].value
)){
    if(two<2){
        err++;
    }
    }else{
        two++;
    }
}
if(!err){
    return true;
}
return false;
}
```

```
function managepoll(){
    if(addpoll()){
        return true;
    }
    return false;
}
```

```
function addfaq(){  
    var err = 0;  
  
    if(!regQuestion.test(document.getElementById("question").value)){err+  
+;}  
  
    if(!regAnswer.test(document.getElementById("answer").value)){err++;}  
    if(!err){  
        return true;  
    }  
    return false;  
}
```

Script.js

```
window.onload = function() {  
    var searchtext = document.getElementById('searchtext');  
    var searching = document.getElementById('submitsearch');  
    searchtext.addEventListener("blur", function(e){  
        if(searchtext.value){  
            document.getElementById("searchtext").className = "addsearch";  
            document.getElementById("submitsearch").className =  
"addsearching";  
        }  
        else{  
            document.getElementById("searchtext").className = "";  
            document.getElementById("submitsearch").className = "";  
        }  
    });  
    var nlmail = document.getElementById('nlmail');  
    nlmail.addEventListener("blur", function(e){  
        if(nlmail.value){  
            document.getElementById("nlmail").className = "addnlmail";  
            document.getElementById("nlsubmit").className = "addnlsubmit";  
        }  
    })  
}
```

```

else{
    document.getElementById("nlmail").className = "";
    document.getElementById("nlsubmit").className = "";
}
});

};

//
// REGEX FUNCTION
//
function fastRegExFunction(elementID,regEx,validationText){
    var element = document.getElementById(elementID);
    if(!regEx.test(element.value)){

        element.style.borderColor = '#FF0000';

        if(element.value){
            element.setCustomValidity(validationText);
        }else{
            element.setCustomValidity('Please fill out this field. ');
        }
    }
    return 1;
}

```

```

    }else{
        element.style.borderColor = "";
        element.setCustomValidity("");
        return 0;
    }
    return 0;
}

function regResult(errNumber){
    if(!errNumber){return true;}
    return false;
}

// oninput="setCustomValidity('');" <- html
// oninput="\setCustomValidity('');\" <- echo

//
//
var regSearch = /^[\\w\\s\\d]+$;/;
var regEmail = /^[\\w+([\\.-]?\\w+)*\\@\\w+([\\.-]?\\w+)*([\\w{2,3})+$;/;
var regFirstName = /^[A-Z]{1}[a-z]{2,30}$/;
var regLastName = /^[A-Z]{1}[a-z]{3,30}$/;
var regPassword = /^[a-zA-Z0-9!@#%^&*.]{6,127}$/;
var regTextArea = /^[\\w\\d\\s\\.\\!\\?]{2,255}$/;

```

```

var regFullName = /^[A-Z]{1}[a-z]{3,30}\s[A-Z]{1}[a-z]{3,30}$/;
var regNumber = /^\d+$/;

//

//

//header
function sendme(){
    if(regSearch.test(searchtext.value)){
        return true;
    }
    return false;
}

//footer
function sendsubscribe(){
    var err=0;
    err += fastRegExFunction('nlmail',regEmail,'Nije dobar email.');
```

return regResult(err);

```

}

//unsubscribe
function unsubscribemail(){
    var err=0;
```

```

    err += fastRegExFunction('unsubemail',regEmail,'Nije dobar email.');
```

```

    return regResult(err);
}

//register
function registration(){
    var err = 0;

    err += fastRegExFunction('registername',regFirstName,'Nije dobar
    firstname.');
```

```

    err += fastRegExFunction('registerlastname',regLastName,'Nije dobar
    lastname.');
```

```

    err += fastRegExFunction('registeremail',regEmail,'Nije dobar email.');
```

```

    err += fastRegExFunction('registerpass',regPassword,'Nije dobar
    password.');
```

```

    err += fastRegExFunction('registerpassagain',regPassword,'Nije dobar
    password.');
```

```

    if(document.getElementById("registerpass").value!=document.getElem
    entById("registerpassagain").value){

        err++;

        document.getElementById("registerpassagain").style.borderColor =
        '#FF0000';

    }

    else{
```



```

    document.getElementById("registerpassagain").style.borderColor =
";
}
return regResult(err);
}
//oneproduct
function submitoneproduct(){
    var err=0;

    if(!regNumber.test(document.getElementById("productID").value)){err
    ++;}

    if(!regNumber.test(document.getElementById("oneproductquantity").v
    alue)){
        if(document.getElementById("oneproductquantity").value>10 ||
        document.getElementById("oneproductquantity").value<1){
            err++;
        }
    }
    return regResult(err);
}
//myprofile
function submitmyprofile(){
    var err=0;

```

```

    err += fastRegexFunction('firstname',regFirstName,'Nije dobar
firstname.');
```

```

    err += fastRegexFunction('lastname',regLastName,'Nije dobar
lastname.');
```

```

    return regResult(err);
}

// login
function submitlogin(){
    var err=0;

    err += fastRegexFunction('logemail',regEmail,'Nije dobar email.');
```

```

    err += fastRegexFunction('logpass',regPassword,'Nije dobar
password.');
```

```

    return regResult(err);
}

//forgotpassword
function submitforgotemail(){
    var err=0;

    err += fastRegexFunction('registeremail',regEmail,'Nije dobar email.');
```

```

    return regResult(err);
}

//contactus
function submitcontactform(){
    var err=0;
```

```
    err += fastRegExFunction('contusfullname',regFullName,'Nije dobar  
fullname.');
```

```
    err += fastRegExFunction('contusemail',regEmail,'Nije dobar email.');
```

```
    err += fastRegExFunction('contusquestion',regTextArea,'Nije dobar  
question.');
```

```
    return regResult(err);  
}
```

## 3.2 CSS

Mystyle.css

```
@import url('https://fonts.googleapis.com/css?family=Raleway');

*{
    margin: 0px;
    padding: 0px;
}

body{
    font-family: 'Raleway', sans-serif;
}

#site{
    width: 100%;
}

.clear{
    clear: both;
}

.wmax{
    width: 1100px;
    margin: 0 auto;
}

.paginationbottom{
    margin-bottom: 20px;
}

#header{
    min-height: 120px;
}

.container{
```

```

    min-height: 500px;
}
.logoimage{
    background-image: url('../images/logo_mid.png');
    background-repeat: no-repeat;
    background-size: 150px 112px;
    width: 150px;
    height: 112px;
    float: left;
}
.header_rightside{
    width: 900px;
    float: right;
}
.login_cont{
    text-align: right;
    margin-top: 5px;
    margin-bottom: 5px;
}
.search_cart{
    padding: 10px 0px 10px 0px;
    height: 30px;
    text-align: right;
    position: relative;
}
.navmenu{
    margin-top: 15px;
    text-transform: uppercase;
}

```

```
.login{
    display: inline-block;
}

.register{
    display: inline-block;
    text-align: right;
    margin-left: 10px;
}

.header_log_link{
    text-decoration: none;
    color: #b2b2b2;
    padding: 4px;
}

.header_log_link:hover{
    color: #434343;
}

#searchtext{
    background-color: #eeeeee;
    border: 2px solid white;
    padding: 8px;
    outline: none;
    color: #434343;
}

#nmail{
    background-color: #262626;
    border: 2px solid #878787;
    padding: 8px;
```

```

outline: none;
color: #eeeeee;
float: left;
}
#submitsearch{
background-image: url(../images/searchimg.png);
background-repeat: no-repeat;
background-size: 16px 16px;
background-position: center;
width: 55px;
height: 35px;
background-color: #eeeeee;
border: none;
outline: none;
padding: 13px;
margin-left: -5px;
}
#nsubmit{
height: 35px;
background-color: #878787;
color: #eeeeee;
border: none;
outline: none;
padding: 13px;
padding-top: 10px;
margin-left: -5px;
float: left;
}
#searchtext:hover{

```

```

border: 2px solid #878788;
transition: border .8s;
}
#nlmail:hover{
border: 2px solid #dedede;
transition: border .8s;
}
#searchtext:hover + #submitsearch{
background-color: #878788;
transition: background-color .8s;
}
#nlmail:hover + #nlsubmit{
background-color: #dedede;
color: black;
transition: background-color .8s;
}
#searchtext:focus {
border: 2px solid black;
}
#nlmail:focus{
border: 2px solid #dedede;
}
#searchtext:focus + #submitsearch{
background-color: #434343;
cursor: pointer;
}
#nlmail:focus + #nlsubmit{
background-color: #dedede;
color: black;
}

```



```

    cursor: pointer;
}
.addsearch{
    border: 2px solid black !important;
}
.addsearchimg{
    background-color: #434343 !important;
    cursor: pointer !important;
}
.addnlmail{
    border: 2px solid #dedede !important;
}
.addnlsubmit{
    background-color: #dedede !important;
    color: black !important;
    cursor: pointer !important;
}
/*
    header test ^ old
*/
#example-one {
margin: 0 auto;
list-style: none;
position: relative;
width: auto;
}
#example-one li {
display: inline-block;
margin-right: 45px;

```

```

    font-weight: 800;
}
#example-one a {
color: #bbb;
font-size: 14px;
float: left;
padding: 6px 0px 4px 0px;
text-decoration: none;
text-transform: uppercase;
}
#example-one a:hover {
color: #434343;
}
#magic-line {
position: absolute;
bottom: -2px;
left: 0;
width: 100px;
height: 2px;
background: #434343;
}
.current_page_item a {
color: black !important;
}

.mlselected{
color: black;
border-bottom: 4px solid black;

```

```
}
```

```
#searchitem_form{  
    display: inline-block;  
    margin-right: 60px;  
}
```

```
.shoppingbag{  
    display: inline-block;  
    width: 32px;  
    height: 32px;  
    background-image: url('../images/shopping-bag.png');  
    position: absolute;  
    right: 10px;  
    text-align: center;  
    line-height: 40px;  
    text-decoration: none;  
    color: black;  
    opacity: 0.3;  
}
```

```
.shoppingbag:hover{  
    opacity: 1;  
}
```

```
#footer{  
    background-color: #262626;  
    min-height: 200px;
```

```

}

.footercont .footerblock:first-child{
    margin-left: 30px;
}

.footerhr, .headerhr{
    width: 100%;
    height: 1px;
    background-color: #cccccc;
}

.footerblock{
    width: 240px;
    margin: 20px 0px;
    float: left;
}

#footer ul{
    margin-left: 10px;
    margin-top: 15px;
}

#footer ul li{
    list-style-type: none;
    margin-bottom: 10px;
}

#footer ul li a{
    text-decoration: none;
    color: #888888;
}

.footerblock h3{
    color: #eeeeee;
}

```

```
#footer ul li a:hover{  
    color: #dddddd;  
}
```

```
.footernl{  
    width: 340px;  
}
```

```
.footercopyright{  
    color: #eeeeee;  
    text-align: center;  
    margin-top: 10px;  
    padding-bottom: 20px;  
}
```

```
.footercrline{  
    height: 1px;  
    background-color: #444444;  
    margin-top: 20px;  
}
```

```
.footernlbottom{  
    margin-top: 20px;  
}
```

```
.footersocial li{  
    display: inline-block;  
}
```

```
.footersocialimg{
```

```
width: 24px;
height: 24px;
display: inline-block;
background-repeat: no-repeat;
opacity: .15;
border: 1px solid #878787;
background-position: center;
padding: 5px;
margin: 8px;

}

.footersocialimg:hover{
    opacity: .75;
}

.fimgfb{
    background-image: url('../images/fb.png');
}

.fimginst{
    background-image: url('../images/in.png');
}

.fimgtw{
    background-image: url('../images/tw.png');
}

.fimgyt{
    background-image: url('../images/yt.png');
}

.fimggp{
    background-image: url('../images/gp.png');
```

```
}
```

```
.footerunsub{  
    display: inline-block;  
    margin: 20px;  
    color: #888888;  
    font-size: 13px;  
    padding-left: 25px;  
}
```

```
.footerunsub a{  
    color: #888888;
```

```
}
```

```
.footerunsub a:hover{  
    color: #dddddd;  
}
```

```
/*
```

```
    this is index_cont.php css
```

```
*/
```

```
#index_slider{  
    width: 100%;  
    height: 500px;  
    margin: 40px 0px;  
    opacity: 0;  
    transition: opacity 1.0s linear 0s;  
}
```

```

.typeshowcase{}

.tsbox{
    width: 340px;
    height: 200px;
    margin: 0px 13px;
    float: left;
    position: relative;
}

.tsboximage{
    position: absolute;
    width: 340px;
    height: 200px;
    background-size: 340px 200px;
    background-repeat: no-repeat;
    opacity: .5;
    z-index: 1;
}

.tsbox .newarrivals{
    width: 340px;
    color: black;
    text-align: center;
    margin-top: 60px;
    z-index: 10;
    position: absolute;
    font-weight: 800;
    font-size: 20px;
    text-shadow: 0px 0px 1px black;
}

.tsbox .men_women_kid_nar{

```



```
width: 340px;
color: black;
text-align: center;
margin-top: 85px;
z-index: 10;
position: absolute;
font-weight: 800;
font-size: 46px;
text-shadow: 0px 0px 1px black;
}
```

```
.tsmen{
    background-image: url('../images/men-socks.jpg');
}
.tswomen{
    background-image: url('../images/women-socks.jpg');
}
.tskid{
    background-image: url('../images/kid-socks.jpg');
}
```

```
.showcaseproducts{
    width: 100%;
    min-height: 370px;
```

```

    margin: 40px 0px 80px 0px;
}
.showcaseproducts .oneproductbody{
    margin: 50px 22px 15px 22px;
}
body, html {
    height: 100%;
}
#index_paralex{
    width: 100%;
    min-height: 400px;
    margin: 40px 0px;
    /*background-image:
    linear-gradient(
        red, #f06d06
    );
*/
    background-image: url('../images/starwars_parallax.jpg');

    /*
        PARALLAX effect
    */
    background-attachment: fixed;
    background-position: center;
    background-repeat: no-repeat;
    background-size: cover;
}
/*

```

```
this is login_cont.php
*/
.logintext , .registertext{
    text-align: center;
    margin: 80px auto;
    margin-bottom: 50px;
    font-size: 30px;
}
.loginline{
    width: 500px;
    height: 1px;
    background-color: #cccccc;
    margin: 0 auto;
}
.loginlinetext , .registerlinetext{
    width: 60px;
    font-size: 20px;
    margin: 0 auto;
    margin-top: -14px;
    background-color: white;
    padding: 0px 20px;
    text-align: center;
}
.loginforgotpass{
    margin: 0 auto;
    width: 300px;
    text-align: center;
    margin-bottom: 100px;
}
```

```

.loginforgotpass a{
    color: #878787;
    font-size: 13px;
}
.loginforgotpass a:hover{
    color: #484848;
}
.loginform , .registerform{
    margin-top: 30px;
    margin-bottom: 20px;
}
.loginform input , .registerform input{
    margin: 0 auto;
    display: block;
}
#firstname,
#lastname,
#forgotemail,
#unsubemail,
#logemail,
#logpass,
#registername,
#registerlastname,
#registerpassagain,
#registeremail,
#registerpass,
#contusfirstname,
#contuslastname,
#contusfullname,

```

```
#contusemail,  
#contusquestion{  
    width: 270px;  
    height: 50px;  
    margin-bottom: 10px;  
    font-size: 16px;  
    padding: 0px 15px;  
    outline-color: #484848;  
}  
#myprofilessubmit,  
#forgotsubmit,  
#addoneproducttobag,  
#logsubmit,  
#registersubmit,  
#unsubsubmit,  
#contussubmit,  
#poolsubmit{  
    width: 304px;  
    height: 54px;  
    background-color: #eee;  
    color: black;  
    margin-top: 20px;  
    border: 2px solid black;  
    cursor: pointer;  
}  
#myprofilessubmit:hover,  
#forgotsubmit:hover,  
#addoneproducttobag:hover,  
#logsubmit:hover,
```

```
#registersubmit:hover,  
#unsubsubmit:hover,  
#contussubmit:hover,  
#poolsubmit:hover{  
    background-color: black;  
    color: white;  
    transition: background-color .5s;
```

```
}  
.unsublinetext{  
    width: 118px;  
}
```

```
.registerlinetext{  
    width: 72px;  
}
```

```
.contuslinetext{  
    width: 100px;  
}
```

```
/*  
    shoppingbag cont  
*/
```

```
.sbmenunames{  
    width: 100%;  
    border-bottom: 1px solid #dbdbdb;  
}
```

```
.sbagname{  
    height: 20px;
```

```
font-size: 14px;
font-weight: 800;
margin-bottom: 5px;
margin-right: 20px;
display: inline-block;
}
.sbagproductname{
font-size: 28px;
margin: 40px 0px 0px 10px;
}
.sbagnameq{
margin-left: 670px;
}
.sbagname{
margin-left: 110px;
}
.myshoppingbag{
font-size: 28px;
margin: 80px 0px 40px 0px;
}
.shoppingbagcont{
background-color: #ededed;
width: 100%;
min-height: 260px;
}
.shoppingbagempty{
text-align: center;
padding: 90px 0px;
font-size: 18px;
```

```

}
.shoppingbagtotalsum{
    text-align: right;
    font-size: 20px;
}
.shoppingbagcheckout,
.myprofilemanage{
    float: right;
    display: block;
    width: 304px;
    padding: 20px 0px;
    text-align: center;
    background-color: #eee;
    color: black;
    border: 2px solid black;
    cursor: pointer;
    margin: 80px 0px;
    text-decoration: none;
}
.shoppingbagcheckout:hover,
.myprofilemanage:hover{
    background-color: black;
    color: white;
    transition: background-color .5s;
}
.sbagblock{
    float: left;
}
.sbagoneitem{

```



```
    min-height: 264px;
    margin: 0px 0px 15px 0px;
}
.sbagproduct img{
    width: 230px;
    height: 230px;
    margin: 15px;
}
.sbagitem{
    width: 500px;
}
.noproduct{
    font-size: 22px;
    padding: 80px 0px 0px 0px;
    text-align: center;
}
.sbagquantity{
    width: 200px;
    text-align: center;
}
.sbagquantity .oneproductquantity{
    width: 96px !important;
}
.sbagquantity .oprquantity{
    margin-top: 30px;
    width: 196px;
}
.sbagtotalquantityprice{
    font-size: 22px;
```

```
width: 140px;
margin-top: 40px;
}
.sbagtotal{
    text-align: right;
}
.sbagproductsku{
    color: #434343;
    font-size: 14px;
    margin: 10px 10px;
}
.sbagproductprice{
    margin-left: 10px;
}
.sbagproductremove{
    font-size: 14px;
    display: inline-block;
    margin-top: 90px;
    text-decoration: none;
    color: black;
    padding: 10px;
}
.sbagproductremove::before{
    content: "";
    width: 16px;
    height: 16px;
    background-image: url('../images/remove.png');
    display: block;
    margin-right: 10px;
```

```

float: left;
}
.contusfeelfree{
text-align: center;
font-size: 12px;
margin-top: 20px;
}
#contusquestion{
margin: 0 auto;
display: block;
height: 70px;
padding-top: 10px;
resize: vertical;
}
.poolline{
margin-top: 80px;
}
.poolquestion{
text-align: center;
margin: 20px 0px;
font-size: 18px;
}
#poolsubmit{
margin: 0 auto;
display: block;
margin-bottom: 60px;
}
.poolcball{
display: block;

```

```

    margin: 0 auto;
    width: 304px;
    text-align: center;
}
/*
//
// radio buttons
//
*/
.radiobuttonparent ul{
    margin: 0 auto;
    width: 150px;
    margin-bottom: 50px;
}
.radiobuttonparent ul li{
    color: #AAAAAA;
    display: block;
    position: relative;
    width: 100%;
    height: 50px;
}
.radiobuttonparent ul li input[type=radio]{
    position: absolute;
    visibility: hidden;
}
.radiobuttonparent ul li label{
    display: block;
    position: relative;
    font-weight: 800;

```

```

font-size: 1.35em;
padding: 25px 25px 25px 80px;
margin: 10px auto;
height: 30px;
z-index: 9;
cursor: pointer;
-webkit-transition: all 0.25s linear;
}
.radiobuttonparent ul li:hover label{
color: #434343;
}
.radiobuttonparent ul li .check{
display: block;
position: absolute;
border: 5px solid #AAAAAA;
border-radius: 100%;
height: 25px;
width: 25px;
top: 20px;
left: 20px;
z-index: 5;
transition: border .25s linear;
-webkit-transition: border .25s linear;
}
.radiobuttonparent ul li:hover .check {
border: 5px solid #434343;
}
.radiobuttonparent ul li .check::before {
display: block;

```

```

    position: absolute;
content: "";
    border-radius: 100%;
    height: 15px;
    width: 15px;
    top: 5px;
left: 5px;
    margin: auto;
transition: background 0.25s linear;
-webkit-transition: background 0.25s linear;
}
.radiobuttonparent input[type=radio]:checked ~ .check {
    border: 5px solid black;
}
.radiobuttonparent input[type=radio]:checked ~ .check::before{
    background: black;
}
.radiobuttonparent input[type=radio]:checked ~ label{
    color: black;
}

/*
    author_cont
*/
.allauthor{
    padding-top: 225px;
}
.authorleft{

```

```
float: left;
width: 300px;
text-align: right;
}
.almyname{
font-weight: 800;
padding-right: 25px;
}
.altext{
padding-right: 25px;
font-size: 12px;
}
.authormiddle{
float: left;
width: 200px;
height: 200px;
background-color: white;
border-radius: 50%;
margin-top: -80px;
box-shadow: 0px 2px 10px #a9a9a9;
}
.authormiddle::before{
content: "";
margin: 5px 0px 0px 5px;
width: 190px;
height: 190px;
border-radius: 50%;
display: block;
background-image: url('../images/author.png');
```

```

background-repeat: no-repeat;
transition: background-image 1s;
}
.authormiddle:hover::before{
background-image: url('../images/authorb.png');
background-repeat: no-repeat;
transition: background-image 1s;
}
.authorrigh{
float: left;
width: 600px;
}
.artext{
padding-left: 25px;
}

/*
FAQ
*/
.faqspacer{
margin: 50px 0px;
}
.faqquestion{
width: 600px;
margin: 20px auto;
user-select: none;
}
.faqtext{

```



```

font-size: 22px;
height: 30px;
border-bottom: 1px solid lightgray;
padding: 5px 0px 5px 10px;
cursor: pointer;
}
.faqanswer{
padding-left: 20px;
max-height: 0;
transition: max-height 0.15s ease-out;
overflow: hidden;
cursor: text;
color: #898989;
}

```

```

.forgotpasswordtext{
width: 215px;
}

```

```

/*

```

```

PRODUCT_CONT FILTERS

```

```

*/

```

```

.productfilters{
width: 300px;
float: left;
display: block;
font-weight: 800;
}

```

```

.productcontainer{

```

```

width: 800px;

float: left;

display: block;
}

.productfiltername{
    border-bottom: 1px solid #dddddd;

    margin-top: 70px;

    padding-left: 10px;

    padding-bottom: 10px;
}

.pfilterblock{
    width: 100%;

    border-bottom: 1px solid #dddddd;

    margin: 10px 0px 20px 0px;
}

.pfiltername{
    padding: 0px 0px 10px 20px;

    user-select: none;

    border-bottom: 1px solid #e4e4e4;
}

.pfilterbody{
    width: 100%;

    /*min-height: 80px;*/

    color: #707070;

    max-height: 0;

    transition: max-height 0.25s ease-out;

    overflow: hidden;
}

.pfopened{

```

```

    max-height: 500px;
}
.pfcolorblock{
    padding: 5px 0px 5px 23px;
}
.pfcolor{
    width: 20px;
    height: 20px;
    border-radius: 50%;
    display: inline-block;
    cursor: pointer;
    box-shadow: 0px 0px 5px #aaaaaa;
}
.pfcolorname{
    font-weight: 400;
    display: inline-block;
    vertical-align: 3px;
    margin-left: 10px;
    color: #aaaaaa;
}
.pfcolorname:hover{
    color: #434343;
}

.pfilterbody input[type=radio]{
    position: absolute;
    visibility: hidden;
}

```

```

.pfilterbodyonlycolor input[type=radio]:checked + label{
    box-shadow:
        0px -5px 15px -5px rgba(255,000,000,0.7),
        0px 5px 15px 0px rgba(000,000,255,0.3),
        5px 0px 15px 0px rgba(000,255,000,0.3),
        -5px 0px 15px 0px rgba(000,000,000,0.3);
    transition: box-shadow .2s;
}
/*
    COLORS
*/
.color_black{
background-color:#343434;
}
.color_blue{
background-color:#00a4e4;
}
.color_brown{
background-color:#cc7a00;
}
.color_gray{
background-color:#c9c9c9;
}
.color_green{
background-color:#4dc47d;
}
.color_orange{
background-color:#f67828;
}
}

```

```

.color_pink{
background-color:#ff78cb;
}

.color_purple{
background-color:#6a67ce;
}

.color_red{
background-color:#ff4c4c;
}

.color_white{
background-color:#eff2f3;
    box-shadow: 0px 0px 5px #434343;
}

.color_yellow{
background-color:#ffcc2f;
}

.color_ult_rainbow{
background:black;
background: -moz-linear-gradient( top ,
    rgba(255, 0, 0, 1) 0%,
    rgba(255, 255, 0, 1) 15%,
    rgba(0, 255, 0, 1) 30%,
    rgba(0, 255, 255, 1) 50%,
    rgba(0, 0, 255, 1) 65%,
    rgba(255, 0, 255, 1) 80%,
    rgba(255, 0, 0, 1) 100%);
background: -webkit-gradient(linear, left top, left bottom,
    color-stop(0%, rgba(255, 0, 0, 1)),
    color-stop(15%, rgba(255, 255, 0, 1)),

```

```

    color-stop(30%, rgba(0, 255, 0, 1)),
    color-stop(50%, rgba(0, 255, 255, 1)),
    color-stop(65%, rgba(0, 0, 255, 1)),
    color-stop(80%, rgba(255, 0, 255, 1)),
    color-stop(100%, rgba(255, 0, 0, 1)));
}

```

```

.color_rainbow {
  background:
    linear-gradient(36deg, #272b66 42.34%, transparent 42.34%) 0 0,
    linear-gradient(72deg, #2d559f 75.48%, transparent 75.48%) 0 0,
    linear-gradient(-36deg, #9ac147 42.34%, transparent 42.34%) 100% 0,
    linear-gradient(-72deg, #639b47 75.48%, transparent 75.48%) 100% 0,
    linear-gradient(36deg, transparent 57.66%, #e1e23b 57.66%) 100% 100%,
    linear-gradient(72deg, transparent 24.52%, #f7941e 24.52%) 100% 100%,
    linear-gradient(-36deg, transparent 57.66%, #662a6c 57.66%) 0 100%,
    linear-gradient(-72deg, transparent 24.52%, #9a1d34 24.52%) 0 100%,
    #43a1cd linear-gradient(#ba3e2e, #ba3e2e) 50% 100%;
  background-repeat: no-repeat;
  background-size: 50% 50%;
  transition: 1s;
}

.color_rainbow:hover {
  transform: rotate(360deg);
}

.pfilterbody input[type=radio]:checked + .color_rainbow:hover{
  transition: 1s;
}

```

```
.pfsizeblock{

}

.rbpfilters ul{
    margin: 0px;
    width: 300px;
}

.rbpfilters ul li label{
    font-size: 16px;
    font-weight: 400;
    padding: 25px 25px 0px 60px;
    margin: 0;
}

.rbpfilters ul li .check{
    width: 16px;
    height: 16px;
}

.rbpfilters ul li .check::before{
    top: 3px;
    left: 3px;
    width: 10px;
    height: 10px;
}
```

```

/*
    product_count PRODUCTS
*/
.productcontainer{
    margin-top: 50px;
}

.pagination_all{
    width: 100%;
    height: 49px;
}
.pagination_all:first-child{
    border-bottom: 1px solid #dddddd;
}
.pagination_all:last-child{
    border-top: 1px solid #dddddd;
    margin-bottom: 40px;
}
.productsbody{
    width: 100%;
    min-height: 500px;
}
.oneproductbody{
    float: left;
    width: 230px;
    min-height: 50px;
}

```



```
margin: 20px 18px 15px 18px;
}
```

```
.oneproductbody img{
width: 230px;/*480x480*/
height: 230px;
}
```

```
/*
```

```
.oneproductbody img{
width: 230px;
height: 230px;
```

```
-webkit-filter: grayscale(0) blur(0);
filter: grayscale(0) blur(0);
-webkit-transition: .3s ease-in-out;
transition: .3s ease-in-out;
}
```

```
.oneproductbody:hover img {
-webkit-filter: grayscale(100%) blur(3px);
filter: grayscale(100%) blur(3px);
}
```

```
*/
```

```
.oneproductbody{
text-decoration: none;
color: black;
```

```
}
```

```
.opbbpricebeffore{  
    text-decoration: line-through;  
    float: left;  
}
```

```
.opbbpricenow{  
    float: left;  
    margin: 0px 40px;  
    font-weight: 800;  
}
```

```
.opbbpriceprocent{  
    float: left;  
    color: red;  
}
```

```
/*  
    Product animation  
*/
```

```
figure.opbimagehlight {  
    font-family: 'Raleway', Arial, sans-serif;  
    color: #fff;  
    position: relative;  
    float: left;  
    overflow: hidden;  
    margin: 10px 1%;  
    min-width: 220px;  
    max-width: 230px;
```

```

max-height: 230px;
width: 100%;
background: #000000;
text-align: left;
}
figure.opbimagehlight * {
  -webkit-box-sizing: border-box;
  box-sizing: border-box;
}
figure.opbimagehlight img {
  max-width: 100%;
  opacity: 1;
  width: 100%;
  -webkit-transition: opacity 0.35s;
  transition: opacity 0.35s;
}
figure.opbimagehlight figcaption {
  position: absolute;
  bottom: 0;
  left: 0;
  padding: 30px 3em;
  width: 100%;
  height: 100%;
}
figure.opbimagehlight figcaption::before {
  position: absolute;
  top: 30px;
  right: 30px;
  bottom: 30px;

```

```

left: 100%;
border-left: 4px solid rgba(255, 255, 255, 0.8);
content: "";
opacity: 0;
background-color: rgba(255, 255, 255, 0.5);
-webkit-transition: all 0.5s;
transition: all 0.5s;
-webkit-transition-delay: 0.6s;
transition-delay: 0.6s;
}
figure.opbimagehighlight h2,
figure.opbimagehighlight p {
margin: 0 0 5px;
opacity: 0;
-webkit-transition: opacity 0.35s, -webkit-transform 0.35s;
transition: opacity 0.35s, -webkit-transform 0.35s, -moz-transform 0.35s, -o-transform 0.35s, transform
0.35s;
}
figure.opbimagehighlight h2 {
word-spacing: -0.15em;
font-weight: 300;
text-transform: uppercase;
-webkit-transform: translate3d(30%, 0%, 0);
transform: translate3d(30%, 0%, 0);
-webkit-transition-delay: 0.3s;
transition-delay: 0.3s;
}
figure.opbimagehighlight h2 span {
font-weight: 800;

```

```

}
figure.opbimagehighlight p {
    font-weight: 200;
    -webkit-transform: translate3d(0%, 30%, 0);
    transform: translate3d(0%, 30%, 0);
    -webkit-transition-delay: 0s;
    transition-delay: 0s;
}
figure.opbimagehighlight a {
    left: 0;
    right: 0;
    top: 0;
    bottom: 0;
    position: absolute;
    color: #ffffff;
}
.oneproductbody:hover img {
    opacity: 0.3;
}
.oneproductbody:hover figcaption h2 {
    opacity: 1;
    -webkit-transform: translate3d(0%, 0%, 0);
    transform: translate3d(0%, 0%, 0);
    -webkit-transition-delay: 0.4s;
    transition-delay: 0.4s;
}
.oneproductbody:hover figcaption p {
    opacity: 0.9;
    -webkit-transform: translate3d(0%, 0%, 0);

```

```

transform: translate3d(0%, 0%, 0);
-webkit-transition-delay: 0.6s;
transition-delay: 0.6s;
}

.oneproductbody:hover figcaption::before {
background: rgba(255, 255, 255, 0);
left: 30px;
opacity: 1;
-webkit-transition-delay: 0s;
transition-delay: 0s;
}

/*
    oneproduct_cont
*/

.oneproductleftimage{
float: left;
margin: 50px 30px 50px 50px;
}

.oneproductright{
float: left;
margin: 80px 0px 0px 50px;
}

.oprproductname{
font-size: 32px;
}

.oprproductid{
color: #898989;
font-size: 12px;
margin: 0px 0px 10px 0px;
}

```

```
}  
.oprprice{  
    font-weight: 800;  
    font-size: 24px;  
    margin: 30px 0px 40px 0px;  
}
```

```
.oprquantity{  
    width: 300px;  
    height: 50px;  
    border: 2px solid black;  
}
```

```
.btnquantity, .btnquantityplus{  
    border: none;  
    border-right: 2px solid black;  
    height: 100%;  
    width: 50px;  
    background-color: white;  
    outline: none;  
    cursor: pointer;  
    position: relative;  
    float: left;  
}
```

```
.btnquantityplus{  
    border-right: none;  
    border-left: 2px solid black;
```

```

}
.oprquantity input[type="text"]{
    height: 40px;
    width: 200px;
    border: none;
    font-size:24px;
    text-align: center;
    float: left;
    margin-top: 5px;
}
.minusspan{
    width: 21px;
    height: 5px;
    background-color: black;
    display: block;
    position: absolute;
    top: 23px;
    left: 14px;
}
.plusspanf{
    width: 21px;
    height: 5px;
    background-color: black;
    display: block;
    position: absolute;
    top: 23px;
    left: 14px;
}
.plusspanl{

```



```

width: 5px;
height: 21px;
background-color: black;
display: block;
position: absolute;
top: 15px;
left: 22px;
}
.btnquantity:hover , .btnquantityplus:hover{
    background-color: black;
    transition: background-color .5s;
}
.btnquantity:hover .minusspan,
.btnquantityplus:hover .plusspanf,
.btnquantityplus:hover .plusspanl{
    background-color: white;
    transition: background-color .2s;
}
.oprcolorotop{
    width: 100px;
    height: 60px;
    box-shadow: none;
}
.oprcolorbottom{
    background-color: #434343;
    width: 100px;
    color: white;
    padding: 10px 0px;
    text-align: center;

```

```

        border-radius: 0px 0px 5px 5px;
    }
    .oprcolortop::after{
        content: "";
        width: 50px;
        height: 60px;
        background-color: black;
        display: block;
        opacity: .12;
        margin-left: 50px;
    }
    .oprcolor{
        margin: 30px 102px;
    }
    .oprdescription h3{
        margin-bottom: 10px;
        word-wrap: break-word;
    }
    .oprdescription{
        margin-bottom: 80px;
        width: 480px;
    }
    /*
        pagination_all
    */
    .sort_box{
        width:300px;
        font-size: 12px;
        letter-spacing:0px;

```

```
float:left;
text-transform:none;
margin-top: 10px;
margin-left: 5px;
}
.top_select_sort,
.top_select_view,
.bottom_select_sort,
.bottom_select_view{
height: 30px;
border: 1px solid #ccc;
border-radius: 3px;
padding: 3px 5px;
color: #666;
margin-left:5px;
}
.top_select_sort{
margin-right: 10px;
}
```

```
.paginationbtns{
width: 200px;
float: right;
```

```

    margin-top: 6px;
}
.paginationbtns a{
    text-decoration: none;
    color: black;
}
.pbtnall{
    border: solid 1px #d7d7d7;
    border-radius: 0.2rem;
    color: #7d7d7d;
    text-decoration: none;
    text-transform: uppercase;
    display: inline-block;
    text-align: center;
    padding: 0.5rem 0.9rem;
}
.pbtnprev{
    cursor: pointer;
}
.pbtnnumber{
    padding: 7px 13px;
    background-color: black;
    color: white;
    font-weight: 800;
}
.pbtnnext{
    cursor: pointer;
}
a.pbtnall:hover{

```

```

    color: #fdfdfd;
    background-color: #1d1f20;
    border: solid 1px #1d1f20;
}
div.pbtnnumber{
    border: solid 1px #d7d7d7;
    border-radius: 0.2rem;
    color: white;
    text-decoration: none;
    text-transform: uppercase;
    display: inline-block;
    text-align: center;
    padding: 0.5rem 0.9rem;
}
div.pbtnprev,
div.pbtnnext{
    background-color: white;
    color: #adadad;
    cursor: default;
}
#oneproductsizes{
    width: 300px;
    margin: 0px 0px 20px 0px;
    height: auto;
    font-size: 24px;
    padding: 11px;
    outline: none;
    text-align-last:center;
}

```

```
.myprofiletext{
    width: 150px;
}
.myprofile{
    width: 304px;
    margin: 0 auto;
    margin-top: 50px;
}
.firstname{

}

.firstname:before{
    content: 'First name: ';
    width: 100px;
    display: inline-block;
    font-weight: 800;
}
.lastname:before{
    content: 'Last name: ';
    width: 100px;
    display: inline-block;
    font-weight: 800;
}
.mpemail:before{
    content: 'Email: ';
    width: 100px;
    display: inline-block;
    font-weight: 800;
```

```

}
.dateofreg:before{
    content: 'Registration date: ';
    width: 100px;
    display: inline-block;
    font-weight: 800;
}
.info-msg,
.success-msg,
.warning-msg,
.error-msg {
    margin: 10px 0;
    padding: 10px;
    border-radius: 3px 3px 3px 3px;
}
.info-msg {
    color: #059;
    background-color: #BEF;
}
.success-msg {
    color: #270;
    background-color: #DFF2BF;
}
.warning-msg {
    color: #9F6000;
    background-color: #FEEFB3;
}
.error-msg {
    color: #D8000C;

```

```
background-color: #FFBABA;
}
.msgs{
width: 324px;
text-align: center;
margin: 10px auto;
}
```



Shhh.css

```
@import url('https://fonts.googleapis.com/css?family=Raleway');

*{
    margin: 0px;
    padding: 0px;
}

body{
    font-family: 'Raleway', sans-serif;
}

#site{
    width: 100%;
}

.clear{
    clear: both;
}

.wmax{
    width: 1100px;
    margin: 0 auto;
}

.header{
    height: 124px;
}

.logoimg{
    background-image: url('../images/logo_mid.png');
    background-repeat: no-repeat;
    background-size: 150px 112px;
    width: 150px;
    height: 112px;
}
```

```
float: left;
}
.headerhr{
width: 100%;
height: 1px;
background-color: #cccccc;
}
.footercrline{
height: 1px;
background-color: #444444;
}
.footercont{
background-color: #262626;
min-height: 100px;
}
.footercopyright{
color: #eeeeee;
text-align: center;
margin-top: 10px;
padding-bottom: 20px;
}
.footerpush{
padding-bottom: 70px;
}
.container{
min-height: 500px;
}
.logintext{
text-align: center;
```

```

margin: 80px auto;
margin-bottom: 50px;
font-size: 30px;
}
.loginline{
width: 500px;
height: 1px;
background-color: #cccccc;
margin: 0 auto;
}
.loginlinetext{
width: 60px;
font-size: 20px;
margin: 0 auto;
margin-top: -14px;
background-color: white;
padding: 0px 20px;
text-align: center;
}
.ec4blocks{}
.ecblock{
width: 250px;
height: 250px;
margin: 80px 12px 80px 12px;
float: left;
}
.ripplelink{
display: block;
text-align: center;

```

```

color:#fff;
text-decoration:none;
position:relative;
overflow:hidden;
-webkit-transition: all 0.2s ease;
-moz-transition: all 0.2s ease;
-o-transition: all 0.2s ease;
transition: all 0.2s ease;
z-index:0;
}
.ripplelink:hover{
z-index:10;
box-shadow:rgba(0, 0, 0, 0.3) 0 16px 16px 0;
-webkit-box-shadow:rgba(0, 0, 0, 0.3) 0 16px 16px 0;
-moz-box-shadow:rgba(0, 0, 0, 0.3) 0 16px 16px 0;
}
.ink {
display: block;
position: absolute;
background:rgba(255, 255, 255, 0.3);
border-radius: 100%;
-webkit-transform:scale(0);
-moz-transform:scale(0);
-o-transform:scale(0);
transform:scale(0);
}
.animate {
-webkit-animation:ripple 0.65s linear;
-moz-animation:ripple 0.65s linear;

```

```

-ms-animation:ripple 0.65s linear;
-o-animation:ripple 0.65s linear;
animation:ripple 0.65s linear;
}

@-webkit-keyframes ripple {
  100% {opacity: 0; -webkit-transform: scale(2.5);}
}

@-moz-keyframes ripple {
  100% {opacity: 0; -moz-transform: scale(2.5);}
}

@-o-keyframes ripple {
  100% {opacity: 0; -o-transform: scale(2.5);}
}

@keyframes ripple {
  100% {opacity: 0; transform: scale(2.5);}
}

.cyan{/*
  background:#00bcd4;*/
  background: #262626;
}

.ec4add{
  background-image: url('../images/gogiimg/addw.png');
}

.ec4manage{
  background-image: url('../images/gogiimg/managew.png');
}

.ec4remove{

```

```

    background-image: url('../images/gogiimg/removew.png');
}
.ec4view{
    background-image: url('../images/gogiimg/viewww.png');
}
.ecblock{
    background-repeat: no-repeat;
    background-position: center;
}
.navmenu{
    display: inline-block;
    margin-top: 94px;
    margin-left: 50px;
}
#example-one {
margin: 0 auto;
list-style: none;
position: relative;
width: auto;
}
#example-one li {
display: inline-block;
margin-right: 45px;
    font-weight: 800;
}
#example-one a {
color: #bbb;
font-size: 14px;
float: left;

```

```

padding: 6px 0px 4px 0px;
text-decoration: none;
text-transform: uppercase;
}
#example-one a:hover {
color: #434343;
}
#magic-line {
position: absolute;
bottom: -2px;
left: 0;
width: 100px;
height: 2px;
background: #434343;
}
.current_page_item a {
color: black !important;
}
.forminside{
margin-bottom: 80px;
}
.forminside input{
margin: 0px auto;
display: block;
}
.forminside input[type="password"],
.forminside input[type="text"]{
width: 270px;
height: 50px;

```

```

margin-bottom: 10px;
font-size: 16px;
padding: 0px 15px;
outline-color: #484848;
}
.forminside input[type="submit"]{
width: 304px;
height: 54px;
background-color: #eee;
color: black;
margin-top: 20px;
border: 2px solid black;
cursor: pointer;
}
.forminside input[type="submit"]:hover{
background-color: black;
color: white;
transition: background-color .5s;
}
.forminside textarea{
margin: 0px auto;
display: block;
margin-bottom: 10px;
outline-color: #484848;
padding: 0px 17px 0px 16px;
font-size: 16px;
resize: vertical;
}

```



```
.forminside select{  
    margin: 0px auto;  
    display: block;  
    margin-bottom: 10px;  
    outline-color: #484848;  
    padding: 0px 10px;  
    font-size: 16px;  
    color: #a9a9a9;  
    width: 304px;  
    height: 54px;  
}
```

```
.bigText{  
    margin-top: 50px;  
    text-align: center;  
    font-size: 30px;  
    margin-bottom: 50px;  
}
```

```
.forminside input[type="file"]{  
    width: 280px;  
    height: 40px;  
    padding: 7px 12px;  
    margin-bottom: 10px;  
    outline: none;  
    z-index: 100;  
    position: relative;  
}
```

```
.forminside input[type="file"]:before{
```

```

content: 'Upload';
position: absolute;
top: 0;
right: 0;
display: inline-block;
height: 54px;
background-color: #434343;
color: #fff;
font-weight: 700;
z-index: 25;
font-size: 16px;
line-height: 54px;
padding: 0 15px;
pointer-events: none;
border: 1px solid #a9a9a9;
border-left: none;
}

.forminside input[type="file"]:hover:before{
    background-color: #262626;
}

.forminside input[type="file"]:after{
    overflow: hidden;
    content: 'Browse file...';
    font-size: 18px;
    position: absolute;
    top: 0;
    left: 0;
    padding-left: 16px;
    background-color: white;

```

```

display: block;
width: 240px;
pointer-events: none;
z-index: 20;
height: 54px;
line-height: 54px;
color: #999;
font-weight: 300;
border: 1px solid #a9a9a9;
border-right: none;
}
.itemblock{
display: block;
width: 800px;
margin: 20px auto;
height: 128px;
border: 1px solid #cccccc;
padding: 5px;
}
.itemimage{
float: left;
}
.itemtext{
float: left;
margin-left: 50px;
margin-top: 10px;
}
.itemcommand{
float: right;

```

```

width: 86px;
height: 86px;
background-repeat: no-repeat;
background-size: 86px 86px;
margin: 21px;
}
.smallADD{
    background-image: url('../images/gogiimg/add.png');
}
.smallMANAGE{
    background-image: url('../images/gogiimg/manage.png');
}
.smallREMOVE{
    background-image: url('../images/gogiimg/remove.png');
}
.smallVIEW{
    background-image: url('../images/gogiimg/view.png');
}

```

```

.paginationbtns{
    display: table;

```

```

    margin: 60px auto;
}
.paginationbtns a{
    text-decoration: none;
    color: black;
}
.pbtnall{
    border: solid 1px #d7d7d7;
    border-radius: 0.2rem;
    color: #7d7d7d;
    text-decoration: none;
    text-transform: uppercase;
    display: inline-block;
    text-align: center;
    padding: 0.5rem 0.9rem;
}
.pbtnprev{
    cursor: pointer;
    margin-right: 310px;
}
.pbtnnumber{
    padding: 7px 13px;
    background-color: black;
    color: white;
    font-weight: 800;
}
.pbtnnext{
    cursor: pointer;
    margin-left: 310px;
}

```

```

}
a.pbtnall:hover{
    color: #fdfdfd;
    background-color: #1d1f20;
    border: solid 1px #1d1f20;
}
div.pbtnnumber{
    border: solid 1px #d7d7d7;
    border-radius: 0.2rem;
    color: white;
    text-decoration: none;
    text-transform: uppercase;
    display: inline-block;
    text-align: center;
    padding: 0.5rem 0.9rem;
}
div.pbtnprev,
div.pbtnnext{
    background-color: white;
    color: #adadad;
    cursor: default;
}
.chartwidth{
    width: 800px;
    margin: 50px auto;
}
.chartselect{
    float: right;
}

```

```

.profile{
    width: 304px;
    margin: 0 auto;
    margin-top: 50px;
}

.profile div:before{

    width: 100px;
    display: inline-block;
    font-weight: 800;
}/*
.userID:before,
.userfirstname:before,
.userlastname:before,
.useremail:before,
.userrole:before,
.usertimeofreg:before,
.userverificationcode:before,
.userstatus:before
{

```

```

    content: "";
    width: 100px;
    display: inline-block;
    font-weight: 800;
}*/

.userID:before{
    content: 'User ID: ';
}

.userfirstname:before{
    content: 'First name: ';
}

.userlastname:before{
    content: 'Last name: ';
}

.useremail:before{
    content: 'Email: ';
}

.userrole:before{
    content: 'Role: ';
}

.usertimeofreg:before{
    content: 'Reg. time: ';
}

.userverificationcode:before{
    content: 'Ver. code: ';
}

.userstatus:before{

```



```
        content: 'Status: ';
    }
.viewproductblock{
    width: 400px;
    display: block;
    margin: 50px auto;
}
.vpbname{
    width: 100px;
    display: inline-block;
    font-weight: 800;
    float: left;
}
.vpbtext{
    width: 300px;
    float: left;
}
.vpbblock{
    display: table-row;
}

.myprofilemanage{
    display: block;
    width: 304px;
    padding: 20px 0px;
    text-align: center;
    background-color: #eee;
    color: black;
```

```
border: 2px solid black;
cursor: pointer;
margin: 80px auto;
text-decoration: none;
}
.myprofilemanage:hover{
background-color: black;
color: white;
transition: background-color .5s;
}
.addmorebutton{
margin: 0 auto;
display: block;
padding: 5px 112px;
}
.pollspacer{
display: block;
height: 10px;
}
.answerRemove{
text-align: center;
display: block;
margin-top: -10px;
margin-bottom: 15px;
}
```

### 3.3 PHP

404.php

```
<?php
```

```
    header('Location: index.php');
```

```
?>
```

Dbconnection.php

```
<?php
```

```
$connect =
```

```
mysql_connect('sql211.byethost31.com','b31_19664032','mypassword'  
);
```

```
    $db = mysql_select_db('b31_19664032_mysocks',$connect);
```

```
?>
```

Index.php

```
<?php @session_start(); ?>
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>My socks</title>
<link rel="stylesheet" type="text/css" href="css/mystyle.css">
<link rel="shortcut icon" href="images/socks_icon.png">

<script type="text/javascript" src="js/script.js"></script>
<meta name="keywords" content="socks"/>
<meta name="description" content="Socks"/>
</head>
<body>
<div id="site">
<?php
include("cont/visit_cont.php");
$page = '1';
if(isset($_REQUEST['page'])){
$page = $_REQUEST['page'];
```

```
}
```

```
include("cont/header_cont.php");
```

```
$contpages = array(  
    '0' => "404.php",  
    '1' => "cont/index_cont.php",  
    '2' => "cont/author_cont.php",  
    '3' => "cont/login_cont.php",  
    '4' => "cont/register_cont.php",  
    '5' => "cont/search_cont.php",  
    '6' => "cont/newsletter_cont.php",  
    '7' => "cont/unsubscribe_cont.php",  
    '8' => "cont/forgotpassword_cont.php",  
    '9' => "cont/faq_cont.php",  
    '10' => "cont/contactus_cont.php",  
    '11' => "cont/product_cont.php",  
    '12' => "cont/oneproduct_cont.php",  
    '13' => "cont/shoppingbag_cont.php",  
    '14' => "logout.php",  
    '15' => "cont/myprofil_cont.php"  
);
```

```
echo "<div class='container wmax'>";  
    if(isset($contpages[$page]))  
        include($contpages[$page]);  
    else  
        include($contpages['0']);  
echo "</div>";  
include("cont/footer_cont.php");  
?>  
</div>  
</body>  
</html>
```

Logout.php

```
<?php
    if(isset($_SESSION['role'])){
unset($_SESSION['role']);
unset($_SESSION['userID']);
unset($_SESSION['numBagItems']);
session_destroy();
    }
header('Location: index.php');
?>
```



Msg.php

```
<?php
function error($value){
    echo "<div class='error-msg msgs'>
        &#x2716; ".$value."
    </div>";
}
function info($value){
    echo "<div class='info-msg msgs'>
        &#128712; ".$value."
    </div>";
}
function success($value){
    echo "<div class='success-msg msgs'>
        &#10003; ".$value."
    </div>";
}
function warning($value){
    echo "<div class='warning-msg msgs'>
        &#9888; ".$value."
    </div>";
}
```

}

?>

H1shhh.php

```
<?php @session_start();
if(!isset($_SESSION['role'])){
header('Location: index.php');
}
else if($_SESSION['role'] != 1){
header('Location: index.php');
}
?>

<!DOCTYPE html>

<html>

<head>

<meta charset="UTF-8">

<title>AdminPanel | My socks</title>

<link rel="stylesheet" type="text/css" href="css/shhh.css">

<link rel="shortcut icon" href="images/settings.png">


<script type="text/javascript" src="js/cpscript.js"></script>
<script type="text/javascript" src="js/jquery.js"></script>


<meta name="keywords" content="no one know"/>
```

```
<meta name="description" content="Socks cpanel"/>
</head>
<body>
<div id="site">
<?php
$page = '1';
if(isset($_REQUEST['page'])){
$page = $_REQUEST['page'];
}
```

```
include("gogistuff/header_cont.php");
```

```
$contpages = array(
'0' => "404.php",
'1' => "gogistuff/index_cont.php",

'2' => "gogistuff/every_cont.php",
'3' => "gogistuff/every_cont.php",
'4' => "gogistuff/every_cont.php",
'5' => "gogistuff/every_cont.php",
'6' => "gogistuff/every_cont.php",
'7' => "gogistuff/index_cont.php",
```

```
'8' => "gogistuff/mod/user.php",
'9' => "gogistuff/mod/product.php",
'10' => "gogistuff/mod/sale.php",
'11' => "gogistuff/mod/faq.php",
'12' => "gogistuff/mod/poll.php"
    );

echo "<div class='container wmax'>";
    if(isset($contpages[$page]))
        include($contpages[$page]);
    else
        include($contpages['0']);
echo "</div>";
include("gogistuff/footer_cont.php");
?>

</div>

</body>

</html>
```

Visit\_api.php

```
<?php
#kada nesto dodje procesiraj i posalji rezultate nazad
//echo $_GET['visitPer'];
if(isset($_GET['visitPer'])){
    if(preg_match("/^[\\w]{3,5}$/",$_GET['visitPer'])){
        include('dbconnection.php');
        $query = "";
        $date = array();
        if($_GET['visitPer'] == "year"){
            $data = array();

            for($i = 1; $i < 13; $i++){
                $query = "SELECT COUNT(*) as c FROM visit WHERE time >
".mktime(0, 0, 0, $i, 1, date('Y'))." AND time < ".mktime(23, 59, 59,
$i+1, 0, date('Y'));
                $result = mysql_query($query,$connect);
                $date[date('M',mktime(0, 0, 0, $i, 1,
date('Y')))] = mysql_fetch_array($result)['c'];
            }
            echo json_encode($date);
        }
    }
}
```

```

if($_GET['visitPer'] == "month"){
    $data = array();

    for($i = 1; $i < date('t')+1; $i++){
        $query = "SELECT COUNT(*) as c FROM visit WHERE time >
".mktime(0, 0, 0, date('m'), $i, date('Y'))." AND time < ".mktime(23, 59,
59, date('m'), $i, date('Y'));
        $result = mysql_query($query,$connect);
        $date[$i]=mysql_fetch_array($result)['c'];
    }
    echo json_encode($date);

}

```

```

if($_GET['visitPer'] == "week"){//output 7 values
    $data = array();

```

```

for($i = 0; $i < 7; $i++){
    $query = "SELECT COUNT(*) as c FROM visit WHERE time >
".mktime(0, 0, 0, date('m'), date('d')-$i, date('Y'))." AND time <
".mktime(23, 59, 59, date('m'), date('d')-$i, date('Y'));
    $result = mysql_query($query,$connect);
    $date[date('D', mktime(0, 0, 0, date('m'), date('d')-$i,
date('Y')))] = mysql_fetch_array($result)['c'];
}
echo json_encode($date);
}

```

```

if($_GET['visitPer'] == "day"){
    $data = array();

```

```

for($i = 0; $i < 24; $i++){
    $query = "SELECT COUNT(*) as c FROM visit WHERE time >
".mktime($i, 0, 0, date('m'), date('d'), date('Y'))." AND time <
".mktime($i, 59, 59, date('m'), date('d'), date('Y'));

```



```

        $result = mysql_query($query,$connect);
        $date[$i]=mysql_fetch_array($result)['c'];
    }
    echo json_encode($date);
}

```

```
mysql_close($connect);
```

```

if(false){

                //H , M , S , M , D , Y

                //echo "mktime:".mktime()."-time".mktime(0, 0, 0, 1, 1,
date("Y"));

        }

    }

}

?>

```

Author\_cont.php

```
<div class="allauthor">
```

```
    <div class="authorleft">
```

```
        <div class="almyname">URUKALO GORAN</div>
```

```
        <div class="altext">goran.urukalo.117.14@ict.edu.rs</div>
```

```
    </div>
```

```
    <div class="authormiddle"></div>
```

```
    <div class="authorright">
```

```
        <div class="artext">
```

```
            UPON FINISHING HIGH SCHOOL I GOT ACCEPTED TO  
            "ICT COLLEGE OF VOCATIONAL STUDIES" IN  
            BELGRADE IN 2014, WHERE I'M CURRENTLY IN THE  
            THIRD YEAR OF STUDIES.
```

```
        </div>
```

```
    </div>
```

```
</div>
```

```
<div class="clear"></div>
```



## Contactus\_cont.php

```
<?php
    $error = 0;
    $errlist = array();
    $regName = "/^[A-Z]{1}[a-z]{3,19}\s[A-Z]{1}[a-z]{3,28}$/";
    $regEmail = "/^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/";
    $regQuestion = "/^[\\w\\d\\s\\.\\!\\?]{2,255}$/";
    include('msg.php');
    if(isset($_POST['contussubmit'])){
        if(!preg_match($regName,trim($_POST['contusfullname']))) {
            $error++;
            error('Full name must be valid. ');
        }
        if(!preg_match($regEmail,trim($_POST['contusemail']))) {
            $error++;
            error('Email must be valid. ');
        }
        if(!preg_match($regQuestion,trim($_POST['contusquestion']))) {
            $error++;
```

```

        error('Question must be valid.');
```

}

```

if($error == 0){
    # posalji mejl
    $msg =
        "<html><head></head><body>
        <div style='margin:0 auto;margin-top:50px;'>
        <p style='font-size: 30px;text-align:center;margin-
bottom:100px;'>I'm ".$_GET['fl_name']."</p>
        <p style='font-size: 30px;text-align:center;margin-
bottom:50px;'>Email: ".$_GET['email']."</p>
        <p style='font-size: 30px;text-align:center;margin-
bottom:50px;'>".$_GET['question']."</p>
        </div></body></html>";

    $headers = "MIME-Version: 1.0" . "\r\n";
    $headers .= "Content-type:text/html;" . "\r\n";
    mail("goran.urukalo.117.14@ict.edu.rs","Contact form | My socks",
$msg, $headers);
    }
}
?>
```

```
<div class="logintext">My socks</div>
```

```
<div class="loginline"></div>
```

```
<div class="loginlinetext contuslinetext">Contact us</div>
```

```
<div class="contusfeelfree">Feel free to ask any question.</div>
```

```
<div class="loginform">
```

```
    <form action="<?php echo $_SERVER['PHP_SELF']?>" method='POST'  
id='loginform' onsubmit="return submitcontactform();">
```

```
        <input type="hidden" name='page' value='10'>
```

```
        <input type="text" name='contusfullname' id='contusfullname'  
placeholder='FULL NAME' oninput="setCustomValidity("");"/>
```

```
        <input type="text" name='contusemail' id='contusemail'  
placeholder='E-MAIL' oninput="setCustomValidity("");"/>
```

```
        <textarea name='contusquestion' id='contusquestion'  
placeholder='Ask any question.' class='contustextarea'  
oninput="setCustomValidity("");"></textarea>
```

```
        <input type='submit' name='contussubmit' id='contussubmit'  
value='SEND'/>
```

```
    </form>
```

```
</div>
```

```
<div class="loginline poolline"></div>
```

```
<div class="loginlinetext ">Pool</div>
```

```
<?php
```

```
include('dbconnection.php');
```

```
$canvote = 1;
```

```
if(isset($_POST['poolsubmit'])){\
```

```
    #pitaj da li je ista doslo posto moze da ne cekira nista
```

```
    if(isset($_POST['pollID']) && isset($_POST['pollformanswer'])){\
```

```
        if(preg_match("/^\d+$/", $_POST['pollID'])){\
```

```
            $query = sprintf("SELECT * FROM pollvotes WHERE  
pollQuestionID = %d AND ipAddress='%s'  
",$_POST['pollID'],$_SERVER["REMOTE_ADDR"]);
```

```
            $result = mysql_query($query,$connect);
```

```
            if(mysql_num_rows($result)>0){
```

```
                echo "u have already vote";
```

```
                $canvote = 0;
```

```
            }
```

```
        else{\
```

```

        if(preg_match("/^\d+$/", $_POST['pollformanswer'])){

            $query = sprintf("INSERT INTO pollvotes
VALUES(',%d,%d,'%s')",$_POST['pollID'],$_POST['pollformanswer'],$_S
ERVER["REMOTE_ADDR"]);

            $result = mysql_query($query,$connect);

            if($result){

                echo "thanks for voting";

                $query = sprintf("UPDATE pollanswer SET vote=vote+1
WHERE pollAnswerID=%d",$_POST['pollformanswer']);

                $result = mysql_query($query,$connect);

            }

        }

    }

}

}

```

```

if($scanvote){

    $query = sprintf("SELECT * FROM pollquestion WHERE onOff = 1
LIMIT 1");

    $result = mysql_query($query,$connect);

    if(mysql_num_rows($result)>0){

        $row = mysql_fetch_array($result);
    }
}

```



```

echo "
<div class='poolquestion'>". $row['pollQuestion']. "</div>

<form action='\".$_SERVER['PHP_SELF'].\"' id='poolquestion'
class='radiobuttonparent' method='POST'>

    <input type='hidden' name='page' value='10'>

    <input type='hidden' name='pollID'
value='\".$row['pollQuestionID'].\"'>

    <ul>";

    $query = sprintf("SELECT * FROM pollanswer WHERE
pollQuestionID=%d", $row['pollQuestionID']);

    $res = mysql_query($query, $connect);

    $i = 1;

    while($r = mysql_fetch_array($res)){

        echo "<li>

            <input type='radio' name='pollformanswer' id='poll\".$i.\"'
value='\".$r['pollAnswerID'].\"'>

            <label for='poll\".$i.\"'
class='radiobuttonlable'>\".$r['pollAnswer']. "</label>

            <div class='check'></div>

        </li>";

        $i++;

    }

    echo "</ul>

```

```
<input type='submit' value='VOTE' name='poolsubmit'  
id='poolsubmit'/>  
</form>";  
}  
}  
?>
```

Faq\_cont.php

```
<div class="logintext">My socks</div>
```

```
<div class="loginline"></div>
```

```
<div class="loginlinetext">FAQ</div>
```

```
<div class="faqspacer"></div>
```

```
<?php
```

```
include("dbconnection.php");
```

```
$query = sprintf("SELECT * FROM faq");
```

```
$result = mysql_query($query, $connect);
```

```
mysql_close($connect);
```

```
while($row = mysql_fetch_array($result)){
```

```
    echo
```

```
    "<div class='faqquestion'>
```

```
        <div class='faqtext' onclick='myshowhide(this);'>v
```

```
        ".$row['faqQuestion']."</div>
```

```
        <div class='faqanswer'>".$row['faqAnswer']."</div>
```

```
    </div>";
```

```
}
```

```
?>
```

```

<script>
    function myshowhide(obj){

        var text = obj.textContent;

        if(text.charAt(0) == "v"){
            //
            // pokazi obj
            //
            obj.textContent = "^"+text.substr(1,text.length);
            obj.parentElement.children[1].style.cssText = "padding-
left:20px;max-height: 500px;transition: max-height 0.25s ease-in;";
        }
        else{
            //
            // sakrij obj
            //
            obj.textContent = "v"+text.substr(1,text.length);
            obj.parentElement.children[1].style.cssText = "padding-
left:20px;max-height: 0;transition: max-height 0.25s ease-out;overflow:
hidden;";
        }
    }
}

```

```
    }  
  }  
</script>
```

Footer\_cont.php

```
<div class='footerhr'></div>
```

```
<div id="footer">
```

```
    <div class='footercont wmax'>
```

```
        <div class="footerblock">
```

```
            <h3>Information</h3>
```

```
            <ul>
```

```
                <li><a href="index.php?page=10">Contact Us</a></li>
```

```
                <li><a href="index.php?page=2">Author</a></li>
```

```
                <li><a href="index.php?page=9">FAQ</a></li>
```

```
            </ul>
```

```
        </div>
```

```
    <div class="footerblock">
```

```
        <h3>My account</h3>
```

```
        <ul>
```

```
        <?php
```

```
            if(!isset($_SESSION['role'])){\
```

```
                echo"
```

```

        <li><a href='index.php?page=3'>Login</a></li>
        <li><a href='index.php?page=4'>Register</a></li>
        ";
    }
    else{
        $bagcount = isset($_SESSION['numBagItems']) ?
$_SESSION['numBagItems'] : 0;
        if($_SESSION['role']==1){
            echo "<li><a href='n1shhh.php'>cPanel</a></li>";
            echo "<li><a
href='MyCrazyDoc.pdf'>Documentation</a></li>";
        }
        echo "
        <li><a href='index.php?page=15'>My profile</a></li>
        <li><a href='index.php?page=13'>Bag
('.$bagcount.')</a></li>
        <li><a href='index.php?page=14'>Logout</a></li>
        ";
    }
    ?>
</ul>
</div>

```

```
<div class="footerblock">
  <h3>Quick links</h3>
  <ul>
    <li><a
href="index.php?page=11&sortQuickLinks=1">Newest</a></li>
    <li><a href="index.php?page=11&sortQuickLinks=2">Price
[High - Low]</a></li>
    <li><a href="index.php?page=11&sortQuickLinks=3">Price
[Low - High]</a></li>
    <li><a
href="index.php?page=11&sortQuickLinks=4">Oldest</a></li>
    <li><a href="index.php?page=11&sortQuickLinks=5">A -
Z</a></li>
  </ul>
</div>
```

```
<div class="footerblock footernl">
  <div class='footernltop'>
    <h3>Newsletter</h3>
    <ul>
      <li>
        <form id='newsletterform' action='index.php?page=6'
method='POST' onsubmit="return sendsubscribe();">
```



```

        <input type='text' name='nlmail' id='nlmail'
placeholder='YOUR E-MAIL ADDRESS' oninput="setCustomValidity('');">
        <input type='submit' name='nlsubmit' id='nlsubmit'
value='SUBSCRIBE'>
    </form>
</li>
    <p class='footerunsub'>You may <a
href='index.php?page=7'>unsubscribe</a> at any time.</p>
</ul>
</div>

```

```

<div class='footernlbottom'>
    <h3>Follow us</h3>
    <ul class='footersocial'>
        <li><a href="https://www.facebook.com/"
class='footersocialimg fimgfb'></a></li>
        <li><a href="https://www.instagram.com/"
class='footersocialimg fimginst'></a></li>
        <li><a href="https://twitter.com/" class='footersocialimg
fimgtw'></a></li>
        <li><a href="https://www.youtube.com/"
class='footersocialimg fimgyt'></a></li>
        <li><a href="https://plus.google.com/"
class='footersocialimg fimggp'></a></li>
    </ul>

```

```
</ul>
</div>
</div>
</div>
<div class="clear"></div>

<div class="footercrline wmax"></div>
<div class='footercopyright'>My socks &copy; 2017 by Urukalo
Goran</div>
</div>
```

Forgotpassword\_cont.php

```
<?php
    if(isset($_SESSION['role'])){
        header('Location: index.php');
    }
    else{
        if(isset($_POST['unsubsubmit'])){
            include('msg.php');
        }
        if(isset($_POST['registeremail'])){
            $regEmail = "/^\w+([\.\-]? \w+)*\@ \w+([\.\-]? \w+)*(\.\w{2,3})+$/";
            if(preg_match($regEmail,$_POST['registeremail'])){
                include('dbconnection.php');
                $query = sprintf("SELECT userID FROM users WHERE
email=%s",$_POST['registeremail']);
                $result = mysql_query($query, $connect);
                if(mysql_num_rows($result)==1){
                    $row = mysql_fetch_array($result);
                    $newpassword="";
                    $characters =
'0123456789abcdefghijklmnopqrstuvwxyz0123456789ABCDEFGHIJKLMNOPQRSTUVWXYZ56789';
```

```

        for($i=0;$i<6;$i++){
            $newpassword .= $characters[rand(0,
strlen($characters) - 1)];
        }

        $query = sprintf("UPDATE users SET password='%s'
WHERE userID=%d",$newpassword,$row['userID']);

        $result = mysql_query($query,$connect);
        if($result){
            $msg="<html><head></head><body>
                <div style='margin:0 auto;margin-top:50px;'>
                    <p style='font-size: 30px;text-align:center;margin-
bottom:150px;'>We have changed your password</p>
                    <p style='background:#00bfd9;border-
radius:6px;font-size:21px;padding:18px
10px;border:none;color:#fff;letter-spacing:1px;margin: auto;text-align:
center;width:362px;margin: 50px 0px;text-decoration:none;text-align:
center;display:block;'>
                        ".$newpassword."
                    </p>
                    <div>Your new password is: ".$newpassword."</div>
                </div></body></html>";

            $headers = "MIME-Version: 1.0" . "\r\n";
            $headers .= "Content-type:text/html;" . "\r\n";

```



```
<form action="<?php echo $_SERVER['PHP_SELF']?>" method='POST'
id='unsubform' onsubmit="return submitforgotemail();">
```

```
<input type='hidden' name='page' value='8'>
```

```
<input type="text" name='unsubemail' id='forgotemail'
placeholder='E-MAIL' oninput="setCustomValidity('');" />
```

```
<input type='submit' name='unsubsubmit' id='forgotsubmit'
value='RESTART' />
```

```
</form>
```

```
</div>
```

Header\_cont.php

```
<div id='header' class='wmax'>
    <div><a href='index.php?page=1' class='logoimage'></a></div>

    <div class='header_rightside'>
        <div class='login_cont'>
            <?php
            if(!isset($_SESSION['role']))){
                echo"
                <div class='login'>
                    <a class='header_log_link' href='index.php?page=3'>Login</a>
                </div>
                <div class='register'>
                    <a class='header_log_link'
href='index.php?page=4'>Register</a>
                </div>
                ";}
            else{
                echo"
                <div class='logout'>
```

```
    <a class='header_log_link'
href='index.php?page=14'>Logout</a>
```

```
</div>
```

```
    ";
```

```
}
```

```
?>
```

```
</div>
```

```
<div class='search_cart'>
```

```
    <form id='searchitem_form' action='cont/search_cont.php'
method='POST' onsubmit='return sendme();'>
```

```
        <input type='text' name='searchtext' id='searchtext' class=''
placeholder='SEARCH ITEM'>
```

```
        <input type='submit' name='submintsearch' id='submitsearch'
class='' value=''>
```

```
</form>
```

```
<a href='index.php?page=13' class='shoppingbag'>
```

```
<?php
```

```
    if(isset($_SESSION['numBagItems'])){\
```

```
        echo $_SESSION['numBagItems'];
```

```
    }
```

```
    else{\
```



```

        echo "0";
    }
    ?>
</a>
</div>

```

```

<div class='navmenu'>
    <ul id='example-one'>
        <?php
            include("dbconnection.php");
            $query = sprintf("SELECT * FROM meni");
            $result = mysql_query($query, $connect);
            mysql_close($connect);

            $lpos = isset($_REQUEST['lpos']) ? $_REQUEST['lpos'] : 0;
            $lpos = $page == '1'? 1 : $lpos;
            if($lpos == 0){
                echo
                "<li class='current_page_item'>
                    <a href='#' class='menulink'></a>
                </li>";
            }
        }
    </ul>
</div>

```

```

else {
    echo
    "<li>
        <a href='#' class='menulink'></a>
    </li>";
}

while($row = mysql_fetch_array($result)){
    if($row['meniID'] == $lpos){
        echo
        "<li class='current_page_item'>
            <a href='".$row['link']."'&lpos='".$row['meniID']."'
class='menulink'>".$row['meni']."'</a>
        </li>";
    }
    else{
        echo
        "<li>
            <a href='".$row['link']."'&lpos='".$row['meniID']."'
class='menulink'>".$row['meni']."'</a>
        </li>";
    }
}

```

```

        }
    ?>
</ul>
</div>
</div>
<script type='text/javascript' src='js/jquery.js'></script>
<script>
$( document ).ready(function() {

    var $el, leftPos, newWidth;

    $mainNav2 = $("#example-one");

    $("#example-one").append("<li id='magic-line'></li>");

    var $magicLine = $("#magic-line");

    $magicLine
        .width($(".current_page_item").width())
        .css("left", $(".current_page_item a").position().left)
        .data("origLeft", $magicLine.position().left)
        .data("origWidth", $magicLine.width());

```

```

$("#example-one li").find("a").hover(function() {
    $el = $(this);
    leftPos = $el.position().left;
    newWidth = $el.width();

    $magicLine.stop().animate({
        left: leftPos,
        width: newWidth
    });
}, function() {
    $magicLine.stop().animate({
        left: $magicLine.data("origLeft"),
        width: $magicLine.data("origWidth")
    });
});
});
</script>
</div>
<div class='clear'></div>
<div class='headerhr'></div>

```

Index\_cont.php

```
<div id='index_slider'></div>
```

```
<div class="typeshowcase">
```

```
<div class="tsbox">
```

```
<a href='index.php?page=11&lpos=2&forKid=0'>
```

```
<div class="newarrivals">
```

```
new arrivals
```

```
</div>
```

```
<div class="men_women_kid_nar">
```

```
MEN's
```

```
</div>
```

```
<div class="tsboximage tsmen"></div>
```

```
</a>
```

```
</div>
```

```
<div class="tsbox">
```

```
<a href='index.php?page=11&lpos=3&forKid=0'>
```

```
<div class="newarrivals">
```

new arrivals

</div>

<div class="men\_women\_kid\_nar">

LADIES

</div>

<div class="tsboximage tswomen"></div>

</a>

</div>

<div class="tsbox">

<a href='index.php?page=11&lpos=4&forKid=1'>

<div class="newarrivals">

new arrivals

</div>

<div class="men\_women\_kid\_nar">

KIDS

</div>

<div class="tsboximage tskid"></div>

</a>

</div>

</div>

```
<div class="clear"></div>
```

```
<div id="index_paralex"></div>
```

```
<div class="showcaseproducts">
```

```
<?php
```

```
include("dbconnection.php");
```

```
$query = "SELECT * FROM product ORDER BY RAND() LIMIT 4";
```

```
$result = mysql_query($query, $connect);
```

```
mysql_close($connect);
```

```
while($row = mysql_fetch_array($result)){
```

```
    echo "<a class='oneproductbody'
href='index.php?page=12&productID=".$row['productID']."'>
```

```
    <figure class='opbimagehlight'>
```

```
    <img src='".$row['imgLink']."' alt='".$row['imgAlt']."' />
```

```
    <figcaption>
```

```
        <h2>".$row['productName']."'</h2>
```

```
        <p>".substr($row['description'], 0 , 25)."...</p>
```

```
    </figcaption>
```

```
</figure>
```

```
<div class='opbtextblock'>";
```

```

        if($row['saleProcent'] != 0){
            echo"<div
class='opbbpricebefore'>$" . ($row['price']/100). "</div>";
        }
        echo"<div class='opbbpricenow'>$" . (($row['price'] -
($row['saleProcent']/100)*$row['price'])/100). "</div>";
        if($row['saleProcent'] != 0){
            echo"<div class='opbbpriceprocent'>(-
".$row['saleProcent']. "%)</div>";
        }
        echo"</div>
</a>";
    }

?>

</div>

<script>
var slider_i = 0;
var slider_array = [
    "<img src='images/slider1-min.jpg' alt='Bow ties slider'/>",

```



```

    "<img src='images/slider2-min.jpg' alt='Bow ties slider'/>",
    "<img src='images/slider3-min.jpg' alt='Bow ties slider'/>",
    "<img src='images/slider4-min.jpg' alt='Bow ties slider'/>"
];
var slider_elem;
function sliderNext(){
    slider_i++;
    slider_elem.style.opacity = 0;
    if(slider_i > (slider_array.length - 1)){
        slider_i = 0;
    }
    setTimeout('sliderSlide()',1000);
}
function sliderSlide(){
    slider_elem.innerHTML = slider_array[slider_i];
    slider_elem.style.opacity = 1;
    setTimeout('sliderNext()',4000);
}
$(document).ready(function(){
    slider_elem = document.getElementById('index_slider');
    sliderSlide();
});

```

</script>

Login\_cont.php

```
<?php
    if(isset($_SESSION['role'])){
        header('Location: index.php');
    }
    else{
        $error = 0;
        $status = 1;

        $data = array();
        if(isset($_POST['logsubmit'])){
            if(isset($_POST['logemail'])){
                $regEmail = "/^\w+([\.\-]? \w+)*\@ \w+([\.\-]? \w+)*(\.\w{2,3})+$/";

                if(!preg_match($regEmail,$_POST['logemail'])){
                    $error = 1;
                }
                else{
                    $data['email'] = $_POST['logemail'];
                }
            }
        }
    }
}
```

```

}
else{
    $error = 1;
}

if(isset($_POST['logpass'])){
    $regPassword = "/^[a-zA-Z0-9!@#%^&*]{6,}$/";

    if(!preg_match($regPassword,$_POST['logpass'])){
        $error = 1;
    }
    else{
        $data['password'] = $_POST['logpass'];
    }
}
else{
    $error = 1;
}

if($error == 0){
    include("dbconnection.php");
}

```

```
$query = sprintf("SELECT * FROM users WHERE email='%s'
AND password='%s'", $data['email'], md5($data['password']));
```

```
$result = mysql_query($query, $connect);
```

```
if(mysql_num_rows($result) == 1){
```

```
    $row = mysql_fetch_array($result);
```

```
    if($row['statusID'] == 1){
```

```
        $_SESSION['role'] = $row['roleID'];
```

```
        $_SESSION['userID'] = $row['userID'];
```

```
        $countquery = sprintf("SELECT COUNT(*) count FROM
shoppingbaglist WHERE userID=%d", $_SESSION['userID']);
```

```
        $countresult = mysql_query($countquery, $connect);
```

```
        mysql_close($connect);
```

```
        $_SESSION['numBagItems'] =
mysql_fetch_array($countresult)['count'];
```

```
        header('Location: index.php');
```

```
    }
```

```
    else{
```

```
        $status = $row['statusID'];
```

```

        }
    }
    else{
        $error = 1;
    }
}
}
}
include('msg.php');
if($error == 1){
    error('Email or password is not correct.');
```

```

}
```

```

if($status != 1){
```

```

    if($status == 2){
```

```

        error('Your email is banned.');
```

```

    }
```

```

    else if($status == 3){
```

```

        info('First you need to verified your email.');
```

```

    }
```

```

    else if($status == 4){
```

```

        warning('Your email is deleted.');
```

```

    }
```

```

    }
?>
<div class="logintext">My socks</div>
<div class="loginline"></div>
<div class="loginlinetext">Log in</div>

<div class="loginform">
    <form action="<?php echo $_SERVER['PHP_SELF'];?>"
method='POST' id='loginform' onsubmit="return submitlogin();">
        <input type="hidden" name='page' value='3'>
        <input type="text" name='logemail' id='logemail' placeholder='E-
MAIL' value='<?php echo @$_POST['logemail'];?>'
oninput="setCustomValidity('');"/>
        <input type='password' name='logpass' id='logpass'
placeholder='PASSWORD' oninput="setCustomValidity('');"/>

        <input type='submit' name='logsubmit' id='logsubmit' value='SIGN
IN' />
    </form>
</div>

<div class="loginforgotpass"><a href="index.php?page=8">Forgot your
password?</a></div>

```





Myprofil\_cont.php

```
<?php
    if(!isset($_SESSION['role'])){
        header('Location: index.php');
    }else{
        if(isset($_POST['myprofilessubmit'])){
            #upisi
            if(isset($_POST['firstname'])&&isset($_POST['lastname'])){
                $error = 0;
                include('msg.php');
                $regFirstName = "/^[A-Z]{1}[a-z]{2,30}$/";
                if(!preg_match($regFirstName,$_POST['firstname'])){
                    $error++;
                    error('First name must be valid.');
```

```

        if(!$error){
            include('dbconnection.php');

            $query = sprintf("UPDATE users SET firstName='%s',
lastName='%s' WHERE userID=%d", $_POST['firstname'],
$_POST['lastname'], $_SESSION['userID']);

            $result = mysql_query($query,$connect);
            mysql_close($connect);
        }
    }

    header('Location: index.php?page=15');
}

else{
    include('dbconnection.php');

    $query = sprintf("SELECT * FROM users WHERE
userID=%d",$_SESSION['userID']);

    $result = mysql_query($query,$connect);
    mysql_close($connect);

    $row;

    if(mysql_num_rows($result)>0){
        $row = mysql_fetch_array($result);

        if(!isset($_REQUEST['manage'])) {
            echo "<div class='logintext'>My socks</div>";
        }
    }
}

```

```

        <div class='loginline'></div>

        <div class='loginlinetext myprofiletext'>My profile</div>";
echo"<div class='myprofile'>

        <div class='firstname'>".$row['firstName']."</div>
        <div class='lastname'>".$row['lastName']."</div>
        <div class='mpemail'>".$row['email']."</div>
        <div class='dateofreg'>".(date('d/m/Y
H:i:s',$row['timeOfReg']))."</div>

        <a class='myprofilemanage'
href='index.php?page=15&manage=1'>MANAGE PROFILE</a>
        </div>";
    }
    else{
        echo"<div class='logintext'>My socks</div>

        <div class='loginline'></div>

        <div class='loginlinetext myprofiletext'>Manage
profile</div>";
        echo"<div class='myprofile'>

            <form action='".$$_SERVER['PHP_SELF']."' method='POST'
onsubmit='return submitmyprofile();'>

                <input type='hidden' name='page' value='15'>

```

```
        <input type='text' name='firstname' id='firstname'
value="".$row['firstName']. "" placeholder='FIRST NAME'
oninput=\"setCustomValidity(\"\");\">
```

```
        <input type='text' name='lastname' id='lastname'
value="".$row['lastName']. "" placeholder='LAST NAME'
oninput=\"setCustomValidity(\"\");\">
```

```
        <input type='submit' name='myprofilessubmit'
id='myprofilessubmit' value='MANAGE PROFILE'>
```

```
    </form>
```

```
</div>";
```

```
}
```

```
}
```

```
}
```

```
}
```

```
?>
```

Newsletter\_cont.php

<?php

```
if(isset($_POST['nlmail']) && isset($_POST['nlsbmit'])){\
```

```
    $regEmail = "/^\w+([\.\-]? \w+)*\@ \w+([\.\-]? \w+)*(\.\w{2,3})+$/";
```

```
    include('msg.php');
```

```
    if(preg_match($regEmail,$_POST['nlmail'])){\
```

```
        include("dbconnection.php");
```

```
        $query = sprintf("SELECT unsub FROM newsletter WHERE email='%s'",$_POST['nlmail']);
```

```
        $result = mysql_query($query,$connect);
```

```
        if(mysql_num_rows($result) ==0){
```

```
            $query = sprintf("INSERT INTO newsletter VALUES('','%s',0)",$_POST['nlmail']);
```

```
            $result = mysql_query($query,$connect);
```

```
            if($result){
```

```
                success("Thanks for subscribing to My socks newsletter.");
```

```
            }
```

```
        }
```

```
    else{\
```

```
        $unsub = mysql_fetch_array($result);
```

```
        if($unsub['unsub'] == 1){
```

```
            $query = sprintf("UPDATE newsletter SET unsub = 0 WHERE email='%s'",$_POST['nlmail']);
```

```
            $result = mysql_query($query,$connect);
```

```
        if($result){
            success("Thanks for subscribing to My socks newsletter.");
        }
    }
}
mysql_close($connect);
}
else{
    error('Email must be valid.');
```

```
}
?>
```

oneproduct\_cont.php

```
<?php
```

```
if(isset($_REQUEST['productID'])){  
    if(preg_match("/^\d+$/",$_REQUEST['productID'])){
```

#prvo ako je stisnuo submit button i porucio nesto pa tek onda učitaj

```
if(isset($_REQUEST['addoneproducttobag'])){  
    if(!isset($_SESSION['role'])){  
        header('Location: index.php?page=3');  
    }  
    else{  
        $producttobag = array();  
        $error = 0;  
  
        if(isset($_POST['productID'])){  
            if(preg_match("/^\d+$/",$_POST['productID'])){  
                $producttobag['productID'] = $_POST['productID'];  
            }  
            else{  
                $error++;  
            }  
        }  
        else{  
            $error++;
```

```

}

if(isset($_POST['oneproductquantity'])){
    if(preg_match("/^\d+$/",$_POST['oneproductquantity'])){
        $producttobag['quantity'] = $_POST['oneproductquantity'];
    }
    else{
        $error++;
    }
}

else{
    $error++;
}

if(isset($_POST['opsize'])){
    if(preg_match("/^\d+$/",$_POST['opsize'])){
        $producttobag['size'] = $_POST['opsize'];
    }
    else{
        $error++;
    }
}

else{
    $error++;
}

if(!$error){
    include("dbconnection.php");

    $query = sprintf("INSERT INTO shoppingbaglist VALUES('", %d, %d, %d,
%d)",$_SESSION['userID'],$producttobag['productID'],$producttobag['size'],$producttobag['quantity']);

```



```

$result = mysql_query($query,$connect);

mysql_close($connect);

if($result){
    $_SESSION['numBagItems']++;
    header('Location: index.php?page=13');
}
else{
    echo "Sorry something went wrong";
}
}
}
}
}

```

```

include("dbconnection.php");

```

```

$query = sprintf("SELECT * FROM product p JOIN color c ON p.colorID=c.colorID WHERE
productID = %d",$_REQUEST['productID']);

```

```

$result = mysql_query($query,$connect);

```

```

if(mysql_num_rows($result)){

```

```

    $row = mysql_fetch_array($result);

```

```

    echo "<div class='oneproductleftimage'>

```

```

        <img src='".$row['imgLink']."' alt='".$row['imgAlt']."' />

```

```

</div>

<div class='oneproductright'>

    <div class='oprproductname'>".$row['productName']. "</div>

    <div class='oprproductid'>#".$row['productID']. "</div>

    <div class='oprprice'>$".((($row['price'] -
($row['saleProcent']/100)*$row['price'])/100). "</div>


    <form action='".$$_SERVER['PHP_SELF']."' method='POST' id='oneproductform'
onsubmit='return submitoneproduct();'>


        <input type='hidden' name='page' id='page' value='12'>

        <input type='hidden' name='productID' id='productID'
value='".$$_REQUEST['productID']. "'>

        ";

        echo"

        <div class='oprsize'>

            <select id='oneproductsizesize' name='opsizesize' class='top_select_sort _select_sort'
selected='selected'>";

            $fk = 0;

            if($row['forMWK'] == 3){

                $fk = 1;

            }

            $query = sprintf("SELECT * FROM size s WHERE forKids=%d", $fk);

            $result = mysql_query($query, $connect);


            while($r = mysql_fetch_array($result)){

                echo "<option value='".$r['sizeID']. "'>".$r['size']. "</option>";

            }

            echo"</select>

```

```
</div>";
```

```
echo"<div class='oprquantity'>
    <button type='button' class='btnquantity' onclick='btnminus();'>
        <span class='minusspan'></span>
    </button>
    <input type='text' name='oneproductquantity' id='oneproductquantity' value='1'
readonly='readonly' />
    <button type='button' class='btnquantityplus' onclick='btnplus();'>
        <span class='plusspanf'></span>
        <span class='plusspanl'></span>
    </button>
</div>
<script>
    function btnminus(){
        var qv = document.getElementById('oneproductquantity');
        if(qv.value > 1)
            qv.value = parseInt(qv.value) - 1;
    }
    function btnplus(){
        var qv = document.getElementById('oneproductquantity');
        if(qv.value < 10)
            qv.value = parseInt(qv.value) + 1;
    }
</script>
```

```
        <input type='submit' name='addoneproducttobag' id='addoneproducttobag'
onclick='x=this.id;' value='ADD TO BAG' />
```

```
    </form>
```

```
    <div class='oprcolor'>
```

```
        <div class='oprcolortop color_' . $row['color'] . "'></div>
```

```
        <div class='oprcolorbottom'>" . ucfirst($row['color']) . "</div>
```

```
    </div>
```

```
    <div class='oprdescription'><h3>Description</h3>" . $row['description'] . "</div>
```

```
    <!-- mogu dodati jos 4 random itema -->
```

```
</div>
```

```
<div class='clear'></div>";
```

```
}
```

```
}
```

```
}
```

```
?>
```

Product\_cont.php

```
<div class="productfilters">
```

```
<div class="productfiltername">FILTERS</div>
```

```
<form action='<?php echo $_SERVER['PHP_SELF']?>' method='POST'  
id='productfilterform'>
```

```
<input type="hidden" name='page' id='page' value='11'>
```

```
<input type="hidden" name='lpos' id='lpos' value='<?php echo  
isset($_REQUEST['lpos'])? $_REQUEST['lpos'] : 0;?>'>
```

```
<div class="pfilterblock">
```

```
<div class="pfiltername" onclick='myshowhide(this);'>v Color</div>
```

```
<div class="pfilterbody pfilterbodyonlycolor">
```

```
<?php
```

```
include("dbconnection.php");
```

```
$query = sprintf("SELECT * FROM color");
```

```
$result = mysql_query($query, $connect);
```

```
while($row = mysql_fetch_array($result)){
```

```

        echo "<div class='pfcolorblock'>
            <input type='radio' name='filtercolors'
id='fc_".$row['color'].'" value='".$row['colorID']."'";
            if(isset($_REQUEST['filtercolors'])) {
                if($_REQUEST['filtercolors'] == $row['colorID']) {
                    echo ' checked';
                }
            }
            else if($row['color'] === 'rainbow') {
                echo ' checked';
            }
            echo ">
            <label for='fc_".$row['color'].'" class='pfcolor
color_".$row['color']."'></label>
            <div class='pfcolorname'>".ucfirst($row['color'])."</div>
        </div>";
    }
?>

</div>
</div>

```

```

<div class="pfilterblock">
    <div class="pfiltername" onclick='myshowhide(this);'>v Size</div>
    <div class="pfilterbody">
        <div class="pfsizblock radiobuttonparent rbpfilters">
            <ul>

```

```

<?php
    //include("dbconnection.php");
    $query = sprintf("SELECT * FROM size");
    if(isset($_REQUEST['forKid'])){
        $regFK = "/^[0-1]$/" ;
        if(preg_match($regFK,$_REQUEST['forKid'])){

            $query .= " WHERE forKids=".$_REQUEST['forKid'];
        }
    }
    $result = mysql_query($query, $connect);

    $sizeChecked = 0;
    while($row = mysql_fetch_array($result)){
        echo "<li>

```

```

        <input type='radio' name='pfsize'
id='pfsize".$row['sizeID']."' value='".$row['sizeID']."'";
        if(isset($_REQUEST['pfsize'])){
            if($_REQUEST['pfsize'] == $row['sizeID']){
                echo ' checked';
                $sizeChecked = 1;
            }
        }
        echo ">
        <label for='pfsize".$row['sizeID']."'
class='radiobuttonlable'>".$row['size'].</label>
        <div class='check'></div>
    </li>";
}

?>
<li>
    <input type="radio" name="pfsize" id='pfsize_all'
value="0" <?php echo ($sizeChecked==0)?'checked' : '';?>/>
    <label for="pfsize_all" class='radiobuttonlable'>All</label>
    <div class="check"></div>
</li>
</ul>

```



```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="pfilterblock">
```

```
    <div class="pfiltername" onclick='myshowhide(this);'>v  
Material</div>
```

```
    <div class="pfilterbody">
```

```
<div class="pfmaterialblock radiobuttonparent rbpfilters">
```

```
    <ul>
```

```
        <?php
```

```
            //include("dbconnection.php");
```

```
            $query = sprintf("SELECT * FROM material");
```

```
            $result = mysql_query($query, $connect);
```

```
            $materialChecked = 0;
```

```

while($row = mysql_fetch_array($result)){
    echo "<li>

        <input type='radio' name='pfmaterial'
id='pfmaterial_".$row['materialID']."' value='".$row['materialID']."'";

        if(isset($_REQUEST['pfmaterial'])){
            if($_REQUEST['pfmaterial'] ==
$row['materialID']){

                echo ' checked';

                $materialChecked = 1;

            }

        }

        echo "</>

        <label for='pfmaterial_".$row['materialID']."'
class='radiobuttonlable'>".ucfirst($row['material'])."</label>

        <div class='check'></div>

        </li>";

    }

?>

<li>

    <input type="radio" name="pfmaterial" id='pfmaterial_all'
value="0" <?php echo ($materialChecked==0)?'checked' : "";?>/>

```

```
        <label for="pfmaterial_all"
class='radiobuttonlable'>All</label>
```

```
        <div class="check"></div>
```

```
    </li>
```

```
</ul>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="pfilterblock">
```

```
    <div class="pfiltername" onclick='myshowhide(this);'>v
Pattern</div>
```

```
    <div class="pfilterbody">
```

```
<div class="pfpatternblock radiobuttonparent rbpfilters">
```

<ul>

<?php

//include("dbconnection.php");

\$query = sprintf("SELECT \* FROM pattern");

\$result = mysql\_query(\$query, \$connect);

\$patternCheck = 0;

while(\$row = mysql\_fetch\_array(\$result)){

echo "<li>

<input type='radio' name='pfpattern'  
id='pfpattern\_".\$row['patternID']."' value='". \$row['patternID']."'";

if(isset(\$\_REQUEST['pfpattern']))){

if(\$\_REQUEST['pfpattern'] == \$row['patternID']){

echo 'checked';

\$patternCheck= 1;

}

}

echo "</li>

```
        <label for='pfpattern_".$row['patternID'].'"
class='radiobuttonlable'>".ucfirst($row['pattern'])."</label>
```

```
        <div class='check'></div>
```

```
    </li>";
```

```
    }
```

```
?>
```

```
<li>
```

```
    <input type="radio" name="pfpattern" id='pfpattern_all'
value="0" <?php echo ($patternCheck==0)?'checked' : '';?>/>
```

```
    <label for="pfpattern_all"
class='radiobuttonlable'>All</label>
```

```
    <div class="check"></div>
```

```
</li>
```

```
</ul>
```

```
</div>
```

```
</div>
```

```
</div>
```

```

</div>
<?php
#
# napravi podatak koji cu samo da dodam u link
#
$data['offset'] = isset($_REQUEST['offset']) ? $_REQUEST['offset'] : 0;
$data['itemsperpage'] = isset($_REQUEST['sortView'])?
$_REQUEST['sortView'] : 9;
$view = $data['itemsperpage'];
$navigationlink = "";

$whererepart['color'] = 0;
    $whererepart['size'] = 0;
    $whererepart['material'] = 0;
    $whererepart['pattern'] = 0;

    $whererepart['category'] = 0;
    $whererepart['sale'] = 0;
    $whererepart['forMWK'] = 0;

```

```
$wherepart['search'] = 0;
```

```
$wherepart['priceandold_az'] = 0;
```

```
$fullorder = 'ORDER BY ';
```

```
$fullwhere = 'WHERE ';
```

```
if(isset($_REQUEST['filtercolors'])){\n    if($_REQUEST['filtercolors'] != '12'){\n        if(preg_match("/^\\d+$/", $_REQUEST['filtercolors'])){\n            $wherepart['color'] = '\n            colorID=' . $_REQUEST['filtercolors'] . ' AND';\n            $navigationlink .= '&colorID=' . $_REQUEST['filtercolors'];\n        }\n    }\n}\n\nif(isset($_REQUEST['pfsize'])){\n    if($_REQUEST['pfsize'] != '0'){\n        if(preg_match("/^\\d+$/", $_REQUEST['pfsize'])){\n
```

```

        $wherepart['size'] = ' sizeID='.$$_REQUEST['pfsize'].' AND';
$navigationlink .= '&sizeID='.$$_REQUEST['pfsize'];
    }
}
}
if(isset($_REQUEST['pfmaterial'])) {
    if($_REQUEST['pfmaterial'] != '0') {
        if(preg_match("/^\d+$/", $_REQUEST['pfmaterial'])) {
            $wherepart['material'] = '
materialID='.$$_REQUEST['pfmaterial'].' AND';
$navigationlink .= '&materialID='.$$_REQUEST['pfmaterial'];
        }
    }
}
if(isset($_REQUEST['pfpattern'])) {
    if($_REQUEST['pfpattern'] != '0') {
        if(preg_match("/^\d+$/", $_REQUEST['pfpattern'])) {
            $wherepart['pattern'] = '
patternID='.$$_REQUEST['pfpattern'].' AND';
$navigationlink .= '&patternID='.$$_REQUEST['pfpattern'];
        }
    }
}
}

```



```

        if(isset($_REQUEST['sort_by'])){//category
            if($_REQUEST['sort_by']=='1'){
                $wherepart['category'] = '
categoryID='.$_REQUEST['sort_by'].' AND';
$navigationlink .= '&categoryID='.$_REQUEST['sort_by'];
            }
        }
        if(isset($_REQUEST['searchtext'])){
            if(preg_match("/^[\\w\\d\\s]+$/",$_REQUEST['searchtext'])){
                $wherepart['search'] = " productName LIKE
'%" .trim($_REQUEST['searchtext'])."%' AND";
            }
        }
        if(isset($_REQUEST['lpos'])){
            if($_REQUEST['lpos']=='2'){
                $wherepart['forMWK'] = ' forMWK=1 AND '; //MEN
$navigationlink .= '&lpos=2';
            }
            if($_REQUEST['lpos']=='3'){
                $wherepart['forMWK'] = ' forMWK=2 AND '; //WOMEN
$navigationlink .= '&lpos=3';
            }
            if($_REQUEST['lpos']=='4'){

```

```

        $wherepart['forMWK'] = ' forMWK=3 AND '; //KID
$navigationlink .= '&lpos=4';
    }
    if($_REQUEST['lpos']=='5'){
        $wherepart['sale'] = ' saleProcent > 0 AND';
    }
}

if($wherepart['color']){
    $fullwhere .= $wherepart['color'];
}

if($wherepart['size']){
    $fullwhere .= $wherepart['size'];
}

if($wherepart['material']){
    $fullwhere .= $wherepart['material'];
}

if($wherepart['pattern']){
    $fullwhere .= $wherepart['pattern'];
}

if($wherepart['category']){
    $fullwhere .= $wherepart['category'];
}

```

```

}
if($wherepart['sale']){
    $fullwhere .= $wherepart['sale'];
}
if($wherepart['forMWK']){
    $fullwhere .= $wherepart['forMWK'];
}
if($wherepart['search']){
    $fullwhere .= $wherepart['search'];
}
$fullwhere .= ' 1=1 ';

```

```

if(isset($_REQUEST['sort_by'])){
    if(preg_match("/^\d+$/",$_REQUEST['sort_by'])){
        if($_REQUEST['sort_by'] == '2'){
            $wherepart['priceandold_az'] = "price DESC";
$navigationlink .= '&sort_by=2';
        }
        else if($_REQUEST['sort_by'] == '3'){
            $wherepart['priceandold_az'] = "price";
$navigationlink .= '&sort_by=3';

```

```

    }
    else if($_REQUEST['sort_by'] == '4'){
        $wherepart['priceandold_az'] = "timeProductAdd";
$navigationlink .= '&sort_by=4';
    }
    else if($_REQUEST['sort_by'] == '5'){
        $wherepart['priceandold_az'] = "productName";
$navigationlink .= '&sort_by=5';
    }
}
}
}

if(isset($_REQUEST['forKid'])){
    $regFK = "/^[0-1]$/" ;
    if(preg_match($regFK,$_REQUEST['forKid'])){
        $navigationlink .= "&forKid=".$_REQUEST['forKid'];
    }
}

if($wherepart['priceandold_az']){
    $fullorder .= " ".$wherepart['priceandold_az']." ";
}
else{
    $fullorder = " ";
}

```

```
}
```

```
    $fullquery = "SELECT * FROM product ".$fullwhere."  
    ".$fullorder." LIMIT ".$sview." OFFSET ".$data['offset'];
```

```
    $fullresult = mysql_query($fullquery, $connect);
```

```
?>
```

```
<script>
```

```
function myshowhide(obj){
```

```
    var text = obj.textContent;
```

```
    if(text.charAt(0) == "v"){
```

```
        //
```

```
        // pokazi obj
```

```
        //
```

```
        obj.textContent = "^"+text.substr(1,text.length);
```

```
        obj.parentElement.children[1].style.cssText = "max-height:  
500px;transition: max-height 0.25s ease-in;";
```

```
    }
```

```

else{
    //
    // sakrij obj
    //
    obj.textContent = "v"+text.substr(1,text.length);
    obj.parentElement.children[1].style.cssText = "max-height:
0;transition: max-height 0.25s ease-out;overflow: hidden;";
}
}

//
//
// STAVI GORE DA Php-om POSTAVLJAS v ^ [pfopend]
// tako da se js ne bi zbunjivao :D
// kada je nesto izabrano iz padajucih a da nije podrazumevano
//
//
</script>

```

```

<?php
    $query = "SELECT COUNT(*) as c FROM product ".$fullwhere."
    ".$fullorder;

    $result = mysql_query($query,$connect);

    $values['page'] = isset($_REQUEST['page']) ? $_REQUEST['page']
: 0;

    $data['dbcountitems'] = mysql_fetch_array($result)['c'];

    $data['paginationpages'] =
    floor($data['dbcountitems']/$data['itemsperpage'] ) + 1 ;
    $data['thispage'] = ($data['offset'] / $data['itemsperpage'] ) + 1;

    $data['prevpageid'] = $data['offset'] - $data['itemsperpage'] ;
    $data['nextpageid'] = $data['offset'] + $data['itemsperpage'] ;

    $data['paginationHTML'] = "";

    $data['paginationHTML'] .="<div class='paginationbtns'>";
    if($data['thispage']>1){

```

```

        $data['paginationHTML'] .= "<a
href='index.php?page=".$values['page']."'&offset=".$data['prevpageid'].
$navigationlink.'" class='pbtnprev pbtnall'>PREV</a>";

    }

    else{

        $data['paginationHTML'] .= "<div class='pbtnprev
pbtnall'>PREV</div>";

    }

    $data['paginationHTML'] .= "<div class='pbtnnumber
pbtnall'>".$data['thispage']."'</div>";

    if(($data['offset']+$data['itemsperpage']) >=
$data['dbcountitems']){

        $data['paginationHTML'] .= "<div class='pbtnnext
pbtnall'>NEXT</div>";

    }

    else{

        $data['paginationHTML'] .= "<a
href='index.php?page=".$values['page']."'&offset=".$data['nextpageid'].
$navigationlink.'" class='pbtnnext pbtnall'>NEXT</a>";

    }

    $data['paginationHTML'] .= "</div>";

```



```
$data['paginationHTML'] .= "<div class='clear'></div>";
```

```
    $sortQuickLinks = isset($_REQUEST['sortQuickLinks']) ?  
$_REQUEST['sortQuickLinks'] : 1;  
    ?>
```

```
<div class="productcontainer">
```

```
    <div class="pagination_all">
```

```
        <input type="hidden" name='sortQuickLinks' id='sortQuickLinks'  
value='<?php echo $sortQuickLinks;?>'>
```

```
        <input type="hidden" name='sortView' id='sortView' value='<?php  
echo $data['itemsperpage'];?>'>
```

```
    <?php
```

```
$sortBy = $sortQuickLinks;
```

```
?>
```

```
<div class="sort_box">
```

```
<label for="sort_by_top" class="sort_by_text">Sort by:</label>
```

```
<select id="sort_by_top_select" name="sort_by"
class="top_select_sort _select_sort" selected="selected">
```

```
    <option value="1" <?php echo (1 == $sortBy) ? 'selected' : " ;
?>>Newest</option>
```

```
    <option value="2" <?php echo (2 == $sortBy) ? 'selected' : " ;
?>>Price [High - Low]</option>
```

```
    <option value="3" <?php echo (3 == $sortBy) ? 'selected' : " ;
?>>Price [Low - High]</option>
```

```
    <option value="4" <?php echo (4 == $sortBy) ? 'selected' : " ;
?>>Oldest</option>
```

```
    <option value="5" <?php echo (5 == $sortBy) ? 'selected' : " ;
?>>A-Z</option>
```

```
</select>
```

```
<label for="view_top" class="view_text">View:</label>
```

```
<select id="view_top_select" name="view" class="top_select_view
_select_view" selected="selected">
```

```
    <option value="9" <?php echo (9 == $sview) ? 'selected' : " ;
?>>9</option>
```

```
    <option value="12" <?php echo (12 == $sview) ? 'selected' : " ;
?>>12</option>
```

```
        <option value="15" <?php echo (15 == $sview) ? 'selected' : " ;
?>>15</option>
```

```
    </select>
```

```
</div>
```

```
</form>
```

```
<?php
```

```
    echo $data['paginationHTML'] ;
```

```
?>
```

```
</div>
```

```
<div class="productsbody">
```

```
<?php
```

```
#
```

```
# ovde je bilo pre - - -
```

```
#
```

```
    if(mysql_num_rows($fullresult)>0){
```

```
        while($row = mysql_fetch_array($fullresult)){
```

```

        echo "<a class='oneproductbody'
href='index.php?page=12&productID=" . $row['productID'] . "'>
        <figure class='opbimagehighlight'>
        <img src='" . $row['imgLink'] . "' alt='" . $row['imgAlt'] . "'/>
        <figcaption>
            <h2>". $row['productName'] . "</h2>
            <p>". substr($row['description'], 0 , 25) . "...</p>
        </figcaption>
        </figure>
        <div class='opbtextblock'>";
        if($row['saleProcent'] != 0){
            echo "<div
class='opbbpricebefore'>$". ($row['price']/100) . "</div>";
        }
        echo "<div class='opbbpricenow'>$". (($row['price'] -
($row['saleProcent']/100)*$row['price'])/100) . "</div>";
        if($row['saleProcent'] != 0){
            echo "<div class='opbbpriceprocent'>(-
". $row['saleProcent'] . "%)</div>";
        }
        echo "</div>
</a>";
    }}

```

```

else{
    echo"<div class='nopproduct'>No products found.</div>";
}
?>

```

```

</div>
<div class="pagination_all">
    <div class="sort_box">
<label for="sort_by_top" class="sort_by_text">Sort by:</label>
<select id="sort_by_top_select" name="sort_by"
class="bottom_select_sort _select_sort" selected="selected">
    <option value="1" <?php echo (1 == $sortBy) ? 'selected' : " ;
?>>Newest</option>
    <option value="2" <?php echo (2 == $sortBy) ? 'selected' : " ;
?>>Price [High - Low]</option>
    <option value="3" <?php echo (3 == $sortBy) ? 'selected' : " ;
?>>Price [Low - High]</option>
    <option value="4" <?php echo (4 == $sortBy) ? 'selected' : " ;
?>>Oldest</option>
    <option value="5" <?php echo (5 == $sortBy) ? 'selected' : " ;
?>>A-Z</option>

```

```

        </select>
<label for="view_top" class="view_text">View:</label>
<select id="view_top_select" name="view" class="bottom_select_view
_select_view" selected="selected">
    <option value="9" <?php echo (9 == $sview) ? 'selected' : " ;
?>>9</option>
    <option value="12" <?php echo (12 == $sview) ? 'selected' : " ;
?>>12</option>
    <option value="15" <?php echo (15 == $sview) ? 'selected' : " ;
?>>15</option>
</select>
</div>

```

```

<?php
    echo $data['paginationHTML'] ;
    mysql_close($connect);
?>

</div>
</div>
<script type="text/javascript" src="js/jquery.js"></script>
<script>

```

```

$(document).ready(function(){
    $( ":radio" ).change(function() {
submit_filter();
    });

    $('#_select_sort').change(function(){
        $('#sortQuickLinks').val($(this).val());
        submit_filter();
    });

    $('#_select_view').change(function(){
        $('#sortView').val($(this).val());
        submit_filter();
    });

    function submit_filter(){
        document.getElementById("productfilterform").submit();
    }
});
</script>

<div class="clear"></div>

```

## Register\_cont.php

```
<?php @session_start();
    if(isset($_SESSION['role'])){
        header('Location: index.php');
    }
    else{
        if(isset($_POST['registersubmit'])){
            include('msg.php');
            $error = 0;

            if(isset($_POST['registername'])){
                $regFirstName = "/^[A-Z]{1}[a-z]{2,30}$/";
                if(!preg_match($regFirstName,$_POST['registername'])){
                    $error++;
                    error('First name must be valid.');
```



```

        $error++;
        error('First name must be valid.');
```

}

```

    if(isset($_POST['registerlastname'])) {
        $regLastName = "/^[A-Z]{1}[a-z]{3,30}$/";

        if(!preg_match($regLastName,$_POST['registerlastname'])) {
            $error++;
            error('Last name must be valid.');
```

}

```

        else {
            $userdata['lastname'] = $_POST['registerlastname'];
        }
    }
    else {
        $error++;
        error('Last name must be valid.');
```

}

```

    if(isset($_POST['registeremail'])) {
        $regEmail = "/^\w+([\.\-]?\w+)*\@\w+([\.\-
]? \w+)*(\.\w{2,3})+$/";
```

```

if(!preg_match($regEmail,trim($_POST['registeremail']))) {
    $error++;
    error('Email must be valid. ');
}
else {
    $userdata['email'] = trim($_POST['registeremail']);
}
}
else {
    $error++;
    error('Email must be valid. ');
}
if(isset($_POST['registerpass'])) {
    $regPassword = "/^[a-zA-Z0-9!@#$$%^&*.]{6,128}$/";
    if(!preg_match($regPassword,$_POST['registerpass'])) {
        $error++;
        error('Password must be valid. ');
    }
    else {
        $userdata['password'] = $_POST['registerpass'];
    }
}
}

```

```

else{
    $error++;
    error('Password must be valid.');
```

```

}
if(isset($_POST['registerpassagain'])){
    if($_POST['registerpass'] != $_POST['registerpassagain']){
        $error++;
    }
}
else{
    $error++;
}
if($error == 0){
    include('dbconnection.php');
    $query = sprintf("SELECT * FROM users WHERE email =
'%s'", $userdata['email']);
    $result = mysql_query($query, $connect);

    if(!mysql_num_rows($result)){

        $userdata['role'] = 2;

```

```

        $userdata['timeOfReg'] = mktime();

        $userdata['verificationCode'] = "";

        $characters =
'0123456789abcdefghijklmnopqrstuvwxyz0123456789ABCDEFGHIJKLMNOPQRSTUVWXYZ56789';

        for($i=0;$i<20;$i++){

            $userdata['verificationCode'] .= $characters[rand(0,
strlen($characters) - 1)];

        }

        $userdata['statusID'] = 3;

        $query = sprintf("INSERT INTO users
VALUES('','%s','%s','%s','%s', %d,
%d,'%s',%d)", $userdata['firstname'], $userdata['lastname'], $userdata['e
mail'], md5($userdata['password']), $userdata['role'], $userdata['timeOfR
eg'], $userdata['verificationCode'], $userdata['statusID']);

        $r = mysql_query($query, $connect);

        mysql_close($connect);

        if(!$r){

            echo"<div class='errorlog'>We apologize but there
was a little mistake</div>";

        }else{

```

```
$verHref =  
"cont/verification_cont.php?vc=".$userdata['verificationCode']."&m=".  
$userdata['email'];
```

```
$msg="<html><head></head><body>  
    <div style='margin:0 auto;margin-top:50px;'>  
        <p style='font-size: 30px;text-align:center;margin-  
bottom:150px;'>Hello ".$userdata['firstname']."  
".$userdata['lastname']."</p>  
        <a style='background:#00bfd9;border-  
radius:6px;font-size:21px;padding:18px  
10px;border:none;color:#fff;letter-spacing:1px;margin: auto;text-align:  
center;width:362px;margin: 50px 0px;text-decoration:none;text-align:  
center;display:block;'>  
            href='".$verHref.">Verification</a>  
    </div></body></html>";
```

```
$headers = "MIME-Version: 1.0" . "\r\n";  
$headers .= "Content-type:text/html;" . "\r\n";  
  
mail(trim($_POST['email']),"Verified link | My  
socks",$msg,$headers);
```

```
    }  
else{
```

```

        warning('Email already exist.');
```

```

    }

}

}

}

?>

```

```

<div class='registertext'>My socks</div>
<div class='loginline'></div>
<div class='registerlinetext'>Register</div>

```

```

<div class='registerform'>
    <form action='<?php echo $_SERVER['PHP_SELF'];?>' method='POST'
id='loginform' onsubmit='return registration();'>
        <input type='hidden' name='page' value='4'>
        <input type='text' name='registername' id='registername'
placeholder='FIRST NAME' value='<?php echo
@$_POST['registername'];?>' oninput="setCustomValidity('');">
        <input type='text' name='registerlastname' id='registerlastname'
placeholder='LAST NAME' value='<?php echo
@$_POST['registerlastname'];?>' oninput="setCustomValidity('');">

```

```
<input type='text' name='registeremail' id='registeremail'
placeholder='E-MAIL' value='<?php echo @$_POST['registeremail'];?>'
oninput="setCustomValidity('');">
```

```
<input type='password' name='registerpass' id='registerpass'
placeholder='PASSWORD' value='<?php echo
@$_POST['registerpass'];?>' oninput="setCustomValidity('');">
```

```
<input type='password' name='registerpassagain'
id='registerpassagain' placeholder='RE-ENTER PASSWORD'
value='<?php echo @$_POST['registerpassagain'];?>'
oninput="setCustomValidity('');">
```

```
<input type='submit' name='registersubmit' id='registersubmit'
value='CREATE ACCOUNT'/>
```

```
</form>
```

```
</div>
```

```
<div class='loginforgotpass'><a href='index.php?page=3'>Already have
an account?</a></div>
```

Search\_cont.php

```
<?php
    if(isset($_REQUEST['searchtext'])){
        if(preg_match("/^[\\w\\d\\s]+$/", $_REQUEST['searchtext'])){
            header('Location:
../index.php?page=11&searchtext='.$_REQUEST['searchtext']);
        }
        else{
            header('Location: ../index.php');
        }
    }else{
        header('Location: ../index.php');
    }
?>
```



Shoppingbag\_cont.php

```
<?php
```

```
include("dbconnection.php");
```

```
if(isset($_SESSION['role'])){
```

```
    if(isset($_REQUEST['checkout']) && $_SESSION['numBagItems']>0){
```

```
        if($_REQUEST['checkout'] == $_SESSION['userID']){
```

```
            $currentTime = mktime();
```

```
            $query = sprintf("INSERT INTO orderhistory
```

```
                                SELECT ", s.userID, s.productID, s.sizeID, s.quantity,  
%d FROM shoppingbaglist s WHERE  
s.userID=%d",$currentTime,$_SESSION['userID']);
```

```
            $result = mysql_query($query, $connect);
```

```
        if($result){
```

```
            $query = sprintf("DELETE FROM shoppingbaglist WHERE  
userID=%d",$_SESSION['userID']);
```

```
            $result = mysql_query($query, $connect);
```

```
            if($result){
```

```
                echo "Thanks for purchasing in My socks.";
```

```

        $_SESSION['numBagItems'] = 0;
    }
}
}

}else{echo "nemas nist";}

if(isset($_REQUEST['pid']) && isset($_REQUEST['pm']))){
    if(preg_match("/^\d+$/",$_REQUEST['pid']) &&
preg_match("/^\d+$/",$_REQUEST['pm']))){
        $query = "";
        if($_REQUEST['pm'] > 0){
            $query = sprintf("UPDATE shoppingbaglist SET quantity =
quantity + 1 WHERE quantity < 10 AND shoppingBagListID=%d AND
userID=%d",$_REQUEST['pid'],$_SESSION['userID']);
        }
        else{
            $query = sprintf("UPDATE shoppingbaglist SET quantity =
quantity - 1 WHERE quantity > 1 AND shoppingBagListID=%d AND
userID=%d",$_REQUEST['pid'],$_SESSION['userID']);
        }
        $result = mysql_query($query, $connect);
        if($result){
            #usepo

```

```

        echo "s0";
    }
    else{
        #nije uspelo
        echo "bad";
    }
}
}
}

```

```

if(isset($_REQUEST['remove'])){
    if(preg_match("/^\d+$/",$_REQUEST['remove'])){
        #obrisi taj item

        $query = sprintf("DELETE FROM shoppingbaglist WHERE
shoppingBagListID=%d AND
userID=%d",$_REQUEST['remove'],$_SESSION['userID']);

        $result = mysql_query($query, $connect);

        if($result){
            #usepo
            if($_SESSION['numBagItems']>0){
                $_SESSION['numBagItems']--;
                header('Location: index.php?page=13');
            }
        }
    }
}

```

```

    }
    else{
        #nije uspelo brisanje
    }
}
}
}
?>

```

```

<div class="myshoppingbag">My bag (<?php echo
isset($_SESSION['numBagItems'])? $_SESSION['numBagItems'] : 0;
?>)</div>

```

```

<div class="shoppingbagcont">

```

```

    <div class="sbmenunames">

```

```

        <div class="sbagname">PRODUCT</div>

```

```

        <div class="sbagname sbagnameq">QUANTITY</div>

```

```

        <div class="sbagname sbagnameq">TOTAL</div>

```

```

    </div>

```

```

<?php
$userproducts['totalprice'] = 0;
if(isset($_SESSION['role'])){
    if($_SESSION['numBagItems']==0){
        echo "<div class='shoppingbagempty'>Your bag is empty.</div>";
    }
    else{
        if($_SESSION['numBagItems'] > 0){

            $query = sprintf("SELECT
s.shoppingBagListID,s.quantity,p.imgLink,p.imgAlt,p.productName,p.pr
oductID,p.price,p.saleProcent,si.size FROM shoppingbaglist s JOIN
product p ON s.productID=p.productID JOIN size si ON si.sizeID=s.sizeID
WHERE userID=%d",$_SESSION['userID']);

            $result = mysql_query($query, $connect);
            mysql_close($connect);
            while($row = mysql_fetch_array($result)){
                $rowprice = (($row['price'] -
($row['saleProcent']/100)*$row['price'])/100)*$row['quantity'];
                echo "<div class='sbagoneitem'>

                <div class='sbagproduct sbagblock'>

```

```
        
```

```
    </div>
```

```
    <div class='sbagitem sbagblock'>
```

```
        <div
class='sbagproductname'>". $row['productName']. "</div>
```

```
        <div
class='sbagproductsku'>#". $row['productID']. "</div>
```

```
        <div class='sbagproductprice'>Price: $".(($row['price']
- ($row['saleProcent']/100)*$row['price']/100). "</div>
```

```
        <div class='sbagproductprice'>Size:
". $row['size']. "</div>
```

```
        <a
href='index.php?page=13&remove="'. $row['shoppingBagListID']. '"
class='sbagproductremove'>Remove item</a>
```

```
    </div>
```

```
    <div class='sbagquantity sbagblock'>
```

```
        <div class='oprquantity'>
```

```
            <button class='btnquantity'
onclick='btnminus("". $row['shoppingBagListID']. "');">
```

```

        <span class='minusspan'></span>
    </button>
    <input type='text' name='oneproductquantity'
class='oneproductquantity'
id='oneproductquantity".$row['shoppingBagListID']."'
value="".$row['quantity']."' readonly='readonly' />
    <button class='btnquantityplus'
onclick='btnplus("".$row['shoppingBagListID'].");'>
        <span class='plusspanf'></span>
        <span class='plusspanl'></span>
    </button>
</div>
</div>
<div class='sbagtotal sbagblock'>
    <div
class='sbagtotalquantityprice'>$".$rowprice."</div>
    </div>
</div>";
    $userproducts['totalprice'] += $rowprice;
}
}
}

}else{ echo "<div class='shoppingbageempty'>Your bag is
empty.</div>";}

```

?>

<script>

```
function btnminus(x){
    var qv = document.getElementById('oneproductquantity'+x);
    /*var qv = document.getElementById('oneproductquantity'+x);
    if(qv.value > 1)
        qv.value = parseInt(qv.value) - 1;*/
    window.location.href = "index.php?page=13&pid="+x+"&pm=0";
}

function btnplus(x){
    var qv = document.getElementById('oneproductquantity'+x);
    /* var qv = document.getElementById('oneproductquantity'+x);
    if(qv.value < 10)
        qv.value = parseInt(qv.value) + 1; */
    window.location.href = "index.php?page=13&pid="+x+"&pm=1";
}
```

</script>

</div>

<div class="clear"></div>

<div class="shoppingbagtotalsum">Total: \$<?php echo  
\$userproducts['totalprice'];?></div>



```
<div><a href='index.php?page=13&checkout=<?php echo  
$_SESSION['userID'];?>'  
class="shoppingbagcheckout">CHECKOUT</a></div>  
<div class="clear"></div>
```

Unsubscribe\_cont.php

```
<?php
```

```
if(isset($_POST['unsubemail']) && isset($_POST['unsubsubmit'])){\n
```

```
    $regEmail = "/^\\w+([\\.\\-]?\\w+)*\\@\\w+([\\.\\-]?\\w+)*\\.\\w{2,3}+$/";\n
```

```
    if(preg_match($regEmail,$_POST['unsubemail'])){\n
```

```
        include("dbconnection.php");\n
```

```
        $query = sprintf("UPDATE newsletter SET unsub = 1 WHERE\nemail='%s'",$_POST['unsubemail']);\n
```

```
        $result = mysql_query($query,$connect);\n
```

```
        if($result){\n
```

```
            echo" unsub se";\n
```

```
        }\n
```

```
        mysql_close($connect);\n
```

```
    }else{\n
```

```
        include('msg.php');\n
```

```
        error('Email must be valid.);\n
```

```
    }\n
```

```
}\n
```

?>

<div class="logintext">My socks</div>

<div class="loginline"></div>

<div class="loginlinetext unsublinetext">Unsubscribe</div>

<div class="loginform">

    <form action="<?php echo \$\_SERVER['PHP\_SELF']?>" method='POST'  
id='unsubform' onsubmit="return unsubscribemail();">

        <input type='hidden' name='page' value='7'>

        <input type="text" name='unsubemail' id='unsubemail'  
placeholder='E-MAIL' oninput="setCustomValidity('');">

        <input type='submit' name='unsubsubmit' id='unsubsubmit'  
value='UNSUBSCRIBE'>

    </form>

</div>

Verification\_cont.php

```
<?php @session_start();

if(isset($_SESSION['role'])){
header('Location: index.php');
}
else if(isset($_GET['vc'])){
$reg_vc = "/^[A-Za-z0-9]{20}$/";
$reg_email = "/^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/";
if(preg_match($reg_vc,$_GET['vc']) &&
preg_match($reg_email,$_GET['m'])){

$query = "SELECT userID, statusID FROM users WHERE
verificationCode='".$_GET['vc']."' AND email='".$_GET['m']."'";
include('../dbconnection.php');
$res = mysql_query($query,$connect);
if(mysql_num_rows($res)){
$r = mysql_fetch_array($res);
if($r['statusID']==3){
$query = "UPDATE users SET statusID='1' WHERE email='".$_GET['m']."'
AND userID=".$r['userID'];
```

```

$rez = mysql_query($query,$connect);
if($rez){
#good
http://localhost:1234/php2\_php1site/cont/verification\_cont.php?vc=UOVPq1dfbKSee6157mxJ&m=vera.veric@gmail.com
# ^ test link
}
}
}
mysql_close($connect);
}else{
header('Location: ../index.php');
}
header('Location: ../index.php?page=3');
}
else{
header('Location: ../index.php');
}
?>

```

Visit\_cont.php

```
<?php
if(!isset($_COOKIE['uservisit'])){
    include('dbconnection.php');
    $query = sprintf("INSERT INTO visit VALUES('','%d')",mktime());
    $result = mysql_query($query,$connect);
    if($result){
        setcookie('uservisit', 'value', time() + 86400, "/");
        //setcookie('uservisit', 'value', time() + 60, "/");
    }
}
?>
```

Every\_cont.php

```
<?php
```

```
if($_SESSION['role']==1){
```

```
    $linetext = array(
```

```
        '2' => array('User', 8),
```

```
        '3' => array('Product', 9),
```

```
        '4' => array('Sale', 10),
```

```
        '5' => array('FAQ', 11),
```

```
        '6' => array('Poll', 12)
```

```
    );
```

```
?>
```

```
<div class="logintext">My socks</div>
```

```
<div class="loginline"></div>
```

```
<div class="loginlinetext"><?php echo $linetext[$page][0];?></div>
```

```
<div class="ec4blocks">
```

```
    <a class="ecblock ripplelink cyan ec4add"
href="n1shhh.php?page=<?php echo
$linetext[$page][1];?>&job=1"></a>
```

```
<a class="ecblock ripplelink cyan ec4manage"
href="n1shhh.php?page=<?php echo
$linetext[$page][1];?>&job=2"></a>
```

```
<a class="ecblock ripplelink cyan ec4remove"
href="n1shhh.php?page=<?php echo
$linetext[$page][1];?>&job=3"></a>
```

```
<a class="ecblock ripplelink cyan ec4view"
href="n1shhh.php?page=<?php echo
$linetext[$page][1];?>&job=4"></a>
```

```
</div>
```

```
<script>
```

```
$(function(){
```

```
var ink, d, x, y;
```

```
$(".ripplelink").mouseenter(function(e){
```

```
    if($(this).find(".ink").length === 0){
```

```
        $(this).prepend("<span class='ink'></span>");
```

```
    }
```

```
    ink = $(this).find(".ink");
```

```
    ink.removeClass("animate");
```

```
    if(!ink.height() && !ink.width()){
```

```
        d = Math.max($(this).outerWidth(), $(this).outerHeight());
```

```
        ink.css({height: d, width: d});
```



```
}
```

```
x = e.pageX - $(this).offset().left - ink.width()/2;
```

```
y = e.pageY - $(this).offset().top - ink.height()/2;
```

```
ink.css({top: y+'px', left: x+'px'}).addClass("animate");
```

```
});
```

```
});
```

```
</script>
```

```
<div class="clear"></div>
```

```
<?php
```

```
}
```

```
?>
```

Footer\_cont.php

```
<?php
if($_SESSION['role']==1){
?>
<div class="footercont">
    <div class="footerpush"></div>
    <div class='footercopyright'>My socks &copy; 2017 by Urukalo
    Goran</div>
</div>
<?php
}
?>
```

header\_cont.php

```
<?php
if($_SESSION['role']==1){
    $curpage = array(
        '0' => "",
        '1' => "",
        '2' => "",
        '3' => "",
        '4' => "",
        '5' => "",
        '6' => "",
    );
    if(isset($curpage[$page])){
        $curpage[$page] = " class='current_page_item' ";
    }
    else if($page == 8){$curpage[2] = " class='current_page_item' ";}
    else if($page == 9){$curpage[3] = " class='current_page_item' ";}
    else if($page == 10){$curpage[4] = " class='current_page_item' ";}
    else if($page == 11){$curpage[5] = " class='current_page_item' ";}
    else if($page == 12){$curpage[6] = " class='current_page_item' ";}
    else{
```

```

        $curpage['0'] = " class='current_page_item' ";
    }
?>
<div class="header wmax">
    <a href="index.php">
        <div class="logoimg"></div>
    </a>
    <div class="navmenu">
        <ul id="example-one">
            <li <?php echo $curpage[0];?>><a href='#'
class='menulink'></a></li>
            <li><a href="index.php">My socks site</a></li>
            <li <?php echo $curpage[1];?>><a
href="n1shhh.php?page=1">cPanel</a></li>
            <li <?php echo $curpage[2];?>><a
href="n1shhh.php?page=2">User</a></li>
            <li <?php echo $curpage[3];?>><a
href="n1shhh.php?page=3">Product</a></li>
            <li <?php echo $curpage[4];?>><a
href="n1shhh.php?page=4">Sale</a></li>
            <li <?php echo $curpage[5];?>><a
href="n1shhh.php?page=5">FAQ</a></li>
            <li <?php echo $curpage[6];?>><a
href="n1shhh.php?page=6">Poll</a></li>

```

```

    </ul>
</div>
<script>
$( document ).ready(function() {

    var $el, leftPos, newWidth;

    $mainNav2 = $("#example-one");

    $("#example-one").append("<li id='magic-line'></li>");

    var $magicLine = $("#magic-line");

    $magicLine
        .width($(".current_page_item").width())
        .css("left", $(".current_page_item a").position().left)
        .data("origLeft", $magicLine.position().left)
        .data("origWidth", $magicLine.width());

    $("#example-one li").find("a").hover(function() {
        $el = $(this);
        leftPos = $el.position().left;
        newWidth = $el.width();
    });

```

```

    $magicLine.stop().animate({
        left: leftPos,
        width: newWidth
    });
}, function() {
    $magicLine.stop().animate({
        left: $magicLine.data("origLeft"),
        width: $magicLine.data("origWidth")
    });
});
});
};
</script>
</div>
<div class="headerhr"></div>
<div class="clear"></div>
<?php
}
?>

```

Index\_cont.php

```
<?php
if($_SESSION['role']==1){
?>

<div class="chartselect">

Search visits per: <select name="visittype" id="visittype"
onchange='ChartUpdate(this);'>

    <option value="year">Year</option>
    <option value="month">Month</option>
    <option value="week" selected>Week</option>
    <option value="day">Day</option>
</select>
</div>

<div class="clear"></div>

<div class="chartwidth" id='canvasParent'>
    <canvas id="myChart" width="800" height="600"></canvas>
</div>

<script
src='<a href="https://cdnjs.cloudflare.com/ajax/libs/Chart.js/2.4.0/Chart.min.js">https://cdnjs.cloudflare.com/ajax/libs/Chart.js/2.4.0/Chart.min.js'>
</script>

<script src='js/chart.js'></script>

<?php
```

}

?>



Faq.php

```
<?php
```

```
if($_SESSION['role']==1){
    if(!isset($_REQUEST['job'])){
        header('location: n1shhh.php');
    }else{
        $job = $_REQUEST['job'];
        if(!($job > 0 && $job<5)){
            header('location: n1shhh.php');
        }
        else{

            if($job == '1'){
                if(isset($_POST['submitfaq'])){
                    $faqdata = array();
                    $error = 0;

                    if(isset($_POST['question'])){
                        $regQuestion = "/^[\\w\\?\\s\\']{3,127}$/";
```

```

if(!preg_match($regQuestion, $_POST['question'])) {
    $error = 1;
}
else {
    $faqdata['question'] = $_POST['question'];
}
}
else {
    $error = 1;
}
if(isset($_POST['answer'])) {
    $regQuestion = "/^[\\w\\?\\s\\'\\.\\,]{3,254}$/";

    if(!preg_match($regQuestion, $_POST['answer'])) {
        $error = 1;
    }
    else {
        $faqdata['answer'] = $_POST['answer'];
    }
}
else {

```

```

        $error = 1;
    }

    if(!$error){
        include("dbconnection.php");

        $query = sprintf("INSERT INTO faq
VALUES('','%s','%s')",$faqdata['question'],$faqdata['answer']);

        $result = mysql_query($query, $connect);
        mysql_close($connect);

        if($result){
            echo "upisano";
        }
        else{
            echo "nije upisano u bazu";
        }
    }
    else{
        echo "nije prosao validaciju";
    }

```

```
}  
}
```

```
echo"<div class='bigText'>FAQ > ADD</div>";  
echo"  
<div class='faqaddblock forminside'>  
    <form action='".$_SERVER['PHP_SELF']."' method='POST'  
onsubmit='return addfaq();'>  
        <input type='hidden' name='page' id='page' value='11'>  
        <input type='hidden' name='job' id='job' value='1'>  
        <input type='text' name='question' id='question'  
placeholder='QUESTION?' value='".$_POST['question']."'>  
        <input type='text' name='answer' id='answer'  
class='answers' placeholder='ANSWER?'  
value='".$_POST['answer']."'>  
  
        <input type='submit' name='submitfaq' id='submitfaq'  
value='ADD FAQ'>  
    </form>";  
echo"</div>  
";  
  
}
```

```

else{
    if(!isset($_REQUEST['productID'])){
        include('funct/itemfunct.php');
        fillitems(array('page'=>$page,'job'=>$job));
    }
    else{
        //
        // pitaj koji je job i onda prikazi ga tako kako treba
        //
        if($job == 2){
            include("dbconnection.php");

            if(isset($_REQUEST['productID'])){
                if(preg_match("/^\d+$/", $_REQUEST['productID'])){
                    if(isset($_POST['submitfaqmanage'])){
                        $query = sprintf("UPDATE faq SET
faqQuestion='%s', faqAnswer='%s' WHERE
faqID=%d",$_POST['managequestion'],$_POST['manageanswer'],$_REQ
UEST['productID']);

                        $result = mysql_query($query,$connect);

                        if($result){
                            echo "upisano";

```

```

    }
    else{
        echo "nije upisano";
    }
}

$query = sprintf("SELECT * FROM faq WHERE
faqID=%d",$_REQUEST['productID']);

$result = mysql_query($query,$connect);
if(mysql_num_rows($result)){
    $row = mysql_fetch_array($result);

    echo"<div class='bigText'>FAQ > MANAGE</div>";
    echo"
        <div class='faqaddblock forminside'>
            <form action='#' method='POST'
onsubmit='return addfaq();'>
                <input type='hidden' name='page' id='page'
value='11'>
                <input type='hidden' name='job' id='job'
value='2'>
                <input type='hidden' name='productID'
id='productID' value='".$_row['faqID']."'>

```

```
        <input type='text' name='managequestion'
id='managequestion' placeholder='QUESTION?'
value="".$row['faqQuestion']. ">
```

```
        <input type='text' name='manageanswer'
class='manageanswer' placeholder='ANSWER?'
value="".$row['faqAnswer']. ">
```

```
        <input type='submit' name='submitfaqmanage'
id='submitfaqmanage' value='MANAGE FAQ'>
```

```
    </form>";
```

```
    echo"</div>
```

```
    ";
```

```
    }
```

```
    }
```

```
    }
```

```
    else{
```

```
        header('location: n1shhh.php');
```

```
    }
```

```
    mysql_close($connect);
```

```
}
```

```
else if($job == 3){
```

```
    if(isset($_REQUEST['productID'])){
```

```

        if(preg_match("/^\d+$/", $_REQUEST['productID'])){
            include("dbconnection.php");

            $query = sprintf("DELETE FROM faq WHERE
faqID=%d",$_REQUEST['productID']);

            $result = mysql_query($query,$connect);
            mysql_close($connect);

            if($result){
                $offset = isset($_REQUEST['offset']) ?
$_REQUEST['offset'] : 0;

                header('location:
n1shhh.php?page=11&job=3&offset='.$offset);
            }
            else{
                echo "greska pri brisanju u bazi";
            }
        }
    }

    else if($job == 4){

```

```

        if(isset($_REQUEST['productID'])){
            if(preg_match("/^\d+$/", $_REQUEST['productID'])){

```



```

include("dbconnection.php");

$query = sprintf("SELECT * FROM faq WHERE
faqID=%d",$_REQUEST['productID']);

$result = mysql_query($query,$connect);
mysql_close($connect);

if(mysql_num_rows($result)){
    $row = mysql_fetch_array($result);
    echo"<div class='viewproductblock'>
        <div class='vpblock'>
            <div class='vpbname'>FAQ ID: </div>
            <div class='vpbtext'>".$row['faqID']."</div>
        </div>
        <div class='vpblock'>
            <div class='vpbname'>Question: </div>
            <div
class='vpbtext'>".$row['faqQuestion']."</div>
        </div>
        <div class='vpblock'>
            <div class='vpbname'>Answer: </div>
            <div
class='vpbtext'>".$row['faqAnswer']."</div>
        </div>
    </div>

```

</div>";

}

}

}

}

}

}

}

}

}

?>

Poll.php

```
<?php
```

```
if($_SESSION['role']==1){
```

```
    if(!isset($_REQUEST['job'])){
```

```
        header('location: n1shhh.php');
```

```
    }else{
```

```
        $job = $_REQUEST['job'];
```

```
        if(!($job > 0 && $job<5)){
```

```
            header('location: n1shhh.php');
```

```
        }
```

```
    }else{
```

```
        if($job == '1'){
```

```
            echo"<div class='bigText'>POLL > ADD</div>";
```

```
            if(isset($_POST['submitpoll'])){
```

```
                $polldata = array();
```

```
                $error = 0;
```

```
                if(isset($_POST['question'])){
```

```
                    $regQuestion = "/^[\\w\\?\\s\\'\\,\\.]{3,254}$/";
```

```

if(!preg_match($regQuestion, $_POST['question'])){
    $error = 1;
}
else{
    $polldata['question'] = $_POST['question'];
}
}
else{
    $error = 1;
}
if(isset($_POST['answers'])){
    $polldata['answers'] = array();
    foreach($_POST['answers'] as $row){
        if(preg_match("/^[\\w\\s\\'\\.\\,\\!\\d]{1,127}$/", $row)){
            $polldata['answers'][] = $row;
        }
    }
}
else{
    $error = 1;
}

```

```

if(count($polldata['answers'])>1 && !$error){
    #upis u bazu

    include("dbconnection.php");

    $queryquestion = sprintf("INSERT INTO pollquestion
VALUES('','%s',0)", $polldata['question']);

    $result = mysql_query($queryquestion,$connect);

    #id od poslednjeg upisa
    $polldata['questionID'] = mysql_insert_id();

    foreach($polldata['answers'] as $row){
        $queryanswer = sprintf("INSERT INTO pollanswer
VALUES('','%s',%d,0)", $row, $polldata['questionID']);

        $result = mysql_query($queryanswer,$connect);
    }

    mysql_close($connect);
}else{echo "nije upisao";}
}

```

```

echo"
<div class='faqaddblock forminside'>
    <form action='".$_SERVER['PHP_SELF']."' method='POST'
onsubmit='return addpoll();'>
        <input type='hidden' name='page' id='page' value='12'>
        <input type='hidden' name='job' id='job' value='1'>
        <input type='text' name='question' id='question'
placeholder='QUESTION?'>
        <div id='answerparent'>
            <input type='text' name='answers[]' class='answers'
placeholder='ANSWER'>
            <input type='text' name='answers[]' class='answers'
placeholder='ANSWER'>
        </div>
        <button type='button' onclick='ineedanswer();'
class='addmorebutton'>Add answer!</button>
        <input type='submit' name='submitpoll' id='submitpoll'
value='ADD POLL'>
    </form>"?>
    <script>
        function ineedanswer(){
            var parent =
document.getElementById('answerparent');
            var answer = document.createElement('input');

```

```

        answer.setAttribute('type', 'text');
        answer.setAttribute('name', 'answers[]');
        answer.setAttribute('class', 'answers');
        answer.setAttribute('placeholder', 'ANSWER');

        parent.appendChild(answer);
    }
</script><?php
echo"</div>
";

}
else{
    if(!isset($_REQUEST['productID'])){
        include('funct/itemfunct.php');
        fillitems(array('page'=>$page,'job'=>$job));
    }
    else{
        if($job == 2){
            //echo "manage";

            #zahtev za remove answer-a

```

```

        if(isset($_REQUEST['pollremoveanswer'])){
            if(preg_match("/^\d+$/",
$_REQUEST['pollremoveanswer'])){
                include("dbconnection.php");
                $query = sprintf("DELETE FROM pollanswer WHERE
pollAnswerID=%d",$_REQUEST['pollremoveanswer']);
                $result = mysql_query($query,$connect);
                mysql_close($connect);
            }
        }
    }

```

```

if(isset($_REQUEST['productID'])){
    if(preg_match("/^\d+$/", $_REQUEST['productID'])){

```

```

        if(isset($_POST['submitpollmanage'])){
            #upisi u bazu

```

```

            $polldata = array();
            $error = 0;

```

```

            if(isset($_POST['question'])){

```



```

$regQuestion = "/^[\\w\\?\\s\\'\\.\\.]{3,254}$/" ;

if(!preg_match($regQuestion,
$_POST['question'])) {
    $error = 1;
}
else {
    $polldata['question'] = $_POST['question'];
}
}
else {
    $error = 1;
}

if(isset($_POST['answers'])) {
    $polldata['answers'] = array();
    foreach($_POST['answers'] as $row) {
        if(preg_match("/^[\\w\\s\\'\\.\\.\\!\\d]{1,127}$/",
$row)) {
            $polldata['answers'][] = $row;
        }
    }
}

```

```
}  
else{  
    $error = 1;  
}
```

```
if(isset($_POST['answerID'])){  
    $polldata['answerID'] = array();  
    foreach($_POST['answerID'] as $row){  
        if(preg_match("/^\d+$/", $row)){  
            $polldata['answerID'][] = $row;  
        }  
    }  
}  
else{  
    $error = 1;  
}
```

```
if(count($polldata['answers'])>1 && !$error &&  
count($polldata['answerID'])>=2){  
    #upis u bazu
```

```
include("dbconnection.php");
```

```
        $queryquestion = sprintf("UPDATE
pollquestion SET pollQuestion='%s' WHERE pollQuestionID=%d
",$polldata['question'], $_REQUEST['productID']);
```

```
        $result =
mysql_query($queryquestion,$connect);
```

```
        for($i = 0 ; $i < count($polldata['answerID']);
$i++){
```

```
                $queryanswer = sprintf("UPDATE pollanswer
SET pollAnswer='%s' WHERE
pollAnswerID=%d",$polldata['answers'][$i],$polldata['answerID'][$i]);
```

```
                $result =
mysql_query($queryanswer,$connect);
```

```
        }
```

```
        for($i = count($polldata['answerID']); $i <
count($polldata['answers']);$i++){
```

```
                $queryanswer = sprintf("INSERT INTO
pollanswer
VALUES('','%s',%d,0",$polldata['answers'][$i],$_REQUEST['productID']);
```

```
                $result =
mysql_query($queryanswer,$connect);
```

```
        }
```

```
mysql_close($connect);
```

```
}  
else{  
    echo "nije uso u if za upis";  
}
```

```
}
```

```
include("dbconnection.php");  
  
$query = sprintf("SELECT * FROM pollquestion  
WHERE pollQuestionID=%d",$_REQUEST['productID']);  
  
$result = mysql_query($query,$connect);  
  
  
if(mysql_num_rows($result)){  
    $row = mysql_fetch_array($result);  
  
  
    $query = sprintf("SELECT * FROM pollanswer  
WHERE pollQuestionID=%d",$row['pollQuestionID']);  
  
    $res = mysql_query($query,$connect);  
    mysql_close($connect);
```

```

        echo"
        <div class='faqaddblock forminside'>
            <form action='".$_SERVER['PHP_SELF']."'
method='POST' onsubmit='return managepoll();'>
                <input type='hidden' name='page' id='page'
value='12'>
                <input type='hidden' name='job' id='job'
value='2'>
                <input type='hidden' name='productID'
id='productID' value='".$_row['pollQuestionID']."'>
                <input type='text' name='question'
id='question' placeholder='QUESTION?'
value='".$_row['pollQuestion']."'>
                <div id='answerparent'>";

```

```

        while($r = mysql_fetch_array($res)){
            echo "
                <input type='hidden' name='answerID[]'
id='answerID[]' value='".$_r['pollAnswerID']."'>
                <input type='text' name='answers[]'
class='answers' placeholder='ANSWER' value='".$_r['pollAnswer']."'>";

```

```

        if(mysql_num_rows($res)>2){
            echo"<a class='answerRemove'
href='n1shhh.php?page=12&job=2&productID=".$row['pollQuestionID']
."&pollremoveanswer=".$r['pollAnswerID']."'>Remove</a>";
        }
    }
    echo" </div>

        <button type='button'
onclick='ineedanswer();' class='addmorebutton'>Add answer!</button>

        <input type='submit'
name='submitpollmanage' id='submitpollmanage' value='MANAGE
POLL'>

        </form>";?>

        <script>

            function ineedanswer(){
                var parent =
document.getElementById('answerparent');

                var answer =
document.createElement('input');

                answer.setAttribute('type', 'text');
                answer.setAttribute('name', 'answers[]');
                answer.setAttribute('class', 'answers');
                answer.setAttribute('placeholder',
'ANSWER');

```

```

        parent.appendChild(answer);
    }
</script><?php
echo"</div>";

    }
}
}
}
else if($job == 3){

```

```

    if(isset($_REQUEST['productID'])){
        if(preg_match("/^\d+$/", $_REQUEST['productID'])){
            include("dbconnection.php");

            $query = sprintf("DELETE FROM pollanswer WHERE
pollQuestionID=%d",$_REQUEST['productID']);

            $result = mysql_query($query,$connect);

            $query = sprintf("DELETE FROM pollquestion WHERE
pollQuestionID=%d",$_REQUEST['productID']);

            $result = mysql_query($query,$connect);

```

```

mysql_close($connect);
if($result){
    $offset = isset($_REQUEST['offset']) ?
$_REQUEST['offset'] : 0;
    header('location:
n1shhh.php?page=12&job=3&offset='.$offset);
}
else{
    echo "nije obrisan question";
}
}
}
}
else if($job == 4){

```

```

if(isset($_REQUEST['productID'])){
    if(preg_match("/^\d+$/", $_REQUEST['productID'])){
        include("dbconnection.php");
        $query = sprintf("SELECT * FROM pollquestion
WHERE pollQuestionID=%d",$_REQUEST['productID']);
        $result = mysql_query($query,$connect);
    }
}

```



```

if(mysql_num_rows($result)){
    $row = mysql_fetch_array($result);

    $query = sprintf("SELECT * FROM pollanswer
WHERE pollQuestionID=%d",$row['pollQuestionID']);
    $res = mysql_query($query,$connect);
    mysql_close($connect);

    echo"<div class='viewproductblock'>
        <div class='vpblock'>
            <div class='vpbname'>Poll ID: </div>
            <div
class='vpbtext'>".$row['pollQuestionID']. "</div>
        </div>
        <div class='vpblock'>
            <div class='vpbname'>Poll question: </div>
            <div
class='vpbtext'>".$row['pollQuestion']. "</div>
        </div>
        <div class='pollspacer'></div>";

```

```

while($r = mysql_fetch_array($res)){
    echo"
        <div class='vpblock'>
            <div class='vpbname'>AnswerID: </div>
            <div
class='vpbtext'>".$r['pollAnswerID']."</div>
            </div>
            <div class='vpblock'>
                <div class='vpbname'>Answer: </div>
                <div
class='vpbtext'>".$r['pollAnswer']."</div>
                </div>
            <div class='vpblock'>
                <div class='vpbname'>Votes: </div>
                <div class='vpbtext'>".$r['vote']."</div>
            </div>
            <div class='pollspacer'></div>
        ";

    }
    echo "</div>";
}
}

```

```
    }  
  }  
}  
}  
}  
}  
}  
}  
?  
>
```

Product.php

```
<?php
```

```
if($_SESSION['role']==1){
```

```
    if(!isset($_REQUEST['job'])){
```

```
        header('location: n1shhh.php');
```

```
    }else{
```

```
        $job = $_REQUEST['job'];
```

```
        if(!($job > 0 && $job<5)){
```

```
            header('location: n1shhh.php');
```

```
        }
```

```
    }else{
```

```
        if($job == '1'){
```

```
            if(isset($_POST['productsubmit'])){
```

```
                $error = 0;
```

```
                if((($_FILES['productimage']['error']==0) &&  
$_FILES['productimage']['size']>0){
```

```
                    if($_FILES['productimage']['size']<2097152){
```

```

        if(($_FILES["productimage"]["type"] == "image/jpeg") ||
($_FILES["productimage"]["type"] == "image/jpg") ||
($_FILES["productimage"]["type"] == "image/png")){

```

```

        function TextProductRegex($value){
            $reg['productname'] = "/^[A-z0-9\s]{3,127}$/";
            $reg['productprice'] = "/^[0-9]{1,4}(\.[0-9]{2})?$/";
            $reg['productdescription'] = "/^[a-zA-Z0-9\!\\$%&\\.\\s]{3,254}$/";
            $reg['productquantity'] = "/^[0-9]{1,10}$/";
            $reg['productimagealt'] = "/^[A-z0-9\s]{3,127}$/";
            $e = 0;

            if(isset($_POST[$value])){
                if(!preg_match($reg[$value],$_POST[$value])){
                    $e++;
                    echo $value;
                }
            }
            else{
                $e++;
            }
        }

```

```

        return $e;
    }
    function ListProductRegex($value){
        $e = 0;
        if(isset($_POST[$value])){
            if($_POST[$value]==0){
                $e++;
            }
        }
        else{
            $e++;
        }

        return $e;
    }

```

```

$error += TextProductRegex('productname');
$error += TextProductRegex('productprice');
$error += TextProductRegex('productdescription');
$error += TextProductRegex('productquantity');
$error += TextProductRegex('productimagealt');

```

```

$error += ListProductRegex('productcolor');
$error += ListProductRegex('productmaterial');
$error += ListProductRegex('productpattern');
$error += ListProductRegex('productgender');

if($error == 0){

    $timeadded = mktime();

    $productimagepath =
"images/socks/" . mktime().basename($_FILES["productimage"]["name"]
)];

        if
(move_uploaded_file($_FILES["productimage"]["tmp_name"],
$productimagepath)) {

            include("dbconnection.php");

            $query = sprintf("INSERT INTO product VALUES(

```

```
"','%s','%d','%d','%s','%s','%s','%d','%d','%d','%d','%d','%d','%d','%d')
"
```

```
,
```

```
$_POST['productname'],($_POST['productprice']*100),
$_POST['productcolor'],$productimagepath,
```

```
$_POST['productimagealt'],$_POST['productdescription'],
$_POST['productmaterial'],
$_POST['productpattern'],$_SESSION['userID'],
$timeadded,$timeadded,
$_POST['productgender'],1,
0,$_POST['productquantity']
);
```

```
$result = mysql_query($query, $connect);
mysql_close($connect);
```

```
if(!$result){
    #unisiti sliku
    @unlink($productimagepath);
}
```



```

        else{
            echo "upload uspesan";
        }

    } else {
        echo "Sorry, there was an error uploading your
file.";
    }
}
else{
    echo "error";
}

#pitaj za liste , pitaj za sliku da li je dobra

#ako svi prodju onda update
}else{echo"los tip slike";}
}else{echo"slika je prevelika";}
}else{echo"nema slike";}
}

```

```

        echo"<div class='bigText'>PRODUCT > ADD</div>";
    ?>

    <div class='productaddform forminside'>

        <form action='<?php echo $_SERVER['PHP_SELF'];?>'
        method='POST' id='productaddform' enctype='multipart/form-data'
        onsubmit='return addproduct();'>

            <input type='hidden' name='page' value='9' />

            <input type='hidden' name='job' value='1' />


            <input type='text' name='productname' id='productname'
            placeholder='PRODUCT NAME' value='<?php echo
            @$_POST['productname'];?>'>

            <input type='text' name='productprice' id='productprice'
            placeholder='PRODUCT PRICE' value='<?php echo
            @$_POST['productprice'];?>'>


            <textarea cols='28' rows='8' name='productdescription'
            id='productdescription' placeholder='DESCRIPTION'><?php echo
            @$_POST['productdescription'];?></textarea>


            <?php

                $selectdata = array();

                include("dbconnection.php");

```

```
$query = sprintf("SELECT * FROM color");  
$selectdata['color'] = mysql_query($query, $connect);
```

```
$query = sprintf("SELECT * FROM material");  
$selectdata['material'] = mysql_query($query, $connect);
```

```
$query = sprintf("SELECT * FROM pattern");  
$selectdata['pattern'] = mysql_query($query, $connect);
```

```
mysql_close($connect);
```

?>

```
<select name='productcolor' id='productcolor'>
```

<option value='0'>CHOOSE COLOR</option>

<?php

```
while($row = mysql_fetch_array($selectdata['color'])){\n    if($row['colorID'] == @$_POST['productcolor']){\n        echo "<option value='". $row['colorID']. "'\nselected>". $row['color']. "</option>";\n    }\n}
```

```

    }
    else{
        echo "<option
value="" . $row['colorID'] . "">" . $row['color'] . "</option>";
    }
}
?>
</select>

```

```

<select name='productmaterial' id='productmaterial'>
    <option value='0'>CHOOSE MATERIAL</option>
<?php
    while($row = mysql_fetch_array($selectdata['material'])) {

        if($row['materialID'] == @$_POST['productmaterial']){
            echo "<option value="" . $row['materialID'] . ""
selected>" . $row['material'] . "</option>";
        }
        else{

```

```

        echo "<option
value='".$row['materialID']."'>".$row['material']."</option>";
    }
}
?>
</select>

```

```

<select name='productpattern' id='productpattern'>
    <option value='0'>CHOOSE PATTERN</option>
<?php
    while($row = mysql_fetch_array($selectdata['pattern'])) {

        if($row['patternID'] == @$_POST['productpattern']) {
            echo "<option value='".$row['patternID']."'
selected>".$row['pattern']."</option>";
        }
        else {
            echo "<option
value='".$row['patternID']."'>".$row['pattern']."</option>";
        }
    }
}

```

?>

</select>

<input type='hidden' name='useraddID' value='<?php echo  
\$\_SESSION['userID'];?>' />

<select name='productgender' id='productgender'>

<option value='0' <?php echo (0 ==  
@\$\_POST['productgender']) ? 'selected' : '' ; ?>>CHOOSE  
GENDER</option>

<option value='1'<?php echo (1 ==  
@\$\_POST['productgender']) ? 'selected' : '' ; ?>>CHOOSE  
MEN</option>

<option value='2'<?php echo (2 ==  
@\$\_POST['productgender']) ? 'selected' : '' ; ?>>CHOOSE  
WOMEN</option>

<option value='3'<?php echo (3 ==  
@\$\_POST['productgender']) ? 'selected' : '' ; ?>>CHOOSE KID</option>

</select>

<input type='hidden' name='categoryID' value='1' />

```
<input type='text' name='productquantity'
id='productquantity' placeholder='PRODUCT QUANTITY' value='<?php
echo @$_POST['productquantity'];?>'>
```

```
<input type='file' name='productimage' id='productimage'
accept='image/*' data-maxfilesize='2000000'>
```

```
<input type='text' name='productimagealt'
id='productimagealt' placeholder='PRODUCT ALT' value='<?php echo
@$_POST['productimagealt'];?>'>
```

```
<input type='submit' name='productssubmit'
id='productssubmit' value='ADD PRODUCT'>
```

```
</form>
```

```
<script>
```

```
document.getElementById('productimage').onchange =
function () {
    document.styleSheets[0].addRule(".forminside
input[type='file']:after", 'content: "' +this.value.replace(/.*[\\\/]/, "") +
    "';");
```

```
};
```

```
</script>
```

```
</div>
```

```

<?php
    }
    else{
        if(!isset($_REQUEST['productID'])){
            include('funct/itemfunct.php');
            fillitems(array('page'=>$page,'job'=>$job));
        }
        else{
            if($job == 2){

                if(isset($_POST['productssubmit'])){
                    $error = 0;

                    function TextProductRegex($value){
                        $reg['productname'] = "/^[A-z0-9\s]{3,127}$/";
                        $reg['productprice'] = "/^[0-9]{1,4}(\.?[0-
9]{1,2})?$/";
                        $reg['productdescription'] = "/^[a-zA-Z0-
9\!\$\%\&\.\,\s]{3,254}$/";
                        $reg['productquantity'] = "/^[0-9]{1,10}$/";
                        $reg['productimagealt'] = "/^[A-z0-9\s]{3,127}$/";

```



```

$reg['productsaleprocent'] = "/^[1-9]{0,1}[0-9]{1,2}$|^100$/";

$e = 0;

if(isset($_POST[$value])){
    if(!preg_match($reg[$value],$_POST[$value])){
        $e++;
        echo $value;
    }
}
else{
    $e++;
}
return $e;
}

function ListProductRegex($value){
    $e = 0;
    if(isset($_POST[$value])){
        if($_POST[$value]==0){
            $e++;
        }
    }
}

```

```
    else{  
        $e++;  
    }  
  
    return $e;  
  
}
```

```
$error += TextProductRegex('productname');  
$error += TextProductRegex('productprice');  
$error += TextProductRegex('productdescription');  
$error += TextProductRegex('productquantity');  
$error += TextProductRegex('productimagealt');  
$error += TextProductRegex('productsaleprocent');
```

```
$error += ListProductRegex('productcolor');  
$error += ListProductRegex('productmaterial');  
$error += ListProductRegex('productpattern');  
$error += ListProductRegex('productgender');  
$error += ListProductRegex('productcategory');
```

```

        if(($_FILES['productimage']['error']==0) &&
$_FILES['productimage']['size']>0){
            if($_FILES['productimage']['size']<2097152){
                if(($_FILES["productimage"]["type"] == "image/jpeg") ||
($_FILES["productimage"]["type"] == "image/jpg") ||
($_FILES["productimage"]["type"] == "image/png")){
                    echo "fajl je ok";

                if($error == 0){

                    $timeadded = mktime();

                    $productimagepath =
"images/socks/".mktime().basename($_FILES["productimage"]["name"
]);

                    if
(move_uploaded_file($_FILES["productimage"]["tmp_name"],
$productimagepath)) {

                        include("dbconnection.php");

                        $timeadded = mktime();

                        $query = sprintf("UPDATE product SET

```

```
productName='%s',  
price=%d,  
colorID=%d,  
imgLink='%s',  
imgAlt='%s',  
description='%s',  
materialID=%d,  
patternID=%d,  
userAddID=%d,  
timeLastChange=%d,  
forMWK=%d,  
categoryID=%d,  
saleProcent=%d,  
quantity=%d
```

```
WHERE productID=%d",
```

```
$_POST['productname'],($_POST['productprice']*100),
```

```
$_POST['productcolor'],$productimagepath,
```

```
$_POST['productimagealt'],$_POST['productdescription'],
```

```

        $_POST['productmaterial'],

$_POST['productpattern'],$_SESSION['userID'],

        $timeadded,

$_POST['productgender'],$_POST['productcategory'],

$_POST['productsaleprocent'],$_POST['productquantity'],

        $_POST['productID']

    );

$result = mysql_query($query, $connect);
mysql_close($connect);

if(!$result){
    #unisiti sliku
    @unlink($productimagepath);
}
else{
    echo "upload uspesan";
    if(isset($_POST['imgLink'])){
        @unlink($_POST['imgLink']);
    }
}

```

```

        }
    }

    } else {
        echo "Sorry, there was an error uploading
your file.";

    }
}
else{
    echo "error";
}

}else{$error++;}
}else{$error++;}
}else{
    #namesti da se imglink ne menja

    if($error==0){

        include("dbconnection.php");

        $timeadded = mktime();

```

```
$query = sprintf("UPDATE product SET  
productName='%s',  
price=%d,  
colorID=%d,  
imgAlt='%s',  
description='%s',  
materialID=%d,  
patternID=%d,  
userAddID=%d,  
timeLastChange=%d,  
forMWK=%d,  
categoryID=%d,  
saleProcent=%d,  
quantity=%d
```

```
WHERE productID=%d",
```

```
$_POST['productname'],($_POST['productprice']*100),
```

```
$_POST['productcolor'],
```

```
$_POST['productimagealt'],$_POST['productdescription'],
```

```

        $_POST['productmaterial'],

$_POST['productpattern'],$_SESSION['userID'],

        $timeadded,

$_POST['productgender'],$_POST['productcategory'],

$_POST['productsaleprocent'],$_POST['productquantity'],

        $_POST['productID']

    );

    $result = mysql_query($query, $connect);
    mysql_close($connect);

    if($result){
        echo "upload uspesan";
    }else{
        echo"error";
    }
}
}

```



```
}
```

```
include("dbconnection.php");
```

```
$query = sprintf("SELECT * FROM product WHERE  
productID='%s'",$_REQUEST['productID']);
```

```
$result = mysql_query($query, $connect);
```

```
$row = mysql_fetch_array($result);
```

```
?>
```

```
<div class='productaddform forminside'>
```

```
<form action='<?php echo $_SERVER['PHP_SELF'];?>'  
method='POST' id='productaddform' enctype='multipart/form-data'  
onsubmit='return true;'>
```

```
<input type='hidden' name='page' value='9' />
```

```
<input type='hidden' name='job' value='2' />
```

```
<input type='hidden' name='productID' value='<?php echo  
@$_REQUEST['productID'];?>' />
```

```
<input type='text' name='productname' id='productname'  
placeholder='PRODUCT NAME' value='<?php echo  
$row['productName'];?>'>
```

```
<input type='text' name='productprice' id='productprice'
placeholder='PRODUCT PRICE' value='<?php echo
($row['price']/100);?>'>
```

```
<textarea cols='28' rows='8' name='productdescription'
id='productdescription' placeholder='DESCRIPTION'><?php echo
$row['description'];?></textarea>
```

```
<?php
```

```
$selectdata = array();
```

```
include("dbconnection.php");
```

```
$query = sprintf("SELECT * FROM color");
```

```
$selectdata['color'] = mysql_query($query, $connect);
```

```
$query = sprintf("SELECT * FROM material");
```

```
$selectdata['material'] = mysql_query($query, $connect);
```

```
$query = sprintf("SELECT * FROM pattern");
```

```
$selectdata['pattern'] = mysql_query($query, $connect);
```

```
$query = sprintf("SELECT * FROM category");
```

```
$selectdata['category'] = mysql_query($query, $connect);
```

```
mysql_close($connect);
```

```
?>
```

```
<select name='productcolor' id='productcolor'>
```

```
  <option value='0'>CHOOSE COLOR</option>
```

```
<?php
```

```
  while($r = mysql_fetch_array($selectdata['color'])) {
```

```
    if($r['colorID'] == $row['colorID']) {
```

```
      echo "<option value='". $r['colorID']. "'  
selected>". $r['color']. "</option>";
```

```
    }
```

```
    else {
```

```
      echo "<option  
value='". $r['colorID']. "'>". $r['color']. "</option>";
```

```
    }
```

```
  }
```

```
?>
```

```
</select>
```

```

<select name='productmaterial' id='productmaterial'>
    <option value='0'>CHOOSE MATERIAL</option>
<?php
    while($r = mysql_fetch_array($selectdata['material'])) {

        if($r['materialID'] == $row['materialID']) {
            echo "<option value='". $r['materialID']. "'
selected>". $r['material']. "</option>";
        }
        else {
            echo "<option
value='". $r['materialID']. "'>". $r['material']. "</option>";
        }
    }
?>
</select>

```

```

<select name='productpattern' id='productpattern'>
    <option value='0'>CHOOSE PATTERN</option>

```

```

<?php
    while($r = mysql_fetch_array($selectdata['pattern'])) {

        if($r['patternID'] == $row['patternID']) {
            echo "<option value='". $r['patternID']. "'
selected>". $r['pattern']. "</option>";
        }
        else {
            echo "<option
value='". $r['patternID']. "'>". $r['pattern']. "</option>";
        }
    }
?>
</select>

```

```

<select name='productcategory' id='productcategory'>
    <option value='0'>CHOOSE CATEGORY</option>

```

```

<?php
    while($r = mysql_fetch_array($selectdata['category'])) {

        if($r['categoryID'] == $row['categoryID']) {

```

```

        echo "<option value='". $r['categoryID']. "'
selected>". $r['category']. "</option>";
    }
    else{
        echo "<option
value='". $r['categoryID']. "'>". $r['category']. "</option>";
    }
}
?>
</select>

```

```

<input type='hidden' name='useraddID' value='<?php echo
$_SESSION['userID'];?>' />

```

```

<select name='productgender' id='productgender'>
    <option value='0' <?php echo (0 == $row['forMWK']) ?
'selected' : " ; ?>>CHOOSE GENDER</option>
    <option value='1'<?php echo (1 == $row['forMWK']) ?
'selected' : " ; ?>>CHOOSE MEN</option>
    <option value='2'<?php echo (2 == $row['forMWK']) ?
'selected' : " ; ?>>CHOOSE WOMEN</option>
    <option value='3'<?php echo (3 == $row['forMWK']) ?
'selected' : " ; ?>>CHOOSE KID</option>

```

</select>

<input type='hidden' name='categoryID' value='1'/>

<input type='hidden' name='imgLink' value='<?php echo \$row['imgLink'];?>' />

<input type='text' name='productquantity'  
id='productquantity' placeholder='PRODUCT QUANTITY' value='<?php echo \$row['quantity'];?>'>

<input type='file' name='productimage' id='productimage'  
accept='image/\*' data-maxfilesize='2000000'>

<input type='text' name='productimagealt'  
id='productimagealt' placeholder='PRODUCT ALT' value='<?php echo \$row['imgAlt'];?>'>

<input type='text' name='productsaleprocent'  
id='productsaleprocent' placeholder='PRODUCT SALE PROCENT'  
value='<?php echo \$row['saleProcent'];?>'>

<input type='submit' name='productsubmit'  
id='productsubmit' value='MANAGE PRODUCT'>

</form>

<script>

```

        document.getElementById('productimage').onchange =
function () {
        document.styleSheets[0].addRule(".forminside
input[type='file']:after", 'content: "' +this.value.replace(/.*[\\\/], ") +
"";');
        };
</script>
</div>

```

```
<?php
```

```

    }
    else if($job == 3){
        if(isset($_REQUEST['productID'])){
            if(preg_match("/^\d+$/", $_REQUEST['productID'])){
                include("dbconnection.php");
                $query = sprintf("DELETE FROM product WHERE
productID=%d",$_REQUEST['productID']);
                $result = mysql_query($query, $connect);
                mysql_close($connect);

                if($result){

```



```

        $offset = isset($_REQUEST['offset']) ?
$_REQUEST['offset'] : 0;

        header('location:
n1shhh.php?page=9&job=3&offset='.$offset);
    }

    }

    }
}

else if($job == 4){
    if(isset($_REQUEST['productID'])){
        if(preg_match("/^\d+$/", $_REQUEST['productID'])){
            include("dbconnection.php");

            $query = sprintf("SELECT * FROM product p JOIN users u
ON u.userID=p.userAddID JOIN color c ON c.colorID=p.colorID JOIN
material m ON m.materialID=p.materialID JOIN pattern pa ON
pa.patternID=p.patternID JOIN category ca ON
ca.categoryID=p.categoryID WHERE
productID=%d",$_REQUEST['productID']);

            $result = mysql_query($query, $connect);
            mysql_close($connect);
            if(mysql_num_rows($result)){

                $row = mysql_fetch_array($result);

```

```
echo"<div class='viewproductblock'>
  <div class='vpblock'>
    <div class='vpbname'>ProductID: </div>
    <div class='vpbtext'>".$row['productID']."</div>
  </div>
  <div class='vpblock'>
    <div class='vpbname'>Product name: </div>
    <div class='vpbtext'>".$row['productName']."</div>
  </div>
  <div class='vpblock'>
    <div class='vpbname'>Price: </div>
    <div class='vpbtext'>$" . ($row['price']/100). "</div>
  </div>
  <div class='vpblock'>
    <div class='vpbname'>Color: </div>
    <div class='vpbtext'>".$row['color']."</div>
  </div>
  <div class='vpblock'>
    <div class='vpbname'>Material: </div>
    <div class='vpbtext'>".$row['material']."</div>
  </div>
  <div class='vpblock'>
```

```

    <div class='vpbname'>Pattern: </div>
    <div class='vpbtext'>".$row['pattern']."</div>
</div>
<div class='vpblock'>
    <div class='vpbname'>Category: </div>
    <div class='vpbtext'>".$row['category']."</div>
</div>
<div class='vpblock'>
    <div class='vpbname'>Description: </div>
    <div class='vpbtext'>".$row['description']."</div>
</div>
<div class='vpblock'>
    <div class='vpbname'>User added: </div>
    <div class='vpbtext'>".$row['firstName']."
".$row['lastName']."</div>
</div>
<div class='vpblock'>
    <div class='vpbname'>Add Time: </div>
    <div class='vpbtext'>".$@date('d/m/Y
H:i:s',$row['timeProductAdd'])."</div>
</div>
<div class='vpblock'>
    <div class='vpbname'>Last c. t.: </div>

```

```

        <div class='vpbtext'>".@date('d/m/Y
H:i:s',$row['timeLastChange'])."</div>
    </div>
    <div class='vpblock'>
        <div class='vpbname'>Gender</div>
        <div class='vpbtext'>".$row['forMWK']."</div>
    </div>
    <div class='vpblock'>
        <div class='vpbname'>Sale procent: </div>
        <div class='vpbtext'>".$row['saleProcent']."</div>
    </div>
    <div class='vpblock'>
        <div class='vpbname'>Quantity: </div>
        <div class='vpbtext'>".$row['quantity']."</div>
    </div>
    <div class='vpblock'>
        <img width='230' height='230' class='vpbimg'
src='".$row['imgLink']."' alt=""></img>
    </div>
    <div class='vpblock'>
        <div class='vpbname'>Img alt: </div>
        <div class='vpbtext'>".$row['imgAlt']."</div>
    </div>

```



Sale.php

```
<?php
```

```
if($_SESSION['role']==1){
    if(!isset($_REQUEST['job'])){
        header('location: n1shhh.php');
    }else{
        $job = $_REQUEST['job'];
        if(!($job > 0 && $job<5)){
            header('location: n1shhh.php');
        }
        else{

            if(!isset($_REQUEST['productID'])){
                include('funct/itemfunct.php');
                fillitems(array('page'=>$page,'job'=>$job));
            }
            else{
                if($job == 1){
                    //echo "add";
                    if(isset($_REQUEST['productID'])){
```

```

        if(preg_match("/^\d+$/", $_REQUEST['productID'])){
            include("dbconnection.php");

            $query = sprintf("UPDATE product SET categoryID = 3
WHERE productID=%d",$_REQUEST['productID']);

            $result = mysql_query($query, $connect);
            mysql_close($connect);

            if($result){
                $offset = isset($_REQUEST['offset']) ?
$_REQUEST['offset'] : 0;

                header('location:
n1shhh.php?page=10&job=1&offset='.$offset);
            }
        }
    }
}

else if($job == 2){
    //echo"manage";

    if(isset($_REQUEST['productID'])){
        if(preg_match("/^\d+$/", $_REQUEST['productID'])){
            include("dbconnection.php");

            if(isset($_POST['submitsalemanage'])){

```

```

        if(isset($_POST['saleprocent'])) {
            if(preg_match("/^[1-9]{0,1}[0-9]{1,2}$|^100$/", $_POST['saleprocent'])) {
                $query = sprintf("UPDATE product SET
saleProcent=%d WHERE
productID=%d", $_POST['saleprocent'], $_REQUEST['productID']);
                $result = mysql_query($query, $connect);

                if($result) {
                    echo "uspesana promena sale procenta";
                }
            }
        }
    }
}

```

```

        $query = sprintf("SELECT * FROM product WHERE
productID=%d", $_REQUEST['productID']);
        $result = mysql_query($query, $connect);
        mysql_close($connect);
        if(mysql_num_rows($result) > 0) {

```



```

$row = mysql_fetch_array($result);

echo"
    <div class='useraddf forminside'>
        <form action='\".$_SERVER['PHP_SELF'].\"'
method='POST' id='salemanage' onsubmit='return managesale();'>
            <input type='hidden' name='page' value='10'>
            <input type='hidden' name='job' value='2'>
            <input type='hidden' name='productID'
value='\".$row['productID'].\"'>
            <div class='viewproductblock'>
                <div class='vpblock'>
                    <div class='vpbname'>Product price: </div>
                    <div
class='vpbtext'>$\".($row['price']/100).\"</div>
                </div>
                <div class='vpblock'>
                    <div class='vpbname'>NEW PRICE: </div>

```

```
        <div class='vpbtext'>$".(($row['price'] -  
($row['saleProcent']/100)*$row['price'])/100)."</div>
```

```
    </div>
```

```
    </div>
```

```
        <input type='text' name='saleprocent'  
id='saleprocent' placeholder='SALE PERCENT'  
value="".$row['saleProcent']."">
```

```
        <input type='submit'  
name='submitsalemanage' id='submitsalemanage' value='MANAGE  
SALE'>
```

```
    </form>
```

```
</div>";
```

```
    }
```

```
    }
```

```
}
```

```
}
```

```
else if($job == 3){
```

```
    //echo"remove";
```

```
    if(isset($_REQUEST['productID'])){
```

```
        if(preg_match("/^\d+$/", $_REQUEST['productID'])){
```

```
            include("dbconnection.php");
```

```
$query = sprintf("UPDATE product SET categoryID = 4  
WHERE productID=%d",$_REQUEST['productID']);
```

```
$result = mysql_query($query, $connect);
```

```
mysql_close($connect);
```

```
if($result){
```

```
$offset = isset($_REQUEST['offset']) ?  
$_REQUEST['offset'] : 0;
```

```
header('location:  
n1shhh.php?page=10&job=3&offset='.$offset);
```

```
}
```

```
}
```

```
}
```

```
}
```

```
else if($job == 4){
```

```
//echo "list";
```

```
if(isset($_REQUEST['productID'])){
```

```
if(preg_match("/^\d+$/", $_REQUEST['productID'])){
```

```
include("dbconnection.php");
```

```
$query = sprintf("SELECT * FROM product p JOIN users u  
ON u.userID=p.userAddID JOIN color c ON c.colorID=p.colorID JOIN  
material m ON m.materialID=p.materialID JOIN pattern pa ON  
pa.patternID=p.patternID JOIN category ca ON  
ca.categoryID=p.categoryID WHERE  
productID=%d",$_REQUEST['productID']);
```

```

$result = mysql_query($query, $connect);
mysql_close($connect);
if(mysql_num_rows($result)){

$row = mysql_fetch_array($result);
echo"<div class='viewproductblock'>
    <div class='vpblock'>
        <div class='vpbname'>ProductID: </div>
        <div class='vpbtext'>".$row['productID']. "</div>
    </div>
    <div class='vpblock'>
        <div class='vpbname'>Product name: </div>
        <div class='vpbtext'>".$row['productName']. "</div>
    </div>
    <div class='vpblock'>
        <div class='vpbname'>Old price: </div>
        <div class='vpbtext'>$".($row['price']/100). "</div>
    </div>
    <div class='vpblock'>
        <div class='vpbname'>Sale procent: </div>
        <div class='vpbtext'>".$row['saleProcent']. "</div>
    </div>

```

```

        <div class='vpblock'>
            <div class='vpbname'>NEW PRICE: </div>
            <div class='vpbtext'>$" . (($row['price'] -
($row['saleProcent']/100)*$row['price'])/100)." </div>
        </div>
        <div class='vpblock'>
            <div class='vpbname'>Quantity: </div>
            <div class='vpbtext'>". $row['quantity']. " </div>
        </div>
        <div class='vpblock'>
            <img width='230' height='230' class='vpbimg'
src='". $row['imgLink']. "' alt=" ></img>
        </div>
    </div>";
}
}
}
}
}
}
}
}
}
?>

```



User.php

```
<?php
if($_SESSION['role']==1){
    if(!isset($_REQUEST['job'])){
        header('location: n1shhh.php');
    }else{
        $job = $_REQUEST['job'];
        if(!($job > 0 && $job<5)){
            header('location: n1shhh.php');
        }
    }else{

        if($job == '1'){
            if(isset($_POST['submituseradd'])){

                $error = 0;

                if(isset($_POST['firstname'])){
                    $regFirstName = "/^[A-Z]{1}[a-z]{2,30}$/";
                    if(!preg_match($regFirstName,$_POST['firstname'])){
                        $error++;
                    }
                }
            }
        }
    }
}
```

```

    }
    else{
        $userdata['firstname'] = $_POST['firstname'];
    }
}
else{
    $error++;
}

if(isset($_POST['lastname'])){
    $regLastName = "/^[A-Z]{1}[a-z]{3,30}$/";
    if(!preg_match($regLastName,$_POST['lastname'])){
        $error++;
    }
    else{
        $userdata['lastname'] = $_POST['lastname'];
    }
}
else{
    $error++;
}

if(isset($_POST['email'])){

```



```

        $regEmail = "/^\w+([\.\-]?\w+)*\@\w+([\.\-
]? \w+)*(\.\w{2,3})+$/";
        if(!preg_match($regEmail,$_POST['email'])) {
            $error++;
        }
        else {
            $userdata['email'] = $_POST['email'];
        }
    }
    else {
        $error++;
    }
    if(isset($_POST['password'])) {
        $regPassword = "/^[a-zA-Z0-9!@#$%^&*]{6,128}$/";
        if(!preg_match($regPassword,$_POST['password'])) {
            $error++;
        }
        else {
            $userdata['password'] = $_POST['password'];
        }
    }
    else {

```

```

        $error++;
    }

    if($error == 0){

        $userdata['role'] = 2;
        $userdata['timeOfReg'] = mktime();
        $userdata['verificationCode'] = "";
        $characters =
'0123456789abcdefghijklmnopqrstuvwxyz0123456789ABCDEFGHIJKLMNOPQRSTUVWXYZ56789';
        for($i=0;$i<20;$i++){
            $userdata['verificationCode'] .= $characters[rand(0,
strlen($characters) - 1)];
        }
        $userdata['statusID'] = 1;

        $query = sprintf("INSERT INTO users
VALUES('','%s','%s','%s', %d,
%d,'%s',%d)", $userdata['firstname'], $userdata['lastname'], $userdata['e
mail'], md5($userdata['password']), $userdata['role'], $userdata['timeOfR
eg'], $userdata['verificationCode'], $userdata['statusID']);

        include('dbconnection.php');

        $r = mysql_query($query, $connect);
    }
}

```

```

mysql_close($connect);

if(!$r){
    echo"<div class='errorlog'>We apologize but there was
a little mistake</div>";
}
else{
    echo"<div class='errorlog'>We add new user</div>";
}

}

else {
    echo "error";
}

}

echo"
<div class='bigText'>USER > ADD</div>

<div class='useraddf forminside'>

    <form action='".$_SERVER['PHP_SELF']."' method='POST'
id='useraddform' onsubmit='return adduser();'>

        <input type='hidden' name='page' value='".$_page."'>

```

```

        <input type='hidden' name='job' value='1'>

        <input type='text' name='firstname' id='firstname'
placeholder='FIRST NAME' value='".@$_POST['firstname'].>

        <input type='text' name='lastname' id='lastname'
placeholder='LAST NAME' value='".@$_POST['lastname'].>

        <input type='text' name='email' id='email'
placeholder='E-MAIL' value='".@$_POST['email'].>

        <input type='password' name='password' id='password'
placeholder='PASSWORD' value='".@$_POST['password'].>

        <input type='submit' name='submituseradd'
id='submituseradd' value='ADD USER'>

    </form>

</div>";

}

else{
    if(!isset($_REQUEST['productID'])){
        include('funct/itemfunct.php');
        fillitems(array('page'=>$page,'job'=>$job));
    }
}

```

```

else{
    if($job == 2){
        if(isset($_REQUEST['productID'])){
            if(preg_match("/^\d+$/", $_REQUEST['productID'])){
                include("dbconnection.php");

                if(isset($_POST['submitusermanage'])){

                    $error = 0;
                    if(isset($_POST['userID'])){
                        $userdata['userID'] = $_POST['userID'];
                    }
                    else{
                        $error++;
                    }
                    if(isset($_POST['firstname'])){
                        $regFirstName = "/^[A-Z]{1}[a-z]{2,30}$/";

                        if(!preg_match($regFirstName,$_POST['firstname'])){
                            $error++;
                        }
                    }
                    else{

```

```

        $userdata['firstname'] = $_POST['firstname'];
    }
}
else{
    $error++;
}

if(isset($_POST['lastname'])){
    $regLastName = "/^[A-Z]{1}[a-z]{3,30}$/";

if(!preg_match($regLastName,$_POST['lastname'])){
    $error++;
}
else{
    $userdata['lastname'] = $_POST['lastname'];
}
}
else{
    $error++;
}
if(isset($_POST['email'])){

```

```

        $regEmail = "/^\\w+([\\.\\-]?\\w+)*\\@\\w+([\\.\\-]?\\w+)*([\\.\\w{2,3})+$/";

        if(!preg_match($regEmail,$_POST['email'])){
            $error++;
        }
        else{
            $userdata['email'] = $_POST['email'];
        }
    }
    else{
        $error++;
    }

    if(isset($_POST['password'])){
        $regPassword = "/^[a-zA-Z0-9!@#$%^&*.]{6,128}$/";

        if($_POST['password'] == ""){

        }
        else
        if(!preg_match($regPassword,$_POST['password'])){
            $error++;
        }
        else{

```

```

        $userdata['password'] =
md5($_POST['password']);
    }
}
else{
    $error++;
}

if(isset($_POST['timeofreg'])){
    $regTOR = "/^[1-9]{1}[0-9]{9}$/";
    if(!preg_match($regTOR,$_POST['timeofreg'])){
        $error++;
    }
    else{
        $userdata['timeofreg'] = $_POST['timeofreg'];
    }
}
else{
    $error++;
}

if(isset($_POST['verificationcode'])){
    $regVC = "/^[A-z0-9]{20}$/";

```



```

if(!preg_match($regVC,$_POST['verificationcode'])){
    $error++;
}
else{
    $userdata['verificationcode'] =
$_POST['verificationcode'];
}
}
else{
    $error++;
}

if($error == 0){
    $query = "SELECT * FROM status";
    if(isset($userdata['password'])){
        $query = sprintf("UPDATE users SET
firstName='%s', lastName='%s',email='%s' , roleID=%d, timeOfReg=%d,
verificationCode='%s', statusID=%d , password='%s' WHERE
userID=%d",$userdata['firstname'],$userdata['lastname'],$userdata['e
mail'], $_POST['userrole'], $userdata['timeofreg'],
$userdata['verificationcode'], $_POST['userstatus']
,$userdata['password'],$userdata['userID']);

```

```

    }
else{
    $query =
    sprintf("UPDATE users SET
    firstName='%s',
    lastName='%s',
    email='%s',
    roleID=%d,
    timeOfReg=%d,
    verificationCode='%s',
    statusID=%d
    WHERE
    userID=%d",$userdata['firstname'],$userdata['lastname'],$userdata['e
    mail'], $_POST['userrole'], $userdata['timeofreg'],
    $userdata['verificationcode'], $_POST['userstatus']
    ,$userdata['userID']);

    }
    $result = mysql_query($query, $connect);
    if(!$result){
        echo"error";
    }
}

```

```

        else{
            echo "error";
        }
    }

    $query = sprintf("SELECT * FROM users u JOIN status s
ON u.statusID = s.statusID JOIN roles r ON u.roleID = r.roleID WHERE
userID=%d",$_REQUEST['productID']);

    $result = mysql_query($query, $connect);

    $userroles = mysql_query("SELECT * FROM roles",
$connect);

    $userstatuses = mysql_query("SELECT * FROM status",
$connect);

    mysql_close($connect);

    if(mysql_num_rows($result)){
        $row = mysql_fetch_array($result);

        echo
        "<div class='useraddf forminside'>
        <form action='".$_SERVER['PHP_SELF']."'
method='POST' id='useraddform' onsubmit='return manageuser();'>

```

```

        <input type='hidden' name='page'
value="" . $page." ">

        <input type='hidden' name='job'
value="" . $job." ">

        <input type='hidden' name='productID'
value="" . $_REQUEST['productID']." ">

        <input type='hidden' name='userID'
value="" . $row['userID']." ">

        <input type='text' name='firstname'
id='firstname' placeholder='FIRST NAME' value="" . $row['firstName']." ">

        <input type='text' name='lastname'
id='lastname' placeholder='LAST NAME' value="" . $row['lastName']." ">

        <input type='text' name='email' id='email'
placeholder='E-MAIL' value="" . $row['email']." ">

        <input type='password' name='password'
id='password' placeholder='PASSWORD' value="" ">

        <select name='userrole' id='userrole'>

        ";

        while($r = mysql_fetch_array($userroles)){
            if($r['roleID'] == $row['roleID']){

```

```

                echo "<option value='". $r['roleID']. "'
selected>". $r['role']. "</option>";
            }
            else{
                echo "<option
value='". $r['roleID']. "'>". $r['role']. "</option>";
            }
        }
    }

```

```

        echo"
            </select>
            <input type='text' name='timeofreg'
id='timeofreg' placeholder='TIME OF REGISTER'
value='". $row['timeOfReg']. "'>
            <input type='text' name='verificationcode'
id='verificationcode' placeholder='VERIFICATION CODE'
value='". $row['verificationCode']. "'>

```

```

        <select name='userstatus' id='userstatus'>
        ";
    }

```

```

        while($r = mysql_fetch_array($userstatuses)){
            if($r['statusID'] == $row['statusID']){

```

```

        echo "<option value='". $r['statusID'].'"
selected>". $r['status']. "</option>";

    }

    else{

        echo "<option
value='". $r['statusID'].'">". $r['status']. "</option>";

    }

}

        echo"    <input type='submit'
name='submitusermanage' id='submitusermanage' value='MANAGE
USER'>

        </form>

        </div>";

    }

}

}

else if($job == 3){

    if(isset($_REQUEST['productID'])){

        if(preg_match("/^\d+$/", $_REQUEST['productID'])){

            include("dbconnection.php");

```

```

        $query = sprintf("UPDATE users SET statusID = 4 WHERE
userID=%d",$_REQUEST['productID']);

        $result = mysql_query($query, $connect);
        mysql_close($connect);

        if($result){

            $offset = isset($_REQUEST['offset']) ?
$_REQUEST['offset'] : 0;

            header('location:
n1shhh.php?page=8&job=3&offset='.$offset);

        }
    }
}

else if($job == 4){

    if(isset($_REQUEST['productID'])){

        if(preg_match("/^\d+$/", $_REQUEST['productID'])){

            include("dbconnection.php");

            $query = sprintf("SELECT * FROM users u JOIN status s ON
u.statusID = s.statusID JOIN roles r ON u.roleID = r.roleID WHERE
userID=%d",$_REQUEST['productID']);

            $result = mysql_query($query, $connect);
            mysql_close($connect);

            if(mysql_num_rows($result)){

```

```

$row = mysql_fetch_array($result);
echo"<div class='userblock profile'>
    <div class='userID'>".$row['userID']. "</div>
    <div class='userfirstname'>".$row['firstName']. "</div>
    <div class='userlastname'>".$row['lastName']. "</div>
    <div class='useremail'>".$row['email']. "</div>
    <div class='userrole'>".$row['role']. "</div>
    <div class='usertimeofreg'>".@date('d/m/Y
H:i:s',$row['timeOfReg']). "</div>
    <div
class='userverificationcode'>".$row['verificationCode']. "</div>
    <div class='userstatus'>".$row['status']. "</div>
    <a class='myprofilemanage'
href='n1shhh.php?page=8&job=2&productID=".$row['userID']. "&offset
=0'>MANAGE</a>
    </div>";
}
else{
    echo "<div class='error'>Sorry but that product do not
exist</div>";
}
}

```



```
        }  
    }  
}  
}  
}  
}  
}  
}  
?>
```

Itemfunct.php

```
<?php
```

```
if($_SESSION['role']==1){
```

```
    function fillitems($values=array()){
```

```
        if(isset($values['page'])&&isset($values['job'])){\
```

```
            $bigTextLeft = array(\
```

```
                '8' => "USER",
```

```
                '9' => "PRODUCT",
```

```
                '10' => "SALE",
```

```
                '11' => "FAQ",
```

```
                '12' => "POLL"
```

```
            );
```

```
            $bigTextRight = array(\
```

```
                '1' => "ADD",
```

```
                '2' => "MANAGE",
```

```
                '3' => "REMOVE",
```

```
                '4' => "VIEW"
```

```
            );
```

```
            $data['bigTextleft'] = $bigTextLeft[$values['page']];
```

```
            $data['bigTextRight'] = $bigTextRight[$values['job']];
```

```

    $data['offset'] = isset($_REQUEST['offset']) ? $_REQUEST['offset']
: 0;

    if(!preg_match("/^\d+$/", $data['offset'])){
        $data['offset'] = 0;
    }

    echo"<div class='bigText'>".$data['bigTextleft']." >
".$data['bigTextRight']."</div>";

    include("dbconnection.php");

    $query = array(
        '8' => "SELECT * FROM users LIMIT 5 OFFSET ".$data['offset'],
        '9' => "SELECT * FROM product LIMIT 5 OFFSET
".$data['offset'],
        '10' => "SELECT * FROM product WHERE categoryID=3 LIMIT 5
OFFSET ".$data['offset'],
        '11' => "SELECT * FROM faq LIMIT 5 OFFSET ".$data['offset'],
        '12' => "SELECT * FROM pollquestion LIMIT 5 OFFSET
".$data['offset'],
        '13' => "SELECT * FROM product WHERE categoryID <> 3 LIMIT
5 OFFSET ".$data['offset']
    );

    $paginationquery = array(

```

```

'8' => "SELECT COUNT(*) as c FROM users",
'9' => "SELECT COUNT(*) as c FROM product",
'10' => "SELECT COUNT(*) as c FROM product WHERE
categoryID=3",
'11' => "SELECT COUNT(*) as c FROM faq",
'12' => "SELECT COUNT(*) as c FROM pollquestion",
'13' => "SELECT COUNT(*) as c FROM product WHERE
categoryID <> 3"
);

$result;
$paginationresult;

if($values['job']=='1' && $values['page']=='10'){
    $result = mysql_query($query['13'], $connect);
    $paginationresult = mysql_query($paginationquery['13'],
$connect);
}
else{
    $result = mysql_query($query[$values['page']], $connect);
    $paginationresult =
mysql_query($paginationquery[$values['page']], $connect);
}

```

```
mysql_close($connect);

while($row = mysql_fetch_array($result)){

    echo
        "<div class='itemblock'>";

    if($values['page']==8){
        $imgurl;
        if($row['statusID']==1){
            $imgurl = 'images/gogiimg/user.png';
        }
        else if($row['statusID']==2){
            $imgurl = 'images/gogiimg/banned.png';
        }
        else if($row['statusID']==3){
            $imgurl = 'images/gogiimg/waiting.png';
        }
        else if($row['statusID']==4){
            $imgurl = 'images/gogiimg/deleted.png';
        }
        if($row['roleID'] == 1){
```

```

        $imgurl = 'images/gogiimg/administrator.png';
    }

    echo
    "<img src='". $imgurl. "' alt='user image' class='itemimage'>";

    echo
    "<div class='itemtext'>
        <div class='itemfirstlastname'>". $row['firstName']. "
    ". $row['lastName']. "</div>
        <div class='itememail'>". $row['email']. "</div>
    </div>";

    echo
    "<a
href='n1shhh.php?page=". $values['page']. "&job=". $values['job']. "&pro
ductID=". $row['userID']. "&offset=". $data['offset']. "'
class='itemcommand small". $data['bigTextRight']. "'></a>
    </div>";
}

else if($values['page']==9){
    echo

```

```

        "<img height='128' width='128' src='".$row['imgLink']."'
alt='".$row['imgAlt']."' class='itemimage'>";

        echo

        "<div class='itemtext'>

            <div
class='itemproductname'>".$row['productName']."</div>

                <div class='itemproductid'>#".$row['productID']."</div>

                    <div
class='itemproductprice'>$" . ($row['price']/100) . "</div>

                        </div>";

        echo

        "<a
href='n1shhh.php?page=".$values['page']."&job=".$values['job']."&pro
ductID=".$row['productID']."&offset=".$data['offset']."'
class='itemcommand small ".$data['bigTextRight']."'></a>

            </div>";

    }

    else if($values['page']==10){

        echo

        "<img height='128' width='128' src='".$row['imgLink']."'
alt='".$row['imgAlt']."' class='itemimage'>";

        echo

        "<div class='itemtext'>

```

```

        <div
class='itemproductname'>".$row['productName']."</div>

        <div class='itemproductid'>#".$row['productID']."</div>

        <div
class='itemproductprice'>$" . ($row['price']/100) . "</div>

        <div
class='itemproductsale'>".$row['saleProcent']."%</div>

        </div>";

        echo

        "<a
href='n1shhh.php?page=".$values['page']."&job=".$values['job']."&pro
ductID=".$row['productID']."&offset=".$data['offset']."'
class='itemcommand small ".$data['bigTextRight']."'></a>

        </div>";

    }

    else if($values['page']==11){

        echo

        "<img src='images/gogiimg/faq.png' alt='faq image'
class='itemimage'>";

        echo

        "<div class='itemtext'>".$row['faqQuestion']."</div>";

        echo

        "<a
href='n1shhh.php?page=".$values['page']."&job=".$values['job']."&pro

```



```

ductID=".$row['faqID']."&offset=".$data['offset'].
class='itemcommand small".$data['bigTextRight'].></a>

    </div>";
}

else if($values['page']==12){
    echo
        "<img src='images/gogiimg/poll.png' alt='poll image'
class='itemimage'>";
    echo
        "<div class='itemtext'>".$row['pollQuestion'].</div>";
    echo
        "<a
href='n1shhh.php?page=".$values['page']."&job=".$values['job']."&pro
ductID=".$row['pollQuestionID']."&offset=".$data['offset'].
class='itemcommand small".$data['bigTextRight'].></a>

        </div>";
    }
}

//
//
//ovo plus gore upit je paginacija
//
//

```

```

    $data['dbcountitems'] =
mysql_fetch_array($paginationresult)['c'];
    $data['paginationpages'] = floor($data['dbcountitems']/5) + 1 ;
    $data['thispage'] = ($data['offset'] / 5) + 1;

    $data['prevpageid'] = $data['offset'] - 5;
    $data['nextpageid'] = $data['offset'] + 5;

    echo"<div class='paginationbtns'>";
    if($data['thispage']>1){
        echo "<a
href='n1shhh.php?page=".$values['page']."&job=".$values['job']."&offset=".$data['prevpageid']."' class='pbtnprev pbtnall'>PREV</a>";
    }
    else{
        echo"<div class='pbtnprev pbtnall'>PREV</div>";
    }

    echo "<div class='pbtnnumber
pbtnall'>".$data['thispage']."</div>";

    if(($data['offset']+5) >= $data['dbcountitems']){

```

```

        echo "<div class='pbtnnext pbtnall'>NEXT</div>";
    }
    else{
        echo"<a
href='n1shhh.php?page=".$values['page']."&job=".$values['job']."&offs
et=".$data['nextpageid']."' class='pbtnnext pbtnall'>NEXT</a>";
    }

    echo "</div>";

    echo"<div class='clear'></div>";
}
}
}
?>

```

## 5. Dizajn baze

### Category

| #                        | Name                | Type        | Collation          | Attributes | Null | Default | Extra          | Action             |
|--------------------------|---------------------|-------------|--------------------|------------|------|---------|----------------|--------------------|
| <input type="checkbox"/> | 1 <u>categoryID</u> | int(2)      |                    |            | No   | None    | AUTO_INCREMENT | Change  Drop  More |
| <input type="checkbox"/> | 2 <u>category</u>   | varchar(20) | utf8mb4_unicode_ci |            | No   | None    |                | Change  Drop  More |

### Color

| #                        | Name             | Type        | Collation          | Attributes | Null | Default | Extra          | Action             |
|--------------------------|------------------|-------------|--------------------|------------|------|---------|----------------|--------------------|
| <input type="checkbox"/> | 1 <u>colorID</u> | int(2)      |                    |            | No   | None    | AUTO_INCREMENT | Change  Drop  More |
| <input type="checkbox"/> | 2 <u>color</u>   | varchar(20) | utf8mb4_unicode_ci |            | No   | None    |                | Change  Drop  More |

### Faq

| #                        | Name                 | Type         | Collation          | Attributes | Null | Default | Extra          | Action             |
|--------------------------|----------------------|--------------|--------------------|------------|------|---------|----------------|--------------------|
| <input type="checkbox"/> | 1 <u>faqID</u>       | int(11)      |                    |            | No   | None    | AUTO_INCREMENT | Change  Drop  More |
| <input type="checkbox"/> | 2 <u>faqQuestion</u> | varchar(127) | utf8mb4_unicode_ci |            | No   | None    |                | Change  Drop  More |
| <input type="checkbox"/> | 3 <u>faqAnswer</u>   | varchar(254) | utf8mb4_unicode_ci |            | No   | None    |                | Change  Drop  More |

### Material

| #                        | Name                | Type        | Collation          | Attributes | Null | Default | Extra          | Action             |
|--------------------------|---------------------|-------------|--------------------|------------|------|---------|----------------|--------------------|
| <input type="checkbox"/> | 1 <u>materialID</u> | int(2)      |                    |            | No   | None    | AUTO_INCREMENT | Change  Drop  More |
| <input type="checkbox"/> | 2 <u>material</u>   | varchar(20) | utf8mb4_unicode_ci |            | No   | None    |                | Change  Drop  More |

### Meni

| #                        | Name            | Type         | Collation          | Attributes | Null | Default | Extra          | Action             |
|--------------------------|-----------------|--------------|--------------------|------------|------|---------|----------------|--------------------|
| <input type="checkbox"/> | 1 <u>meniID</u> | int(2)       |                    |            | No   | None    | AUTO_INCREMENT | Change  Drop  More |
| <input type="checkbox"/> | 2 <u>meni</u>   | varchar(55)  | utf8mb4_unicode_ci |            | No   | None    |                | Change  Drop  More |
| <input type="checkbox"/> | 3 <u>link</u>   | varchar(254) | utf8mb4_unicode_ci |            | No   | None    |                | Change  Drop  More |

### Newsletter

| #                        | Name                  | Type         | Collation          | Attributes | Null | Default | Extra          | Action             |
|--------------------------|-----------------------|--------------|--------------------|------------|------|---------|----------------|--------------------|
| <input type="checkbox"/> | 1 <u>newsLetterID</u> | int(10)      |                    |            | No   | None    | AUTO_INCREMENT | Change  Drop  More |
| <input type="checkbox"/> | 2 <u>email</u>        | varchar(254) | utf8mb4_unicode_ci |            | No   | None    |                | Change  Drop  More |
| <input type="checkbox"/> | 3 <u>unsub</u>        | int(1)       |                    |            | No   | None    |                | Change  Drop  More |

### Orderhistory

| #                        | Name                    | Type    | Collation | Attributes | Null | Default | Extra          | Action             |
|--------------------------|-------------------------|---------|-----------|------------|------|---------|----------------|--------------------|
| <input type="checkbox"/> | 1 <u>orderHistoryID</u> | int(10) |           |            | No   | None    | AUTO_INCREMENT | Change  Drop  More |
| <input type="checkbox"/> | 2 <u>userID</u>         | int(10) |           |            | No   | None    |                | Change  Drop  More |
| <input type="checkbox"/> | 3 <u>productID</u>      | int(10) |           |            | No   | None    |                | Change  Drop  More |
| <input type="checkbox"/> | 4 <u>sizeID</u>         | int(2)  |           |            | No   | None    |                | Change  Drop  More |
| <input type="checkbox"/> | 5 <u>quantity</u>       | int(10) |           |            | No   | None    |                | Change  Drop  More |
| <input type="checkbox"/> | 6 <u>orderTime</u>      | int(12) |           |            | No   | None    |                | Change  Drop  More |

### Pattern

| #                        | Name               | Type        | Collation          | Attributes | Null | Default | Extra          | Action             |
|--------------------------|--------------------|-------------|--------------------|------------|------|---------|----------------|--------------------|
| <input type="checkbox"/> | 1 <u>patternID</u> | int(2)      |                    |            | No   | None    | AUTO_INCREMENT | Change  Drop  More |
| <input type="checkbox"/> | 2 <u>pattern</u>   | varchar(20) | utf8mb4_unicode_ci |            | No   | None    |                | Change  Drop  More |

## Pollanswer

| #                        | Name                  | Type         | Collation          | Attributes | Null | Default | Extra          | Action       |
|--------------------------|-----------------------|--------------|--------------------|------------|------|---------|----------------|--------------|
| <input type="checkbox"/> | 1 <u>pollAnswerID</u> | int(4)       |                    |            | No   | None    | AUTO_INCREMENT | Change  Drop |
| <input type="checkbox"/> | 2 pollAnswer          | varchar(127) | utf8mb4_unicode_ci |            | No   | None    |                | Change  Drop |
| <input type="checkbox"/> | 3 pollQuestionID      | int(4)       |                    |            | No   | None    |                | Change  Drop |
| <input type="checkbox"/> | 4 vote                | int(10)      |                    |            | No   | None    |                | Change  Drop |

## Pollquestion

| #                        | Name                    | Type         | Collation          | Attributes | Null | Default | Extra          | Action       |
|--------------------------|-------------------------|--------------|--------------------|------------|------|---------|----------------|--------------|
| <input type="checkbox"/> | 1 <u>pollQuestionID</u> | int(2)       |                    |            | No   | None    | AUTO_INCREMENT | Change  Drop |
| <input type="checkbox"/> | 2 pollQuestion          | varchar(254) | utf8mb4_unicode_ci |            | No   | None    |                | Change  Drop |
| <input type="checkbox"/> | 3 onOff                 | int(1)       |                    |            | No   | None    |                | Change  Drop |

## Pollvotes

| #                        | Name                 | Type        | Collation          | Attributes | Null | Default | Extra          | Action       |
|--------------------------|----------------------|-------------|--------------------|------------|------|---------|----------------|--------------|
| <input type="checkbox"/> | 1 <u>pollVotesID</u> | int(10)     |                    |            | No   | None    | AUTO_INCREMENT | Change  Drop |
| <input type="checkbox"/> | 2 pollQuestionID     | int(4)      |                    |            | No   | None    |                | Change  Drop |
| <input type="checkbox"/> | 3 pollAnswerID       | int(4)      |                    |            | No   | None    |                | Change  Drop |
| <input type="checkbox"/> | 4 ipAddress          | varchar(16) | utf8mb4_unicode_ci |            | No   | None    |                | Change  Drop |

## Product

| #                        | Name               | Type         | Collation          | Attributes | Null | Default | Extra          | Action       |
|--------------------------|--------------------|--------------|--------------------|------------|------|---------|----------------|--------------|
| <input type="checkbox"/> | 1 <u>productID</u> | int(10)      |                    |            | No   | None    | AUTO_INCREMENT | Change  Drop |
| <input type="checkbox"/> | 2 productName      | varchar(127) | utf8mb4_unicode_ci |            | No   | None    |                | Change  Drop |
| <input type="checkbox"/> | 3 price            | int(6)       |                    |            | No   | None    |                | Change  Drop |
| <input type="checkbox"/> | 4 colorID          | int(2)       |                    |            | No   | None    |                | Change  Drop |
| <input type="checkbox"/> | 5 imgLink          | varchar(127) | utf8mb4_unicode_ci |            | No   | None    |                | Change  Drop |
| <input type="checkbox"/> | 6 imgAlt           | varchar(127) | utf8mb4_unicode_ci |            | No   | None    |                | Change  Drop |
| <input type="checkbox"/> | 7 description      | varchar(254) | utf8mb4_unicode_ci |            | No   | None    |                | Change  Drop |
| <input type="checkbox"/> | 8 materialID       | int(2)       |                    |            | No   | None    |                | Change  Drop |
| <input type="checkbox"/> | 9 patternID        | int(2)       |                    |            | No   | None    |                | Change  Drop |
| <input type="checkbox"/> | 10 userAddID       | int(10)      |                    |            | No   | None    |                | Change  Drop |
| <input type="checkbox"/> | 11 timeProductAdd  | int(12)      |                    |            | No   | None    |                | Change  Drop |
| <input type="checkbox"/> | 12 timeLastChange  | int(12)      |                    |            | No   | None    |                | Change  Drop |
| <input type="checkbox"/> | 13 forMWK          | int(1)       |                    |            | No   | None    |                | Change  Drop |
| <input type="checkbox"/> | 14 categoryID      | int(2)       |                    |            | No   | None    |                | Change  Drop |
| <input type="checkbox"/> | 15 saleProcent     | int(2)       |                    |            | No   | None    |                | Change  Drop |
| <input type="checkbox"/> | 16 quantity        | int(10)      |                    |            | No   | None    |                | Change  Drop |

## Roles

| #                        | Name            | Type        | Collation          | Attributes | Null | Default | Extra          | Action             |
|--------------------------|-----------------|-------------|--------------------|------------|------|---------|----------------|--------------------|
| <input type="checkbox"/> | 1 <u>roleID</u> | int(2)      |                    |            | No   | None    | AUTO_INCREMENT | Change  Drop  More |
| <input type="checkbox"/> | 2 role          | varchar(20) | utf8mb4_unicode_ci |            | No   | None    |                | Change  Drop  More |

## Shoppingbaglist

| #                        | Name                       | Type    | Collation | Attributes | Null | Default | Extra          | Action             |
|--------------------------|----------------------------|---------|-----------|------------|------|---------|----------------|--------------------|
| <input type="checkbox"/> | 1 <u>shoppingBagListID</u> | int(10) |           |            | No   | None    | AUTO_INCREMENT | Change  Drop  More |
| <input type="checkbox"/> | 2 <u>userID</u>            | int(10) |           |            | No   | None    |                | Change  Drop  More |
| <input type="checkbox"/> | 3 <u>productID</u>         | int(10) |           |            | No   | None    |                | Change  Drop  More |
| <input type="checkbox"/> | 4 <u>sizeID</u>            | int(2)  |           |            | No   | None    |                | Change  Drop  More |
| <input type="checkbox"/> | 5 <u>quantity</u>          | int(10) |           |            | No   | None    |                | Change  Drop  More |

## Size

| #                        | Name             | Type        | Collation          | Attributes | Null | Default | Extra          | Action             |
|--------------------------|------------------|-------------|--------------------|------------|------|---------|----------------|--------------------|
| <input type="checkbox"/> | 1 <u>sizeID</u>  | int(2)      |                    |            | No   | None    | AUTO_INCREMENT | Change  Drop  More |
| <input type="checkbox"/> | 2 <u>size</u>    | varchar(20) | utf8mb4_unicode_ci |            | No   | None    |                | Change  Drop  More |
| <input type="checkbox"/> | 3 <u>forKids</u> | int(1)      |                    |            | No   | None    |                | Change  Drop  More |

## Status

| #                        | Name              | Type        | Collation          | Attributes | Null | Default | Extra          | Action             |
|--------------------------|-------------------|-------------|--------------------|------------|------|---------|----------------|--------------------|
| <input type="checkbox"/> | 1 <u>statusID</u> | int(2)      |                    |            | No   | None    | AUTO_INCREMENT | Change  Drop  More |
| <input type="checkbox"/> | 2 <u>status</u>   | varchar(20) | utf8mb4_unicode_ci |            | No   | None    |                | Change  Drop  More |

## Users

| #                        | Name                      | Type         | Collation          | Attributes | Null | Default | Extra          | Action       |
|--------------------------|---------------------------|--------------|--------------------|------------|------|---------|----------------|--------------|
| <input type="checkbox"/> | 1 <u>userID</u>           | int(10)      |                    |            | No   | None    | AUTO_INCREMENT | Change  Drop |
| <input type="checkbox"/> | 2 <u>firstName</u>        | varchar(30)  | utf8mb4_unicode_ci |            | No   | None    |                | Change  Drop |
| <input type="checkbox"/> | 3 <u>lastName</u>         | varchar(30)  | utf8mb4_unicode_ci |            | No   | None    |                | Change  Drop |
| <input type="checkbox"/> | 4 <u>email</u>            | varchar(254) | utf8mb4_unicode_ci |            | No   | None    |                | Change  Drop |
| <input type="checkbox"/> | 5 <u>password</u>         | varchar(128) | utf8mb4_unicode_ci |            | No   | None    |                | Change  Drop |
| <input type="checkbox"/> | 6 <u>roleID</u>           | int(2)       |                    |            | No   | None    |                | Change  Drop |
| <input type="checkbox"/> | 7 <u>timeOfReg</u>        | int(12)      |                    |            | No   | None    |                | Change  Drop |
| <input type="checkbox"/> | 8 <u>verificationCode</u> | varchar(20)  | utf8mb4_unicode_ci |            | No   | None    |                | Change  Drop |
| <input type="checkbox"/> | 9 <u>statusID</u>         | int(2)       |                    |            | No   | None    |                | Change  Drop |

## Visit

| #                        | Name             | Type    | Collation | Attributes | Null | Default | Extra          | Action                               |
|--------------------------|------------------|---------|-----------|------------|------|---------|----------------|--------------------------------------|
| <input type="checkbox"/> | 1 <u>visitID</u> | int(50) |           |            | No   | None    | AUTO_INCREMENT | Change  Drop  Browse distinct values |
| <input type="checkbox"/> | 2 <u>time</u>    | int(12) |           |            | No   | None    |                | Change  Drop  Browse distinct values |