

Visoka skola strukovnih studija za informacione I komunikacione
tehnologije sa sedistem u Beogradu(Visoka ICT skola)

WEB PROGRAMIRANJE – PHP 2

Dokumentacija za sajt: <http://savouryurukalo.byethost7.com/>

Autor:

Goran Urukalo


Datum:

10/3/2017

Sadržaj

1. Opis funkcionalnosti
2. Skica struktura stranica
3. Dijagram baze podataka
4. MVC Organizacija
 - 4.1 Kontroleri
 - 4.2 Modeli
 - 4.3 View
5. Javascript
6. PHP kod

1.Opis funkcionalnosti




Use case diagram je na slici iznad dok je neki kratak opis funkcionalnosti sajta malko detaljnije opisan na sekciji 2.


URL	http://savoryurukalo.byethost7.com/
Korisceni jezici	HTML, CSS, JavaScript, JQuery, PHP, AJAX, MySQL
Korisceni html sabloni	https://freehtml5.co/preview/?item=savory-free-website-template-for-restaurants-websites
Koriscene biblioteke	Sve biblioteke I framework-ci su dobijeni uz gore navedeni template
Koriscene biblioteke iz framework-a	Codeignite
Koriscene php biblioteke van framework-a	-
Koje funkcionalnosti su realizovane putem AJAX-a	glasanje na naketu, paljenje I gasenje ankete u admin panelu
Navedi lokacije gde je napisan sopstveni javascript kod:	JS - js/myscript.js View – admin , contact_main
Pristupni parametri	Poslati na email.

2. Skica struktura stranica


Na slici ispod je prikazan deo admin panela gde admin moze da vidi listu korisnika I da ih klikom na modify link I modifikuje.




Na slici ispod je prikazan deo admin panela gde se dodaje meni na sajt.




Na slici ispod je prikazan deo admin panela gde se dodaje anketa na sajt.




Na slici ispod je prikazan deo admin panela gde se dodaje novi korisnik.




Na slici ispod je prikazan deo admin panela gde je prikazana lista meni-a kao i linkova ka modifikaciji istih.




Na slici ispod je prikazan deo admin panela je prikaz anketa kao I njivo stanje , da li je ukljucena ili iskljucena.




Na slici ispod je prikazan Goran Urukalo , odnosno autor sajta.



Na slici ispod je prikazan deo admin panela gde barman-I mogu da dodaju I modifikuju samo one proizvode koje su oni dodali za porudzbenu.



Na slici ispod je prikazan deo admin panela barmeni mogu da dodaju supply.



Na slici ispod je prikazana kontakt forma kao I anketa na koju je moguće samo jednom glasati kao I prikaz rezultata u procentima.



Get In Touch

Your full name

Your email address

Write us something

Send Message

Contact Information

198 West 23th Street,
Suite 721 New York NY 10016

+1234 567 890

info@yourstore.com


yourstore.com

Poll


Do you like our restaurant?

- ☐ Yes
- ☐ Maybe
- ☐ No


Vote




Na slici ispod je prikazan deo admin panela gde sefovi/kuvari mogu da listaju I kliknu na link za editovanje supply-a.




Na slici ispod je prikazan deo admin panela gde sef moze da dodaje jela.




Na slici ispod je prikazan deo admin panela gde sef moze da doda standardno potrebne namirnice za sledecu nabavku.



Na slici ispod je prikazan deo admin panela gde se dodaje supply.




Na slici ispod je prikazan deo admin panela gde je lista jela kao I link za editovanje istih.





Na slici ispod je prikazan deo za profesore koji ovo pregledaju jer za realan projekat niko ne bi trebalo da sve moze da vidi I da ima kontrolu sem glavnog programera koji to moze da uradi konkretno. Ovo je omoguceno da profesori mogu da vide sve funkcionalnosti na sajtu a da ne moraju da se loguju 20 puta.


Nema na cemu.




Na slici ispod je prikazan home page savory sajta.




Na slici ispod je prikazan deo menija savory sajta.




Na slici ispod je prikazan deo za ulogovane korisnike koji mogu da vide podatke o profilu kao i listu rezervisanih i ne placenih rezervacija koje mogu da se obrisu ili rezervisu.




Na slici ispod je prikazan deo za neautorizovane korisnike koji mogu da se uloguju na sajt.




Na slici ispod je prikazan deo za neautorizovane korisnike koji su zaboravili sifru I koji na ovaj nacin mogu da dobiju novu sifru na email.




Na slici ispod je prikazan deo za neautorizovane korisnike koji mogu da postanu novi clanovi savory aplikacije.



Na slici ispod je prikazan deo gde se mogu videti servisi koji su uz templejt dosli.



Na slici ispod je prikazan deo admin panela gde narucioci u nekoj trecoj firmi imaju pristup za pregled stvari koje su potrebne savory firmi I chekiranjem sklanjaju porucene namirnice.



3. Dijagram baze podataka

dish

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	dishID	int(10)			No	None	AUTO_INCREMENT	Change Drop Primary
2	name	varchar(128)			No	None		Change Drop Primary
3	description	varchar(255)			No	None		Change Drop Primary
4	price	float			No	None		Change Drop Primary
5	imgLink	varchar(128)			No	None		Change Drop Primary
6	imgAlt	varchar(50)			No	None		Change Drop Primary

meni

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	meniID	int(10)			No	None	AUTO_INCREMENT	Change Drop Primary
2	meni	varchar(50)			No	None		Change Drop Primary
3	meniLink	varchar(100)			No	None		Change Drop Primary

pollanswer

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	pollAnswerID	int(4)			No	None	AUTO_INCREMENT	Change Drop Primary
2	pollAnswer	varchar(127)			No	None		Change Drop Primary
3	pollQuestionID	int(4)			No	None		Change Drop Primary
4	vote	int(10)			No	None		Change Drop Primary

pollquestion

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	pollQuestionID	int(2)			No	None	AUTO_INCREMENT	Change Drop Primary
2	pollQuestion	varchar(255)			No	None		Change Drop Primary
3	onOff	int(1)			No	None		Change Drop Primary

pollvote

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	pollVoteID	int(10)			No	None	AUTO_INCREMENT	Change Drop Primary
2	pollQuestionID	int(4)			No	None		Change Drop Primary
3	pollAnswerID	int(4)			No	None		Change Drop Primary
4	ipAddress	varchar(16)			No	None		Change Drop Primary

supplie

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	supplierID	int(15)			No	None	AUTO_INCREMENT	Change Drop Primary
2	name	varchar(255)			No	None		Change Drop Primary
3	quantity	int(5)			No	None		Change Drop Primary
4	date	int(12)			No	None		Change Drop Primary
5	userID	int(15)			No	None		Change Drop Primary
6	measure	varchar(10)			No	None		Change Drop Primary

suppliehistory

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	supplierID	int(15)			No	None	AUTO_INCREMENT	Change Drop Primary
2	name	varchar(255)			No	None		Change Drop Primary
3	quantity	int(5)			No	None		Change Drop Primary
4	date	int(12)			No	None		Change Drop Primary
5	userID	int(15)			No	None		Change Drop Primary
6	measure	varchar(10)			No	None		Change Drop Primary

reservation

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	reservationID	int(15)			No	None	AUTO_INCREMENT	Change Drop Primary
2	userID	int(10)			No	None		Change Drop Primary
3	reservationTime	int(12)			No	None		Change Drop Primary
4	numberOfPersons	int(1)			No	None		Change Drop Primary
5	reservationStatus	int(1)			No	None		Change Drop Primary

reservationhistory

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	resHistoryID	int(15)			No	None	AUTO_INCREMENT	Change Drop Primary
2	userID	int(10)			No	None		Change Drop Primary
3	reservationTime	int(12)			No	None		Change Drop Primary
4	numberOfPersons	int(1)			No	None		Change Drop Primary
5	reservationStatus	int(1)			No	None		Change Drop Primary

role

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	roleId	int(2)			No	None	AUTO_INCREMENT	Change Drop Primary
2	role	varchar(30)			No	None		Change Drop Primary

standardsupplies

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	supplierID	int(5)			No	None	AUTO_INCREMENT	Change Drop Primary
2	name	varchar(255)			No	None		Change Drop Primary
3	quantity	int(5)			No	None		Change Drop Primary
4	measure	varchar(10)			No	None		Change Drop Primary

status

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	statusID	int(2)			No	None	AUTO_INCREMENT	Change Drop Primary
2	status	varchar(30)			No	None		Change Drop Primary

user

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	userID	int(10)			No	None	AUTO_INCREMENT	Change Drop Primary
2	firstName	varchar(30)			No	None		Change Drop Primary
3	lastName	varchar(40)			No	None		Change Drop Primary
4	email	varchar(128)			No	None		Change Drop Primary
5	password	varchar(128)			No	None		Change Drop Primary
6	roleId	int(2)			No	None		Change Drop Primary
7	timeOfReg	int(12)			No	None		Change Drop Primary
8	validationCode	varchar(20)			No	None		Change Drop Primary
9	statusID	int(2)			No	None		Change Drop Primary

4. MVC Organizacija

Kontroleri

MY_FrontEnd
\$data = array()
render(\$view = NULL)
Initnavigation()
Initheader(\$value = NULL)
Inittitle(\$value = NULL)

MY_BackEnd
\$data = array()
Render(\$views = NULL)
Initnavigation(\$value = NULL)
CanIseeThis()
CheckPage(\$page)
Pagination(\$url , \$totalRows , \$perPage , \$page)

admin
Index()
adduser()
userlist(\$page = 1)
oneuser(\$userID = NULL)
userban(\$userID = NULL)
userdelete(\$userID = NULL)
menulist(\$page = 1)
addmeni()
modifymeni(\$id = NULL)
menidelete(\$id = NULL)
polllist()
addpoll()
deletepoll(\$id = NULL)
deletepollanswer(\$id = NULL,\$question = NULL)
modifypoll(\$id = NULL)
show()

author

index()

barman
index(\$page = 1)
adddrink()
onesupplie(\$id = NULL)
removeonesupplie(\$id = NULL)

checkout
index()
pay(\$reservationID)

contact
index()

cook
index(\$page = 1)
initmeni()
addsupplie()
onesupplie(\$id = NULL)
removeonesupplie(\$id = NULL)
addstandardsupplies(\$value = NULL)
dishlist(\$page = 1)
adddish()
modifydish(\$id = NULL)
removedish(\$id)

director
index()

home
index()

menu
index(\$page = 1)
checkPage(\$page)
pagination(\$url , \$totalRows, \$perPage , \$page)

profile
Index()
initUser()

getUserReservations()
fixReservations()
removeReservation(\$reservationID)

reservation
index()
login()
makeReservation()
forgotpassword()
registration()
verify(\$email = NULL , \$verificationCode = NULL)
logout()

services
index()

supplier
index(\$page = 1)
remove(\$id)

voteajax
index()
pollvote()
ajaxOnOff()

Modeli

ajax_model
ishevoted(\$id , \$ip)
writevote(\$id , \$ip)
getvotepercent(\$id)
changeonoff(\$id , \$val)

backstuff
getSupplies(\$page , \$perPage)
deleteSupplies(\$id)
countsupplielist()
getBarmanSupplies(\$page , \$perPage)
countBarmanSupplies()
insertDrink(\$drink)
getOneSupplie(\$id)
removeOneSupplie(\$id)
getCookSupplies(\$page , \$perPage)
countcooklist()
insertSupplie(\$supplie)
addStandardSupplies(\$userID)
getdish(\$page , \$perPage)
getonedish(\$id)
adddish(\$dish)
removeonedish(\$id)
dishimgpath(\$id)
modifydish(\$dish , \$id)
countdishlist()
UpdateDrink(\$drink,\$id)

Checkout_model
payReservation(\$reservationID)

front
getdish()
getcooknum()
getdishnum()
countdish()

navigation
navigationlinks()

user
userLogin(\$email = NULL , \$password = NULL)
userRegister(\$value = NULL)
makeValidationCode()
verifyEmail(\$email , \$validationCode)
forgotpassword(\$email, \$newpass)
checkReservation(\$timestamp , \$userID = NULL)
checkReservations(\$timestamp, \$userID)
tableReservation(\$value = NULL)
userInfo(\$userID)
getUserReservations(\$userID)
fixReservations(\$userID)
removeReservation(\$reservationID)
roledlist()
userlist(\$page = 1 , \$perPage = 5)
countuserlist()
modifyuser(\$user , \$userID)
changeuserstatus(\$userID , \$status)
menulist(\$page , \$perPage)
getmenilink(\$id)
modifymenilink(\$link,\$id)
addmenilink(\$link)
removemenilink(\$id)
countmenilist()
pollist(\$page,\$perPage)
countolllist()
addpollquestion(\$value)
addpollanswers(\$value)
getonepollquestionanswers(\$id)
modifypollquestion(\$id , \$value)
addoneanswer(\$value)
modifyoneanswer(\$id , \$value)
removeonepoll(\$id)
removeonepollanser(\$id)
getactivepoll()
anypoll()

Views

Spisak view fajlova
admin
author
barman
Contact_main
cook
director
footer
forgotpassword
header
Home_main
login
Menu_main
navigation
profile
register
Services_main
supplier

5. Javascript kod

```
var errors = [];

function displayerror(){
    var ve = document.getElementById('val_errors');
    var text = "";

    for(var i = 0; i < errors.length; i++){
        text +="<p>The "+errors[i]+" field is required.</p>";
    }
    ve.innerHTML = text;
}

var regEmail = /^w+([\.-]?\w+)*@w+([\.-]?\w+)*(\.w{2,3})+$/;
var regFirstName = /^[A-Z]{1}[a-z]{2,30}$/;
var regLastName = /^[A-Z]{1}[a-z]{3,40}$/;
var regPassword = /^[a-zA-Z0-9!@#$$%^&*]{6,128}$/;
var regTextArea = /^[w\d\s\.\,\!\?]{2,255}$/;
var regFullName = /^[A-Z]{1}[a-z]{3,30}\s[A-Z]{1}[a-z]{3,40}$/;
var regNumber = /^[d+$/;
var regTimeOfReg = /^[1-9]{1}[0-9]{9}$/;
var regVerificationCode = /^[A-z0-9]{20}$/;
var regSalePercent = /^[1-9]{0,1}[0-9]{1,2}$|^100$/;

var regProductName = /^[A-z0-9\s]{3,127}$/;
var regProductPrice = /^[0-9]{1,4}(\.?[0-9]{2})?$/;
var regProductDescription = /^[a-zA-Z0-9!\$%\&\.\,]{3,254}$/;
var regProductQuantity = /^[0-9]{1,10}$/;
var regProductImageAlt = /^[A-z0-9\s]{3,127}$/;

var regQuestion = /^[w\?s\.\,]{3,254}$/;
var regAnswer = /^[w\s\.\,\!\d]{1,127}$/;

var regDate = /^(0[1-9]|1[0-9]|2[0-8])[V](0[1-9]|1[012])((29|30|31)[V](0[13578]|1[02]))((29|30)[V](0[4,6,9]|11)))[V](19|[2-9][0-
```

```

9))\d\d$)|(^29[\V]02[\V](19|[2-9][0-
9])(00|04|08|12|16|20|24|28|32|36|40|44|48|52|56|60|64|68|72|76|80|84|88|92|96)$)/;

    var regTime = /^(((0?[1-8]):([0-5]?[0-9])\s?PM)|(0?9:0?0\s?PM)|(12:([0-5]?[0-9])\s?PM))|((0?[7-
9]|1[0-2]):([0-5]?[0-9])\s?AM)$)/;

    var regPersons = /^[1-5]$/;

function registration(){
    var err = 0;
    errors = [];

    if(!regFirstName.test(document.getElementById("firstName").value)){err++;errors.push("First
Name");}

    if(!regLastName.test(document.getElementById("lastName").value)){err++;errors.push("Last
Name");}

    if(!regEmail.test(document.getElementById("email").value)){err++;errors.push("Email");}

    if(!regPassword.test(document.getElementById("password").value)){err++;errors.push("Password");}

    if(document.getElementById("password").value !=
document.getElementById("re_password").value){err++;}

    if(!err){
        return true;
    }
    displayerror();
    return false;
}

function login(){
    var err = 0;
    errors = [];

    if(!regEmail.test(document.getElementById("email").value)){err++;errors.push("Email");}

    if(!regPassword.test(document.getElementById("password").value)){err++;errors.push("Password");}

    if(!err){
        return true;
    }
}

```

```

displayerror();
return false;
}

```

```

function reservation(){
    var err = 0;
    errors = [];
    if(!regPersons.test(document.getElementById("activities").value)){err++;errors.push("Persons");}
    if(!regDate.test(document.getElementById("date").value)){err++;errors.push("Date");}
    if(!regTime.test(document.getElementById("time").value)){err++;errors.push("Time");}

    if(!err){
        return true;
    }
    displayerror();
    return false;
}

```

```

function contactform(){
    var err = 0;
    errors = [];
    if(!regFullName.test(document.getElementById("name").value)){err++;errors.push("Full Name");}
    if(!regEmail.test(document.getElementById("email").value)){err++;errors.push("Email");}
    if(!regTextArea.test(document.getElementById("message").value)){err++;errors.push("Message");}

    if(!err){
        return true;
    }
    displayerror();
    return false;
}

function forgotpassword(){

```

```
var err = 0;
errors = [];
if(!regEmail.test(document.getElementById("email").value)){err++;errors.push("Email");}

if(!err){
    return true;
}
displayerror();
return false;
}
```


6. PHP kod

Controllers

Admin.php

```
<?php
```

```
class admin extends MY_BackEnd
{
    function __construct(){
        parent::__construct();
        $this->load->model('user');
    }

    public function index(){
        $this->userslist(1);
    }

    public function adduser(){
        $this->form_validation->set_rules('firstName', 'First
Name', 'required|trim|min_length[2]|max_length[30]');
        $this->form_validation->set_rules('lastName', 'Last
Name', 'required|min_length[3]|max_length[40]');
        $this->form_validation-
>set_rules('email', 'Email', 'required|trim|valid_email|min_length[6]|max_lengt
h[128]|is_unique[user.email]');
        $this->form_validation-
>set_rules('password', 'Password', 'required|min_length[6]|max_length[128]');
        $this->form_validation->set_rules(
            'role', 'Role',
```

```

        array(
            'required',
            array(
                'role_callable',
                function($str)
                {
if(preg_match('/^\d$/', $str)){

                                return TRUE;
                                }
                                return FALSE;
                                }
            )
        ),
        array('role_callable' => '%s field must be number.')
    );

```

```

if($this->form_validation->run() == FALSE){
    $this->data['rolelist'] = $this->user->rolelist();
    $this->data['adduser'] = true;
    $this->show();
}
else{
    $userdata['validationCode'] = $this->user->makeValidationCode();

```

```

    $user = $this->user->userRegister(array(
        'firstName' => $this->input->post('firstName'),
        'lastName'=>$this->input->post('lastName'),
        'email'=>$this->input->post('email'),
        'password'=>md5($this->input->post('password')),
        'roleID'=>$this->input->post('role'),

```

```

        'timeOfReg'=>time(),
        'validationCode'=> $userdata['validationCode'],
        'statusID'=>1
    ));

    if($user['registred'])
    {
        $this->session->set_flashdata('userisadded','User has been
successfully added.');
```

 redirect('admin');

```
    }
    else {
        $this->session->set_flashdata('noininsert','User is not
inserted.');
```

 \$this->data['rolelist'] = \$this->user->rolelist();

 \$this->data['adduser'] = true;

 \$this->show();

```
    }
}

}

public function userslist($page = 1){
    $this->data['users'] = true;

    $perPage = 5;
    $page = $this->checkPage($page);
    $this->data['userlist'] = $this->user->userlist($page, $perPage);
    $this->data['pagination'] = $this->pagination('admin/userslist/',
$this->user->countuserlist(), $perPage, $page); //url , total rows , per page
, page

```

```

        $this->show();
    }
    public function oneuser($userID = NULL){
        $this->form_validation->set_rules('firstName', 'First
Name', 'required|trim|min_length[2]|max_length[30]');
        $this->form_validation->set_rules('lastName', 'Last
Name', 'required|min_length[3]|max_length[40]');
        $this->form_validation-
>set_rules('email', 'Email', 'required|trim|valid_email|min_length[6]|max_lengt
h[128]');
        # $this->form_validation-
>set_rules('password', 'Password', 'required|min_length[6]|max_length[128]');
        $this->form_validation->set_rules(
            'role', 'Role',
            array(
                'required',
                array(
                    'role_callable',
                    function($str)
                    {
if(preg_match('/^\d$/', $str)){
return TRUE;
}
return FALSE;
}
                )
            ),
            array('role_callable' => '%s field must be number.')
        );
        if($userID == NULL){
            if(preg_match('/^\d+$/', $this->input->post('userID'))){
                $userID = $this->input->post('userID');
            }
        }
    }

```

```

        else{
            redirect('admin/users');
        }
    }
    if($this->form_validation->run() == FALSE){
        $this->data['userdata'] = $this->user->userInfo($userID);
        $this->data['rolelist'] = $this->user->rolelist();

        $this->data['oneuser'] = true;
        $this->show();
    }
    else{
        if($this->input->post('password') != ''){
            if(strlen($this->input->post('password'))>=6 && strlen($this->input->post('password'))<=128){
                #upisi sa novim passwordom
                $data = array(
                    'firstName' => $this->input->post('firstName'),
                    'lastName' => $this->input->post('lastName'),
                    'email' => $this->input->post('email'),
                    'password' => md5($this->input->post('password')),
                    'roleID' => $this->input->post('role')
                );
                if($this->user->modifyuser($data,$this->input->post('userID'))){
                    $this->session->set_flashdata('userismodify','User has been successfully modified.');
```

has been successfully modified.');

```

                    redirect('admin');
                }
            }
            $this->session->set_flashdata('badpassword', 'The Password field must be at least 6 characters in length.');
```

```

        redirect('admin/oneuser/'.$userID);
    }else{
        #upisi u bazu bez passworda

        $data = array(
            'firstName' => $this->input->post('firstName'),
            'lastName' => $this->input->post('lastName'),
            'email' => $this->input->post('email'),
            'roleID' => $this->input->post('role')
        );

        if($this->user->modifyuser($data,$this->input->post('userID'))){
            $this->session->set_flashdata('userismodify','User
has been successfully modified. ');
            redirect('admin');
        }
    }
}

public function userban($userID = NULL){
    if($userID != NULL){
        if(preg_match('/^\d+$/',$userID)){
            $this->user->changeuserstatus($userID,2);
        }
    }
    redirect('admin');
}

public function userdelete($userID = NULL){
    if($userID != NULL){
        if(preg_match('/^\d+$/',$userID)){

```

```

        $this->user->changeuserstatus($userID,4);
    }
}
redirect('admin');
}

public function menilist($page = 1){
    $this->data['menilist'] = true;
    $perPage = 5;
    $page = $this->checkPage($page);
    $this->data['menidata'] = $this->user->menilist($page,$perPage);
    $this->data['pagination'] = $this->pagination('admin/menilist/',
    $this->user->countmenilist(), $perPage, $page);
    $this->show();

}

public function addmeni(){
    $this->data['addmeni'] = true;

    $this->form_validation->set_rules('menitext','Meni
Text','required|trim|min_length[2]|max_length[50]');
    $this->form_validation->set_rules('menilink','Meni
Link','required|trim|min_length[2]|max_length[100]');

    if($this->form_validation->run() == FALSE){
        $this->show();
    }
    else{
        // upisi u bazu
    }
}

```

```

$link = array(
    'meni'=> $this->input->post('menitext'),
    'meniLink'=>$this->input->post('menilink')
);
$this->user->addmenilink($link);
redirect('admin/menilist');
}
}

```

```

public function modifymeni($id = NULL){

    if($this->input->post('meniID')){
        $id = $this->input->post('meniID');
    }

    if($id != NULL){
        if(preg_match('/^\d+$/',$id)){
            $this->data['modifymeni'] = true;

            $this->form_validation->set_rules('menitext','Meni
Text','required|trim|min_length[2]|max_length[50]');
            $this->form_validation->set_rules('menilink','Meni
Link','required|trim|min_length[2]|max_length[100]');

            if($this->form_validation->run() == FALSE){
                $this->data['menidata'] = $this->user->getmenilink($id);
                $this->show();
            }
            else{
                // upisi u bazu

```



```

        $link = array(
            'meni'=> $this->input->post('menitext'),
            'menilink'=>$this->input->post('menilink')
        );
        $this->user->modifymenilink($link,$id);
        redirect('admin/menilist');
    }
}

}
else{
    redirect('admin');
}
}

```

```

public function menidelete($id = NULL){
    if($id != NULL){
        if(preg_match('/^\d+$/',$id)){
            $this->user->removemenilink($id);
            redirect('admin/menilist');
        }
    }
    else{
        redirect('admin');
    }
}

```

```

public function polllist(){

    $this->data['polllist'] = true;

```

```

$page = 1;
$perPage = 5;
$page = $this->checkPage($page);
$this->data['polldata'] = $this->user->polllist($page,$perPage);
$this->data['pagination'] = $this->pagination('admin/polllist/',
$this->user->countpolllist(), $perPage, $page);

    $this->show();
}

public function addpoll(){
    $this->data['addpoll'] = true;

    $this->form_validation-
>set_rules('question','Question','required|trim|min_length[2]|max_length[255]
');

    $this->form_validation-
>set_rules('answers[]','Answer','required|trim|max_length[127]');

    if($this->form_validation->run() == FALSE){
        $this->data['answerelementnumber'] = count($this->input-
>post('answers[]'));
        $this->show();
    }
    else{
        $question = array(
            'pollQuestion' => $this->input->post('question'),
            'onOff' => 0
        );
        $answers = array();
    }
}

```

```

        if($questionID = $this->user->addpollquestion($question)){

            foreach($this->input->post('answers[]') as $answer){
                $answers[] = array(
                    'pollAnswer' => $answer,
                    'pollQuestionID' => $questionID,
                    'vote' => 0
                );
            }

            if($this->user->addpollanswers($answers)){
                $this->session->set_flashdata('noinsert','Poll is
added.');
```

```

            }
            else{
                $this->session->set_flashdata('noinsert','Poll is not
added.');
```

```

            }
        }
        else{
            $this->session->set_flashdata('noinsert','Poll is not
added.');
```

```

        }
        redirect('admin/polllist');
    }
}

```

```

public function deletepoll($id = null){
    if(!preg_match('/^\d+$/',$id)){

```

```

        redirect('admin/polllist');
    }

    $this->user->removeonepoll($id);

    redirect('admin/polllist');
}

public function deletepollanswer($id = null, $questionID = null){
    if(!preg_match('/^\d+$/ ', $id)){
        redirect('admin/polllist');
    }

    $this->user->removeonepollanswer($id);

    redirect('admin/modifypoll/'.$questionID);
}

public function modifypoll($id = NULL){
    if($id == NULL){
        if($this->input->post('pollID')){
            $id = $this->input->post('pollID');
        }
        else{
            redirect('admin/polllist');
        }
    }
    if(!preg_match('/^\d+$/ ', $id)){
        redirect('admin/polllist');
    }
}

```

```

    }

    $this->data['modifypoll'] = true;

    $this->form_validation->
>set_rules('question', 'Question', 'required|trim|min_length[2]|max_length[255]
');

    $this->form_validation->
>set_rules('answers[]', 'Answer', 'required|trim|max_length[127]');

    if($this->form_validation->run() == FALSE){
        $this->data['modifypolldataquestion'] = $this->user->
>getonepollquestion($id);
        $this->data['modifypolldataanswers'] = $this->user->
>getonepollquestionanswers($id);
        $this->show();
    }
    else{
        #echo var_dump($this->input->post('answers'));
        $this->user->modifypollquestion($id, array('pollQuestion'=>$this->
>input->post('question')));

        foreach ($this->input->post('answers') as $key => $value){

            if($key < 0){
                //insert
                $this->user->addoneanswer(array(
                    'pollAnswer' => $value,
                    'pollQuestionID' => $id,
                    'vote' => 0
                ));
            }
        }
    }
}

```

```

        }
        else{
            //update
            $this->user->modifyoneanswer($key,
array('pollAnswer'=>$value));
        }
    }
    redirect('admin/polllist');
}
}

```

```

private function show(){
    $this->initnavigation(array(
        array('meni'=>'Home','meniLink'=>'home'),
        array('meni'=>'List users','meniLink'=>'admin/userslist'),
        array('meni'=>'Add user','meniLink'=>'admin/adduser'),
        array('meni'=>'Meni list','meniLink'=>'admin/menilist'),
        array('meni'=>'Add meni','meniLink'=>'admin/addmeni'),
        array('meni'=>'Poll list','meniLink'=>'admin/polllist'),
        array('meni'=>'Add poll','meniLink'=>'admin/addpoll')
    ));
    $this->render(array('admin'));
}
}

```

Author.php

```
<?php
```

```
class author extends MY_FrontEnd{
    function __construct(){
        parent::__construct();
    }
    function index(){
        $this->initttitle('Author');

        $this->initheader(array(
            'img'=>'imagesss/img_bg_3.jpg',
            'h1'=>'Goran Urukalo!',
            'above'=>'goran.urukalo.117.14@ict.edu.rs'
        ));

        $this->render(array('header', 'author'));
    }
}
```

Barman.php

```
<?php
```

```
class barman extends MY_BackEnd
{
    function __construct(){
        parent::__construct();
        $this->load->model('backstuff','bs');
        $this->load->helper('form');
        $this->load->library('form_validation');
    }

    public function index($page = 1){
        $this->data['list'] = true;

        $perPage = 5;
        $page = $this->checkPage($page);
        $this->data['barman'] = $this->bs->getBarmanSupplies($page,$perPage);
        $this->data['pagination'] = $this->pagination('barman/index/', $this->bs->countBarmanSupplies(), $perPage, $page);

        if(!$this->data['barman']){
            unset($this->data['barman']);
        }
        $this->initnavigation(array(
            array('meni'=>'Home', 'meniLink'=>'home'),
```



```

        array('meni'=>'Supplie list','meniLink'=>'barman'),
        array('meni'=>'Add supplie','meniLink'=>'barman/adddrink')
    ));
    $this->render(array('barman'));
}

public function adddrink(){
    $this->data['add'] = true;

    $this->form_validation->set_rules('drinkName','Drink
Name','required|trim|min_length[2]|max_length[255]');
    $this->form_validation-
>set_rules('number','Number','required|trim|min_length[1]|max_length[5]');
    $this->form_validation-
>set_rules('measure','Measure','required|trim|min_length[1]|max_length[10]');

    if($this->form_validation->run() == FALSE){
        $this->initnavigation(array(
            array('meni'=>'Home','meniLink'=>'home'),
            array('meni'=>'Supplie list','meniLink'=>'barman'),
            array('meni'=>'Add supplie','meniLink'=>'barman/adddrink')
        ));
        $this->render(array('barman'));
    }else{
        $res = $this->bs->insertDrink(array(
            'name'=> $this->input->post('drinkName'),
            'quantity'=> $this->input->post('number'),
            'date'=> time(),
            'userID'=> $this->session->userdata('userID'),
            'measure'=> $this->input->post('measure')
        ));
        if($res){

```

```

        $this->session->set_flashdata('noinsert','Drink is
inserted.');
```

```

    }else{
        $this->session->set_flashdata('noinsert','Drink is not
inserted.');
```

```

    }
    redirect('barman');
```

```

}
}

public function onesupplie($id=null){
    $this->data['modify'] = true;

    $this->form_validation->set_rules('drinkName','Drink
Name','required|trim|min_length[2]|max_length[255]');
    $this->form_validation-
>set_rules('number','Number','required|trim|min_length[1]|max_length[5]');
    $this->form_validation-
>set_rules('measure','Measure','required|trim|min_length[1]|max_length[10]');
```

```

    if($this->form_validation->run() == FALSE){
        if($id != null){
            if(preg_match('/^\d+$/',$id)){
                $this->data['onesuppliedata'] = $this->bs-
>getOneSupplie($id);
                if(!$this->data['onesuppliedata']){
                    redirect('barman');
```

```

                }
            }
            else{
                redirect('home');
```

```

            }
        }else if(preg_match('/^\d+$/',$this->input->post('drinkID'))){

```

```

        $this->data['onesuppliedata'] = $this->bs-
>getOneSupplie($id);
    }
    else{
        redirect('home');
    }
    $this->initnavigation(array(
        array('meni'=>'Home','meniLink'=>'home'),
        array('meni'=>'Supplie list','meniLink'=>'barman'),
        array('meni'=>'Add supplie','meniLink'=>'barman/adddrink')
    ));
    $this->render(array('barman'));
}else{
    if(preg_match('/^\d+$/',$this->input->post('drinkID'))){

        $res = $this->bs->updateDrink(array(
            'name'=> $this->input->post('drinkName'),
            'quantity'=> $this->input->post('number'),
            'measure'=> $this->input->post('measure')
        ), $this->input->post('drinkID'));
        if($res){
            $this->session->set_flashdata('noininsert','Drink is
inserted.');
```

```


```

```

inserted.');
```

```

inserted.');
```

```

    }
}
public function removeonesupplie($id=null){
    if($this->bs->removeOneSupplie($id)){
        $this->session->set_flashdata('noinsert','Drink has been
removed.');
```

```

    }else{
        $this->session->set_flashdata('noinsert','Drink has not been
removed.');
```

```

    }
    redirect('barman');
}
}

```

Checkout.php

<?php

```
class checkout extends MY_FrontEnd{
    function __construct(){
        parent::__construct();
        $this->load->model('checkout_model','checkout');
    }
    function index(){
        redirect('home');
    }
    public function pay($reservationID){
        if($this->session->userdata('logged')){
            #echo "postavi da je placena";
            if(preg_match('/^[0-9]{1,15}$/', $reservationID)){
                $this->checkout->payReservation($reservationID);
            }
        }
        redirect('profile');
    }
}
```

Contact.php

```
<?php
    class contact extends MY_FrontEnd{
        function __construct(){
            parent::__construct();
            $this->load->helper('form');
            $this->load->library('form_validation');
            $this->load->library('email');
            $this->load->model('user');
        }
        function index(){
            $this->form_validation-
>set_rules('name','Name','required|trim|min_length[2]|max_length[55]');
            $this->form_validation-
>set_rules('email','Email','required|trim|valid_email|min_length[6]|max_length[128]');
            $this->form_validation-
>set_rules('message','Message','required|trim|min_length[6]|max_length[255]')
;

            if($this->form_validation->run() == FALSE){
                $this->inittitle('Contact');
                $this->data['anypoll'] = $this->user->anypoll();
                $this->data['polldata'] = $this->user->getactivepoll();
                $this->initheader(array(
                    'img'=>'images/img_bg_3.jpg',
                    'h1'=>'Say hello!',
                    'above'=>'Hand-crafted by <a
href="http://gettemplates.co" target="_blank">GetTemplates.co</a>'
                ));
            }
        }
    }
}
```

```

        $this->render(array('header', 'contact_main'));
    }
    else{
        $config['mailtype'] = 'html';
        $this->email->initialize($config);
        $this->email->set_newline("\r\n");
        $this->email->from('savory@gmail.com');
        $this->email->to('dev@dev.com');
        $this->email->subject('Savory email confirmation');
        $this->email->message('<h1>Savory contact</h1><div>'.$this->input->post("name").'</div><div>'.$this->input->post("email").'</div><div>'.$this->input->post("message").'</div>');

        $this->email->send();

        $this->session->set_flashdata('contact', 'Message is sent');
    }
}

}

```

Cook.php

```
<?php
```

```
class cook extends MY_BackEnd
{
    function __construct(){
        parent::__construct();
        $this->load->model('backstuff','bs');
        $this->load->helper('form');
        $this->load->library('form_validation');
        $this->load->library('upload');
        $this->load->library('image_lib');
    }

    public function index($page = 1){
        $this->data['list'] = true;
        $perPage = 5;
        $page = $this->checkPage($page);
        $this->data['cook'] = $this->bs->getCookSupplies($page,$perPage);
        $this->data['pagination'] = $this->pagination('cook/index/', $this->bs->countcooklist(), $perPage, $page);

        if(!$this->data['cook']){
            unset($this->data['cook']);
        }
        $this->initmeni();
    }
    private function initmeni(){
        $this->initnavigation(array(
            array('meni'=>'Home', 'meniLink'=>'home'),
```



```

        array('meni'=>'Supplie list','meniLink'=>'cook'),
        array('meni'=>'Add supplie','meniLink'=>'cook/addsupplie'),
        array('meni'=>'Add
standard','meniLink'=>'cook/addstandardsupplies'),
        array('meni'=>'Dish list','meniLink'=>'cook/dishlist'),
        array('meni'=>'Add dish','meniLink'=>'cook/adddish')
    ));
    $this->render(array('cook'));
}

```

```

public function addsupplie(){
    $this->data['add'] = true;

    $this->form_validation->set_rules('supplieName','Supplie
Name','required|trim|min_length[2]|max_length[255]');
    $this->form_validation-
>set_rules('number','Number','required|trim|min_length[1]|max_length[5]');
    $this->form_validation-
>set_rules('measure','Measure','required|trim|min_length[1]|max_length[10]');

    if($this->form_validation->run() == FALSE){
        $this->initmeni();
    }else{
        $res = $this->bs->insertSupplie(array(
            'name'=> $this->input->post('supplieName'),
            'quantity'=> $this->input->post('number'),
            'date'=> time(),
            'userID'=> $this->session->userdata('userID'),
            'measure'=> $this->input->post('measure')
        ));
    }
}

```

```

        if($res){
            $this->session->set_flashdata('noinsert','Drink is
inserted.');
```

```

        }else{
            $this->session->set_flashdata('noinsert','Drink is not
inserted.');
```

```

        }
        redirect('cook');
```

```

    }
}

public function onesupplie($id=null){
    $this->data['modify'] = true;

    $this->form_validation->set_rules('supplieName','Supplie
Name','required|trim|min_length[2]|max_length[255]');
    $this->form_validation-
>set_rules('number','Number','required|trim|min_length[1]|max_length[5]');
    $this->form_validation-
>set_rules('measure','Measure','required|trim|min_length[1]|max_length[10]');

    if($this->form_validation->run() == FALSE){
        if($id != null){
            if(preg_match('/^\d+$/',$id)){
                $this->data['onesuppliedata'] = $this->bs-
>getOneSupplie($id);
                if(!$this->data['onesuppliedata']){
                    redirect('cook');
```

```

                }
            }
        }else{
            redirect('home');
```

```

        }
    }else if(preg_match('/^\d+$/',$this->input->post('drinkID'))){
        $this->data['onesuppliedata'] = $this->bs-
>getOneSupplie($id);
    }
    else{
        redirect('home');
    }
    $this->initmeni();
}
}
else{
    if(preg_match('/^\d+$/',$this->input->post('supplieID'))){

        $res = $this->bs->updateDrink(array(
            'name'=> $this->input->post('supplieName'),
            'quantity'=> $this->input->post('number'),
            'measure'=> $this->input->post('measure')
        ), $this->input->post('supplieID'));
        if($res){
            $this->session->set_flashdata('noinsert','Supplie is
inserted.');
```

```

        }else{
            $this->session->set_flashdata('noinsert','Supplie is not
inserted.');
```

```

        }
    }
    else{
        $this->session->set_flashdata('noinsert','Supplie is not
inserted.');
```

```

        }
        redirect('cook');
```

```

    }
}
```

```

public function removeonesupplie($id=null){
    if($this->bs->removeOneSupplie($id)){
        $this->session->set_flashdata('noinsert','Drink has been
removed.');
```

```

    }else{
        $this->session->set_flashdata('noinsert','Drink has not been
removed.');
```

```

    }
    redirect('cook');
```

```

}

public function addstandardsupplies($value = NULL){
    if($value != NULL && $value == 'YES'){
        if($this->bs->addStandardSupplies($this->session-
>userdata('userID'))){
            $this->session->set_flashdata('noinsert','Supplies are
inserted.');
```

```

        }
        else{
            $this->session->set_flashdata('noinsert','Supplies are not
inserted.');
```

```

        }
        redirect('cook');
```

```

    }
    $this->data['standard'] = true;

    $this->initmeni();
}

public function dishlist($page = 1){

```

```

        $this->data['dishlist'] = true;

        $perPage = 5;
        $page = $this->checkPage($page);
        $this->data['dishdata'] = $this->bs->getdish($page,$perPage);
        $this->data['pagination'] = $this->pagination('cook/dishlist/',
        $this->bs->countdishlist(), $perPage, $page);

        $this->initmeni();
    }

    public function adddish(){
        $this->data['adddish'] = true;

        $this->form_validation->set_rules('name','Dish
Name','required|trim|min_length[2]|max_length[128]');
        $this->form_validation-
>set_rules('description','Description','required|trim|min_length[2]|max_lengt
h[255]');
        $this->form_validation->set_rules('imgalt','Image
alt','required|trim|min_length[2]|max_length[50]');
        $this->form_validation-
>set_rules('price','Price','required|trim|decimal|min_length[1]|max_length[7]
');

        $this->form_validation->set_rules(
            'img', 'Dish Image',
            array(
                array(

```

```

        'img_callable',
        function($img)
        {
            $this->data['img'] = array(
                'file_name'=>

time()).$_FILES['img']['name'],

            'upload_path'=>'images/dish/',

            );
            $config['file_name'] = $this->data['img']['file_name'];
            $config['upload_path'] =
            './'.$this->data['img']['upload_path'];
            $config['allowed_types'] =
            'jpg|jpeg|png';
            $config['max_size'] =
            '2048000';

            $config['max_width'] = '801';
            $config['max_height'] = '601';

            $this->upload-

            if (!$this->upload-

            {
                echo $this->upload-

                return false;
            }
            else {
                return true;
            }
        }
    }
}
)

```

```

        ),
        array('img_callable' => '%s field must be image.')
    );

    if($this->form_validation->run() == FALSE){
        $this->initmeni();
    }
    else{
        $res = $this->bs->adddish(array(
            'name'=> $this->input->post('name'),
            'description'=>$this->input->post('description'),
            'price'=> $this->input->post('price'),
            'imgLink'=> $this->data['img']['upload_path'].$this-
>data['img']['file_name'],
            'imgAlt'=>$this->input->post('imgalt')
        ));

        if($res){
            $config['image_library'] = 'gd2';
            $config['source_image'] = $this-
>data['img']['upload_path'].$this->data['img']['file_name'];
            #$config['create_thumb'] = TRUE;
            $config['maintain_ratio'] = TRUE;
            $config['width'] = 180;
            $config['height'] = 120;
            $config['new_image'] = $this-
>data['img']['upload_path'].'min/'.$this->data['img']['file_name'];
            $this->image_lib->initialize($config);
            $this->image_lib->resize();
            #echo $this->image_lib->display_errors();
        }
    }
}

```

```

        $this->session->set_flashdata('noininsert','Dish is added.');
```

}

```

    else{
        $this->session->set_flashdata('noininsert','Dish is not
added.');
```

}

```

    redirect('cook/dishlist');
```

}

}

```

public function modifydish($id = NULL){
    $this->data['modifydish'] = true;

    $this->form_validation->set_rules('name','Dish
Name','required|trim|min_length[2]|max_length[128]');

    $this->form_validation-
>set_rules('description','Description','required|trim|min_length[2]|max_lengt
h[255]');

    $this->form_validation->set_rules('imgalt','Image
alt','required|trim|min_length[2]|max_length[50]');

    $this->form_validation-
>set_rules('price','Price','required|trim|decimal|min_length[1]|max_length[7]
');

    $this->form_validation-
>set_rules('dishID','Dish','required|trim|is_natural_no_zero|min_length[1]|ma
x_length[15]');

    if($this->input->post('cbimg')){

        $this->form_validation->set_rules(
            'img', 'Dish Image',
            array(
```



```

                                array(
                                    'img_callable',
                                    function($img)
                                    {
                                        $this->data['img'] = array(
                                            'file_name'=>
time().$_FILES['img']['name'],

'upload_path'=>'images/dish/',

                                );
                                $config['file_name'] = $this-
>data['img']['file_name'];
                                $config['upload_path'] =
'./'.$this->data['img']['upload_path'];
                                $config['allowed_types'] =
'jpg|jpeg|png';
                                $config['max_size']      =
'20480000';

                                $config['max_width']    = '801';
                                $config['max_height']    = '601';

                                $this->upload-

>initialize($config);

                                if (!$this->upload-
>do_upload('img'))

                                {
                                    #echo $this->upload-

                                    return false;
                                }
                                else {
                                    return true;
                                }
                                }

```

```

        )
    ),
    array('img_callable' => '%s field must be image.')
);
}

if($this->form_validation->run() == FALSE){
    if($id == NULL){
        $this->data['dishdata'] = $this->bs->getonedish($this->input-
>post('dishID'));
    }
    else{
        $this->data['dishdata'] = $this->bs->getonedish($id);
    }
    $this->initmeni();
}
else{
    //
    //  upload malu sliku
    //
    $dish = array(
        'name'=> $this->input->post('name'),
        'description'=>$this->input->post('description'),
        'price'=> $this->input->post('price'),
        'imgAlt'=>$this->input->post('imgalt')
    );
    if($this->input->post('cbimg')){
        $dish['imgLink'] = $this->data['img']['upload_path'].$this-
>data['img']['file_name'];
    }
    $res = $this->bs->modifydish($dish, $this->input-
>post('dishID'));
}

```

```

        if($res){
            $this->session->set_flashdata('noinsert','Dish is
modified.');
```

```

        }
        else{
            $this->session->set_flashdata('noinsert','Dish is not
modified.');
```

```

        }
        redirect('cook/dishlist');
    }
}

public function removedish($id){
    if(preg_match('/^\d+$/',$id)){
        $imgpath = $this->bs->dishimgpath($id);
        if($this->bs->removeonedish($id)){
            $this->session->set_flashdata('noinsert','Dish is removed.');
```

```

            unlink(base_url().$imgpath->imgLink);
            unlink(base_url().'min/'.$imgpath->imgLink);
        }
        else{
            $this->session->set_flashdata('noinsert','Dish is not
removed.');
```

```

        }
        redirect('cook/dishlist');
    }
}
}

```

Director.php

```
<?php
```

```
class director extends MY_BackEnd{
    function __construct(){
        parent::__construct();
    }
    function index(){
        $this->initnavigation(array(
            array('meni'=>'Home','meniLink'=>'home'),
            array('meni'=>'Admin','meniLink'=>'admin'),
            array('meni'=>'Barman','meniLink'=>'barman'),
            array('meni'=>'Cook','meniLink'=>'cook'),
            array('meni'=>'Supplier','meniLink'=>'supplier')
        ));
        $this->render(array('director'));
    }
}
```

Home.php

```
<?php
class home extends MY_FrontEnd{
    function __construct(){
        parent::__construct();
        $this->load->helper('form');
        $this->load->model('front');
    }
    function index(){
        $this->inittitle('Home');
        $this->data['dishlist'] = $this->front->getdish();
        $this->data['cooknum'] = $this->front->getcooknum();
        $this->data['dishnum'] = $this->front->getdishnum();
        $this->initheader(array(
            'reservation'=>'TRUE',
            '#img'=>'images/img_bg_4.jpg', #4-11
            'h1'=>'All in good taste!',
            'above'=>'Hand-crafted by <a href="http://gettemplates.co"
target="_blank">GetTemplates.co</a>'
        ));

        $this->render(array('header','home_main'));
    }
}
```

Menu.php

```
<?php
class menu extends MY_FrontEnd{
    function __construct(){
        parent::__construct();
        $this->load->library('pagination');
        $this->load->model('front');
    }
    function index($page = 1){
        $this->inittitle('Menu');

        $this->data['dishlist'] = $this->front->getdish();
        $this->data['cooknum'] = $this->front->getcooknum();
        $this->data['dishnum'] = $this->front->getdishnum();

        $perPage = 6;
        $page = $this->checkPage($page);
        $this->data['pagination'] = $this->pagination('menu/index/',
        $this->front->countdish(), $perPage, $page);

        $this->initheader(array(
            'img'=>'images/img_bg_1.jpg',
            'h1'=>'Taste all our menu!',
            'above'=>'Hand-crafted by <a href="http://gettemplates.co"
target="_blank">GetTemplates.co</a>'
        ));

        $this->render(array('header', 'menu_main'));
    }
}
```

```

private function checkPage($page){
    if(!preg_match('/^\d+$/ ', $page)){
        return 1;
    }
    return $page;
}

private function pagination($url, $totalRows, $perPage, $page){
    if($totalRows < 1){
        return NULL;
    }
    if($page > ceil($totalRows/$perPage)){
        redirect(base_url()).$url;
    }
    $config = array(
        'base_url'          => base_url().$url,
        'total_rows'        => $totalRows,
        'per_page'          => $perPage,
        'num_links'         => 5,
        'use_page_numbers'  => true,
        'page_query_string' => false,
        'uri_segment'       => 3
    );
    $config['full_tag_open'] = '<nav aria-label="Page navigation">
                                <ul class="pagination pagination-
sm">';
    $config['full_tag_close'] = '</ul>
                                </nav>';
    $config['next_link'] = '<span aria-hidden="true">&raquo;</span>';
    $config['next_tag_open'] = '<li>';
    $config['next_tag_close'] = '</li>';
    $config['prev_link'] = '<span aria-hidden="true">&laquo;</span>';
    $config['prev_tag_open'] = '<li>';

```

```

        $config['prev_tag_close'] = '</li>';
        $config['cur_tag_open'] = '<li class="active"><a href="#">';
        $config['cur_tag_close'] = '<span class="sr-
only">(current)</span></a></li>';
        $config['num_tag_open'] = '<li>';
        $config['num_tag_close'] = '</li>';

        $this->pagination->initialize($config);

        return $this->pagination->create_links();
    }
}

```


Profile.php

```
<?php
class profile extends MY_FrontEnd{
    function __construct(){
        parent::__construct();
        $this->load->model('user');
    }
    function index(){
        $this->fixReservations();
        $this->initUser();
        $this->getUserReservations();
        $this->initttitle('Profile');

        $this->initheader(array(
            'h1'=>'My profile.',
            'above'=>'Hand-crafted by <a href="http://gettemplates.co"
target="_blank">GetTemplates.co</a>'
        ));

        $this->render(array('header','profile'));
    }

    private function initUser(){
        $this->data['userInfo'] = $this->user->userInfo($this->session-
>userdata('userID'));
        if(!$this->data['userInfo']){
            redirect('home');
        }
    }
}
```

```

        private function getUserReservations(){
            $this->data['userReservations'] = $this->user-
>getUserReservations($this->session->userdata('userID'));
        }

        private function fixReservations(){
            $this->user->fixReservations($this->session->userdata('userID'));
        }

        public function removeReservation($reservationID){
            #echo "brisi rezervaciju";
            if(preg_match('/^[0-9]{1,15}$/', $reservationID)){
                $this->user->removeReservation($reservationID);
            }
            redirect('profile');
        }
    }
}

```

Reservation.php

```
<?php
class reservation extends MY_FrontEnd{
    function __construct(){
        parent::__construct();
        $this->load->helper('form');
        $this->load->library('form_validation');
        $this->load->library('email');
        $this->load->model('user');
    }
    function index(){
        if($this->session->userdata('logged')){

            $this->form_validation->set_rules(
                'persons', 'Persons',
                array(
                    'required', 'min_length[1]', 'max_length[2]',
                    array(
                        'persons_callable',
                        function($str)
                        {
                            if(preg_match('/^([1-
5])$/', $str)){
                                return TRUE;
                            }
                            return FALSE;
                        }
                    )
                ),
            ),
```

```

        array('persons_callable' => '%s field must be
number.')
```

```

    );

    $this->form_validation->set_rules(
        'date', 'Date',
        array(
            'required',
            array(
                'date_callable',
                function($str)
                {
                    if(preg_match('/^(((0[1-
9]|1[0-9]|2[0-8]))[\/](0[1-
9]|1[012]))|((29|30|31)[\/](0[13578]|1[02]))|((29|30)[\/](0[4,6,9]|11)))[\/](
19|[2-9][0-9])\d\d$)|(^29[\/](02[\/](19|[2-9][0-
9]))(00|04|08|12|16|20|24|28|32|36|40|44|48|52|56|60|64|68|72|76|80|84|88|92|9
6)$)/', $str)){

                        return TRUE;
                    }

                    return FALSE;
                }
            )
        ),
        array('date_callable' => '%s format is not good.')
    );

    $this->form_validation->set_rules(
        'time', 'Time',
        array(
            'required',
            array(

```

```

        'time_callable',
        function($str)
        {
            # STARIJI PRIMER
            #if(preg_match('/^([0-9]|0[0-
9]|1?[0-9]|2[0-3]):[0-5]?[0-9]\s(PM|AM)$/', $str)){
                if(preg_match('/^(((0?[1-
8]):([0-5]?[0-9])\s?PM)|(0?9:0?0\s?PM)|(12:([0-5]?[0-9])\s?PM))|((0?[7-
9]|1[0-2]):([0-5]?[0-9])\s?AM)$/', $str)){
                    return TRUE;
                }
                return FALSE;
            }
        }
    ),
    array('time_callable' => '%s is not between 7am-
9pm.')
);

if($this->form_validation->run() == FALSE){
    $this->makeReservation();
}
else{
    $reservationTimestamp = strtotime(str_replace('/', '-',
$this->input->post('date')).' '.$this->input->post('time')));
    #echo strtotime("4pm");

    //
    // datum mora da bude veci od danasnjeg kao i vreme (+
15 min )

    //
    if($reservationTimestamp < time()+15*60){

```

```

        $this->session->
>set_flashdata('dontgobackwithtime',TRUE);
        redirect('reservation');
    }

    if($this->user->checkReservations($reservationTimestamp ,
$this->session->userdata('userID'))){
        #echo "moze da rezervise sto -- upis u bazu";
        if($this->session->userdata('roleID') == 2){
            $resInfo = array(
                'userID'=> $this->session->userdata('userID'),
                'reservationTime'=>$reservationTimestamp,
                'numberOfPersons'=> $this->input-
>post('persons'),
                'reservationStatus'=> 2,
            );
            if($this->user->tableReservation($resInfo)){
                $this->session->
>set_flashdata('reserved',TRUE);
                redirect('profile');
            }
            #nije uspeo insert
        }else{
            //samo customer moze da naruci
            $this->session->
>set_flashdata('noMoreTables',TRUE);
            redirect('profile');
        }

    }else{
        $this->session->set_flashdata('noMoreTables',TRUE);
        redirect('reservation');
    }
}

```

```

    }

    }
}
else{
    $this->form_validation-
>set_rules('email','Email','required|trim|valid_email|min_length[6]|max_lengt
h[128]');

    $this->form_validation-
>set_rules('password','Password','required|min_length[6]|max_length[128]');

    if($this->form_validation->run() == FALSE){
        $this->login();
    }
    else{
        $user = $this->user->userLogin($this->input-
>post('email'),$this->input->post('password'));
        if($user['exist']){
            if($user['data']->statusID == 1){
                $this->session->set_userdata('logged', TRUE);
                $this->session-
>set_userdata('userID',$user['data']->userID);
                $this->session-
>set_userdata('role',$user['data']->role);
                $this->session-
>set_userdata('roleID',$user['data']->roleID);

                if($user['data']->role == 'Admin'){
                    //admin
                    redirect('admin');
                }
            }
        }
    }
}

```

```

        else if($user['data']->role == 'Customer'){
            //customer
            redirect('reservation');
        }
        else if($user['data']->role == 'Supplier'){
            //supplier
            redirect('supplier');
        }
        else if($user['data']->role == 'Cook'){
            //cook
            redirect('cook');
        }
        else if($user['data']->role == 'Barman'){
            //barman
            redirect('barman');
        }
        else if($user['data']->role == 'Director'){
            //barman
            redirect('director');
        }

        redirect('reservation');
    }
    else{
        $this->session->set_flashdata('userNotAllowed',
TRUE);

        $this->login();
    }
}
else{
    $this->session->set_flashdata('userNotExist', TRUE);

```



```

        $this->render(array('forgotpassword'));
    }
    else{
        $np = $this->user->makeValidationCode();    //moze da bude
jak password
        if($this->user->forgotpassword($this->input-
>post('email'),$np)){
            $config['mailtype'] = 'html';
            $this->email->initialize($config);
            $this->email->set_newline("\r\n");
            $this->email->from('savory@gmail.com');
            $this->email->to($this->input->post('email'));
            $this->email->subject('Savory password reset');
            $this->email->message('<h1>Savory</h1><p>New
password: '.$np.'</p><p>Change your password as soon as posible.</p>');

            $this->email->send();
        }
    }
}

public function registration(){

    if($this->session->userdata('logged')){
        redirect('reservation');
    }
    else{
        $this->form_validation->set_rules('firstName','First
Name','required|trim|min_length[2]|max_length[30]');
        $this->form_validation->set_rules('lastName','Last
Name','required|min_length[3]|max_length[40]');
    }
}

```

```

        $this->form_validation->
>set_rules('email','Email','required|trim|valid_email|min_length[6]|max_length[128]|is_unique[user.email]');

```

```

        $this->form_validation->
>set_rules('password','Password','required|min_length[6]|max_length[128]');

```

```

        $this->form_validation->set_rules('re_password','Re-enter Password','required|min_length[6]|max_length[128]|matches[password]');

```

```

        if($this->form_validation->run() == FALSE){
            $this->inittitle('Registration');
            $this->render(array('register'));
        }
        else{
            $userdata['email'] = $this->input->post('email');
            $userdata['validationCode'] = $this->user->
>makeValidationCode();

```

```

        $user = $this->user->userRegister(array(
            'firstName' => $this->input->post('firstName'),
            'lastName'=>$this->input->post('lastName'),
            'email'=>$this->input->post('email'),
            'password'=>md5($this->input->post('password')),
            'roleID'=>2,
            'timeOfReg'=>time(),
            'validationCode'=> $userdata['validationCode'],
            'statusID'=>3
        ));

```

```

        if($user['registred'])
        {
            $config['mailtype'] = 'html';

```

```

        $this->email->initialize($config);
        $this->email->set_newline("\r\n");
        $this->email->from('savory@gmail.com');
        $this->email->to($userdata['email']);
        $this->email->subject('Savory email confirmation');
        $this->email->message('<h1>Savory</h1><a
href="reservation/verify/' . $userdata['email'] . '/' . $userdata['validationCode']
.'">Verify your Savory account.</a>');

```

```

        $this->email->send();

```

```

        $this->session->set_flashdata('userNeedToValid',
TRUE);

        redirect('reservation');
    }else{
        $this->session->set_flashdata('registerError',
$user['msg']);

        redirect('reservation/register');
    }
}
}
}
}

```

```

public function verify($email = NULL,$verificationCode = NULL){
    if($email != NULL && $verificationCode != NULL){
        if($this->user->verifyEmail($email,$verificationCode)){
            $this->session->set_flashdata('userVerify', TRUE);
            redirect('reservation');
        }
    }
}

```

```
        redirect('home');
    }
    public function logout(){
        if($this->session->userdata('logged')){
            $this->session->sess_destroy();
        }
        redirect('home');
    }
}
```

Services.php

```
<?php
class services extends MY_FrontEnd{
    function __construct(){
        parent::__construct();
    }
    function index(){
        $this->initttitle('Services');

        $this->initheader(array(
            'img'=>'images/img_bg_5.jpg',
            'h1'=>'It\'s our pleasure to serve!',
            'above'=>'Hand-crafted by <a href="http://gettemplates.co"
target="_blank">GetTemplates.co</a>'
        ));

        $this->render(array('header','services_main'));
    }
}
```

Supplier.php

```
<?php
```

```
class supplier extends MY_BackEnd
{
    function __construct(){
        parent::__construct();
        $this->load->model('backstuff','bs');
    }

    public function index($page = 1){

        $perPage = 5;
        $page = $this->checkPage($page);
        $this->data['supplies'] = $this->bs->getSupplies($page,$perPage);
        $this->data['pagination'] = $this->pagination('supplier/index/',
        $this->bs->countsupplielist(), $perPage, $page);

        if(!$this->data['supplies']){
            unset($this->data['supplies']);
        }
        $this->initnavigation(array(
            array('meni'=>'Home','meniLink'=>'home'),
            array('meni'=>'Supplier list','meniLink'=>'supplier')
        ));
        $this->render(array('supplier'));
    }
}
```

```

public function remove($id){

    if(preg_match('/^\d+$/', $id)){
        if($this->bs->deleteSupplies($id)){
            $this->session->set_flashdata('removeDone', 'Supplie is
successfully done.');
```

```
        }
        $this->session->set_flashdata('removeDone', 'Supplie is fail to
add.');
```

```
    }
    redirect('supplier');
}
}

```


Voteajax.php

```
<?php
class voteajax extends MY_FrontEnd{
    function __construct(){
        parent::__construct();
        $this->load->model('ajax_model','ajax');
    }
    function index(){
        echo "good luck next time";
    }

    public function pollvote(){

        if($this->input->post('vote')){
            $id = $this->input->post('vote');
            if($this->ajax->ishevoted($id, $this->input->ip_address())){
                echo "<div>You have already vote.</div>";
                $res = $this->ajax->getvotepercent($id);
                foreach($res as $r){
                    echo '<div>'.$r[0].' --- '.number_format($r[1],
1).'.'%</div>';
                }
            }
            else{
                if($this->ajax->writevote($id, $this->input-
>ip_address())){
                    echo "<div>Thank you for voting.</div>";

                    $res = $this->ajax->getvotepercent($id);
```

```

        foreach($res as $r){
            echo '<div>'.$r[0].' --- '.number_format($r[1],
1).'

```

```

public function ajaxOnOff(){

    if($this->input->post('onOff')){
        $id = $this->input->post('onOff')['onOffID'];
        $val = $this->input->post('onOff')['onOffval'];

        if($this->ajax->changeonoff($id, $val)){
            echo "true";
        }
        else{
            echo "false";
        }
    }
}
}
}

```


MY_BackEnd.php

```
<?php
class MY_BackEnd extends CI_Controller{
    protected $data = array();

    function __construct()
    {
        parent::__construct();
        $this->load->helper('form');
        $this->load->library('form_validation');
        $this->load->library('pagination');
        $this->canIseeThis();
    }

    protected function render($views = NULL)
    {
        $this->load->view('navigation', $this->data);
        if($views != NULL){
            foreach ($views as $value) {
                $this->load->view($value, $this->data);
            }
        }
        $this->load->view('footer',$this->data);
    }

    protected function initnavigation($value = NULL){
        if($value != NULL){
            $this->data['navigation'] = $value;
        }
    }
}
```

```

        if($this->session->userdata('role') == 'Director'){
            $this->data['navigation'][] =
array('meni'=>'Director', 'meniLink'=>'director');
        }
    }
    //$this->data['navigation'][] = array('meni'=>'', 'meniLink'=> '');
}

//
//  automatska AUTORIZACIJA
//
protected function canIseeThis(){
    if($this->session->userdata('logged')){
        if(strtolower($this->session->userdata('role')) !=
get_class($this)){
            if(strtolower($this->session->userdata('role')) !=
'director'){
                redirect('home');
            }
        }
    }
    else{
        redirect('home');
    }
}

protected function checkPage($page){
    if(!preg_match('/^\d+$/ ', $page)){
        return 1;
    }
    return $page;
}

protected function pagination($url, $totalRows, $perPage, $page){

```

```

if($totalRows < 1){
    return NULL;
}
if($page > ceil($totalRows/$perPage)){
    redirect(base_url().$url);
}
$config = array(
    'base_url'          => base_url().$url,
    'total_rows'        => $totalRows,
    'per_page'          => $perPage,
    'num_links'         => 5,
    'use_page_numbers'  => true,
    'page_query_string' => false,
    'uri_segment'       => 3
);
$config['full_tag_open'] = '<nav aria-label="Page navigation">
                                <ul class="pagination pagination-
sm">';
$config['full_tag_close'] = '</ul>
                                </nav>';
$config['next_link'] = '<span aria-hidden="true">&raquo;</span>';
$config['next_tag_open'] = '<li>';
$config['next_tag_close'] = '</li>';
$config['prev_link'] = '<span aria-hidden="true">&laquo;</span>';
$config['prev_tag_open'] = '<li>';
$config['prev_tag_close'] = '</li>';
$config['cur_tag_open'] = '<li class="active"><a href="#">';
$config['cur_tag_close'] = '<span class="sr-
only">(current)</span></a></li>';
$config['num_tag_open'] = '<li>';
$config['num_tag_close'] = '</li>';

```

```
        $this->pagination->initialize($config);

        return $this->pagination->create_links();
    }
}
```

MY_FrontEnd.php

```
<?php
class MY_FrontEnd extends CI_Controller
{
    protected $data = array();

    function __construct()
    {
        parent::__construct();
    }

    protected function render($views = NULL)
    {
        $this->initnavigation();
        $this->load->view('navigation',$this->data);

        if($views != NULL){
            foreach ($views as $value) {
                $this->load->view($value, $this->data);
            }
        }
        $this->load->view('footer',$this->data);
    }

    private function initnavigation(){
        $this->data['navigation'] = array();
        $this->load->model('navigation','nav');
        $result = $this->nav->navigationlinks();
```



```

        foreach ($result as $value){
            $this->data['navigation'][] = array('meni'=>$value->meni, 'meniLink'=>$value->meniLink);
        }
    }

    protected function initheader($value = NULL){
        if($value == NULL){
            #$this->data['needReservation'] = TRUE;
            $this->data['headerImgLink'] = 'images/img_bg_1.jpg';
            $this->data['headerH1Text'] = 'Savory is best restaurant!';
            $this->data['headerH1TextAbove'] = 'Hand-crafted by <a href="http://gettemplates.co" target="_blank">GetTemplates.co</a>';
        }
        else{
            if(isset($value['reservation'])){
                $this->data['needReservation'] = TRUE;
            }
            $this->data['headerImgLink'] = isset($value['img'])?
$value['img'] : 'images/img_bg_'.mt_rand(4, 11).'jpg';
            $this->data['headerH1Text'] = $value['h1'];
            $this->data['headerH1TextAbove'] = $value['above'];
        }
    }

    protected function inittitle($value = NULL){
        if($value == NULL){
            $this->data['title'] = 'Best website';
        }
        else{
            $this->data['title'] = $value;
        }
    }
}

```


MODELS

Ajax_model.php

```
<?php
class ajax_model extends CI_Model
{
    function __construct()
    {
        parent::__construct();
    }

    public function ishevoted($id, $ip){

        $this->db->select('pollQuestionID');
        $this->db->from('pollanswer');
        $this->db->where('pollAnswerID',$id);
        $question = $this->db->get()->row();

        $this->db->select('pollVoteID');
        $this->db->from('pollvote');
        $this->db->where('pollQuestionID',$question->pollQuestionID); //
ovo sam samo dirao
        $this->db->where('ipAddress',$ip);
        $vote = $this->db->get()->num_rows();
        if($vote){
            return TRUE;
        }
        return FALSE;
    }
}
```

```

}

public function writevote($id, $ip){
    $this->db->select('pollQuestionID');
    $this->db->from('pollanswer');
    $this->db->where('pollAnswerID',$id);
    $question = $this->db->get()->row();

    $this->db->set('vote', 'vote+1', FALSE);
    $this->db->where('pollAnswerID', $id);
    $this->db->update('pollanswer');

    return $this->db->insert('pollvote',array(
        'pollQuestionID'=> $question->pollQuestionID,
        'pollAnswerID'=> $id,
        'ipAddress'=>$ip
    ));
}

public function getvotepercent($id){
    $this->db->select('pollQuestionID');
    $this->db->from('pollanswer');
    $this->db->where('pollAnswerID',$id);
    $questionid = $this->db->get()->row()->pollQuestionID;

    $this->db->select('pollAnswer, vote');
    $this->db->from('pollanswer');
    $this->db->where('pollQuestionID',$questionid);
    $res = $this->db->get()->result();

```

```

    $votesum = 0;

    foreach($res as $row){
        $votesum += $row->vote;
    }

    $onepercent = 100/$votesum;
    $value = array();

    foreach($res as $row){
        $value[] = array($row->pollAnswer , $row->vote*$onepercent);
    }

    return $value;
}

public function changeonoff($id,$val){
    if($val){
        $val = 0;
    }
    else{
        $val = 1;
    }
    $this->db->set(array('onOff'=> $val));
    $this->db->where('pollQuestionID', $id);
    return $this->db->update('pollquestion');
}

```

}

Backstuff.php

```
<?php
class backstuff extends CI_Model
{
    function __construct(){
        parent::__construct();
    }

    public function getSupplies($page , $perPage){
        return $this->db->get('supplie', $perPage , ($page-1)*$perPage)-
>result();
    }

    public function deleteSupplies($id){
        $result = $this->db->get_where('supplie', array('supplieID' => $id))-
>row_array();
        if($result){
            unset($result['supplieID']);

            if($this->db->insert('suppliehistory', $result)){
                return $this->db->delete('supplie', array('supplieID' =>
$id));
            }
        }
        return FALSE;
    }

    public function countsupplielist(){
        return $this->db->count_all('supplie');
    }

    public function getBarmanSupplies($page,$perPage){
```



```

        $this->db->select('s.supplieID, s.name, s.quantity, s.date, s.userID,
s.measure, u.roleID');
        $this->db->from('supplie s');
        $this->db->join('user u', 's.userID=u.userID');
        $this->db->where('u.roleID', 5);
        $this->db->limit($perPage , ($page-1)*$perPage);
        return $this->db->get()->result();
    }

    public function countBarmanSupplies(){
        $this->db->from('supplie s');
        $this->db->join('user u', 's.userID=u.userID');
        $this->db->where('u.roleID', 5);
        return $this->db->count_all_results();
    }

    public function insertDrink($drink){
        $this->db->insert('supplie', $drink);
    }

    public function updateDrink($drink, $id){
        $this->db->where('supplieID', $id);
        return $this->db->update('supplie', $drink);
    }

    public function getOneSupplie($id){
        $this->db->select('s.supplieID, s.name, s.quantity, s.date, s.userID,
s.measure, u.roleID');
        $this->db->from('supplie s');
        $this->db->join('user u', 's.userID=u.userID');
        $this->db->where('u.roleID', $this->session->userdata('roleID'));
        $this->db->where('s.supplieID', $id);
        return $this->db->get()->row();
    }
}

```

```

public function removeOneSupplie($id){
    return $this->db->delete('supplie', array('supplieID'=>$id));
}

public function getCookSupplies($page,$perPage){
    $this->db->select('s.supplieID, s.name, s.quantity, s.date, s.userID,
s.measure, u.roleID');
    $this->db->from('supplie s');
    $this->db->join('user u','s.userID=u.userID');
    $this->db->where('u.roleID', 4);
    $this->db->limit($perPage , ($page-1)*$perPage);
    return $this->db->get()->result();
}

public function countcooklist(){
    $this->db->from('supplie s');
    $this->db->join('user u','s.userID=u.userID');
    $this->db->where('u.roleID', 4);
    return $this->db->count_all_results();
}

public function insertSupplie($supplie){
    return $this->insertDrink($supplie);
}

public function addStandardSupplies($userID){
    $ss = $this->db->get('standardsupplies')->result_array();
    if(!$ss){return FALSE;}
    $time = time();
    foreach($ss as $row){
        unset($row['supplieID']);
        $row['userID'] = $userID;
        $row['date'] = $time;
    }
}

```

```

        $this->db->insert('supplie',$row);
    }
    return TRUE;
}

public function getdish($page , $perPage){
    return $this->db->get('dish' , $perPage , ($page-1)*$perPage)-
>result();
}
public function getonedish($id){
    return $this->db->get_where('dish', array('dishID'=>$id))->row();
}

public function adddish($dish){
    return $this->db->insert('dish', $dish);
}
public function removeonedish($id){
    return $this->db->delete('dish',array('dishID'=>$id));
}
public function dishimgpath($id){
    $this->db->select('imgLink');
    $this->db->from('dish');
    $this->db->where('dishID', $id);
    return $this->db->get()->row();
}

public function modifydish($dish, $id){
    $this->db->where('dishID',$id);
    $this->db->update('dish',$dish);
}

```

```
public function countdishlist(){  
    return $this->db->count_all('dish');  
}  
}
```

Checkout_model.php

```
<?php
class checkout_model extends CI_Model
{
    function __construct(){
        parent::__construct();
    }

    public function payReservation($reservationID){
        $this->db->set(array('reservationStatus'=>1));
        $this->db->where('reservationID', $reservationID);
        return $this->db->update('reservation');
    }

}
```

Front.php

```
<?php
class front extends CI_Model
{
    function __construct()
    {
        parent::__construct();
    }

    public function getdish(){
        $this->db->select('*');
        $this->db->from('dish');
        $this->db->order_by('dishID', 'RANDOM');
        $this->db->limit(6);
        return $this->db->get()->result();
    }
    public function getcooknum(){
        return $this->db->get_where('user', array('roleID'=>4))-
>num_rows();
    }
    public function getdishnum(){
        return $this->db->get('dish')->num_rows();
    }
    public function countdish(){
        return $this->db->count_all('dish');
    }
}
```

Navigation.php

```
<?php
class navigation extends CI_Model
{
    function __construct()
    {
        parent::__construct();
    }

    public function navigationlinks(){
        return $this->db->query("SELECT meni,meniLink FROM meni")->result();
    }
}
```

User.php

```
<?php
class user extends CI_Model
{
    function __construct(){
        parent::__construct();
    }

    public function userLogin($email = NULL, $password = NULL){
        if($email != NULL && $password != NULL){
            $this->db->select('*');
            $this->db->from('user');
            $this->db->join('role','role.roleID = user.roleID');
            $this->db->where('email',$email);
            $this->db->where('password',md5($password));
            $query = $this->db->get();
            if($query->num_rows()>0){
                return array('exist'=>TRUE , 'data'=>$query->row());
            }
            else{
                return array('exist'=>FALSE);
            }
        }
        else{
            return array('exist'=>FALSE);
        }
    }

    public function userRegister($value = NULL){
```



```

        if($value != NULL){
            if($this->db->insert('user',$value)){
                return array('registred'=>TRUE);
            }else{
                return array('registred'=>FALSE, 'msg'=>'Did not insert in
database. ');
            }
        }
        return array('registred'=>FALSE, 'msg'=>'Dont have values. ');
    }
}

```

```

public function makeValidationCode(){
    $verificationCode = "";
    $characters =
'0123456789abcdefghijklmnopqrstuvwxyz0123456789ABCDEFGHIJKLMNOPQRSTUVWXYZ';
    for($i=0;$i<20;$i++){
        $verificationCode .= $characters[rand(0, strlen($characters) -
1)];
    }
    return $verificationCode;
}

```

```

public function verifyEmail($email, $validationCode){
    $this->db->select('*');
    $this->db->from('user');
    $this->db->where('email',$email);
    $this->db->where('validationCode',$validationCode);
    $this->db->where('statusID',3);
    $query = $this->db->get();
    if($query->num_rows()>0){
        $user = $query->row();
    }
}

```

```

        $this->db->set(array('statusID'=>1));
        $this->db->where('userid', $user->userID);
        return $this->db->update('user');
    }
    return false;
}

```

```

public function forgotpassword($email,$newpass){
    $this->db->set(array('password'=>md5($newpass)));
    $this->db->where('email',$email);
    return $this->db->update('user');
}

```

```

private function checkReservation($timestamp, $userID = NULL){
    //
    // ova funkcija treba da proveriti da li ima nesto tada u radiusu od 2h
i ako ima ('rezervacija' <= 8 )
    // onda mogu i njega da dodam u suprotnom , nema mesata za to zadato
vreme
    //

    $this->db->select('*');
    $this->db->from('reservation');           # 2*60*60
    $this->db->where('reservationTime <', $timestamp + 7200);
    $this->db->where('reservationTime >', $timestamp - 7200);
    $this->db->where('reservationStatus', 1);  #1-rezervisano 2-nije
rez. # treba da stoji 1
    if($userID != NULL){
        $this->db->where('userID', $userID);  #ovo je da ne moze on da
naruci
    }
}

```

```

    }
    $query = $this->db->get();

    if($query->num_rows() < 8 && $userID == NULL){ # TREBA DA STOJI 8
        return TRUE;
    }
    else if($query->num_rows() < 1 && $userID != NULL){
        return TRUE;
    }
    return FALSE;
}

public function checkReservations($timestamp, $userID){
    /*
    *   Ako korisnik nije narucio nista u narednih/predhodnih 2h
    */
    if($this->checkReservation($timestamp,$userID)){
        /*
        *   Ako ima praznih stolova
        */
        return $this->checkReservation($timestamp);
    }
    return FALSE;
}

public function tableReservation($value = NULL){
    if($value != NULL){
        if($this->db->insert('reservation',$value)){
            return TRUE;
        }
    }
}

```

```

        return FALSE;
    }

    public function userInfo($userID){
        return $this->db->get_where('user', array('userID' => $userID))->row();
    }

    public function getUserReservations($userID){
        return $this->db->get_where('reservation', array('userID' => $userID))->result();
    }

    public function fixReservations($userID){
        #
        # datum koji je star obrisi i stavi u history ako je
        reservationStatus bio 1 a ako nije samo obrisi
        #

        $result = $this->db->get_where('reservation', array('userID' => $userID, 'reservationTime <=' => time()))->result();
        foreach($result as $row){
            if($row->reservationStatus == 2){
                $this->db->delete('reservation', array('reservationID' => $row->reservationID));
            }
            else{
                $id = $row->reservationID;
                unset($row->reservationID);
                $this->db->insert('reservationhistory', $row);
                $this->db->delete('reservation', array('reservationID' => $id));
            }
        }
    }

```

```

        }
    }
}

public function removeReservation($reservationID){
    $this->db->delete('reservation', array('reservationID' =>
$reservationID));
}

public function rolelist(){
    $tmp = array();
    $res = $this->db->get('role')->result();
    foreach($res as $row){
        $tmp[$row->roleID] = $row->role;
    }
    return $tmp;
}

public function userlist($page = 1 , $perPage = 5){
    $this->db->select('u.userID, u.firstName, u.lastName, u.email ,
r.role ,u.timeOfReg , s.status');
    $this->db->from('user u');
    $this->db->join('role r', 'u.roleID=r.roleID');
    $this->db->join('status s', 'u.statusID=s.statusID');
    $this->db->limit($perPage , ($page-1)*$perPage); // number of rows --
starting from
    return $this->db->get()->result();
}

public function countuserlist(){
    return $this->db->count_all('user');
}

public function modifyuser($user, $userID){

```

```

        $this->db->where('userID', $userID);
        return $this->db->update('user', $user);
    }

    public function changeuserstatus($userID,$status){
        $this->db->where('userID', $userID);
        return $this->db->update('user', array('statusID' => $status));
    }


    public function menilist($page,$perPage){
        return $this->db->get('meni',$perPage , ($page-1)*$perPage)-
>result();
    }

    public function getmenilink($id){
        return $this->db->get_where('meni',array('meniID'=>$id))->row();
    }

    public function modifymenilink($link,$id){
        $this->db->where('meniID',$id);
        return $this->db->update('meni',$link);
    }

    public function addmenilink($link){
        return $this->db->insert('meni',$link);
    }

    public function removemenilink($id){
        $this->db->delete('meni', array('meniID' => $id));
    }

    public function countmenilist(){
        return $this->db->count_all('meni');
    }


    public function polllist($page,$perPage){

```

```

        return $this->db->get('pollquestion',$perPage , ($page-1)*$perPage)-
>result();
    }
    public function countpolllist(){
        return $this->db->count_all('pollquestion');
    }
    public function addpollquestion($value){
        if($this->db->insert('pollquestion',$value)){
            return $this->db->insert_id();
        }
        return FALSE;
    }
    public function addpollanswers($value){
        return $this->db->insert_batch('pollanswer',$value);
    }

    public function getonepollquestion($id){
        return $this->db-
>get_where('pollquestion',array('pollQuestionID'=>$id))->row();
    }
    public function getonepollquestionanswers($id){
        return $this->db-
>get_where('pollanswer',array('pollQuestionID'=>$id))->result();
    }
    public function modifypollquestion($id,$value){
        $this->db->where('pollQuestionID', $id);
        return $this->db->update('pollquestion',$value);
    }
    public function addoneanswer($value){
        return $this->db->insert('pollanswer',$value);
    }
    public function modifyoneanswer($id,$value){

```

```

        $this->db->where('pollAnswerID',$id);
        return $this->db->update('pollanswer',$value);
    }

    public function removeonepoll($id){
        if($this->db->delete('pollquestion', array('pollQuestionID' =>
$id))){
            if($this->db->delete('pollanswer', array('pollQuestionID' =>
$id))){
                return true;
            }
        }
        return false;
    }

    public function removeonepollanswer($id){
        return $this->db->delete('pollanswer', array('pollAnswerID' => $id));
    }

    public function getactivepoll(){
        $d = array();

        $this->db->select('*');
        $this->db->from('pollquestion');
        $this->db->where('onOff', 1);
        $this->db->order_by('onOff', 'RANDOM');
        $this->db->limit(1);
        $d['question'] = $this->db->get()->row();

        if($d['question']){
            $this->db->select('*');

```



```

        $this->db->from('pollanswer');
        $this->db->where('pollQuestionID',$d['question']-
>pollQuestionID);
        $d['answers'] = $this->db->get()->result();
    }else{
        return false;
    }
    return $d;
}

```

```

    public function anypoll(){
        return $this->db->get_where('pollquestion', array('onOff'=>1))-
>num_rows();
    }
}

```


VIEWS

Admin.php

```
<header id="gtco-header" class="gtco-cover gtco-cover-md" role="banner" data-
stellar-background-ratio="0.5">
  <div class="overlay"></div>
  <div class="gtco-container">
    <div class="row">
      <div class="col-md-12 col-md-offset-0 text-center">

        <div class="row row-mt-10em">
          <div class="col-md-12 col-md-push-0 animate-box"
data-animate-effect="fadeInRight">
            <?php

              if(isset($adduser)){
                ?>
                <div class="form-wrap">
                  <div class="tab">

                    <div class="tab-content">
                      <div class="tab-content-inner active"
data-content="signup">

                        <h3 class="cursive-font">Savory
Registration</h3>

                        <?php
                          if($this->session-
>flashdata('noinsert')){

                              echo "<div>".$this-
>session->flashdata('noinsert')."</div>";

                              }

```

```

" <div>".validation_errors()." </div>";

echo

#   otvaranje forme
echo

form_open('admin/adduser');

#   FIRST NAME
echo "<div class='row form-
group'>
        <div class='col-md-
12'>";
        echo form_label('First
Name', 'firstName');
        echo form_input(array(
            'id'=>'firstName',
            'name'=>'firstName',
            'placeholder'=>'FIRST
NAME',
            'class'=>'form-control',
            'value'=>set_value('firstName')
        ));
        echo " </div>
        </div>";

#   LAST NAME
echo "<div class='row form-
group'>
        <div class='col-md-
12'>";
        echo form_label('Last
Name', 'lastName');

```

```

NAME',

'value'=>set_value('lastName')

# EMAIL

group'>

12'>";

form_label('Email','email');

'value'=>set_value('email')

# password

group'>

12'>";

echo form_input(array(
    'id'=>'lastName',
    'name'=>'lastName',
    'placeholder'=>'LAST
    'class'=>'form-control',

));
echo " </div>
    </div>";

echo "<div class='row form-
    <div class='col-md-

echo

echo form_input(array(
    'id'=>'email',
    'name'=>'email',
    'placeholder'=>'EMAIL',
    'class'=>'form-control',

));
echo " </div>
    </div>";

echo "<div class='row form-
    <div class='col-md-

```

```

form_label('Password','password');

'placeholder'=>'PASSWORD',

# role
group'>
12'>";

form_label('Role','activities');
$rolelist, (set_value('role') != NULL)? set_value('role') : '2'
,'id="activities" class="form-control"');

# submit dugme
group'>
12'>";

btn-block'

echo
echo form_password(array(
    'id'=>'password',
    'name'=>'password',

    'class'=>'form-control'
));
echo " </div>
</div>";

echo "<div class='row form-
    <div class='col-md-

echo
echo form_dropdown('role',
    echo " </div>
    </div>";

echo "<div class='row form-
    <div class='col-md-

echo form_submit(array(
    'id'=>'submit',
    'name'=>'submit',
    'value'=>'Add New User',
    'class'=>'btn btn-primary

));

```

```

        echo    "</div>
                </div>";
        echo form_close();

    ?>
</div>
</div>

</div>
</div>
<?php
    }
    else if(isset($users)){
        if($this->session-
>flashdata('userisadded')){
            echo "<div>".$this->session-
>flashdata('userisadded')."</div>";
        }
        if($this->session-
>flashdata('userismodify')){
            echo "<div>".$this->session-
>flashdata('userismodify')."</div>";
        }

        if(isset($userlist)){

            echo "<table class='table table-
responsive table-hover table-condensed'>

                <thead>
                <tr>
                    <th>ID</th>

```

```

        <th>Full name</th>
        <th>Email</th>
        <th>Role</th>
        <th>Time of reg</th>
        <th>Status</th>
        <th>Modify</th>
    </tr>
</thead>
<tbody>";
foreach($userlist as $row){
    if($row->status == 'Verified'){
        echo "<tr class='success'>";
    }
    else if($row->status ==
'Banned'){

        echo "<tr class='danger'>";
    }
    else if($row->status ==
'Deleted'){

        echo "<tr class='warning'>";
    }
    else {
        echo "<tr class='info'>";
    }
    echo "
        <td>".$row->userID."</td>
        <td>".$row->firstName."
        <td>".$row->email."</td>
        <td>".$row->role."</td>
        <td>".@date('d/m/Y',$row-
>timeOfReg)."</td>
        <td>".$row->status."</td>

```



```

<td>".anchor('admin/oneuser/'.$row->userID,'Modify')."</td>
        </tr>";
    }
    echo "</tbody>
        </table>";

    echo $pagination;
}
}
else if(isset($oneuser)){
    ?>
<div class="form-wrap">
    <div class="tab">

        <div class="tab-content">
            <div class="tab-content-inner active"
data-content="signup">
                <h3 class="cursive-font">Savory
Modify</h3>
                <?php
                    if($this->session-
>flashdata('noinsert')){
                        echo "<div>".$this-
>session->flashdata('noinsert')."</div>";
                    }
                    if($this->session-
>flashdata('badpassword')){
                        echo "<div>".$this-
>session->flashdata('badpassword')."</div>";
                    }
                    echo
"<div>".validation_errors()."</div>";

```

```

#   otvaranje forme
echo

form_open('admin/oneuser');

#   USER ID
echo form_hidden('userID',
$userdata->userID);

#   FIRST NAME
echo "<div class='row form-
        <div class='col-md-
12'>";

echo form_label('First
Name','firstName');

echo form_input(array(
    'id'=>'firstName',
    'name'=>'firstName',
    'placeholder'=>'FIRST
NAME',
    'class'=>'form-control',
    'value'=>$userdata-
>firstName
));
echo "   </div>
        </div>";

#   LAST NAME
echo "<div class='row form-
        <div class='col-md-
12'>";

echo form_label('Last
Name','lastName');

echo form_input(array(

```

```

NAME ',
    'id'=>'lastName',
    'name'=>'lastName',
    'placeholder'=>'LAST
    'class'=>'form-control',
    'value'=>$_userdata->lastName
));
echo "    </div>
    </div>";

#    EMAIL

echo "<div class='row form-
    <div class='col-md-
12'>";

form_label('Email','email');

echo form_input(array(
    'id'=>'email',
    'name'=>'email',
    'placeholder'=>'EMAIL',
    'class'=>'form-control',
    'value'=>$_userdata->email
));
echo "    </div>
    </div>";

#    password

echo "<div class='row form-
    <div class='col-md-
12'>";

form_label('Password','password');

echo form_password(array(

```

```

        'id'=>'password',
        'name'=>'password',

'placeholder'=>'PASSWORD',

        'class'=>'form-control'
    ));
    echo "    </div>
    </div>";

#    role

    echo "<div class='row form-

        <div class='col-md-

    echo

    echo form_dropdown('role',
$rolelist, $userdata->roleID , 'id="activities" class="form-control"');
    echo "    </div>
    </div>";

#    submit dugme

    echo "<div class='row form-

        <div class='col-md-

    echo form_submit(array(
        'id'=>'submit',
        'name'=>'submit',
        'value'=>'Modify User',
        'class'=>'btn btn-primary

    ));

    echo    "</div>

```



```

        </thead>
        <tbody>
        <?php
            foreach($menidata as $row){
                echo "<tr>
                    <td class='col-md-
3'>".$row->meni."</td>
                    <td class='col-md-
3'>".$row->meniLink."</td>
                    <td class='col-md-
3'>".anchor('admin/modifymeni/' . $row->meniID, 'Modify')."</td>
                    </tr>";
            }
        ?>

        </tbody>
    </table>
    <?php echo $pagination;?>

    <?php else:?>
        <div><p>We dont have any data.</p></div>
    <?php endif;?>

    <?php
        }
        elseif(isset($polllist)){
    ?>

    <?php if(isset($polldata)):?>
        <table class='table table-responsive table-
condensed'>

        <thead>
            <tr>

```

```

3">Question</th>

<th class="col-md-3">Modify</th>
<th class="col-md-3">On /
Off</th>

</tr>
</thead>
<tbody>
<?php
    foreach($polldata as $row){
        echo "<tr>
            <td class='col-md-3'>".$row->pollQuestion."</td>
            <td class='col-md-3'>".anchor('admin/modifypoll/'.$row->pollQuestionID,'Modify')."</td>
            <td class='col-md-3'>".
                form_button(array(
                    'name'=>'onoff[]',
                    'value'=>$row->onOff ? 'On': 'Off',
                    'content'=>$row->onOff ? 'On': 'Off',
                    'class'=>'btn '.($row->onOff ? 'btn-success': 'btn-danger'),
                    'onclick'=>'ajaxOnOff(this, '.$row->pollQuestionID.', '.$row->onOff.');'
                ))
            ."</td>
        </tr>";
    }
?>
</tbody>
</table>

```

```

        <?php echo $pagination;?>

    <?php else:?>
        <div><p>We dont have any data.</p></div>
    <?php endif;?>
    <script>
        function ajaxOnOff(obj,id,val){
            $.ajax({
                url: '<?php echo
base_url()?>voteajax/ajaxOnOff',
                type:'POST',
                data: {onOff: {onOffID: id, onOffval:
val}},
                success: function(c){

                    if(c == 'true'){
                        if(obj.value=="On"){
                            obj.value = "Off";
                            obj.innerHTML = "Off";
                            obj.className = "btn btn-
danger";

                            var nval = val ? 0 : 1;

                            obj.setAttribute('onclick','ajaxOnOff(this,'+id+', '+nval+')');
                        }
                        else if(obj.value=="Off"){
                            obj.value = "On";
                            obj.innerHTML = "On";
                            obj.className = "btn btn-
success";

                            var nval = val ? 0 : 1;

                            obj.setAttribute('onclick','ajaxOnOff(this,'+id+', '+nval+')');

```



```

    }
}
else{
    console.log('error in ajax');
}
}
});
}
</script>

```

```

<?php }
elseif(isset($addpoll)){
?>

```

```

<div class="form-wrap">
    <div class="tab">

        <div class="tab-content">
            <div class="tab-content-inner active"
data-content="signup">
                <h3 class="cursive-font">Savory
Add Poll</h3>

                <?php
                    if($this->session-
>flashdata('noinsert')){
                        echo "<div>".$this-
>session->flashdata('noinsert')."</div>";
                    }

                    echo "<div
id='val_errors'>".validation_errors()."</div>";

```

```

form_open('admin/addpoll');

#   otvaranje forme
echo

#   FIRST NAME
echo "<div class='row form-
    <div class='col-md-
12'>";

form_label('Question','question');

echo
echo form_input(array(
    'id'=>'question',
    'name'=>'question',

    'placeholder'=>'QUESTION',

    'class'=>'form-control',

    'value'=>set_value('question')

));
echo " </div>
    </div>";
echo "<div

#   LAST NAME
echo "<div class='row form-
    <div class='col-md-
12'>";

echo form_label('Answer','');
echo form_input(array(
    'name'=>'answers[]',
    'placeholder'=>'ANSWER',

```

```

                                'class'=>'form-control
answers',

'value'=>set_value('answers[]')

                                ));
                                echo " </div>
                                </div>";

                                #   LAST NAME
                                echo "<div class='row form-
                                <div class='col-md-

                                echo form_label('Answer','');
                                echo form_input(array(
                                    'name'=>'answers[]',
                                    'placeholder'=>'ANSWER',
                                    'class'=>'form-control
answers',

'value'=>set_value('answers[]')

                                ));
                                echo " </div>
                                </div>";

                                for($i = 2;$i <
$answerelementnumber; $i++){
                                echo "<div class='row
form-group'>
                                <div class='col-md-

                                echo
                                echo form_input(array(

```

```

'placeholder'=>'ANSWER',

'control answers',

'value'=>set_value('answers[]')

));
echo " </div>
</div>";
}
echo "</div>";
# add more dugme
echo "<div class='row form-
group'>
<div class='col-md-
12'>";

echo form_button(array(
'id'=>'addmore',
'name'=>'addmore',
'value'=>'true',
'content'=>'Add one more
answer',
'btn-block',
'onclick'=>'ineedanswer()';

));

echo "</div>
</div>";

# submit dugme

```

```

group'>
12'>";

btn-block'

echo "<div class='row form-
        <div class='col-md-

echo form_submit(array(
    'id'=>'submit',
    'name'=>'submit',
    'value'=>'Add Poll',
    'class'=>'btn btn-primary

));

echo    "</div>
        </div>";
echo form_close();

?>
</div>
</div>

<script>
    function ineedanswer(){
        var parent =
document.getElementById('answerparent');

        var row =
document.createElement('div');

        row.setAttribute('class', 'row
form-group');

        var col =
document.createElement('div');

        col.setAttribute('class', 'col-
md-12');

```

```

                                var label =
document.createElement('label');

label.appendChild(document.createTextNode("Answer"));

                                var answer =
document.createElement('input');

                                answer.setAttribute('type',
'text');

                                answer.setAttribute('name',
'answers[]');

                                answer.setAttribute('class',
'form-control answers');

answer.setAttribute('placeholder', 'ANSWER');

```

```

                                col.appendChild(label);
                                col.appendChild(answer);
                                row.appendChild(col);
                                parent.appendChild(row);
                                }
                                </script>
                                </div>
                                </div>
                                <?php }
                                elseif(isset($modifypoll)){
                                ?>

```

```

                                <div class="form-wrap">
                                <div class="tab">

                                <div class="tab-content">

```

```

data-content="signup">
    <div class="tab-content-inner active"
    <h3 class="cursive-font">Savory
    Modify Poll</h3>
    <?php
        if($this->session-
        >flashdata('noinsert')){
            echo "<div>".$this-
        >session->flashdata('noinsert')."</div>";
        }
        echo
        "<div>".validation_errors()."</div>";

        #   otvaranje forme
        echo
        form_open('admin/modifypoll');
        echo
        form_hidden(array('pollID' => $modifypolldataquestion->pollQuestionID));
        #   FIRST NAME
        echo "<div class='row form-
        group'>
            <div class='col-md-
            12'>";
        echo
        form_label('Question','question');
        echo form_input(array(
            'id'=>'question',
            'name'=>'question',
            'placeholder'=>'QUESTION',
            'class'=>'form-control',
            'value'=>$modifypolldataquestion->pollQuestion

```

```

    ));
    echo "    </div>
        </div>";
    echo "<div

id='answerparent'>";

foreach($modifypollldataanswers as $row){
    echo "<div class='row
form-group'>
    <div class='col-md-
12'>";
    form_label('Answer','');
    echo
    echo form_input(array(
'name'=>'answers['.$row->pollAnswerID.']',
'placeholder'=>'ANSWER',
'control answers',
'value'=>$row-
>pollAnswer
));
    echo "    </div>
        </div>";

if(count($modifypollldataanswers)>2){
    echo
    anchor('admin/deletepollanswer/'.$row-
>pollAnswerID.'/'.$modifypollldataquestion->pollQuestionID, 'Remove this
Answer');
    }
}
echo "</div><br>";

```



```

#    add more dugme
    echo "<div class='row form-
group'>
    <div class='col-md-
12'>";

    echo form_button(array(
        'id'=>'addmore',
        'name'=>'addmore',
        'value'=>'true',
        'content'=>'Add one more
answer',
        'class'=>'btn btn-default
btn-block',
        'onclick'=>'ineedanswer()';
    ));

    echo    "</div>
    </div>";

#    submit dugme
    echo "<div class='row form-
group'>
    <div class='col-md-
12'>";

    echo form_submit(array(
        'id'=>'submit',
        'name'=>'submit',
        'value'=>'Modify Poll',
        'class'=>'btn btn-primary
btn-block'
    ));

```

```

        echo    "</div>
        </div>";

        echo
anchor('admin/deletpoll/' . $modifypolldataquestion->pollQuestionID, 'Remove
this Poll');

        echo form_close();

        ?>
    </div>
</div>

<script>
    var negativnums = -1;
    function ineedanswer(){
        var parent =
document.getElementById('answerparent');

        var row =
document.createElement('div');

        row.setAttribute('class', 'row
form-group');

        var col =
document.createElement('div');

        col.setAttribute('class', 'col-
md-12');

        var label =
document.createElement('label');

        label.appendChild(document.createTextNode("Answer"));

        var answer =
document.createElement('input');

```

```

        answer.setAttribute('type',
'form-control answers');
        answer.setAttribute('name',
'answers['+(negativnums--)+']');
        answer.setAttribute('class',
'form-control answers');
        answer.setAttribute('placeholder', 'ANSWER');

```

```

        col.appendChild(label);
        col.appendChild(answer);
        row.appendChild(col);
        parent.appendChild(row);

```

```

    }

```

```

</script>

```

```

</div>

```

```

</div>

```

```

<?php }

```

```

    elseif(isset($addmeni)){

```

```

?>

```

```

<div class="form-wrap">

```

```

    <div class="tab">

```

```

        <div class="tab-content">

```

```

            <div class="tab-content-inner active"

```

```

data-content="signup">

```

```

            <h3 class="cursive-font">Savory

```

```

Modify Meni</h3>

```

```

            <?php

```

```

>flashdata('noinsert')){
    if($this->session-
        echo "<div>".$this-
    }
    >session->flashdata('noinsert')."</div>";

    echo
    "<div>".validation_errors()."</div>";

    #   otvaranje forme
    echo
    form_open('admin/addmeni');

    #   FIRST NAME
    echo "<div class='row form-
        <div class='col-md-
    12'>";
    text', 'menitext');

    TEXT',
        'class'=>'form-control',

    'value'=>set_value('menitext')
    ));
    echo "   </div>
        </div>";

    #   LAST NAME

```

```

group'>

12'>";

Link','menilink');

LINK',

'value'=>set_value('menilink')

```

```

echo "<div class='row form-

        <div class='col-md-

echo form_label('Meni

echo form_input(array(
    'id'=>'menilink',
    'name'=>'menilink',
    'placeholder'=>'MENI

    'class'=>'form-control',

));
echo " </div>
        </div>";

```

```

# submit dugme

group'>

12'>";

btn-block'

```

```

# submit dugme
echo "<div class='row form-

        <div class='col-md-

echo form_submit(array(
    'id'=>'submit',
    'name'=>'submit',
    'value'=>'Add meni',
    'class'=>'btn btn-primary

));

echo " </div>
        </div>";

```

```

        echo form_close();
    ?>
</div>
</div>

</div>
</div>

<?php }
    elseif(isset($modifymeni)){
?>

<div class="form-wrap">
    <div class="tab">

        <div class="tab-content">
            <div class="tab-content-inner active"
data-content="signup">
                <h3 class="cursive-font">Savory
Modify Meni</h3>

                <?php
                    if($this->session-
>flashdata('noinsert')){
                        echo "<div>".$this-
>session->flashdata('noinsert')."</div>";
                    }

                echo
"<div>".validation_errors()."</div>";

```

```

#   otvaranje forme
echo

form_open('admin/modifymeni');

#   MENI ID
echo form_hidden('meniID',
$menidata->meniID);

#   FIRST NAME
echo "<div class='row form-
        <div class='col-md-
12'>";

echo form_label('Meni
text','menitext');

TEXT',
        'class'=>'form-control',
        'value'=>$menidata->meni
));
echo "   </div>
        </div>";

#   LAST NAME
echo "<div class='row form-
        <div class='col-md-
12'>";

echo form_label('Meni
Link','menilink');

echo form_input(array(
        'id'=>'menilink',

```

```

LINK',
                                'name'=>'menilink',
                                'placeholder'=>'MENI

                                'class'=>'form-control',
                                'value'=>${menidata-

>meniLink

                                ));
                                echo " </div>
                                </div>";

                                # submit dugme
                                echo "<div class='row form-
group'>
                                <div class='col-md-
12'>";

                                echo form_submit(array(
                                'id'=>'submit',
                                'name'=>'submit',
                                'value'=>'Modify meni',
                                'class'=>'btn btn-primary
btn-block'

                                ));

                                echo "</div>
                                </div>";
                                echo form_close();

                                echo
                                anchor('admin/menidelete/' . ${menidata->meniID}, 'Delete this Meni.');
```



```
        </div>
    </div>

    <?php } ?>
    </div>
</div>

    </div>
</div>
</div>
</header>
```

Author.php

```
<header id="gtco-header" class="gtco-cover gtco-cover-md" role="banner" data-
stellar-background-ratio="0.5">
    <div class="overlay"></div>
    <div class="gtco-container">
        <div class="row">
            <div class="col-md-12 col-md-offset-0 text-center">

                <div class="row row-mt-15em">
                    <div class="col-md-12 mt-text animate-box
fadeInUp animated-fast" data-animate-effect="fadeInUp">

                        <div class="col-md-5"></div>

                        <div class="col-md-7">UPON FINISHING HIGH
SCHOOL I GOT ACCEPTED TO "ICT COLLEGE OF VOCATIONAL STUDIES" IN BELGRADE IN
2014, WHERE I'M CURRENTLY IN THE THIRD YEAR OF STUDIES.</div>

                    </div>
                </div>
            </div>
        </div>
    </div>
</header>
```

Barman.php

```
<header id="gtco-header" class="gtco-cover gtco-cover-md" role="banner" data-
stellar-background-ratio="0.5">
```

```
  <div class="overlay"></div>
```

```
  <div class="gtco-container">
```

```
    <div class="row">
```

```
      <div class="col-md-12 col-md-offset-0 text-center">
```

```
        <?php if(isset($list)):?>
```

```
          <?php if(isset($barman)):?>
```

```
            <div class="row row-mt-10em">
```

```
              <div class="col-md-8 col-md-push-2 animate-box"
data-animate-effect="fadeInRight">
```

```
condensed'>
```

```
  <table class='table table-responsive table-
```

```
    <thead>
```

```
      <tr>
```

```
center">Supply name</th>
```

```
      <th class="col-md-1">Num.</th>
```

```
      <th class="col-md-1">Meas.</th>
```

```
      <th class="col-md-1">Modify</th>
```

```
    </tr>
```

```
  </thead>
```

```
  <tbody>
```

```
    <?php
```

```
      foreach($barman as $row){
```

```
        echo "<tr>
```

```
          <td class='col-md-8 text-
left'>".$row->name."</td>
```

```

1'>".$row->quantity."</td>
1'>".$row->measure."</td>
1'>".anchor('barman/onesupplie/'.$row->supplieID,'Modify')."</td>
</tr>";
    }
    ?>

</tbody>
</table>
<?php echo $pagination;?>
</div>
</div>
<?php else:??>
<div class="row row-mt-10em">
    <div class="col-md-8 col-md-push-2 animate-box"
data-animate-effect="fadeInRight">

        <div><p>No more supplies from
Barman.</p></div>

    </div>
</div>
<?php endif;??>
<?php elseif(isset($add)):??>
    <div class="row row-mt-10em">
        <div class="col-md-8 col-md-push-2 animate-box"
data-animate-effect="fadeInRight">

```

```

        <div class="form-wrap">
            <div class="tab">

                <div class="tab-content">
                    <div class="tab-content-inner active"
data-content="signup">

                        <h3 class="cursive-font">Savory
add supply</h3>

                        <?php
                            if($this->session-
>flashdata('noinsert')){
                                echo "<div>".$this-
>session->flashdata('noinsert')."</div>";
                                }
                                echo "<div
id='val_errors'>".validation_errors()."</div>";

                                #   otvaranje forme
                                    echo
form_open('barman/adddrink');

                                #   SUPPLIE NAME
                                    echo "<div class='row form-
group'>

                                        <div class='col-md-
12'>";

                                    echo form_label('Drink
Name','drinkName');

                                    echo form_input(array(
                                        'id'=>'drinkName',
                                        'name'=>'drinkName',

```

```

NAME',

'placeholder'=>'DRINK

'class'=>'form-control',

'value'=>set_value('drinkName')

));
echo " </div>
</div>";

#    NUMBER
echo "<div class='row form-
        <div class='col-md-
12'>";
echo
form_label('Number','number');

echo form_input(array(
    'id'=>'number',
    'name'=>'number',
    'placeholder'=>'NUMBER',
    'class'=>'form-control',

'value'=>set_value('number')

));
echo " </div>
</div>";

#    MEASURE
echo "<div class='row form-
        <div class='col-md-
12'>";
echo
form_label('Measure','measure');

echo form_input(array(

```

```

        'id'=>'measure',
        'name'=>'measure',
        'placeholder'=>'MEASURE',
        'class'=>'form-control',

'value'=>set_value('measure')

    ));
    echo "    </div>
        </div>";

#    submit dugme
    echo "<div class='row form-

        <div class='col-md-

12'>";

        echo form_submit(array(
            'id'=>'submit',
            'name'=>'submit',
            'value'=>'Add New Drink',
            'class'=>'btn btn-primary

btn-block'

        ));

    echo    "</div>
        </div>";
    echo form_close();

?>
</div>

</div>

</div>
</div>

```

```

        </div>
    </div>
    <?php elseif(isset($modify) && isset($onesupplieddata)):?>
        <div class="row row-mt-10em">
            <div class="col-md-8 col-md-push-2 animate-box"
data-animate-effect="fadeInRight">

```

```

        <div class="form-wrap">
            <div class="tab">

                <div class="tab-content">
                    <div class="tab-content-inner active"
data-content="signup">

                        <h3 class="cursive-font">Savory

                            <?php

```



```

        if($this->session-
>flashdata('noinsert')){
        echo "<div>".$this-
>session->flashdata('noinsert')."</div>";
    }
    echo
"<div>".validation_errors()."</div>";

        #   otvaranje forme
        echo
form_open('barman/onesupplie');

        #   SUPPLY NAME
        echo "<div class='row form-
group'>
        <div class='col-md-
12'>";

        echo form_label('Drink
Name','drinkName');

        echo form_input(array(
            'id'=>'drinkName',
            'name'=>'drinkName',
            'placeholder'=>'DRINK
NAME',
            'class'=>'form-control',
            'value'=>$onesuppliedata-
>name
        ));
        echo "   </div>
        </div>";

        #   NUMBER
        echo "<div class='row form-
group'>

```

```

12'>";

form_label('Number','number');

>quantity

# MEASURE

group'>

12'>";

form_label('Measure','measure');

>measure

<div class='col-md-

echo

echo form_input(array(
    'id'=>'number',
    'name'=>'number',
    'placeholder'=>'NUMBER',
    'class'=>'form-control',
    'value'=>$onesuppliedata-

));
echo " </div>
</div>";

echo "<div class='row form-

        <div class='col-md-

echo

echo form_input(array(
    'id'=>'measure',
    'name'=>'measure',
    'placeholder'=>'MEASURE',
    'class'=>'form-control',
    'value'=>$onesuppliedata-

));
echo " </div>
</div>";

echo form_hidden(array(

```

```

'drinkID'=>$onesuppliedata->supplieID

    ));

    #    submit dugme
    echo "<div class='row form-
group'>
    <div class='col-md-
12'>";

    echo form_submit(array(
        'id'=>'submit',
        'name'=>'submit',
        'value'=>'Modify Drink',
        'class'=>'btn btn-primary
btn-block'

    ));

    echo    "</div>
    </div>";

    echo
anchor('barman/removeonesupplie/' . $onesuppliedata->supplieID, 'Remove drink');
    echo form_close();

    ?>
    </div>
</div>

</div>
</div>

```

```
                </div>
            </div>
        <?php endif;?>

        </div>
    </div>
</div>
</header>
```

Contact_main.php

```
<div class="gtco-section">
  <div class="gtco-container">
    <div class="row">
      <div class="col-md-12">
        <div class="col-md-6 animate-box">
          <h3>Get In Touch</h3>
          <?php
            if($this->session->flashdata('noininsert')){
              echo "<div>".$this->session-
>flashdata('noininsert')."</div>";
            }
          ?>
          <?php echo "<div
id='val_errors'>".validation_errors()."</div>";?>

          <?php echo form_open('contact','onsubmit="return
contactform();"'); ?>
          <div class="row form-group">
            <div class="col-md-12">
              <label class="sr-only"
for="name">Name</label>
              <?php echo form_input(array(
                'id'=>'name',
                'name'=>'name',
                'class'=>'form-control',
                'placeholder'=>'Your fullname',
                'value'=>set_value('name')
              ));?>
            </div>
```

```

</div>

<div class="row form-group">
    <div class="col-md-12">
        <label class="sr-only"
for="email">Email</label>

        <?php echo form_input(array(
            'id'=>'email',
            'name'=>'email',
            'class'=>'form-control',
            'placeholder'=>'Your email address',
            'value'=>set_value('email')
        ));?>
    </div>
</div>

<div class="row form-group">
    <div class="col-md-12">
        <label class="sr-only"
for="message">Message</label>

        <?php echo form_textarea(array(
            'id'=>'message',
            'name'=>'message',
            'cols'=>'30',
            'rows'=>'10',
            'class'=>'form-control',
            'placeholder'=>'Write us something',
            'value'=>set_value('message')
        ));?>
    </div>
</div>

<div class="form-group">

```

```

        <?php echo form_submit(array(
            'id'=>'submit',
            'name'=>'submit',
            'value'=>'Send Message',
            'class'=>'btn btn-primary'
        ));?>
    </div>

```

```

    <?php echo form_close();?>

```

```

</div>

```

```

    <div class="col-md-5 col-md-push-1 animate-box">

```

```

        <div class="gtco-contact-info">

```

```

            <h3>Contact Information</h3>

```

```

            <ul>

```

```

                <li class="address">198 West 21th Street,
<br> Suite 721 New York NY 10016</li>

```

```

                <li class="phone"><a
href="tel://1234567920">+ 1235 2355 98</a></li>

```

```

                <li class="email"><a
href="mailto:info@yoursite.com">info@yoursite.com</a></li>

```

```

                <li class="url"><a
href="http://google.com">goranurukalo.com</a></li>

```

```

            </ul>

```

```

        </div>

```

```

</div>

```

```

<div class="col-md-5 col-md-push-1 animate-box">

    <div class="gtco-contact-info">
        <?php if($anypoll):?>
            <h2>Poll</h2>
            <div id='votepollcont'>
                <?php echo form_open(''); ?>
                <h3><?php echo $polldata['question']-
>pollQuestion; ?></h3>

                <?php
                    foreach($polldata['answers'] as $answer):
                ?>
                    <div class='radio'>
                        <label>
                            <?php echo form_radio('poll',
$answer->pollAnswerID, FALSE); echo $answer->pollAnswer; ?>
                        </label>
                    </div>
                <?php
                    endforeach;
                ?>
                <?php echo form_button(array(
                    'name'=>'button',
                    'id'=>'button',
                    'value'=>'true',
                    'content'=>'Vote',
                    'class'=>'btn btn-primary',
                    'onclick'=>'ajaxVotePoll();'
                ));
            ?>
        </div>
    </div>

```



```

        <?php echo form_close(); ?>
    </div>
    <?php endif;?>
</div>

</div>

<script>
function ajaxVotePoll(){
    var checkedRadioButton =
$("input[name=poll]:checked").val();

    $.ajax({
        url: 'voteajax/pollvote',
        type: 'POST',
        data: {vote: checkedRadioButton},
        success: function(c){
            $("#votepollcont").html(c);
        }
    });
}
</script>

</div>
</div>
</div>
</div>

```

```

<header id="gtco-header" class="gtco-cover gtco-cover-md" role="banner" data-
stellar-background-ratio="0.5">
    <div class="overlay"></div>
    <div class="gtco-container">
        <div class="row">
            <div class="col-md-12 col-md-offset-0 text-center">
                <?php if(isset($list)):?>
                    <?php if(isset($cook)):?>
                        <div class="row row-mt-10em">
                            <div class="col-md-8 col-md-push-2 animate-box"
data-animate-effect="fadeInRight">
                                <?php
                                    if($this->session->flashdata('noininsert')){
                                        echo "<div>".$this->session-
>flashdata('noininsert')."</div>";
                                    }
                                ?>

                                <table class='table table-responsive table-
condensed'>
                                    <thead>
                                        <tr>
                                            <th class="col-md-7 text-
center">Supply name</th>
                                            <th class="col-md-1">Num.</th>
                                            <th class="col-md-1">Meas.</th>
                                            <th class="col-md-1">Modify</th>
                                        </tr>
                                    </thead>
                                    <tbody>

```

```

                <?php
                    foreach($cook as $row){
                        echo "<tr>
                            <td class='col-md-8 text-
left'>".$row->name."</td>
                            <td class='col-md-
1'>".$row->quantity."</td>
                            <td class='col-md-
1'>".$row->measure."</td>
                            <td class='col-md-
1'>".anchor('cook/onesupplie/'.$row->supplieID,'Modify')."</td>
                        </tr>";
                    }
                ?>

            </tbody>
        </table>
        <?php echo $pagination;?>
    </div>
</div>
<?php else:?>
    <div class="row row-mt-10em">
        <div class="col-md-8 col-md-push-2 animate-box"
data-animate-effect="fadeInRight">

            <div><p>No more supplies from Cook.</p></div>
        </div>
    </div>
<?php endif;?>
<?php elseif(isset($standard)):?>
    <div class="row row-mt-10em">
        <div class="col-md-8 col-md-push-2 animate-box"
data-animate-effect="fadeInRight">

```

```

        <h3 class="cursive-font primary-color">Are
you sure you want to add 'Standard Supplies'?</h3>
        <br>
        <br>
        <div class="row row-mt-10em">
            <div class="col-md-4">
                <?php echo
anchor('cook/addstandardsupplies/YES','Yes');?>
            </div>
            <div class="col-md-4">
            </div>
            <div class="col-md-4">
                <?php echo anchor('cook','No');?>
            </div>
        </div>
    </div>
    <?php elseif(isset($add)):?>
        <div class="row row-mt-10em">
            <div class="col-md-8 col-md-push-2 animate-box"
data-animate-effect="fadeInRight">

        <div class="form-wrap">
            <div class="tab">

                <div class="tab-content">
                    <div class="tab-content-inner active"
data-content="signup">

```

```

add supply</h3>

<h3 class="cursive-font">Savory

<?php
    if($this->session-
        >flashdata('noinsert')){
            echo "<div>".$this-
        >session->flashdata('noinsert')."</div>";
        }
        echo
        "<div>".validation_errors()."</div>";

#   otvaranje forme
        echo
form_open('cook/addsupplie');

#   SUPPLIE NAME
        echo "<div class='row form-
group'>
            <div class='col-md-
12'>";
        echo form_label('Supply
Name','supplieName');
        echo form_input(array(
            'id'=>'supplieName',
            'name'=>'supplieName',
            'placeholder'=>'SUPPLY
NAME',
            'class'=>'form-control',
            'value'=>set_value('supplieName')
        ));
        echo " </div>
        </div>";

```

```

#    NUMBER

group'>
    12'>";

form_label('Number','number');

'value'=>set_value('number')

#    MEASURE

group'>
    12'>";

form_label('Measure','measure');

'value'=>set_value('measure')

echo "<div class='row form-
    <div class='col-md-

echo

echo form_input(array(
    'id'=>'number',
    'name'=>'number',
    'placeholder'=>'NUMBER',
    'class'=>'form-control',

));
echo "    </div>
    </div>";

echo "<div class='row form-
    <div class='col-md-

echo

echo form_input(array(
    'id'=>'measure',
    'name'=>'measure',
    'placeholder'=>'MEASURE',
    'class'=>'form-control',

));
echo "    </div>

```

```

        </div>";
#    submit dugme
        echo "<div class='row form-
group'>
        <div class='col-md-
12'>";
        echo form_submit(array(
            'id'=>'submit',
            'name'=>'submit',
            'value'=>'Add New
Supply',
            'class'=>'btn btn-primary
btn-block'
        ));
        echo    "</div>
        </div>";
        echo form_close();
    ?>
</div>
</div>

</div>
</div>

```

```

        </div>
    </div>
    <?php elseif(isset($modify) && isset($onesuppliedata)):?>
        <div class="row row-mt-10em">
            <div class="col-md-8 col-md-push-2 animate-box"
data-animate-effect="fadeInRight">

                <div class="form-wrap">
                    <div class="tab">

                        <div class="tab-content">
                            <div class="tab-content-inner active"
data-content="signup">
                                <h3 class="cursive-font">Savory
                                modify supply</h3>
                                <?php
                                    if($this->session-
>flashdata('noinsert')){
                                        echo "<div>".$this-
>session->flashdata('noinsert')."</div>";
                                    }
                                    echo
                                "<div>".validation_errors()."</div>";
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

otvaranje forme


```

form_open('cook/onesupplie');

#    SUPPLIE NAME

echo "<div class='row form-
    <div class='col-md-
12'>";

echo form_label('Supply
Name','supplieName');

echo form_input(array(
    'id'=>'supplieName',
    'name'=>'supplieName',
    'placeholder'=>'SUPPLY
NAME',
    'class'=>'form-control',
    'value'=>$onesuppliedata-
>name
));
echo "    </div>
    </div>";

#    NUMBER

echo "<div class='row form-
    <div class='col-md-
12'>";

echo form_label('Number','number');

echo form_input(array(
    'id'=>'number',
    'name'=>'number',
    'placeholder'=>'NUMBER',
    'class'=>'form-control',
    'value'=>$onesuppliedata-
>quantity

```

```

    ));
    echo "    </div>
            </div>";

#    MEASURE

    echo "<div class='row form-
            <div class='col-md-

    echo

    echo form_input(array(
        'id'=>'measure',
        'name'=>'measure',
        'placeholder'=>'MEASURE',
        'class'=>'form-control',
        'value'=>$onesuppliedata-

>measure

    ));
    echo "    </div>
            </div>";

    echo form_hidden(array(

'supplieID'=>$onesuppliedata->supplieID

    ));

#    submit dugme

    echo "<div class='row form-
            <div class='col-md-

    echo form_submit(array(
        'id'=>'submit',
        'name'=>'submit',

```

```

        'value'=>'Modify Supply',
        'class'=>'btn btn-primary'
    );

    echo "</div>";
    </div>";

    echo
    anchor('cook/removeonesupplie/' . $onesuppliedata->supplieID, 'Remove supply');
    echo form_close();
    ?>
    </div>
    </div>

    </div>
    </div>

    </div>
    </div>

    <?php elseif(isset($dishlist)):?>
        <div class="row row-mt-10em">
            <div class="col-md-8 col-md-push-2 animate-box"
            data-animate-effect="fadeInRight">

                <?php if(isset($dishdata)):?>
                    <table class='table table-responsive table-
condensed'>

```

```

        <thead>
            <tr>
                <th class="col-md-2">Dish
name</th>
                <th class="col-md-3">Description</th>
                <th class="col-md-1">Price</th>
                <th class="col-md-1">Modify</th>
            </tr>
        </thead>
        <tbody>
            <?php
                foreach($dishdata as $row){
                    echo "<tr>
                        <td class='col-md-2'>". $row->name."</td>
                        <td class='col-md-3'>". $row->description."</td>
                        <td class='col-md-1'>
1'>$. $row->price."</td>
                        <td class='col-md-1'>". anchor('cook/modifydish/'. $row->dishID, 'Modify')."</td>
                        </tr>";
                    }
                ?>

            </tbody>
        </table>
        <?php echo $pagination;?>
        <?php else:??>
            <div><p>No more supplies from Cook.</p></div>
        <?php endif;??>

```

```

        </div>
    </div>
    <?php elseif(isset($adddish)):?>
        <div class="row row-mt-10em">
            <div class="col-md-8 col-md-push-2 animate-box"
data-animate-effect="fadeInRight">
                <div class="form-wrap">
                    <div class="tab">

                        <div class="tab-content">
                            <div class="tab-content-inner active"
data-content="signup">
                                <h3 class="cursive-font">Savory
add dish</h3>

                                <?php
                                    if($this->session-
>flashdata('noinsert')){
                                        echo "<div>".$this-
>session->flashdata('noinsert')."</div>";
                                    }
                                    echo "<div
id='val_errors'>".validation_errors()."</div>";
                                    #   otvaranje forme
                                    echo
form_open_multipart('cook/adddish');

                                    echo "<div class='row form-
group'>

                                        <div class='col-md-
6'>";

                                        echo "<div

                                            <label
for='img'>Dish image</label>";

```

```

form_upload(array(
    control',
    'accept'=>'image/*'

    echo
        'id'=>'img',
        'name'=>'img',
        'class'=>'form-

    ));

    echo "  </div>";
    echo "</div>
    </div>";

#   NAME

    echo "<div class='row form-

        <div class='col-md-

    echo form_label('Dish

    echo form_input(array(
        'id'=>'name',
        'name'=>'name',
        'placeholder'=>'NAME',
        'class'=>'form-control',

    ));
    echo "  </div>
        </div>";

#   DESCRIPTION

```

```

group'>

12'>";

form_label('Description','description');

'placeholder'=>'DESCRIPTION',

'value'=>set_value('description')

```

PRICE

```

group'>

12'>";

form_label('Price','price');

'value'=>set_value('price')

```

```

echo "<div class='row form-

        <div class='col-md-

echo

echo form_input(array(
    'id'=>'description',
    'name'=>'description',

    'class'=>'form-control',

));
echo " </div>
        </div>";

echo "<div class='row form-

        <div class='col-md-

echo

echo form_input(array(
    'id'=>'price',
    'name'=>'price',
    'placeholder'=>'PRICE',
    'class'=>'form-control',

));
echo " </div>
        </div>";

```

```

#    IMGALT
    echo "<div class='row form-
group'>
        <div class='col-md-
12'>";

    echo form_label('Img
alt','imgalt');

    echo form_input(array(
        'id'=>'imgalt',
        'name'=>'imgalt',
        'placeholder'=>'IMG ALT',
        'class'=>'form-control',

'value'=>set_value('imgalt')

    ));
    echo "    </div>
        </div>";

#    submit dugme
    echo "<div class='row form-
group'>
        <div class='col-md-

    echo form_submit(array(
        'id'=>'submit',
        'name'=>'submit',
        'value'=>'Add Dish',
        'class'=>'btn btn-primary

btn-block'

    ));

    echo    "</div>
        </div>";

```



```

        echo form_close();
    ?>
</div>
</div>

</div>
</div>
</div>
</div>
<?php elseif(isset($modifydish)):?>
    <div class="row row-mt-10em">
        <div class="col-md-8 col-md-push-2 animate-box"
data-animate-effect="fadeInRight">
            <div class="form-wrap">
                <div class="tab">

                    <div class="tab-content">
                        <div class="tab-content-inner active"
data-content="signup">

                            <h3 class="cursive-font">Savory
modify dish</h3>

                                <?php
                                    if($this->session-
>flashdata('noinsert')){
                                        echo "<div>".$this-
>session->flashdata('noinsert')."</div>";
                                    }
                                    echo
                                "<div>".validation_errors()."</div>";
                                    #   otvaranje forme
                                    echo
                                form_open_multipart('cook/modifydish');

```

```

        echo "<img
src='\".base_url().$dishdata->imgLink.\"' alt='\".$dishdata->imgAlt.\"'
class='img-rounded col-md-4'>";

        echo "<div class='row form-
group'>

        <div class='col-md-
6'>";

        echo "<div
class='form-group'>

        <label
for='img'>Dish image</label>";

        echo

form_upload(array(

        'id'=>'img',
        'name'=>'img',
        'class'=>'form-
control',

        'accept'=>'image/*'

        ));

        echo "    </div>";
        echo "
        <div class='checkbox'>
        <label>";
        echo form_checkbox(array(
            'name'=> 'cbimg',
            'id'=> 'cbimg',
            'value'=> 'importing',
            'checked'=> FALSE
        ));
    }
}

```

```

        echo "Modify with file?
            </label>
        </div>
";
echo "</div>
</div>";

#    NAME

group'>
12'>";

name','name');

        echo "<div class='row form-
            <div class='col-md-

echo form_label('Dish

echo form_input(array(
    'id'=>'name',
    'name'=>'name',
    'placeholder'=>'NAME',
    'class'=>'form-control',
    'value'=>${dishdata->name
));
echo "    </div>
        </div>";

#    DESCRIPTION

group'>
12'>";

form_label('Description','description');

        echo

echo form_input(array(
    'id'=>'description',
    'name'=>'description',

'placeholder'=>'DESCRIPTION',

```

```

        'class'=>'form-control',
        'value'=>$dishdata->description
    ));
    echo "    </div>
    </div>";

#    PRICE

    echo "<div class='row form-
        <div class='col-md-12'>";

    form_label('Price','price');

    echo form_input(array(
        'id'=>'price',
        'name'=>'price',
        'placeholder'=>'PRICE',
        'class'=>'form-control',
        'value'=>$dishdata->price
    ));
    echo "    </div>
    </div>";

#    IMGALT

    echo "<div class='row form-
        <div class='col-md-12'>";

    echo form_label('Img alt','imgalt');

    echo form_input(array(
        'id'=>'imgalt',
        'name'=>'imgalt',
        'placeholder'=>'IMG ALT',
        'class'=>'form-control',

```

```

        'value'=>$dishdata-
>imgAlt
    ));
    echo "    </div>
        </div>";

    echo form_hidden(array(
        'dishID'=>$dishdata-
>dishID
    ));
    #    submit dugme
    echo "<div class='row form-
group'>
        <div class='col-md-
12'>";

    echo form_submit(array(
        'id'=>'submit',
        'name'=>'submit',
        'value'=>'Modify Dish',
        'class'=>'btn btn-primary
btn-block'
    ));

    echo    "</div>
        </div>";
    echo form_close();
    echo
anchor('cook/removedish/' . $dishdata->dishID, 'Remove dish');
    ?>
    </div>
</div>

```

```
                </div>
            </div>
        </div>
    </div>

    <?php endif;?>

        </div>
    </div>
</div>
</header>
```

Director.php

```
<header id="gtco-header" class="gtco-cover gtco-cover-md" role="banner" data-
stellar-background-ratio="0.5">
  <div class="overlay"></div>
  <div class="gtco-container">
    <div class="row">
      <div class="col-md-12 col-md-offset-0 text-center">

        <div class="row row-mt-15em">
          <div class="col-md-12 mt-text animate-box
fadeInUp animated-fast" data-animate-effect="fadeInUp">
            <span class="intro-text-small">How are you
today?</span>
            <h1 class="cursive-font">Welcome back
Director!</h1>
          </div>
        </div>
      </div>
    </div>
  </div>
</header>
```

```
<footer id="gtco-footer" role="contentinfo" style="background-image:
url(<?php echo base_url();?>images/img_bg_1.jpg)" data-stellar-background-
ratio="0.5">
```

```
<div class="overlay"></div>
```

```
<div class="gtco-container">
```

```
<div class="row row-pb-md">
```

```
<div class="col-md-12 text-center">
```

```
<?php if($this->session->userdata('logged')){?>
```

```
<div class="gtco-widget">
```

```
<h3>My Profile</h3>
```

```
<ul class="gtco-quick-contact">
```

```
<?php echo
'<li>'.anchor('profile','Profile').'</li>';?>
```

```
<?php echo
'<li>'.anchor('reservation','Reservation').'</li>';?>
```

```
<?php if($this->session-
>userdata('role')=='Director'){echo
'<li>'.anchor('mydoc.pdf','Documentation').'</li>';?>
```

```
<?php echo
'<li>'.anchor('reservation/logout','Logout').'</li>';?>
```

```
</ul>
```

```
</div>
```

```
<?php } ?>
```

```
<div class="gtco-widget">
```

```
<h3>Get In Touch</h3>
```



```

        <ul class="gtco-quick-contact">
            <li><a href="#"><i class="icon-phone"></i> +1 234
567 890</a></li>
            <li><a href="#"><i class="icon-mail2"></i>
info@GetTemplates.co</a></li>
            <?php echo
'<li>'.anchor('author','Author').'</li>';?>
        </ul>
    </div>
    <div class="gtco-widget">
        <h3>Get Social</h3>
        <ul class="gtco-social-icons">
            <li><a href="#"><i class="icon-
twitter"></i></a></li>
            <li><a href="#"><i class="icon-
facebook"></i></a></li>
            <li><a href="#"><i class="icon-
linkedin"></i></a></li>
            <li><a href="#"><i class="icon-
dribbble"></i></a></li>
        </ul>
    </div>
</div>

    <div class="col-md-12 text-center copyright">
        <p><small class="block">&copy; 2016 Free HTML5. All
Rights Reserved.</small>
        <small class="block">Designed by <a
href="http://gettemplates.co/" target="_blank">GetTemplates.co</a> Demo
Images: <a href="http://unsplash.com/"
target="_blank">Unsplash</a></small></p>
    </div>

</div>

```

```

        </div>
</footer>
<!-- </div> -->

</div>

<div class="gototop js-top">
    <a href="#" class="js-gotop"><i class="icon-arrow-up"></i></a>
</div>

<!-- jQuery -->
<script src="<?php echo base_url();?>js/jquery.min.js"></script>
<!-- jQuery Easing -->
<script src="<?php echo base_url();?>js/jquery.easing.1.3.js"></script>
<!-- Bootstrap -->
<script src="<?php echo base_url();?>js/bootstrap.min.js"></script>
<!-- Waypoints -->
<script src="<?php echo
base_url();?>js/jquery.waypoints.min.js"></script>
<!-- Carousel -->
<script src="<?php echo base_url();?>js/owl.carousel.min.js"></script>
<!-- countTo -->
<script src="<?php echo base_url();?>js/jquery.countTo.js"></script>

<!-- Stellar Parallax -->
<script src="<?php echo base_url();?>js/jquery.stellar.min.js"></script>

```

```
<!-- Magnific Popup -->
<script src="<?php echo base_url();?>js/jquery.magnific-
popup.min.js"></script>

<script src="<?php echo base_url();?>js/magnific-popup-
options.js"></script>

<script src="<?php echo base_url();?>js/moment.min.js"></script>
<script src="<?php echo base_url();?>js/bootstrap-
datetimepicker.min.js"></script>

<!-- Main -->
<script src="<?php echo base_url();?>js/main.js"></script>

<!-- MY -->
<script src="<?php echo base_url();?>js/myscript.js"></script>

</body>
</html>
```

Forgotpassword.php

```
<header id="gtco-header" class="gtco-cover gtco-cover-sm" role="banner"
data-stellar-background-ratio="0.5">
  <div class="overlay"></div>
  <div class="gtco-container">
    <div class="row">
      <div class="col-md-12 col-md-offset-0 text-center">

        <div class="row row-mt-13em">
          <div class="col-md-8 col-md-push-2 animate-box" data-
animate-effect="fadeInRight">

            <div class="form-wrap">
              <div class="tab">

                <div class="tab-content">
                  <div class="tab-content-inner active"
data-content="signup">

                    <h3 class="cursive-font">Savory
Password Reset</h3>

                    <?php
                    /*
                      if($this->session-
>flashdata('userNotExist')){
                        echo "<div><p>We are
sorry but Email or Password are not good.</p></div>";
                      }*/
                      if($this->session-
>flashdata('noinsert')){
                        echo "<div>".$this-
>session->flashdata('noinsert')."</div>";
                      }
                    }
```

```

id='val_errors'>".validation_errors()."</div>";
echo "<div

# otvaranje forme
echo
form_open('reservation/forgotpassword','onsubmit="return
forgotpassword();"');

# Email
echo "<div class='row form-
group'>
<div class='col-md-
12'>";
echo
form_label('Email','email');
echo form_input(array(
'id'=>'email',
'name'=>'email',
'placeholder'=>'EMAIL',
'class'=>'form-control',

'value'=>set_value('email')

));
echo " </div>
</div>";

# submit dugme
echo "<div class='row form-
group'>
<div class='col-md-
12'>";
echo form_submit(array(
'id'=>'submit',

```


Header.php

```
<header id="gtco-header" class="gtco-cover <?php echo
isset($needReservation)? 'gtco-cover-md' : 'gtco-cover-sm'; ?>" role="banner"
style="background-image: url(<?php echo base_url().$headerImgLink;?>)" data-
stellar-background-ratio="0.5">

    <div class="overlay"></div>
    <div class="gtco-container">
        <div class="row">
            <div class="col-md-12 col-md-offset-0 <?php echo
isset($needReservation)? 'text-left' : 'text-center'; ?>">

                <?php if(isset($needReservation)){?>

                    <div class="row row-mt-15em">
                        <div class="col-md-7 mt-text animate-box" data-
animate-effect="fadeInUp">
                            <span class="intro-text-small"><?php echo
$headerH1TextAbove;?></span>
                            <h1 class="cursive-font"><?php echo
$headerH1Text;?></h1>
                        </div>
                        <div class="col-md-4 col-md-push-1 animate-box" data-
animate-effect="fadeInRight">

                            <div class="form-wrap">
                                <div class="tab">

                                    <div class="tab-content">
                                        <div class="tab-content-inner active"
data-content="signup">

                                            <h3 class="cursive-font">Table
Reservation</h3>

                                            <?php
```

```

>flashdata('noMoreTables')){
    reserved for next 2h.</div>";

    if($this->session-
        echo "<div>All tables are
    }
    if($this->session-
        echo "<div>The date must
    }
    if($this->session-
        echo "<div>".$this-
    >session->flashdata('noinsert')."</div>";
    }
    ?>
    <?php echo "<div
id='val_errors'>".validation_errors()."</div>";?>
    <?php echo
form_open('reservation','onsubmit="return reservation();"');?>
        <div class="row form-group">
            <div class="col-md-12">
                <label
for="activities">Persons</label>
                <?php
                    $options = array(
                        '0' =>
                            'Persons',
                        '1' =>
                            '1',
                        '2' =>
                            '2',
                        '3' =>
                            '3',
                        '4' =>
                            '4',

```



```

'5+',
'5' =>

);
echo
form_dropdown('persons', $options, set_value('persons'),'id="activities"
class="form-control");

?>
</div>
</div>
<div class="row form-group">
    <div class="col-md-12">
        <label for="date-
start">Date</label>

        <?php
            echo
form_input(array(
'id'=>'date',

'name'=>'date',

'placeholder'=>'',

'class'=>'form-control',

'value'=>set_value('date')

));
?>
</div>
</div>
<div class="row form-group">
    <div class="col-md-12">
        <label for="date-
start">Time</label>

        <?php

```

```

form_input(array(
    'id'=>'time',

    'name'=>'time',

    'placeholder'=>' ',

    'class'=>'form-control',

    'value'=>set_value('time')

));
?>
</div>
</div>

<div class="row form-group">
    <div class="col-md-12">
        <?php
            echo
                'id'=>'a',
                'name'=>'a',

                'value'=>'Reserve Now',

                'class'=>'btn
                btn-primary btn-block'

            ));
        ?>
    </div>
</div>
<?php echo form_close();?>
</div>

```

```

        </div>

    </div>
</div>

</div>
</div>

    <?php }else{?>
        <div class="row row-mt-15em">
            <div class="col-md-12 mt-text animate-box" data-
animate-effect="fadeInUp">
                <span class="intro-text-small"><?php echo
$headerH1TextAbove;?></span>
                <h1 class="cursive-font"><?php echo
$headerH1Text;?></h1>
            </div>
        </div>
    <?php }?>

</div>
</div>
</div>
</header>

```

Home_main.php

```
<div class="gtco-section">
  <div class="gtco-container">
    <div class="row">
      <div class="col-md-8 col-md-offset-2 text-center gtco-
heading">
        <h2 class="cursive-font primary-color">Popular
Dishes</h2>
        <p>Dignissimos asperiores vitae velit veniam totam fuga
molestias accusamus alias autem provident. Odit ab aliquam dolor eius.</p>
      </div>
    </div>
    <div class="row">

      <?php if(isset($dishlist)):?>
        <?php foreach($dishlist as $dl):?>
          <div class="col-lg-4 col-md-4 col-sm-6">
            <a href="<?php echo base_url().$dl->imgLink;?>"
class="fh5co-card-item image-popup">
              <figure>
                <div class="overlay"><i class="ti-
plus"></i></div>
                imgAlt; ?>" class="img-responsive">
              </figure>

              <div class="fh5co-text">
                <h2><?php echo $dl->name;?></h2>
                <p style="height:100px;"><?php echo $dl-
>description;?></p>
            </div>
          </div>
        </?php>
      </div>
    </div>
  </div>
```

```

                                <p><span class="price cursive-font">${?php
echo number_format($dl->price,2);?}</span></p>
                                </div>
                                </a>
                                </div>
                                <?php endforeach;?>
                                <?php endif;?>

                                </div>
                                </div>
                                </div>

                                <div id="gtco-features">
                                    <div class="gtco-container">
                                        <div class="row">
                                            <div class="col-md-8 col-md-offset-2 text-center gtco-heading
animate-box">
                                                <h2 class="cursive-font">Our Services</h2>
                                                <p>Dignissimos asperiores vitae velit veniam totam fuga
molestias accusamus alias autem provident. Odit ab aliquam dolor eius.</p>
                                            </div>
                                        </div>
                                        <div class="row">
                                            <div class="col-md-4 col-sm-6">
                                                <div class="feature-center animate-box" data-animate-
effect="fadeIn">
                                                    <span class="icon">
                                                        <i class="ti-face-smile"></i>
                                                    </span>
                                                    <h3>Happy People</h3>

```

<p>Dignissimos asperiores vitae velit veniam totam fuga molestias accusamus alias autem provident. Odit ab aliquam dolor eius.</p>

</div>

</div>

<div class="col-md-4 col-sm-6">

<div class="feature-center animate-box" data-animate-effect="fadeIn">

<i class="ti-thought"></i>

<h3>Creative Culinary</h3>

<p>Dignissimos asperiores vitae velit veniam totam fuga molestias accusamus alias autem provident. Odit ab aliquam dolor eius.</p>

</div>

</div>

<div class="col-md-4 col-sm-6">

<div class="feature-center animate-box" data-animate-effect="fadeIn">

<i class="ti-truck"></i>

<h3>Food Delivery</h3>

<p>Dignissimos asperiores vitae velit veniam totam fuga molestias accusamus alias autem provident. Odit ab aliquam dolor eius.</p>

</div>

</div>

</div>

</div>

```
</div>
```

```
<div class="gtco-cover gtco-cover-sm" style="background-image: url(<?php
echo base_url();?>images/img_bg_1.jpg)" data-stellar-background-ratio="0.5">
  <div class="overlay"></div>
  <div class="gtco-container text-center">
    <div class="display-t">
      <div class="display-tc">
        <h1>&ldquo; Their high quality of service makes me back
over and over again!&rdquo;</h1>
        <p>&mdash; John Doe, CEO of XYZ Co.</p>
      </div>
    </div>
  </div>
</div>
```

```
<div id="gtco-counter" class="gtco-section">
  <div class="gtco-container">

    <div class="row">
      <div class="col-md-8 col-md-offset-2 text-center gtco-heading
animate-box">
        <h2 class="cursive-font primary-color">Fun Facts</h2>
        <p>Dignissimos asperiores vitae velit veniam totam fuga
molestias accusamus alias autem provident. Odit ab aliquam dolor eius.</p>
      </div>
    </div>

    <div class="row">
```

```

        <div class="col-md-3 col-sm-6 animate-box" data-animate-
effect="fadeInUp">
            <div class="feature-center">
                <span class="counter js-counter" data-from="0" data-
to="5" data-speed="5000" data-refresh-interval="50">1</span>
                <span class="counter-label">Avg. Rating</span>
            </div>
        </div>
        <div class="col-md-3 col-sm-6 animate-box" data-animate-
effect="fadeInUp">
            <div class="feature-center">
                <span class="counter js-counter" data-from="0" data-
to="<?php echo $dishnum;?>" data-speed="5000" data-refresh-
interval="50">1</span>
                <span class="counter-label">Food Types</span>
            </div>
        </div>
        <div class="col-md-3 col-sm-6 animate-box" data-animate-
effect="fadeInUp">
            <div class="feature-center">
                <span class="counter js-counter" data-from="0" data-
to="<?php echo $cooknum;?>" data-speed="5000" data-refresh-
interval="50">1</span>
                <span class="counter-label">Chef Cook</span>
            </div>
        </div>
        <div class="col-md-3 col-sm-6 animate-box" data-animate-
effect="fadeInUp">
            <div class="feature-center">
                <span class="counter js-counter" data-from="0" data-
to="1985" data-speed="5000" data-refresh-interval="50">1</span>
                <span class="counter-label">Year Started</span>
            </div>
        </div>

```


</div>

</div>

</div>

</div>

</div>

Login.php

```
<header id="gtco-header" class="gtco-cover gtco-cover-md" role="banner"
style="background-image: url(<?php echo base_url().'images/img_bg_6.jpg';?>)"
data-stellar-background-ratio="0.5">
    <div class="overlay"></div>
    <div class="gtco-container">
        <div class="row">
            <div class="col-md-12 col-md-offset-0 text-center">

                <div class="row row-mt-15em">
                    <div class="col-md-8 col-md-push-2 animate-box" data-
animate-effect="fadeInRight">

                        <div class="form-wrap">
                            <div class="tab">

                                <div class="tab-content">
                                    <div class="tab-content-inner active"
data-content="signup">

                                        <h3 class="cursive-font">Savory
Login</h3>

                                        <?php
                                            if($this->session-
>flashdata('userNotExist')){
                                                echo "<div><p>We are
sorry but Email or Password are not good.</p></div>";
                                            }
                                            if($this->session-
>flashdata('userNotAllowed')){
                                                echo "<div><p>We are
sorry but you are not allowed to login.</p></div>";
                                            }
                                        }
```

```

        if($this->session-
>flashdata('userNeedToValid')){
            echo "<div><p>Before you
login, check your email and confirm registration.</p></div>";
        }
        if($this->session-
>flashdata('userVerify')){
            echo "<div><p>You have
verified email.</p></div>";
        }
        if($this->session-
>flashdata('noinsert')){
            echo "<div>".$this-
>session->flashdata('noinsert')."</div>";
        }
        echo "<div
id='val_errors'>".validation_errors()."</div>";

        #   otvaranje forme
        echo
form_open('reservation','onsubmit="return login();"');

        #   Email
        echo "<div class='row form-
group'>
            <div class='col-md-
12'>";
        echo
form_label('Email','email');
        echo form_input(array(
            'id'=>'email',
            'name'=>'email',
            'placeholder'=>'EMAIL',

```

```

        'class'=>'form-control',

'value'=>set_value('email')

    ));
    echo " </div>
        </div>";
    # password
    echo "<div class='row form-

        <div class='col-md-

    echo

    echo form_password(array(
        'id'=>'password',
        'name'=>'password',

        'class'=>'form-control'
    ));
    echo " </div>
        </div>";
    # submit dugme
    echo "<div class='row form-

        <div class='col-md-

    echo form_submit(array(
        'id'=>'submit',
        'name'=>'submit',
        'value'=>'Login',
        'class'=>'btn btn-primary

    ));
    btn-block'

```


Menu_main.php

```
<div class="gtco-section">
  <div class="gtco-container">
    <div class="row">
      <div class="col-md-8 col-md-offset-2 text-center gtco-
heading">
        <h2 class="cursive-font primary-color">Popular
Dishes</h2>
        <p>Dignissimos asperiores vitae velit veniam totam fuga
molestias accusamus alias autem provident. Odit ab aliquam dolor eius.</p>
      </div>
    </div>
    <div class="row">

      <?php if(isset($dishlist)):?>
      <?php foreach($dishlist as $dl):?>
        <div class="col-lg-4 col-md-4 col-sm-6">
          <a href="<?php echo base_url().$dl->imgLink;?>"
class="fh5co-card-item image-popup">
            <figure>
              <div class="overlay"><i class="ti-
plus"></i></div>
              imgAlt; ?>" class="img-responsive">
            </figure>

            <div class="fh5co-text">
              <h2><?php echo $dl->name;?></h2>
              <p style="height:100px;"><?php echo $dl-
>description;?></p>
          </div>
        </div>
      </?php endforeach?>
    </div>
  </div>
</div>
```

```
                <p><span class="price cursive-font">${?php
echo number_format($dl->price,2);?}</span></p>
```

```
            </div>
```

```
        </a>
```

```
    </div>
```

```
<?php endforeach;?>
```

```
    <?php echo $pagination;?>
```

```
<?php endif;?>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="gtco-cover gtco-cover-sm" style="background-image: url(?php
echo base_url();?>images/img_bg_8.jpg)" data-stellar-background-ratio="0.5">
```

```
    <div class="overlay"></div>
```

```
    <div class="gtco-container text-center">
```

```
        <div class="display-t">
```

```
            <div class="display-tc">
```

```
                <h1>&ldquo; Their high quality of service makes me back
over and over again!&rdquo;</h1>
```

```
                <p>&mdash; John Doe, CEO of XYZ Co.</p>
```

```
            </div>
```

```
        </div>
```

```
    </div>
```

```
</div>
```

```
<!DOCTYPE HTML>
<html>
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>Savory &mdash; <?php if(isset($title)){echo $title;}?></title>
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="description" content="Free HTML5 Website Template by
GetTemplates.co" />
    <meta name="keywords" content="free website templates, free html5, free
template, free bootstrap, free website template, html5, css3, mobile first,
responsive" />
    <meta name="author" content="GetTemplates.co" />

    <!-- Facebook and Twitter integration -->
    <meta property="og:title" content=""/>
    <meta property="og:image" content=""/>
    <meta property="og:url" content=""/>
    <meta property="og:site_name" content=""/>
    <meta property="og:description" content=""/>
    <meta name="twitter:title" content="" />
    <meta name="twitter:image" content="" />
    <meta name="twitter:url" content="" />
    <meta name="twitter:card" content="" />

    <link rel="shortcut icon" href="<?php echo
base_url();?>images/cutlery.png">
    <link href="https://fonts.googleapis.com/css?family=Lato:300,400,700"
rel="stylesheet">
```



```

    <link href="https://fonts.googleapis.com/css?family=Kaushan+Script"
rel="stylesheet">

    <!-- Animate.css -->
    <link rel="stylesheet" href="<?php echo base_url();?>css/animate.css">
    <!-- Icomoon Icon Fonts-->
    <link rel="stylesheet" href="<?php echo base_url();?>css/icomoon.css">
    <!-- Themify Icons-->
    <link rel="stylesheet" href="<?php echo base_url();?>css/themify-
icons.css">
    <!-- Bootstrap -->
    <link rel="stylesheet" href="<?php echo base_url();?>css/bootstrap.css">

    <!-- Magnific Popup -->
    <link rel="stylesheet" href="<?php echo base_url();?>css/magnific-
popup.css">

    <!-- Bootstrap DateTimePicker -->
    <link rel="stylesheet" href="<?php echo base_url();?>css/bootstrap-
datetimepicker.min.css">

    <!-- Owl Carousel -->
    <link rel="stylesheet" href="<?php echo
base_url();?>css/owl.carousel.min.css">
    <link rel="stylesheet" href="<?php echo
base_url();?>css/owl.theme.default.min.css">

    <!-- Theme style -->
    <link rel="stylesheet" href="<?php echo base_url();?>css/style.css">

```

```

<!-- Modernizr JS -->
<script src="<?php echo base_url();?>js/modernizr-2.6.2.min.js"></script>
<!-- FOR IE9 below -->
<!--[if lt IE 9]>
<script src="js/respond.min.js"></script>
<![endif]-->

</head>
<body>

<div class="gtco-loader"></div>

<div id="page">

<!-- <div class="page-inner"> -->
<nav class="gtco-nav" role="navigation">
    <div class="gtco-container">

        <div class="row">
            <div class="col-sm-4 col-xs-12">
                <div id="gtco-logo"><a href="<?php echo
base_url();?>">Savory <em>.</em></a></div>
            </div>
            <div class="col-xs-8 text-right menu-1">
                <ul>
                    <?php
                        if(isset($navigation)){
                            foreach($navigation as $link){
                                echo
" <li>".anchor($link['meniLink'],$link['meni'])."</li>";

```

```

        }
    }
    ?>
    <?php if($this->session->userdata('role')== 'Customer' ||
!$this->session->userdata('logged')):?>
        <li class="btn-cta"><a href="<?php echo
base_url().'reservation';?>"><span>Reservation</span></a></li>
    <?php endif;?>
</ul>
</div>
</div>

</div>
</nav>

```

Profile.php

```
<header id="gtco-header" class="gtco-cover gtco-cover-md" role="banner"
data-stellar-background-ratio="0.5">
    <div class="overlay"></div>
    <div class="gtco-container">
        <div class="row">
            <div class="col-md-12 col-md-offset-0 text-center">

                <div class="row row-mt-10em"><!-- bio .row-mt-15em
// .mt-sm-->

                <div class="col-md-8 col-md-push-2 animate-box" data-
animate-effect="fadeInRight">

                    <div class="form-wrap">
                        <div class="tab">

                            <div class="tab-content">
                                <div class="tab-content-inner active"
data-content="signup">

                                    <h3 class="cursive-font">Savory
Registration</h3>

                                    <?php

                                        if($this->session-
>flashdata('registerError')){

                                            echo "<div><p>".$this-
>session->flashdata('registerError')."</p></div>";
                                            }
                                        if($this->session-
>flashdata('noinsert')){

                                            echo "<div>".$this-
>session->flashdata('noinsert')."</div>";
                                            }
                                    }
```

```

                                echo "<div
id='val_errors'>".validation_errors()."</div>";

                                #   otvaranje forme
                                echo
form_open('reservation/registration' , 'onsubmit="return registration();"');

                                #   FIRST NAME
                                echo "<div class='row form-
group'>
                                <div class='col-md-
12'>";
                                echo form_label('First
Name', 'firstName');
                                echo form_input(array(
                                'id'=>'firstName',
                                'name'=>'firstName',
                                'placeholder'=>'FIRST
NAME',
                                'class'=>'form-control',
                                'value'=>set_value('firstName')
                                ));
                                echo "   </div>
                                </div>";

                                #   LAST NAME
                                echo "<div class='row form-
group'>
                                <div class='col-md-
12'>";
                                echo form_label('Last
Name', 'lastName');

```

```

NAME',

'value'=>set_value('lastName')

# EMAIL

group'>

12'>";

form_label('Email','email');

'value'=>set_value('email')

# password

group'>

12'>";

echo form_input(array(
    'id'=>'lastName',
    'name'=>'lastName',
    'placeholder'=>'LAST
    'class'=>'form-control',

));
echo " </div>
    </div>";

echo "<div class='row form-
    <div class='col-md-

echo

echo form_input(array(
    'id'=>'email',
    'name'=>'email',
    'placeholder'=>'EMAIL',
    'class'=>'form-control',

));
echo " </div>
    </div>";

echo "<div class='row form-
    <div class='col-md-

```

```

form_label('Password','password');

'placeholder'=>'PASSWORD',

group'>

12'>";

Password','re_password');

PASSWORD',

# re-password
echo "<div class='row form-
        <div class='col-md-

echo form_label('Re-enter

echo form_password(array(
    'id'=>'re_password',
    'name'=>'re_password',
    'placeholder'=>'RE-ENTER

    'class'=>'form-control'
));
echo " </div>
    </div>";

# submit dugme
echo "<div class='row form-
        <div class='col-md-

echo form_submit(array(
    'id'=>'submit',

```



```
<div id="gtco-features">
  <div class="gtco-container">
    <div class="row">
      <div class="col-md-8 col-md-offset-2 text-center gtco-heading
animate-box">
        <h2 class="cursive-font">Our Services</h2>
        <p>Dignissimos asperiores vitae velit veniam totam fuga
molestias accusamus alias autem provident. Odit ab aliquam dolor eius.</p>
      </div>
    </div>
    <div class="row">
      <div class="col-md-4 col-sm-6">
        <div class="feature-center animate-box" data-animate-
effect="fadeIn">
          <span class="icon">
            <i class="ti-face-smile"></i>
          </span>
          <h3>Happy People</h3>
          <p>Dignissimos asperiores vitae velit veniam totam
fuga molestias accusamus alias autem provident. Odit ab aliquam dolor
eius.</p>
        </div>
      </div>
      <div class="col-md-4 col-sm-6">
        <div class="feature-center animate-box" data-animate-
effect="fadeIn">
          <span class="icon">
            <i class="ti-thought"></i>
          </span>
          <h3>Creative Culinary</h3>
```

<p>Dignissimos asperiores vitae velit veniam totam fuga molestias accusamus alias autem provident. Odit ab aliquam dolor eius.</p>

</div>

</div>

<div class="col-md-4 col-sm-6">

<div class="feature-center animate-box" data-animate-effect="fadeIn">

<i class="ti-truck"></i>

<h3>Food Delivery</h3>

<p>Dignissimos asperiores vitae velit veniam totam fuga molestias accusamus alias autem provident. Odit ab aliquam dolor eius.</p>

</div>

</div>

<div class="col-md-4 col-sm-6">

<div class="feature-center animate-box" data-animate-effect="fadeIn">

<i class="ti-face-smile"></i>

<h3>Happy People</h3>

<p>Dignissimos asperiores vitae velit veniam totam fuga molestias accusamus alias autem provident. Odit ab aliquam dolor eius.</p>

</div>

</div>

<div class="col-md-4 col-sm-6">

<div class="feature-center animate-box" data-animate-effect="fadeIn">

<i class="ti-thought"></i>

```

        </span>
        <h3>Creative Culinary</h3>
        <p>Dignissimos asperiores vitae velit veniam totam
fuga molestias accusamus alias autem provident. Odit ab aliquam dolor
eius.</p>

```

```

    </div>
</div>
<div class="col-md-4 col-sm-6">
    <div class="feature-center animate-box" data-animate-
effect="fadeIn">
        <span class="icon">
            <i class="ti-truck"></i>
        </span>
        <h3>Food Delivery</h3>
        <p>Dignissimos asperiores vitae velit veniam totam
fuga molestias accusamus alias autem provident. Odit ab aliquam dolor
eius.</p>

```

```

    </div>
</div>

</div>
</div>
</div>

```

```

<div class="gtco-cover gtco-cover-sm" style="background-image: url(<?php
echo base_url();?>images/img_bg_1.jpg)" data-stellar-background-ratio="0.5">
    <div class="overlay"></div>
    <div class="gtco-container text-center">
        <div class="display-t">
            <div class="display-tc">
                <h1>&ldquo; Their high quality of service makes me back
over and over again!&rdquo;</h1>

```

```
        <p>&mdash; John Doe, CEO of XYZ Co.</p>
    </div>
</div>
</div>
</div>
```

Services_main.php

```
<header id="gtco-header" class="gtco-cover gtco-cover-md" role="banner" data-
stellar-background-ratio="0.5">
```

```
  <div class="overlay"></div>
```

```
  <div class="gtco-container">
```

```
    <div class="row">
```

```
      <div class="col-md-12 col-md-offset-0 text-center">
```

```
        <?php if(isset($supplies)):?>
```

```
          <div class="row row-mt-10em">
```

```
            <div class="col-md-8 col-md-push-2 animate-box" data-
animate-effect="fadeInRight">
```

```
              <?php if($this->session->flashdata('removeDone')){
echo $this->session->flashdata('removeDone');}?>
```

```
            <table class='table table-responsive table-
condensed'>
```

```
              <thead>
```

```
                <tr>
```

```
                  <th class="col-md-7 text-center">Supply
name</th>
```

```
                  <th class="col-md-1">Num.</th>
```

```
                  <th class="col-md-1">Meas.</th>
```

```
                  <th class="col-md-1">Done</th>
```

```
                </tr>
```

```
              </thead>
```

```
              <tbody>
```

```

        <?php
            foreach($supplies as $row){
                echo "<tr>
                    <td class='col-md-8 text-
left'>".$row->name."</td>
                    <td class='col-md-1'>".$row-
>quantity."</td>
                    <td class='col-md-1'>".$row-
>measure."</td>
                    <td class='col-md-1'><a
class='btn btn-lin col-md-1' href='\".base_url().\"supplier/remove/\".$row-
>supplieID.\"' role='button'><span class='glyphicon glyphicon-ok' aria-
hidden='true'></span></a></td>
                    </tr>";
            }
        ?>

    </tbody>
</table>
    <?php echo $pagination;?>
</div>
</div>
<?php else:?>
    <div class="row row-mt-10em">
        <div class="col-md-8 col-md-push-2 animate-box" data-
animate-effect="fadeInRight">
            <?php if($this->session->flashdata('removeDone')){
echo $this->session->flashdata('removeDone');}?>
            <div><p>No more supplies.</p></div>
        </div>
    </div>
<?php endif;?>

```

```
        </div>
    </div>
</div>
</header>
```

Supplier.php

```
<header id="gtco-header" class="gtco-cover gtco-cover-md" role="banner" data-
stellar-background-ratio="0.5">
    <div class="overlay"></div>
    <div class="gtco-container">
        <div class="row">
            <div class="col-md-12 col-md-offset-0 text-center">

                <?php if(isset($supplies)):?>
                    <div class="row row-mt-10em">
                        <div class="col-md-8 col-md-push-2 animate-box" data-
animate-effect="fadeInRight">

                            <?php if($this->session->flashdata('removeDone')){
echo $this->session->flashdata('removeDone');}?>

                                <table class='table table-responsive table-
condensed'>
                                    <thead>
                                        <tr>
                                            <th class="col-md-7 text-center">Supply
name</th>
                                            <th class="col-md-1">Num.</th>
                                            <th class="col-md-1">Meas.</th>
                                            <th class="col-md-1">Done</th>
                                        </tr>
                                    </thead>
                                    <tbody>
                                        <?php
```



```

        foreach($supplies as $row){
            echo "<tr>
                <td class='col-md-8 text-
left'>\".$row->name.\"</td>
                <td class='col-md-1'>\".$row-
>quantity.\"</td>
                <td class='col-md-1'>\".$row-
>measure.\"</td>
                <td class='col-md-1'><a
class='btn btn-lin col-md-1' href='\".base_url().\"supplier/remove/\".$row-
>supplieID.\"' role='button'><span class='glyphicon glyphicon-ok' aria-
hidden='true'></span></a></td>
            </tr>";
        }
    ?>

</tbody>
</table>
<?php echo $pagination;?>
</div>
</div>
<?php else:??>
<div class="row row-mt-10em">
    <div class="col-md-8 col-md-push-2 animate-box" data-
animate-effect="fadeInRight">

        <?php if($this->session->flashdata('removeDone')){
echo $this->session->flashdata('removeDone');}?>
        <div><p>No more supplies.</p></div>
    </div>
</div>
<?php endif;??>

```

```
        </div>
      </div>
    </div>
  </header>
```