

Master Control Studio Pro

User Guide — English

Versiunea 2.19.0

Master Control Studio Pro

Installation and usage instructions — English

1. Installation

- Download and unzip MacMasterControlPro-Mac.zip from gordas.dev/mac-master-control-pro or the GitHub Releases section.
- Double-click MacMasterControlPro.pkg — a package officially signed and notarized by Apple, installs directly with no Gatekeeper warnings.
- Follow the installer steps. You'll need to accept the Terms and Conditions to continue.
- The app installs automatically into the Applications folder.

2. Dependencies Panel

The "Dependencies" module in the sidebar shows whether Homebrew, Rclone and macFUSE are installed — needed for the Cloud Manager module.

- ☐ green = installed and working.
- ☐ red = missing — tap "Install Missing Dependencies" and the app installs them automatically via Homebrew, no Terminal needed.
- If Homebrew is missing (first install on a new Mac), tap the dedicated button — a Terminal window opens with the official script already typed: press Enter, type your Mac password (hidden while typing), press Enter again.

Note: you only need Homebrew/Rclone/macFUSE if you want to use Cloud Manager — the other modules work without them.

3. App Modules

- Network — one-click Gigabit/TCP tuning (requires a license to apply). Tap "Enable at startup (persistent)" so the tuning stays active after you restart your Mac — otherwise it resets on every reboot. The green/red dot shows whether it's actually active right now.
- Dashboard — the home screen shows cards with the real status (green/red) of Security, Network and Dependencies, without opening each module — click any card to jump straight there.
- DaVinci Resolve — besides the Media Pool audit and LUT/Fusion sync: "Backup now" saves a .zip copy of the project database (close Resolve first!), and the app warns you if Resolve seems stuck (process running, no window), with a force-quit button.
- Cloud Manager — add cloud accounts, mount them as drives, upload/download/sync files — see the detailed guide below (section 4).
- Cleanup & RAM — "Analyze" shows reclaimable space for free; actual cleanup requires a license.
- System Tweaks — advanced Finder, block .DS_Store, Touch ID for sudo, Spotlight protection on a chosen folder.
- Rosetta Inspector — shows which Intel apps you still have; removing Rosetta requires explicit confirmation (irreversible for those apps).

- Uninstaller — pick any app installed on your Mac (not just GDC products), search it in the list, check which traces to remove (Application Support, Cache, Preferences, Logs, LaunchAgents, etc. — each with its real size in MB) and press "Delete selected". Categories marked ☐ (system LaunchAgents/Daemons) require your admin password, once. At the end, the app confirms the program actually disappeared from Applications.
- Process Monitor — shows in real time what's using a lot of CPU/RAM right now; press "Close" next to a stuck process to stop it without opening Activity Monitor.
- Security — check at a glance (green/red) whether FileVault, System Integrity Protection, Gatekeeper, Firewall and XProtect are active; two safe one-click actions: "Enable Firewall + Stealth Mode" and "Require password immediately at screensaver".
- Large Files (inside Cleanup & RAM) — scans Downloads/Desktop/Documents/Movies and shows the 100 largest files; check what to delete (sent to Trash, not permanently).
- Settings — System/Light/Dark theme, Text Size, Language (Română/English/Español), profile (Name/Email).

4. Cloud Manager — Full Guide

Cloud Manager turns your online storage account (Google Drive, Dropbox, OneDrive, pCloud, Mega, S3, WebDAV, SFTP, FTP) into a drive you can work with like a local one — no browser, no manual upload from the provider's website.

- From the sidebar, open Cloud Manager and tap "+ Add account".
- Give it a name (e.g. "drive_personal"), pick the provider from the list, and tap "Add".
- For Google Drive/Dropbox/OneDrive/pCloud, your browser opens automatically once to sign in — standard, secure flow handled by Rclone.
- For S3/WebDAV/SFTP/FTP, fill in the required fields (server, username, password/key) directly in the form.

Mounting — access files like a drive

- Tap "Mount" next to the desired account — a new folder appears (on the Desktop by default) where you view and edit files directly in Finder, exactly like any external drive.
- Mount location: if your internal SSD is small, tap "Choose folder..." in the "Mount location" section and pick an external drive (Thunderbolt/USB-C) — all future accounts mount there. "Reset" goes back to Desktop.
- Live stats: while an account is mounted and transferring data, its current speed, total transferred, and active transfers appear below its name — auto-refreshed every 2 seconds.
- Tap "Open" to open the mounted folder directly in Finder, or "Unmount" when done.

Upload, download and delete — no mounting needed

- Tap "Browse" next to an account to see its contents instantly, WITHOUT mounting it — useful for a quick check.
- Upload: in the browser window, tap "📁 Upload files here...", pick one or more files/folders from your Mac — they upload directly into the current cloud folder, with live progress shown below.
- Download: select a file/folder from the list, tap "📁 Download selection", pick where on your Mac it should go.

- Delete: select it, tap "☐ Delete selection" — requires explicit confirmation, it's irreversible.
- Navigation: double-click a folder to enter it, "☐☐ Back" to exit.

Sync — a whole folder at once

- From the browser window, tap "☐ Sync folder...".
- Pick the local folder, the direction (Local → Cloud or Cloud → Local), and tap "Start sync".
- By default, syncing only adds/updates — it never deletes at the destination, no matter how many times you run it.
- Check "Exact mirror" ONLY if you want the destination to look identical to the source — this mode DELETES at the destination anything no longer present at the source (irreversible).

Note: all actions above (mounting, uploading, downloading, syncing) require an active license — analysis/browsing remain free.

Slow Google Drive uploads? (optional, advanced)

Google throttles the shared client used by Rclone for ALL users worldwide, to a small per-file cap — for large files this can feel like "uploading very slowly". The app already uses, by default, its own GDC client for Google Drive to avoid exactly this limit. If you still want your own personal Google client (optional, not needed in normal use), follow the steps below — takes 5-10 minutes, once, per Google account.

- Go to console.cloud.google.com, sign in with your Google account, create a new project (any name).
- In the left menu: APIs & Services → Library, search "Google Drive API", click "Enable".
- APIs & Services → OAuth consent screen → choose "External" → fill in an app name + your email → save.
- In the same section, on the "Audience" tab, click "+ Add users" and add your own email as a test user.
- APIs & Services → Credentials → "+ Create Credentials" → "OAuth client ID" → type "Desktop app" → any name → "Create".
- A popup appears with a Client ID and Client Secret — copy both.
- Open Terminal on your Mac and run (replace ACCOUNT_NAME with your Cloud Manager account name, e.g. "personal_drive"):
- `rclone config update ACCOUNT_NAME client_id "COPIED_CLIENT_ID" client_secret "COPIED_CLIENT_SECRET"`
- Then run: `rclone config reconnect ACCOUNT_NAME:` — a browser opens, confirm your Google account again.

Note: this step is entirely optional — the default GDC client works well for most use cases. Only do this if you frequently work with very large files and need maximum per-file speed.

5. Trial and license (donation)

All analyses and scans are completely free, unlimited. Only actions that actually modify the system require an active license.

- On the first write action, a window appears with your Machine ID (copy button) and a "Donate via GDC Plugin Manager" button (17€, one-time support donation).
- Once you receive the code, paste it into the same screen and tap "Activate".

Important: the code is tied to this computer — if you switch Macs, you'll need a new code for the new Machine ID.

6. Automatic updates

On launch, the app checks for a newer version. If found, a pop-up appears with "Update now" (downloads and installs automatically, only asking for your admin password — you never land on the GitHub page) and "Later" (postpones, reappears on the next version).

7. Uninstalling

Run `Dezinstalare_MacMasterControlPro.command` from the downloaded archive — it removes the app and all preferences.

8. Support

For any question, open an Issue on GitHub (github.com/gordasgdc/mac-master-control-pro) or message the GDC contact channel.

Master Control Studio Pro — github.com/gordasgdc/mac-master-control-pro