

# From a rulebook and a stack of paperwork to a pass/fail answer


Four stages, start to finish. Two of them happen once and get saved for reuse — the other two happen fast, every time you check a loan.

Think of it like grading homework with a checklist. **Stage 1** is writing the checklist. **Stage 2** is reading the student's paperwork so you know the actual answers. **Stage 3** is going down the checklist, question by question. **Stage 4** is where you file the graded results.

■ Stage 1 — the checklist itself

■ Stage 2 — the loan's paperwork

■ Stage 3 & 4 — grading and filing



### Where the answers actually live

Three folders, one job each. Everything downstream reads from these — nothing else.

📁 result / rules

**The checklist**

What the AI turned the 8,442 rules into.

comprehensive\_ruleset.json

📁 result / loans

**The paperwork, read once**

Every value pulled from the 5 loans' PDFs and computer file.

loan\_01.json ... loan\_05.json

📁 result / qc\_results

**The graded answers**

What happened when the checklist met the paperwork.

baseline\_only\_dispositions.json



comprehensive\_applicability.json

comprehensive\_vs\_baseline\_results.json

**Why two answer files?** One runs just the 27 proven checks. The other runs *both* the proven checks and the giant 8,399-check list side by side, so you can see where they agree. The proven-checks file gets updated the moment a check changes; the side-by-side file only updates when someone re-runs that comparison — so the two can briefly show different numbers if one was refreshed and the other wasn't.