ASDs

Task 3

Project statement

An application continuity service dynamically backs up and restores the state of applications running within the framework on K8s. The service shall use the DSL of the framework to determine the relevant application state and its backup policies. Developers of an application should be able to backup and restore a specific version from images and relevant state from the service. The application state shall be stored externally on the given S3-compatible object storage.

Team: Gorelyi Mikhail, Lukashin Daniil, Derezovskiy Ilya, Sigal Lev

Repo: https://github.com/gorelyi-code/advanced software designers

Report: a link to this slides within project repo/doc storage

Personas



Generated by https://this-person-doe s-not-exist.com

Pasha, 30 y.o.

Marketplace developer.
Uses k8s to deploy thousands of pods for serving users requests for finding items sold on the marketplace. Often creates bugs, which break production.




Alyona, 22 y.o.

DevOps. Configures k8s for other developers.
Often updates k8s versions for deployed services which break their applications.

Generated by https://this-person-does-not-exist.com

Value proposition canvas



Jobs map

JOBS TO BE DONE

EMOTIONAL JOB

FUNCTIONAL JOB

Creating application backups. Including, automation of backup creation

Reliable and secure storage of created backups of the application

Flexible backup management

Convenient and fast recovery of application backups

Flexibility in choosing backup policies

Intrinsic motivations

Simplification of work tasks -Convenient (re)store of application versions

The absence of reprimands and fines at work - Confidence in the stable work of the application

Less effort is spent on monitoring the work of the application - Automation of work tasks

The desire not to let down colleagues and users of the application - Ensuring stable work of the application


Receiving encouragement from superiors for quality work

RELATED JOBS

Stable work of the application without downtime

Save time by automating the control of the application's work and creating backups

Prototype User Interfaces (wireframes)



Story map

