

Supporting Companies With Validation of R Packages: A Regulatory Repository

Coline Zeballos Roche

Yann Féat *mainanalytics*

useR! 2024, July 9th

A Universal Conundrum

There are n packages for x, which one is the best?¹

Update a Value in One Column Based on Criteria in Other Columns

Asked 9 years, 4 months ago Modified 4 years, 10 months ago Viewed 114k times 🛟 Part of R Language Collective 4 Answers Highest score (default) Sorted by: df <- data.frame(Name=c('John Smith', 'John Smith', 'Jeff Smith'),</pre> State=c('MI','WI','WI'), stringsAsFactors=F) 43 df <- within(df, Name[Name == 'John Smith' & State == 'WI'] <- 'John Smith1')</pre> Another way using the dplyr: 24 df %>% mutate(Name = ifelse(State == "WI" & Name == "John_Smith", "John_Smith1", Na You can also use package data.table: library(data.table) 3 setDT(df)[State=="WI", Name:=paste0(Name, "1")]

A Universal Conundrum

By choosing packages, we're choosing our ¹

- Feature set
- Dependency footprint
- Integration with other packages
- Preferred lifecycle management of our tools
- Community that we can lean on for help

A Universal Conundrum

Regulated Industries: Justification as a Requirement

A Risk-based Approach for Assessing R package Accuracy within a Validated Infrastructure



In conclusion, 21 CFR Part 11 is not relevant or mandatory in the context of statistical analysis software itself. However, when using R as part of a validated system, elements of 21 CFR Part 11 do apply. the guidance for the use of R in regulated clinical trial environments provided more details of this topic.

The rest of this paper focuses on R package validation and its dependency.

4. R Packages and Validation

According to the FDA's Glossary of Computer System Software Development Terminology:

"Validation: Establishing documented evidence which provides a high degree of assurance (accuracy) that a specific process consistently (reproducibility) produces a product meeting its predetermined specifications (traceability) and quality attributes."

'alidation typically refers to

/

Goals

We have two objectives:

Generation of risk-based quality indicators

Provide a community-maintained catalog of package quality indicators ("risk metrics")

Package recommendations

Serve subsets of packages that conform to a specified risk tolerance

An evolving R ecosystem


In close communication with many beloved R projects












Pilot Implementation


focus on proving capabilities, quick development



Interacting with the repo

Packages risk filters

- Helper package for system administrators
- Restricts packages available for installation to those fitting a policy
- Uses packages metadata in the repo
- May be used together with manual checks (e.g., read a statistical review)



Usage

Unfiltered

1 available.packages()

	Package	• • •
1	colorspace	• • •
2	farver	• • •
3	isoband	• • •
•••	• • •	• • •
106	tripack	• • •

Filtered

```
fltr <- risk_filter(covr_coverage > 0.95
    & has_vignettes)
options(available_packages_filters = fltr)
available.packages()
```

	Package	• • •
1	colorspace	• • •
2	magrittr	• • •
3	R6	• • •
• • •	• • •	• • •
32	shinyjs	• • •

Repository 'back-end'

Infrastructure setup

- Hosts risk assessment metadata
- Links to artifacts of the R-hub check system (via Down loadURL)
- Integrates with pak::pkg_install
- Supports multiple levels of risk tolerance

DCF file forked from r-hub/repos

```
Package: bslib
Version: 0.6.1
Depends: R (>= 2.10), R (>= 4.4), R (< 4.4.99)
License: MIT + file LICENSE
DownloadURL:
https://github.com/cran/bslib/releases
Built: R 4.4.0; ; 2023-11-29 16:39:06 UTC; unix
RVersion: 4.4
Platform: x86_64-pc-linux-gnu-ubuntu-22.04
Imports: base64enc, cachem, grDevices, htmltool jsonlite, lifecycle, memoise (>= 2.0.1)
```

Added fields for risk-based assessment

```
1 riskmetric_run_date: 2023-06-21
2 riskmetric_version: 0.2.1
3 covr_coverage: 0.852
4 has_vignettes: 1
5 remote_checks: 0.846
6 ...
```

Risk assessment pipeline




Calculates package QA metadata on updated packages and their reverse dependencies





Produces logs and other reproducibility data



In the future: can run on in-house infrastructure








Our roadmap

What's next

Automating up-to-date quality metrics to support sponsor risk assessment



Reference container image(s)



Should mimic environments of companies and health authority reviewers



To be used by the Regulatory R Repository for packages cohort validation



Main intent: start a crosscompany dialogue on infrastructure

Closing











Community Grants & Sponsorships

Over USD \$1.4 Million

Organizing Large Scale Collaborative Projects

R Validation Hub, R-Ladies

Co-Host Multidisciplinary Data Science Forums

Stanford Data Institute

Direct Support for Key R Events

R/Medicine, R/Pharma, useR!, LatinR, and more

Direct Worldwide Support for R User Groups

Join us

r-consortium.org



- Help guide the future direction of the R language
- Collaborate on cross industry initiatives
- Raise your leadership profile in the R Community
- Protect your investment in R while supporting the common good

Thank you

To our Core Team members

- Coline Zeballos, Roche
- Doug Kelkhoff, *Roche*
- Jaime Pires, Roche
- Yann Féat, mainanalytics
- Andrew Borgman, *Biogen*
- Astrid Radermacher,
 Jumping Rivers
- Colin Gillespie, Jumping Rivers

- Magnus Mengelbier,
 Limelogic
- Nicoles Jones, Denali Therapeutics
- Ramiro Magno, Pattern Institute
- Stefan Doering, Boehringer-Ingelheim
- Kevin Kunzmann, Boehringer-Ingelheim

- Matthias Trampisch,
 Boehringer-Ingelheim
- Wilmar Igl, *Icon Plc*
- Lluís Revilla, IrsiCaixa AIDS Research Institute
- Yoni Sidi, Pinpoint Strategies
- Zhenglei Gao, *Bayer*

