```
Update :-
1.
      Not Updated
      Unable to Process
2.
3.
      No Data Found
Delete :-
1.
      Litigation Hold
2.
      No Matching Data
3.
      Unable to Process
1.
      Days to process:
      Online:-
a.
select
dpla.data_prvcy_law_cd as dataPrivacyLaw,
p.rqst_type_cd as RequestType,
p.prvcy_rqst_id as RequestID,
p.rqst_cntxt_cd as Requester,
p.portal type cd as PortalType,
p.days to prcss num as DaysToProcess,
p.rej rsn cd as RejResnCode,
p.rej cmnt txt as RejCmmentText
from gdp_owner.PRVCY_RQST p,gdp_owner.data_prvcy_law_assgn dpla
where dpla.data prvcy law assgn id = p.data prvcy law assgn id
and rqst_type_cd IN ('U','V','D','DA') and p.rqst_stat_cd in ('C','DL') and
p.rqst_cntxt_cd in ('B2C') and p.portal_type_cd in ('B2C')
and p.crte ts >= '2020-01-01 00:00:00' and p.crte ts <= '2020-12-31 23:59:59'
and p.tst rqst sw = false
and dpla.data_prvcy_law_cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by dpla.data_prvcy_law_cd,p.rqst_type_cd,p.prvcy_rqst_id,p.days_to_prcss_num
,p.rqst_cntxt_cd,p.portal_type_cd,p.rej_rsn_cd,p.rej_cmnt_txt order by
dataPrivacyLaw;
b.
      Offline:
select
p.data_prvcy_law_cd as DataPrivacyLaw,
p.rqst type cd as RequestType,
p.ofln_rqst_id as OfflinePrvcyRqstId,
p.prvcy rqst id as PrivacyReqsuestId,
case
      when dt of authtcn ts is not null then trunc((extract(EPOCH FROM
dt_of_clsr_ts - dt_of_authtcn_ts)::int/86400),2)
      when dt_of_authtcn_ts is null then trunc((extract(EPOCH FROM dt_of_clsr_ts -
dt_of_rcpt_ts)::int/86400),2)
      as daysToProcess
from gdp owner.ofln rqst p
```

```
where cntn_mtrc_id=20 and ignr_rqst_sw=false and rqst_type_cd IN ('U','V','D','DA')
group by p.data prvcy law cd,p.rqst type cd,p.ofln rqst id,p.prvcy rqst id order by
p.prvcy rqst id asc;
2.
      Request Submitted: Online:
select
dpla.data_prvcy_law_cd as dataPrivacyLaw,
p.rqst type cd as RequestType,
p.rqst cntxt cd as Requester,
p.portal_type_cd as PortalType,
p.prvcy rqst id as PrivacyRequestId,
count(p.prvcy rqst id) as onlineRequestsCount
from gdp_owner.PRVCY_RQST p,gdp_owner.data_prvcy_law_assgn dpla
where dpla.data_prvcy_law_assgn_id = p.data_prvcy_law_assgn_id and rqst_type_cd IN
('U','V','D','DA') and p.rqst_cntxt_cd in ('B2C') and p.portal_type_cd in ('B2C')
and p.crte_ts >= '2020-01-01 00:00:00' and p.crte_ts <= '2020-12-31 23:59:59' and</pre>
p.tst rqst sw = false and dpla.data prvcy law cd in ('BR-GDPA', 'DP-DEFAULT', 'EU-
GDPR','US-CCPA')
group by
dpla.data_prvcy_law_cd,p.rqst_type_cd,p.prvcy_rqst_id,p.rqst_cntxt_cd,p.portal_type_c
d order by dataPrivacyLaw;
3.
      Request Submitted Offline:
select
p.data_prvcy_law_cd as dataPrivacyLaw,
p.rqst type cd as RequestType,
p.ofln_rqst_id as OfflinePrvcyRqstId,
count(p.prvcy_rqst_id) as OfflineRequestsCount
from gdp owner.ofln rqst p
where cntn mtrc id='20' and ignr rqst sw=false and rqst type cd IN ('U','V','D','DA')
group by p.data prvcy law cd,p.rqst type cd,p.ofln rqst id order by dataPrivacyLaw;
4.
      Offline Request Declined:
select
p.data_prvcy_law_cd as dataPrivacyLaw,
p.rqst type cd as RequestType,
p.ofln rqst id as OfflinePrvcyRqstId,
count(p.prvcy rqst id) as OfflineRequestsCount
from gdp owner.ofln rqst p
where cntn_mtrc_id='20' and ignr_rqst_sw=false and rej_rsn_cd is not null and
rqst type cd IN ('U','V','D','DA')
group by p.data_prvcy_law_cd,p.rqst_type_cd,p.ofln_rqst_id order by dataPrivacyLaw;
5.
      Requests Declined:
a)
      View: Initial Declined
```

Online: B2C Request's :

```
select
dpla.data_prvcy_law_cd as dataPrivacyLaw,
p.rqst type cd as RequestType,
p.rqst cntxt cd as Requester,
p.portal_type_cd as PortalType,
p.prvcy rqst id as RequestId,
count(p.prvcy_rqst_id) as RequestsDeclineCount
from gdp_owner.PRVCY_RQST p,gdp_owner.data_prvcy_law_assgn dpla
where dpla.data prvcy law assgn id = p.data prvcy law assgn id
and rgst type cd IN ('V') and p.rgst cntxt cd in ('B2C') and p.portal type cd in
('B2C') and p.rqst stat cd in ('DL') and p.crte ts >= '2020-01-01 00:00:00'
and p.crte_ts <= '2020-12-31 23:59:59' and p.tst_rqst_sw = false and p.rej_rsn_cd IS</pre>
NOT NULL
and dpla.data_prvcy_law_cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by dpla.data_prvcy_law_cd,p.rqst_type_cd,p.prvcy_rqst_id
,p.rqst cntxt cd,p.portal type cd order by dataPrivacyLaw;
      Offline Requests (AOB Request's) where rej rsn cd is null and denied as per
online system:
select
dpla.data_prvcy_law_cd as dataPrivacyLaw,
p.rqst_type_cd as RequestType,
p.rqst cntxt cd as Requester,
p.portal_type_cd as PortalType,
p.prvcy rqst id as RequestId,
count(p.prvcy rgst id) as RequestsDeclineCount
from gdp_owner.PRVCY_RQST p,gdp_owner.data_prvcy_law_assgn dpla
where dpla.data prvcy law assgn id = p.data prvcy law assgn id
and rqst_type_cd IN ('V') and p.rqst_cntxt_cd in ('B2C') and p.portal_type_cd in
('AOB') and p.rqst_stat_cd in ('DL') and p.crte_ts >= '2020-01-01 00:00:00'
and p.crte ts \langle = '2020-12-31 \ 23:59:59'  and p.tst rqst sw = false and p.rej rsn cd IS
NOT NULL
and p.prvcy rqst id in (select p.prvcy rqst id from gdp owner.prvcy rqst p left join
gdp_owner.ofln_rqst o on p.prvcy_rqst_id=o.prvcy_rqst_id
where o.rej rsn cd is null and o.ignr rqst sw=false)
and dpla.data_prvcy_law_cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by dpla.data_prvcy_law_cd,p.rqst_type_cd,p.prvcy_rqst_id
,p.rqst cntxt cd,p.portal_type_cd order by dataPrivacyLaw;
      View: All Do Not Disclosed
b)
      Online: B2C Request's :
dpla.data prvcy law cd as dataPrivacyLaw,
p.rqst_type_cd as RequestType, p.rqst_cntxt_cd as Requester,p.portal_type_cd as
PortalType,
p.prvcy rqst id as PrvcyRqstId,
count(p.prvcy_rqst_id) as RequestsDeclineCount
from gdp_owner.PRVCY_RQST p,gdp_owner.data_prvcy_law_assgn dpla
where dpla.data prvcy law assgn id = p.data prvcy law assgn id
```

```
and rqst_type_cd IN ('V') and p.rqst_cntxt_cd in ('B2C') and p.portal_type_cd in
('B2C') and p.rqst_stat_cd in ('C') and p.crte_ts >= '2020-01-01 00:00:00'
and p.crte ts <= '2020-12-31 23:59:59' and p.tst rqst sw = false</pre>
and p.prvcy_rqst_id in
SELECT distinct p.prvcy_rqst_id FROM gdp_owner.PRVCY_RQST p join
gdp_owner.serv_func_prvcy_rqst sfpr on p.prvcy_rqst_id=sfpr.prvcy_rqst_id
where sfpr.prvcy_rqst_id in
SELECT distinct s1.prvcy rqst id
FROM gdp_owner.serv_func_prvcy_rqst s1 where s1.serv_func_rqst_stat_cd=all(array
['R'])
and not exists
(SELECT * FROM gdp_owner.serv_func_prvcy_rqst where prvcy_rqst_id=s1.prvcy_rqst_id
and serv_func_rqst_stat_cd in ('D','ND','SUNP','SDL') )
and s1.serv func prvcy rqst id in
(select serv_func_prvcy_rqst_id from gdp_owner.resp_rec where
dsclsr_sw=all(array[false]) and serv_func_prvcy_rqst_id=s1.serv_func_prvcy_rqst_id)
and sfpr.prvcy_rqst_id not in
SELECT distinct s1.prvcy_rqst_id
FROM gdp_owner.serv_func_prvcy_rqst s1 where s1.serv_func_rqst_stat_cd=all(array
['R'])
and not exists
(SELECT * FROM gdp_owner.serv_func_prvcy_rqst where prvcy_rqst_id=s1.prvcy_rqst_id
and serv func rqst stat cd in ('D','ND','SUNP','SDL') )
and s1.serv_func_prvcy_rqst_id in
(select serv_func_prvcy_rqst_id from gdp_owner.resp_rec where
dsclsr_sw=all(array[true]) and serv_func_prvcy_rqst_id=s1.serv_func_prvcy_rqst_id)
)
and sfpr.prvcy_rqst_id not in
SELECT distinct s1.prvcy rqst id
FROM gdp_owner.serv_func_prvcy_rqst s1 where s1.serv_func_rqst_stat_cd=all(array
['R'])
and not exists
(SELECT * FROM gdp_owner.serv_func_prvcy_rqst where prvcy_rqst_id=s1.prvcy_rqst_id
and serv_func_rqst_stat_cd in ('D','ND','SUNP','SDL') )
and s1.serv func prvcy rqst id in
(select serv_func_prvcy_rqst_id from gdp_owner.resp_rec where
dsclsr_sw=any(array[true]) and serv_func_prvcy_rqst_id=s1.serv_func_prvcy_rqst_id)
)
)
and dpla.data_prvcy_law_cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by dpla.data_prvcy_law_cd,p.rqst_type_cd,p.prvcy_rqst_id
,p.rqst cntxt cd,p.portal type cd order by data prvcy law cd;
      Offline Requests (AOB Request's) where rej rsn cd is null and denied as per
online system:
select
dpla.data_prvcy_law_cd as dataPrivacyLaw,
p.rqst_type_cd as RequestType, p.rqst_cntxt_cd as Requester,p.portal_type_cd as
PortalType,
```

```
p.prvcy_rqst_id as PrvcyRqstId,
count(p.prvcy rqst id) as RequestsDeclineCount
from gdp owner.PRVCY RQST p,gdp owner.data prvcy law assgn dpla
where dpla.data prvcy law assgn id = p.data prvcy law assgn id
and rqst_type_cd IN ('V') and p.rqst_cntxt_cd in ('B2C') and p.portal_type_cd in
('AOB') and p.rqst stat cd in ('C') and p.crte ts >= '2020-01-01 00:00:00'
and p.crte_ts <= '2020-12-31 23:59:59' and p.tst_rqst_sw = false</pre>
and p.prvcy rqst id in
(select p.prvcy_rqst_id from gdp_owner.prvcy_rqst p left join gdp_owner.ofln_rqst o
on p.prvcy rqst id=o.prvcy rqst id
where o.rej rsn cd is null and o.ignr rqst sw=false and p.prvcy rqst id in
SELECT distinct p.prvcy rqst id FROM gdp owner.PRVCY RQST p join
gdp_owner.serv_func_prvcy_rqst sfpr on p.prvcy_rqst_id=sfpr.prvcy_rqst_id
where sfpr.prvcy_rqst_id in
SELECT distinct s1.prvcy rqst id
FROM gdp_owner.serv_func_prvcy_rqst s1 where s1.serv_func_rqst_stat_cd=all(array
['R'])
and not exists
(SELECT * FROM gdp_owner.serv_func_prvcy_rqst where prvcy_rqst_id=s1.prvcy_rqst_id
and serv_func_rqst_stat_cd in ('D','ND','SUNP','SDL') )
and s1.serv_func_prvcy_rqst_id in
(select serv func prvcy rqst id from gdp owner.resp rec where
dsclsr_sw=all(array[false]) and serv_func_prvcy_rqst_id=s1.serv_func_prvcy_rqst_id)
)
and sfpr.prvcy_rqst_id not in
SELECT distinct s1.prvcy rqst id
FROM gdp_owner.serv_func_prvcy_rqst s1 where s1.serv_func_rqst_stat_cd=all(array
['R'])
and not exists
(SELECT * FROM gdp_owner.serv_func_prvcy_rqst where prvcy_rqst_id=s1.prvcy_rqst_id
and serv_func_rqst_stat_cd in ('D','ND','SUNP','SDL') )
and s1.serv_func_prvcy_rqst_id in
(select serv_func_prvcy_rqst_id from gdp_owner.resp_rec where
dsclsr_sw=all(array[true]) and serv_func_prvcy_rqst_id=s1.serv_func_prvcy_rqst_id)
and sfpr.prvcy_rqst_id not in
SELECT distinct s1.prvcy rqst id
FROM gdp_owner.serv_func_prvcy_rqst s1 where s1.serv_func_rqst_stat_cd=all(array
['R'])
and not exists
(SELECT * FROM gdp_owner.serv_func_prvcy_rqst where prvcy_rqst_id=s1.prvcy_rqst_id
and serv_func_rqst_stat_cd in ('D','ND','SUNP','SDL') )
and s1.serv func prvcy rqst id in
(select serv_func_prvcy_rqst_id from gdp_owner.resp_rec where
dsclsr_sw=any(array[true]) and serv_func_prvcy_rqst_id=s1.serv_func_prvcy_rqst_id)
)
))
and dpla.data_prvcy_law_cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by dpla.data_prvcy_law_cd,p.rqst_type_cd,p.prvcy_rqst_id
,p.rqst_cntxt_cd,p.portal_type_cd order by data_prvcy_law_cd;
```

```
c)
      View: No data found for few serv function cd + all do not Disclosed
      Online: B2C Request's :
select
dpla.data_prvcy_law_cd as dataPrivacyLaw,
p.rqst_type_cd as RequestType, p.rqst_cntxt_cd as Requester,p.portal_type_cd as
PortalType,
p.prvcy rqst id as PrvcyRqstId,
count(p.prvcy rqst id) as RequestsDeclineCount
from gdp_owner.PRVCY_RQST p,gdp_owner.data_prvcy_law_assgn dpla
where dpla.data prvcy law assgn id = p.data prvcy law assgn id
and rqst_type_cd IN ('V') and p.rqst_cntxt_cd in ('B2C') and p.portal_type_cd in
('B2C') and p.rqst_stat_cd in ('C') and p.crte_ts >= '2020-01-01 00:00:00'
and p.crte ts <= '2020-12-31 23:59:59' and p.tst rqst sw = false</pre>
and p.prvcy_rqst_id in
(
select distinct sfpr.prvcy rqst id from gdp owner.serv func prvcy rqst sfpr
where sfpr.serv_func_rqst_stat_cd = any(array['R'])
and exists (select * from gdp_owner.serv_func_prvcy_rqst where serv_func_rqst_stat_cd
= any(array['ND']) and prvcy_rqst_id=sfpr.prvcy_rqst_id)
and not exists
(select * from gdp owner.serv func prvcy rqst where serv func rqst stat cd =
any(array['D','SUNP','SDL']) and prvcy_rqst_id=sfpr.prvcy_rqst_id)
and sfpr.prvcy rqst id in
SELECT distinct s1.prvcy_rqst_id
FROM gdp_owner.serv_func_prvcy_rqst s1 where s1.serv_func_rqst_stat_cd=all(array
['R'])
and not exists
(SELECT * FROM gdp owner.serv func prvcy rqst where prvcy rqst id=s1.prvcy rqst id
and serv_func_rqst_stat_cd in ('D', 'SUNP', 'SDL') )
and s1.serv func prvcy rqst id in
(select serv_func_prvcy_rqst_id from gdp_owner.resp_rec where
dsclsr_sw=all(array[false]) and serv_func_prvcy_rqst_id=s1.serv_func_prvcy_rqst_id)
and sfpr.prvcy_rqst_id not in
SELECT distinct s1.prvcy rqst id
FROM gdp_owner.serv_func_prvcy_rqst s1 where s1.serv_func_rqst_stat_cd=all(array
['R'])
and not exists
(SELECT * FROM gdp_owner.serv_func_prvcy_rqst where prvcy_rqst_id=s1.prvcy_rqst_id
and serv_func_rqst_stat_cd in ('D','SUNP','SDL') )
and s1.serv_func_prvcy_rqst_id in
(select serv func prvcy rqst id from gdp owner.resp rec where
dsclsr sw=all(array[true]) and serv func prvcy rgst id=s1.serv func prvcy rgst id)
)
and sfpr.prvcy_rqst_id not in
SELECT distinct s1.prvcy rqst id
FROM gdp_owner.serv_func_prvcy_rqst s1 where s1.serv_func_rqst_stat_cd=all(array
['R'])
and not exists
```

```
(SELECT * FROM gdp_owner.serv_func_prvcy_rqst where prvcy_rqst_id=s1.prvcy_rqst_id
and serv_func_rqst_stat_cd in ('D','SUNP','SDL') )
and s1.serv func prvcy rqst id in
(select serv_func_prvcy_rqst_id from gdp_owner.resp_rec where
dsclsr_sw=any(array[true]) and serv_func_prvcy_rqst_id=s1.serv_func_prvcy_rqst_id)
and dpla.data_prvcy_law_cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by dpla.data_prvcy_law_cd,p.rqst_type_cd,p.prvcy_rqst_id
,p.rqst_cntxt_cd,p.portal_type_cd order by data_prvcy_law_cd;
      Offline Requests (AOB Request's) where rej rsn cd is null and denied as per
online system:
select
dpla.data_prvcy_law_cd as dataPrivacyLaw,
p.rqst type cd as RequestType, p.rqst cntxt cd as Requester,p.portal type cd as
PortalType,
p.prvcy_rqst_id as PrvcyRqstId,
count(p.prvcy_rqst_id) as RequestsDeclineCount
from gdp_owner.PRVCY_RQST p,gdp_owner.data_prvcy_law_assgn dpla
where dpla.data prvcy law assgn id = p.data prvcy law assgn id
and rqst_type_cd IN ('V') and p.rqst_cntxt_cd in ('B2C') and p.portal_type_cd in
('AOB') and p.rqst stat cd in ('C') and p.crte ts >= '2020-01-01 00:00:00'
and p.crte ts <= '2020-12-31 23:59:59' and p.tst rqst sw = false
and p.prvcy_rqst_id in
(select p.prvcy rqst id from gdp owner.prvcy rqst p left join gdp owner.ofln rqst o
on p.prvcy_rqst_id=o.prvcy_rqst_id
where o.rej_rsn_cd is null and o.ignr_rqst_sw=false and p.prvcy_rqst_id in
select distinct sfpr.prvcy_rqst_id from gdp_owner.serv_func_prvcy_rqst sfpr
where sfpr.serv_func_rqst_stat_cd = any(array['R'])
and exists (select * from gdp_owner.serv_func_prvcy_rqst where serv_func_rqst_stat_cd
= any(array['ND']) and prvcy rqst id=sfpr.prvcy rqst id)
and not exists
(select * from gdp_owner.serv_func_prvcy_rqst where serv_func_rqst_stat_cd =
any(array['D','SUNP','SDL']) and prvcy_rqst_id=sfpr.prvcy_rqst_id)
and sfpr.prvcy rqst id in
SELECT distinct s1.prvcy_rqst_id
FROM gdp_owner.serv_func_prvcy_rqst s1 where s1.serv_func_rqst_stat_cd=all(array
['R'])
and not exists
(SELECT * FROM gdp_owner.serv_func_prvcy_rqst where prvcy_rqst_id=s1.prvcy_rqst_id
and serv_func_rqst_stat_cd in ('D','SUNP','SDL') )
and s1.serv func prvcy rqst id in
(select serv_func_prvcy_rqst_id from gdp_owner.resp_rec where
dsclsr_sw=all(array[false]) and serv_func_prvcy_rqst_id=s1.serv_func_prvcy_rqst_id)
and sfpr.prvcy_rqst_id not in
SELECT distinct s1.prvcy_rqst_id
```

```
FROM gdp_owner.serv_func_prvcy_rqst s1 where s1.serv_func_rqst_stat_cd=all(array
['R'])
and not exists
(SELECT * FROM gdp owner.serv func prvcy rqst where prvcy rqst id=s1.prvcy rqst id
and serv_func_rqst_stat_cd in ('D', 'SUNP', 'SDL') )
and s1.serv func prvcy rqst id in
(select serv_func_prvcy_rqst_id from gdp_owner.resp_rec where
dsclsr_sw=all(array[true]) and serv_func_prvcy_rqst_id=s1.serv_func_prvcy_rqst_id)
and sfpr.prvcy_rqst_id not in
SELECT distinct s1.prvcy_rqst_id
FROM gdp_owner.serv_func_prvcy_rqst s1 where s1.serv_func_rqst_stat_cd=all(array
['R'])
and not exists
(SELECT * FROM gdp_owner.serv_func_prvcy_rqst where prvcy_rqst_id=s1.prvcy_rqst_id
and serv_func_rqst_stat_cd in ('D', 'SUNP', 'SDL') )
and s1.serv func prvcy rqst id in
(select serv func prvcy rqst id from gdp owner.resp rec where
dsclsr_sw=any(array[true]) and serv_func_prvcy_rqst_id=s1.serv_func_prvcy_rqst_id)
)
))
and dpla.data_prvcy_law_cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by dpla.data prvcy law cd,p.rqst type cd,p.prvcy rqst id
,p.rqst_cntxt_cd,p.portal_type_cd order by data_prvcy_law_cd;
d)
      U/D/DA: Initial Declined
select
dpla.data prvcy law cd as dataPrivacyLaw,
p.rqst_type_cd as RequestType, p.rqst_cntxt_cd as Requester,p.portal_type_cd as
PortalType,
p.prvcy_rqst_id as RequestId,
count(p.prvcy rqst id) as RequestsDeclineCount
from gdp_owner.PRVCY_RQST p,gdp_owner.data_prvcy_law_assgn dpla
where dpla.data_prvcy_law_assgn_id = p.data_prvcy_law_assgn_id
and rqst_type_cd IN ('DA','U','D') and p.rqst_cntxt_cd in ('B2C') and
p.portal type cd in ('B2C') and p.rqst stat cd in ('DL') and p.crte ts >= '2020-01-01
00:00:00'
and p.crte ts <= '2020-12-31 23:59:59' and p.tst rqst sw = false</pre>
and dpla.data_prvcy_law_cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by dpla.data_prvcy_law_cd,p.rqst_type_cd,p.prvcy_rqst_id
,p.rqst_cntxt_cd,p.portal_type_cd order by dataPrivacyLaw;
e)
      U/D: Not Updated, Unable to process and Litigation hold
      Online: B2C Request's :
select
dpla.data_prvcy_law_cd as dataPrivacyLaw,
p.rqst_type_cd as RequestType, p.rqst_cntxt_cd as Requester,p.portal_type_cd as
PortalType,
```

```
p.prvcy_rqst_id as prvcy_rqst_id,
count(p.prvcy_rqst_id) as RequestsDeclineCount
from gdp_owner.PRVCY_RQST p,gdp_owner.data_prvcy_law_assgn dpla
where dpla.data_prvcy_law_assgn_id = p.data_prvcy_law_assgn_id
and rqst_type_cd IN ('U','D') and p.rqst_cntxt_cd in ('B2C') and p.portal_type_cd in
('B2C') and p.rqst_stat_cd in ('C') and p.crte_ts >= '2020-01-01 00:00:00'
and p.crte_ts <= '2020-12-31 23:59:59' and p.tst_rqst_sw = false</pre>
and p.prvcy_rqst_id in
(SELECT prvcy rqst id
FROM gdp_owner.serv_func_prvcy_rqst s
WHERE (serv_func_rqst_stat_cd=any(ARRAY['SUNP','NU','SDL']) and
prvcy_rqst_id=p.prvcy_rqst_id
AND NOT EXISTS (SELECT * FROM gdp_owner.serv_func_prvcy_rqst
WHERE (serv_func_rqst_stat_cd=any(ARRAY['U','D','ND']))
AND prvcy_rqst_id = s.prvcy_rqst_id)))
and dpla.data_prvcy_law_cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by dpla.data_prvcy_law_cd,p.rqst_type_cd,p.prvcy_rqst_id
,p.rqst_cntxt_cd,p.portal_type_cd order by dataPrivacyLaw;
      Offline Requests (AOB Request's) where rej_rsn_cd is null and denied as per
online system:
select
dpla.data_prvcy_law_cd as dataPrivacyLaw,
p.rqst_type_cd as RequestType, p.rqst_cntxt_cd as Requester,p.portal_type_cd as
PortalType,
p.prvcy_rqst_id as prvcy_rqst_id,
count(p.prvcy_rqst_id) as RequestsDeclineCount
from gdp_owner.PRVCY_RQST p,gdp_owner.data_prvcy_law_assgn dpla
where dpla.data prvcy law assgn id = p.data prvcy law assgn id
and rqst_type_cd IN ('U', 'D') and p.rqst_cntxt_cd in ('B2C') and p.portal_type_cd in
('AOB') and p.rqst_stat_cd in ('C') and p.crte_ts >= '2020-01-01 00:00:00'
and p.crte_ts <= '2020-12-31 23:59:59' and p.tst_rqst_sw = false</pre>
and p.prvcy rqst id in
(select p.prvcy_rqst_id from gdp_owner.prvcy_rqst p left join gdp_owner.ofln_rqst o
on p.prvcy_rqst_id=o.prvcy_rqst_id
where o.rej_rsn_cd is null and o.ignr_rqst_sw=false and p.prvcy_rqst_id in
(SELECT prvcy_rqst_id
FROM gdp_owner.serv_func_prvcy_rqst s
WHERE (serv_func_rqst_stat_cd=any(ARRAY['SUNP','NU','SDL']) and
prvcy rqst id=p.prvcy rqst id
AND NOT EXISTS (SELECT * FROM gdp_owner.serv_func_prvcy_rqst
WHERE (serv_func_rqst_stat_cd=any(ARRAY['U','D','ND']))
AND prvcy_rqst_id = s.prvcy_rqst_id))))
and dpla.data_prvcy_law_cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by dpla.data_prvcy_law_cd,p.rqst_type_cd,p.prvcy_rqst_id
,p.rqst_cntxt_cd,p.portal_type_cd order by dataPrivacyLaw;
f)
      DA :Initial Declined : All DO NOT delete
      Online: B2C Request's :
```

```
select
dpla.data_prvcy_law_cd as dataPrivacyLaw,
p.rqst_type_cd as RequestType, p.rqst_cntxt_cd as Requester,p.portal_type_cd as
PortalType,
p.prvcy_rqst_id as PrvcyRqstId,
count(p.prvcy_rqst_id) as RequestsDeclineCount
from gdp_owner.PRVCY_RQST p,gdp_owner.data_prvcy_law_assgn dpla
where dpla.data_prvcy_law_assgn_id = p.data_prvcy_law_assgn_id
and rqst_type_cd IN ('DA') and p.rqst_cntxt_cd in ('B2C') and p.portal_type_cd in
('B2C') and p.rqst_stat_cd in ('C') and p.crte_ts >= '2020-01-01 00:00:00'
and p.crte_ts <= '2020-12-31 23:59:59' and p.tst_rqst_sw = false</pre>
and p.prvcy_rqst_id in
(SELECT prvcy_rqst_id
FROM gdp_owner.serv_func_prvcy_rqst s
WHERE prvcy_rqst_id in (SELECT prvcy_rqst_id FROM gdp_owner.serv_func_prvcy_rqst
         (serv_func_rqst_stat_cd='R' and del_phase_sw='false')
AND NOT EXISTS (SELECT * FROM gdp_owner.serv_func_prvcy_rqst WHERE
                          (serv_func_rqst_stat_cd='D'
                           or serv_func_rqst_stat_cd='SUNP'
                           or serv_func_rqst_stat_cd='SDL'
                           or serv_func_rqst_stat_cd='ND' )
AND prvcy_rqst_id = s.prvcy_rqst_id)))
and dpla.data_prvcy_law_cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by dpla.data_prvcy_law_cd,p.rqst_type_cd,p.prvcy_rqst_id
,p.rqst_cntxt_cd,p.portal_type_cd order by dataPrivacyLaw;
      Offline Requests (AOB Request's) where rej_rsn_cd is null and denied as per
online system:
select
dpla.data_prvcy_law_cd as dataPrivacyLaw,
p.rqst_type_cd as RequestType, p.rqst_cntxt_cd as Requester,p.portal_type_cd as
PortalType,
p.prvcy_rqst_id as PrvcyRqstId,
count(p.prvcy_rqst_id) as RequestsDeclineCount
from gdp owner.PRVCY RQST p,gdp owner.data prvcy law assgn dpla
where dpla.data_prvcy_law_assgn_id = p.data_prvcy_law_assgn_id
and rqst_type_cd IN ('DA') and p.rqst_cntxt_cd in ('B2C') and p.portal_type_cd in
('AOB') and p.rqst_stat_cd in ('C') and p.crte_ts >= '2020-01-01 00:00:00'
and p.crte_ts <= '2020-12-31 23:59:59' and p.tst_rqst_sw = false</pre>
and p.prvcy_rqst_id in
(select p.prvcy_rqst_id from gdp_owner.prvcy_rqst p left join gdp_owner.ofln_rqst o
on p.prvcy rqst id=o.prvcy rqst id
where o.rej_rsn_cd is null and o.ignr_rqst_sw=false and p.prvcy_rqst_id in
(SELECT prvcy rqst id
FROM gdp_owner.serv_func_prvcy_rqst s
WHERE prvcy_rqst_id in (SELECT prvcy_rqst_id FROM gdp_owner.serv_func_prvcy_rqst
WHERE
         (serv_func_rqst_stat_cd='R' and del_phase_sw='false')
AND NOT EXISTS (SELECT * FROM gdp_owner.serv_func_prvcy_rqst WHERE
                          (serv_func_rqst_stat_cd='D'
```

```
or serv_func_rqst_stat_cd='SUNP'
                           or serv func rqst stat cd='SDL'
                           or serv_func_rqst_stat_cd='ND' )
AND prvcy_rqst_id = s.prvcy_rqst_id))))
and dpla.data_prvcy_law_cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by dpla.data_prvcy_law_cd,p.rqst_type_cd,p.prvcy_rqst_id
,p.rqst_cntxt_cd,p.portal_type_cd order by dataPrivacyLaw;
g)
      DA: No Data Found, DO NOT DELETE and NEGATIVE RESPONSE
      Online: B2C Request's:
select
dpla.data_prvcy_law_cd as dataPrivacyLaw,
p.rqst_type_cd as RequestType, p.rqst_cntxt_cd as Requester,p.portal_type_cd as
PortalType,
p.prvcy_rqst_id as PrvcyRqstId,
count(p.prvcy rqst id) as RequestsDeclineCount
from gdp_owner.PRVCY_RQST p,gdp_owner.data_prvcy_law_assgn dpla
where dpla.data_prvcy_law_assgn_id = p.data_prvcy_law_assgn_id
and rqst_type_cd IN ('DA') and p.rqst_cntxt_cd in ('B2C') and p.portal_type_cd in
('B2C') and p.rqst_stat_cd in ('C') and p.crte_ts >= '2020-01-01 00:00:00'
and p.crte_ts <= '2020-12-31 23:59:59' and p.tst_rqst_sw = false</pre>
and p.prvcy_rqst_id in (
SELECT distinct prvcy rqst id
FROM gdp_owner.serv_func_prvcy_rqst s
WHERE ((serv_func_rqst_stat_cd=any(ARRAY['SUNP', 'SDL'])) and del_phase_sw='true')
AND EXISTS (SELECT * FROM gdp_owner.serv_func_prvcy_rqst WHERE
(serv_func_rqst_stat_cd='R' and del_phase_sw=false and serv_func_prvcy_rqst_id in
(select distinct serv_func_prvcy_rqst_id from gdp_owner.resp_rec where
del_sw=any(array[false]))
AND prvcy_rqst_id = s.prvcy_rqst_id))
AND EXISTS (SELECT * FROM gdp_owner.serv_func_prvcy_rqst WHERE
(serv_func_rqst_stat_cd='ND' and del_phase_sw=false )
AND prvcy_rqst_id = s.prvcy_rqst_id)
AND not EXISTS (SELECT * FROM gdp_owner.serv_func_prvcy_rqst WHERE
(serv_func_rqst_stat_cd='D' and del_phase_sw=true )
AND prvcy rqst id = s.prvcy rqst id)
and dpla.data_prvcy_law_cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by dpla.data_prvcy_law_cd,p.rqst_type_cd,p.prvcy_rqst_id
,p.rqst_cntxt_cd,p.portal_type_cd order by data_prvcy_law_cd;
      Offline Requests (AOB Request's) where rej rsn cd is null and denied as per
online system:
dpla.data_prvcy_law_cd as dataPrivacyLaw,
p.rqst_type_cd as RequestType, p.rqst_cntxt_cd as Requester,p.portal_type_cd as
PortalType,
p.prvcy_rqst_id as PrvcyRqstId,
count(p.prvcy_rqst_id) as RequestsDeclineCount
```

```
from gdp_owner.PRVCY_RQST p,gdp_owner.data_prvcy_law_assgn dpla
where dpla.data_prvcy_law_assgn_id = p.data_prvcy_law_assgn_id
and rqst_type_cd IN ('DA') and p.rqst_cntxt_cd in ('B2C') and p.portal_type_cd in
('AOB') and p.rqst_stat_cd in ('C') and p.crte_ts >= '2020-01-01 00:00:00'
and p.crte_ts <= '2020-12-31 23:59:59' and p.tst_rqst_sw = false</pre>
and p.prvcy_rqst_id in (select p.prvcy_rqst_id from gdp_owner.prvcy_rqst p left join
gdp_owner.ofln_rqst o on p.prvcy_rqst_id=o.prvcy_rqst_id
where o.rej_rsn_cd is null and o.ignr_rqst_sw=false and p.prvcy_rqst_id in (
SELECT distinct prvcy_rqst_id
FROM gdp owner.serv func prvcy rqst s
WHERE ((serv_func_rqst_stat_cd=any(ARRAY['SUNP','SDL'])) and del_phase_sw='true')
AND EXISTS (SELECT * FROM gdp_owner.serv_func_prvcy_rqst WHERE
(serv_func_rqst_stat_cd='R' and del_phase_sw=false and serv_func_prvcy_rqst_id in
(select distinct serv_func_prvcy_rqst_id from gdp_owner.resp_rec where
del sw=any(array[false]))
AND prvcy_rqst_id = s.prvcy_rqst_id))
AND EXISTS (SELECT * FROM gdp_owner.serv_func_prvcy_rqst WHERE
(serv_func_rqst_stat_cd='ND' and del_phase_sw=false )
AND prvcy_rqst_id = s.prvcy_rqst_id)
AND not EXISTS (SELECT * FROM gdp_owner.serv_func_prvcy_rqst WHERE
(serv_func_rqst_stat_cd='D' and del_phase_sw=true )
AND prvcy_rqst_id = s.prvcy_rqst_id)
)))
and dpla.data_prvcy_law_cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by dpla.data_prvcy_law_cd,p.rqst_type_cd,p.prvcy_rqst_id
,p.rqst cntxt cd,p.portal type cd order by data prvcy law cd;
h)
      DA : Denied: Totally Negative Responses
      Online: B2C Request's:
select
dpla.data_prvcy_law_cd as dataPrivacyLaw,
p.rqst_type_cd as RequestType, p.rqst_cntxt_cd as Requester,p.portal_type_cd as
PortalType,
p.prvcy_rqst_id as PrvcyRqstId,
count(p.prvcy_rqst_id) as RequestsDeclineCount
from gdp owner.PRVCY RQST p,gdp owner.data prvcy law assgn dpla
where dpla.data_prvcy_law_assgn_id = p.data_prvcy_law_assgn_id
and rqst_type_cd IN ('DA') and p.rqst_cntxt_cd in ('B2C') and p.portal_type_cd in
('B2C') and p.rqst_stat_cd in ('C') and p.crte_ts >= '2020-01-01 00:00:00'
and p.crte_ts <= '2020-12-31 23:59:59' and p.tst_rqst_sw = false</pre>
and p.prvcy_rqst_id in
(SELECT prvcy_rqst_id
FROM gdp owner.serv func prvcy rqst s
WHERE (serv_func_rqst_stat_cd=any(ARRAY['SUNP','SDL']))
AND EXISTS (SELECT * FROM gdp_owner.serv_func_prvcy_rqst WHERE
(serv_func_rqst_stat_cd='R')
AND prvcy_rqst_id = s.prvcy_rqst_id)
AND NOT EXISTS (SELECT * FROM gdp_owner.serv_func_prvcy_rqst WHERE
(serv_func_rqst_stat_cd='ND' or serv_func_rqst_stat_cd='D')
AND prvcy_rqst_id = s.prvcy_rqst_id))
and dpla.data prvcy law cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
```

```
group by dpla.data_prvcy_law_cd,p.rqst_type_cd,p.prvcy_rqst_id
,p.rqst cntxt cd,p.portal type cd order by data prvcy law cd;
      Offline Requests (AOB Request's) where rej rsn cd is null and denied as per
online system:
select
dpla.data_prvcy_law_cd as dataPrivacyLaw,
p.rqst type cd as RequestType, p.rqst cntxt cd as Requester,p.portal type cd as
PortalType,
p.prvcy rqst id as PrvcyRqstId,
count(p.prvcy rqst id) as RequestsDeclineCount
from gdp_owner.PRVCY_RQST p,gdp_owner.data_prvcy_law_assgn dpla
where dpla.data prvcy law assgn id = p.data prvcy law assgn id
and rqst_type_cd IN ('DA') and p.rqst_cntxt_cd in ('B2C') and p.portal_type_cd in
('AOB') and p.rqst stat cd in ('C') and p.crte ts >= '2020-01-01 00:00:00'
and p.crte ts <= '2020-12-31 23:59:59' and p.tst rqst sw = false</pre>
and p.prvcy rqst id in
(select p.prvcy_rqst_id from gdp_owner.prvcy_rqst p left join gdp_owner.ofln_rqst o
on p.prvcy_rqst_id=o.prvcy_rqst_id
where o.rej_rsn_cd is null and o.ignr_rqst_sw=false and p.prvcy_rqst_id in
(SELECT prvcy rqst id
FROM gdp owner.serv func prvcy rqst s
WHERE (serv func rqst stat cd=any(ARRAY['SUNP','SDL']))
AND EXISTS (SELECT * FROM gdp owner.serv func prvcy rqst WHERE
(serv_func_rqst_stat_cd='R')
AND prvcy rqst id = s.prvcy rqst id)
AND NOT EXISTS (SELECT * FROM gdp_owner.serv_func_prvcy_rqst WHERE
(serv_func_rqst_stat_cd='ND' or serv_func_rqst_stat_cd='D')
AND prvcy rqst id = s.prvcy rqst id)))
and dpla.data prvcy law cd in ('BR-GDPA', 'DP-DEFAULT', 'EU-GDPR', 'US-CCPA')
group by dpla.data prvcy law cd,p.rqst type cd,p.prvcy rqst id
,p.rqst_cntxt_cd,p.portal_type_cd order by data_prvcy_law_cd;
i)
      DA : delete all : Few no data found + Negative Responses
      Online: B2C Request's :
dpla.data_prvcy_law_cd as dataPrivacyLaw,
p.rqst type cd as RequestType, p.rqst cntxt cd as Requester,p.portal type cd as
PortalType,
p.prvcy rqst id as PrvcyRqstId,
count(p.prvcy rqst id) as RequestsDeclineCount
from gdp owner.PRVCY RQST p,gdp owner.data prvcy law assgn dpla
where dpla.data prvcy law assgn id = p.data prvcy law assgn id
and rqst_type_cd IN ('DA') and p.rqst_cntxt_cd in ('B2C') and p.portal_type_cd in
('B2C') and p.rqst stat cd in ('C') and p.crte ts >= '2020-01-01 00:00:00'
and p.crte_ts <= '2020-12-31 23:59:59' and p.tst_rqst_sw = false</pre>
and p.prvcy_rqst_id in
```

```
select distinct sfpr.prvcy_rqst_id from gdp_owner.serv_func_prvcy_rqst sfpr
where sfpr.serv_func_rqst_stat_cd = any(array['R'])
and not exists (select * from gdp_owner.serv_func_prvcy_rqst where
serv_func_rqst_stat_cd = any(array['ND']) and prvcy_rqst_id=sfpr.prvcy_rqst_id)
and exists (select * from gdp_owner.serv_func_prvcy_rqst where serv_func_rqst_stat_cd
= any(array['SUNP','SDL'])
and serv_func_cd=sfpr.serv_func_cd and prvcy_rqst_id=sfpr.prvcy_rqst_id)
and not exists (select * from gdp_owner.serv_func_prvcy_rqst where
serv_func_rqst_stat_cd = any(array['D'])
and serv_func_cd=sfpr.serv_func_cd and prvcy_rqst_id=sfpr.prvcy_rqst_id)
and not exists
(select * from gdp_owner.serv_func_prvcy_rqst where serv_func_rqst_stat_cd =
any(array['D']) and prvcy_rqst_id=sfpr.prvcy_rqst_id)
and sfpr.prvcy_rqst_id in
SELECT distinct s1.prvcy_rqst_id
FROM gdp_owner.serv_func_prvcy_rqst s1 where s1.serv_func_rqst_stat_cd=all(array
['R'])
and not exists
(SELECT * FROM gdp_owner.serv_func_prvcy_rqst where prvcy_rqst_id=s1.prvcy_rqst_id
and serv_func_rqst_stat_cd in ('D') )
and s1.serv_func_prvcy_rqst_id in
(select serv_func_prvcy_rqst_id from gdp_owner.resp_rec where del_sw=all(array[true])
and serv func prvcy rqst id=s1.serv func prvcy rqst id)
and sfpr.prvcy rqst id not in
SELECT distinct s1.prvcy_rqst_id
FROM gdp_owner.serv_func_prvcy_rqst s1 where s1.serv_func_rqst_stat_cd=all(array
['R'])
and not exists
(SELECT * FROM gdp_owner.serv_func_prvcy_rqst where prvcy_rqst_id=s1.prvcy_rqst_id
and serv_func_rqst_stat_cd in ('D') )
and s1.serv_func_prvcy_rqst_id in
(select serv_func_prvcy_rqst_id from gdp_owner.resp_rec where
del_sw=all(array[false]) and serv_func_prvcy_rqst_id=s1.serv_func_prvcy_rqst_id)
and sfpr.prvcy_rqst_id not in
SELECT distinct s1.prvcy rqst id
FROM gdp_owner.serv_func_prvcy_rqst s1 where s1.serv_func_rqst_stat_cd=all(array
['R'])
and not exists
(SELECT * FROM gdp_owner.serv_func_prvcy_rqst where prvcy_rqst_id=s1.prvcy_rqst_id
and serv_func_rqst_stat_cd in ('D') )
and s1.serv_func_prvcy_rqst_id in
(select serv func prvcy rqst id from gdp owner.resp rec where
del_sw=any(array[false]) and serv_func_prvcy_rqst_id=s1.serv_func_prvcy_rqst_id)
)
and dpla.data_prvcy_law_cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by dpla.data_prvcy_law_cd,p.rqst_type_cd,p.prvcy_rqst_id
,p.rqst_cntxt_cd,p.portal_type_cd order by data_prvcy_law_cd;
```

Offline Requests (AOB Request's) where rej\_rsn\_cd is null and denied as per online **system**: select dpla.data\_prvcy\_law\_cd as dataPrivacyLaw, p.rqst type cd as RequestType, p.rqst cntxt cd as Requester,p.portal type cd as PortalType, p.prvcy\_rqst\_id as PrvcyRqstId, count(p.prvcy rqst id) as RequestsDeclineCount from gdp owner.PRVCY RQST p,gdp owner.data prvcy law assgn dpla where dpla.data prvcy law assgn id = p.data prvcy law assgn id and rqst\_type\_cd IN ('DA') and p.rqst\_cntxt\_cd in ('B2C') and p.portal\_type\_cd in ('AOB') and p.rqst stat cd in ('C') and p.crte ts >= '2020-01-01 00:00:00' and p.crte ts <= '2020-12-31 23:59:59' and p.tst rqst sw = false</pre> and p.prvcy\_rqst\_id in (select p.prvcy rqst id from gdp owner.prvcy rqst p left join gdp owner.ofln rqst o on p.prvcy\_rqst\_id=o.prvcy\_rqst\_id where o.rej rsn cd is null and o.ignr rqst sw=false and p.prvcy rqst id in select distinct sfpr.prvcy rqst id from gdp owner.serv func prvcy rqst sfpr where sfpr.serv\_func\_rqst\_stat\_cd = any(array['R']) and not exists (select \* from gdp\_owner.serv\_func\_prvcy\_rqst where serv\_func\_rqst\_stat\_cd = any(array['ND']) and prvcy\_rqst\_id=sfpr.prvcy\_rqst\_id) and exists (select \* from gdp owner.serv func prvcy rqst where serv func rqst stat cd = any(array['SUNP', 'SDL']) and serv func cd=sfpr.serv func cd and prvcy rqst id=sfpr.prvcy rqst id) and not exists (select \* from gdp\_owner.serv\_func\_prvcy\_rqst where serv\_func\_rqst\_stat\_cd = any(array['D']) and serv func cd=sfpr.serv func cd and prvcy rqst id=sfpr.prvcy rqst id) and not exists (select \* from gdp\_owner.serv\_func\_prvcy\_rqst where serv\_func\_rqst\_stat\_cd = any(array['D']) and prvcy rqst id=sfpr.prvcy rqst id) and sfpr.prvcy\_rqst\_id in SELECT distinct s1.prvcy\_rqst\_id FROM gdp\_owner.serv\_func\_prvcy\_rqst s1 where s1.serv\_func\_rqst\_stat\_cd=all(array ['R']) and not exists (SELECT \* FROM gdp\_owner.serv\_func\_prvcy\_rqst where prvcy\_rqst\_id=s1.prvcy\_rqst\_id and serv func rqst stat cd in ('D') ) and s1.serv func prvcy rqst id in (select serv\_func\_prvcy\_rqst\_id from gdp\_owner.resp\_rec where del\_sw=all(array[true]) and serv\_func\_prvcy\_rqst\_id=s1.serv\_func\_prvcy\_rqst\_id) and sfpr.prvcy\_rqst\_id not in **SELECT distinct** s1.prvcy rqst id FROM gdp\_owner.serv\_func\_prvcy\_rqst s1 where s1.serv\_func\_rqst\_stat\_cd=all(array ['R']) and not exists (SELECT \* FROM gdp\_owner.serv\_func\_prvcy\_rqst where prvcy\_rqst\_id=s1.prvcy\_rqst\_id and serv func rqst stat cd in ('D') )

and s1.serv\_func\_prvcy\_rqst\_id in

(select serv\_func\_prvcy\_rqst\_id from gdp\_owner.resp\_rec where

del sw=all(array[false]) and serv func prvcy rqst id=s1.serv func prvcy rqst id)

```
and sfpr.prvcy rgst id not in
SELECT distinct s1.prvcy rqst id
FROM gdp_owner.serv_func_prvcy_rqst s1 where s1.serv_func_rqst_stat_cd=all(array
['R'])
and not exists
(SELECT * FROM gdp_owner.serv_func_prvcy_rqst where prvcy_rqst_id=s1.prvcy_rqst_id
and serv func rgst stat cd in ('D') )
and s1.serv func prvcy rqst id in
(select serv func prvcy rqst id from gdp owner.resp rec where
del_sw=any(array[false]) and serv_func_prvcy_rqst_id=s1.serv_func_prvcy_rqst_id)
)
))
and dpla.data_prvcy_law_cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by dpla.data prvcy law cd,p.rqst type cd,p.prvcy rqst id
,p.rqst_cntxt_cd,p.portal_type_cd order by data_prvcy_law_cd;
6.
      Partially Declined:
      View: At least 1 Do Not Disclosed: Partially Declined
a.
      Online: B2C Request's :
select
dpla.data prvcy law cd as dataPrivacyLaw,
p.rqst_type_cd as RequestType, p.rqst_cntxt_cd as Requester,p.portal_type_cd as
PortalType,
p.prvcy rqst id as prvcy rqst id,
count(p.prvcy rqst id) as RequestsPartiallyDeclineCount
from gdp owner.PRVCY RQST p,gdp owner.data prvcy law assgn dpla
where dpla.data_prvcy_law_assgn_id = p.data_prvcy_law_assgn_id
and rgst type cd IN ('V') and p.rgst cntxt cd in ('B2C') and p.portal type cd in
('B2C') and p.rqst stat cd in ('C')
and p.crte_ts >= '2020-01-01 00:00:00' and p.crte_ts <= '2020-12-31 23:59:59'
and p.tst rqst sw = false and p.prvcy rqst id in
(
(select distinct s1.prvcy rqst id from gdp owner.serv func prvcy rqst s1 join
gdp owner.resp rec r1 on s1.serv func prvcy rqst id=r1.serv func prvcy rqst id
WHERE r1.dsclsr sw=false and s1.prvcy rqst id in
(select s2.prvcy_rqst_id from gdp_owner.serv_func_prvcy_rqst s2 join
gdp owner.resp rec r2 on s2.serv func prvcy rqst id=r2.serv func prvcy rqst id
WHERE r2.dsclsr_sw=true and s2.serv_func_prvcy_rqst_id<>s1.serv_func_prvcy_rqst_id))
union
(select prvcy rqst id from gdp owner.serv func prvcy rqst where
serv_func_prvcy_rqst_id in
(SELECT DISTINCT serv_func_prvcy_rqst_id
FROM gdp_owner.resp_rec t
WHERE dsclsr sw=false
AND EXISTS (SELECT serv_func_prvcy_rqst_id FROM gdp_owner.resp_rec WHERE dsclsr_sw =
true AND serv_func_prvcy_rqst_id = t.serv_func_prvcy_rqst_id)
```

```
AND not EXISTS (SELECT * FROM gdp_owner.serv_func_prvcy_rqst WHERE
serv func rgst stat cd='ND' and serv func prvcy rgst id =
t.serv func prvcy rqst id)))
and dpla.data_prvcy_law_cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by dpla.data prvcy law cd,p.rqst type cd,p.prvcy rqst id
,p.rqst_cntxt_cd,p.portal_type_cd order by dataPrivacyLaw;
      Offline Requests (AOB Request's) where rej_rsn_cd is null and denied as per
online system:
select
dpla.data_prvcy_law_cd as dataPrivacyLaw,
p.rqst type cd as RequestType, p.rqst cntxt cd as Requester,p.portal type cd as
PortalType,
p.prvcy rqst id as prvcy rqst id,
count(p.prvcy rqst id) as RequestsPartiallyDeclineCount
from gdp_owner.PRVCY_RQST p,gdp_owner.data_prvcy_law_assgn dpla
where dpla.data_prvcy_law_assgn_id = p.data_prvcy_law_assgn_id
and rqst_type_cd IN ('V') and p.rqst_cntxt_cd in ('B2C') and p.portal_type_cd in
('AOB') and p.rqst_stat_cd in ('C')
and p.crte ts >= '2020-01-01 00:00:00' and p.crte ts <= '2020-12-31 23:59:59'
and p.tst rqst sw = false and p.prvcy rqst id in
(select p.prvcy rqst id from gdp owner.prvcy rqst p left join gdp owner.ofln rqst o
on p.prvcv rqst id=o.prvcv rqst id
where o.rej_rsn_cd is null and o.ignr_rqst_sw=false and p.prvcy_rqst_id in
(select distinct s1.prvcy_rqst_id from gdp_owner.serv_func_prvcy_rqst s1 join
gdp_owner.resp_rec r1 on s1.serv_func_prvcy_rqst_id=r1.serv_func_prvcy_rqst_id
WHERE r1.dsclsr sw=false and s1.prvcy rqst id in
(select s2.prvcy rqst id from gdp owner.serv func prvcy rqst s2 join
gdp owner.resp rec r2 on s2.serv func prvcy rqst id=r2.serv func prvcy rqst id
WHERE r2.dsclsr_sw=true and s2.serv_func_prvcy_rqst_id<>s1.serv_func_prvcy_rqst_id))
union
(select prvcy_rqst_id from gdp_owner.serv_func_prvcy_rqst where
serv_func_prvcy_rqst_id in
(SELECT DISTINCT serv_func_prvcy_rqst_id
FROM gdp owner.resp rec t
WHERE dsclsr sw=false
AND EXISTS (SELECT serv func prvcy rqst id FROM gdp owner.resp rec WHERE dsclsr sw =
true AND serv_func_prvcy_rqst_id = t.serv_func_prvcy_rqst_id)
AND not EXISTS (SELECT * FROM gdp_owner.serv_func_prvcy_rqst WHERE
serv func rqst stat cd='ND' and serv func prvcy rqst id =
t.serv_func_prvcy_rqst_id)))
)
and dpla.data prvcy law cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by dpla.data prvcy law cd,p.rqst type cd,p.prvcy rqst id
,p.rqst_cntxt_cd,p.portal_type_cd order by dataPrivacyLaw;
```

b. U/D: Initial Review Few Declined and Few Approved then based on Response

Online: B2C Request's:

```
select
dpla.data prvcy law cd as dataPrivacyLaw,
p.rqst_type_cd as RequestType, p.rqst_cntxt_cd as Requester,p.portal_type_cd as
PortalType,
p.prvcy rqst id as PrvcyRqstId,
count(p.prvcy rqst id) as RequestsPartiallyDeclineCount
from gdp owner.PRVCY RQST p,gdp owner.data prvcy law assgn dpla
where dpla.data_prvcy_law_assgn_id = p.data_prvcy_law_assgn_id
and rqst_type_cd IN ('U','D') and p.rqst_cntxt_cd in ('B2C') and p.portal_type_cd in
('B2C') and p.rqst_stat_cd in ('C') and p.crte_ts >= '2020-01-01 00:00:00'
and p.crte_ts <= '2020-12-31 23:59:59' and p.tst_rqst_sw = false</pre>
and p.prvcy rqst id in
(select prvcy_rqst_id from gdp_owner.serv_func_prvcy_rqst
where serv func rqst stat cd<>all(ARRAY['SUNP','NU','SDL'])
 and serv_func_rqst_stat_cd = any(ARRAY['U','D','ND'])
 and prvcy rqst id in (
       select distinct ras1.prvcy_rqst_id from gdp_owner.rec_actn_stat ras1 inner
join gdp_owner.rec_actn_stat ras2
on ras1.prvcy_rqst_id = ras2.prvcy_rqst_id and ras1.rec_stat_cd <> ras2.rec_stat_cd)
and dpla.data_prvcy_law_cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by dpla.data prvcy law cd,p.rqst type cd,p.prvcy rqst id
,p.rqst cntxt cd,p.portal type cd order by dataPrivacyLaw;
      Offline Requests (AOB Request's) where rej_rsn_cd is null and denied as per
online system:
select
dpla.data_prvcy_law_cd as dataPrivacyLaw,
p.rqst_type_cd as RequestType, p.rqst_cntxt_cd as Requester,p.portal_type_cd as
PortalType,
p.prvcy_rqst_id as PrvcyRqstId,
count(p.prvcy rqst id) as RequestsPartiallyDeclineCount
from gdp owner.PRVCY RQST p,gdp owner.data prvcy law assgn dpla
where dpla.data prvcy law assgn id = p.data prvcy law assgn id
and rqst_type_cd IN ('U', 'D') and p.rqst_cntxt_cd in ('B2C') and p.portal_type_cd in
('AOB') and p.rqst_stat_cd in ('C') and p.crte_ts >= '2020-01-01 00:00:00'
and p.crte_ts <= '2020-12-31 23:59:59' and p.tst_rqst_sw = false</pre>
and p.prvcy_rqst_id in
(select p.prvcy rqst id from gdp owner.prvcy rqst p left join gdp owner.ofln rqst o
on p.prvcy rqst id=o.prvcy rqst id
where o.rej_rsn_cd is null and o.ignr_rqst_sw=false and p.prvcy_rqst_id in
(select prvcy rqst id from gdp owner.serv func prvcy rqst
where serv_func_rqst_stat_cd<>all(ARRAY['SUNP','NU','SDL'])
 and serv func rqst stat cd = any(ARRAY['U','D','ND'])
 and prvcy_rqst_id in (
       select distinct ras1.prvcy_rqst_id from gdp_owner.rec_actn_stat ras1 inner
join gdp owner.rec actn stat ras2
```

```
on ras1.prvcy_rqst_id = ras2.prvcy_rqst_id and ras1.rec_stat_cd <> ras2.rec_stat_cd)
))
and dpla.data prvcy law cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by dpla.data prvcy law cd,p.rqst type cd,p.prvcy rqst id
,p.rqst_cntxt_cd,p.portal_type_cd order by dataPrivacyLaw;
с.
      U/D: Not Updated, Unable to process and Litigation hold: Partially Declined
      Online: B2C Request's:
select
dpla.data_prvcy_law_cd as dataPrivacyLaw,
p.rqst_type_cd as RequestType, p.rqst_cntxt_cd as Requester,p.portal_type_cd as
PortalType,
p.prvcy rqst id as PrvcyRqstId,
count(p.prvcy rqst id) as RequestsPartiallyDeclineCount
from gdp owner.PRVCY RQST p,gdp owner.data prvcy law assgn dpla
where dpla.data_prvcy_law_assgn_id = p.data_prvcy_law_assgn id
and rqst_type_cd IN ('U','D') and p.rqst_cntxt_cd in ('B2C') and p.portal_type_cd in
('B2C') and p.rqst_stat_cd in ('C') and p.crte_ts >= '2020-01-01 00:00:00'
and p.crte_ts <= '2020-12-31 23:59:59' and p.tst_rqst_sw = false</pre>
and p.prvcy rqst id in
(SELECT prvcy rqst id FROM gdp owner.serv func prvcy rqst s
WHERE (serv func rqst stat cd=any(ARRAY['SUNP','NU','SDL']))
AND EXISTS (SELECT * FROM gdp owner.serv func prvcy rqst
WHERE (serv_func_rqst_stat_cd=any(ARRAY['D','U','ND']))
and prvcy rqst id not in (select distinct ras1.prvcy rqst id from
gdp_owner.rec_actn_stat ras1 inner join gdp_owner.rec_actn_stat ras2
on ras1.prvcy_rqst_id = ras2.prvcy_rqst_id and ras1.rec_stat_cd <> ras2.rec_stat_cd)
AND prvcy rqst id = s.prvcy rqst id))
and dpla.data_prvcy_law_cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by dpla.data prvcy law cd,p.rqst type cd,p.prvcy rqst id
,p.rqst_cntxt_cd,p.portal_type_cd order by dataPrivacyLaw;
      Offline Requests (AOB Request's) where rej_rsn_cd is null and denied as per
online system:
select
dpla.data_prvcy_law_cd as dataPrivacyLaw,
p.rqst_type_cd as RequestType, p.rqst_cntxt_cd as Requester,p.portal_type_cd as
PortalType,
p.prvcy_rqst_id as PrvcyRqstId,
count(p.prvcy rqst id) as RequestsPartiallyDeclineCount
from gdp owner.PRVCY RQST p,gdp owner.data prvcy law assgn dpla
where dpla.data_prvcy_law_assgn_id = p.data_prvcy_law_assgn_id
and rgst type cd IN ('U','D') and p.rgst cntxt cd in ('B2C') and p.portal type cd in
('AOB') and p.rqst_stat_cd in ('C') and p.crte_ts >= '2020-01-01 00:00:00'
and p.crte_ts <= '2020-12-31 23:59:59' and p.tst_rqst_sw = false</pre>
and p.prvcy_rqst_id in
(select p.prvcy_rqst_id from gdp_owner.prvcy_rqst p left join gdp_owner.ofln_rqst o
on p.prvcy rqst id=o.prvcy rqst id
```

```
where o.rej_rsn_cd is null and o.ignr_rqst_sw=false and p.prvcy_rqst_id in
(SELECT prvcy rqst id FROM gdp owner.serv func prvcy rqst s
WHERE (serv func rqst stat cd=any(ARRAY['SUNP','NU','SDL']))
AND EXISTS (SELECT * FROM gdp owner.serv func prvcy rqst
WHERE (serv_func_rqst_stat_cd=any(ARRAY['D','U','ND']))
and prvcy rqst id not in (select distinct ras1.prvcy rqst id from
gdp_owner.rec_actn_stat ras1 inner join gdp_owner.rec_actn_stat ras2
on ras1.prvcy_rqst_id = ras2.prvcy_rqst_id and ras1.rec_stat_cd <> ras2.rec_stat_cd)
AND prvcy rqst id = s.prvcy rqst id)))
and dpla.data_prvcy_law_cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by dpla.data prvcy law cd,p.rqst type cd,p.prvcy rqst id
,p.rqst_cntxt_cd,p.portal_type_cd order by dataPrivacyLaw;
d.
      DA :Partially Declined
1. ND
2. ND
3. R
   D - TRUE
   SUNP/SDL - TRUE
      Online: B2C Request's :
select
dpla.data prvcy law cd as dataPrivacyLaw,
p.rqst_type_cd as RequestType, p.rqst_cntxt_cd as Requester,p.portal_type_cd as
PortalType,
p.prvcy_rqst_id as PrvcyRqstId,
count(p.prvcy_rqst_id) as RequestsPartiallyDeclineCount
from gdp owner.PRVCY RQST p,gdp owner.data prvcy law assgn dpla
where dpla.data prvcy law assgn id = p.data prvcy law assgn id
and rqst_type_cd IN ('DA') and p.rqst_cntxt_cd in ('B2C') and p.portal_type_cd in
('B2C') and p.rqst_stat_cd in ('C') and p.crte_ts >= '2020-01-01 00:00:00'
and p.crte ts <= '2020-12-31 23:59:59' and p.tst rqst sw = false
and p.prvcy rqst id in
(
select distinct sfpr.prvcy_rqst_id from gdp_owner.serv_func_prvcy_rqst sfpr
where sfpr.serv func rqst stat cd = any(array['R'])
and exists (select * from gdp owner.serv func prvcy rgst where serv func rgst stat cd
= any(array['ND']) and prvcy rqst id=sfpr.prvcy rqst id)
and exists (select * from gdp_owner.serv_func_prvcy_rqst where serv_func_rqst_stat_cd
= any(array['SUNP','SDL'])
and serv_func_cd=sfpr.serv_func_cd and prvcy_rqst_id=sfpr.prvcy_rqst_id)
and exists (select * from gdp_owner.serv_func_prvcy_rqst where serv_func_rqst_stat_cd
= any(array['D'])
and serv func cd=sfpr.serv func cd and prvcy rqst id=sfpr.prvcy rqst id)
)
and dpla.data_prvcy_law_cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by dpla.data_prvcy_law_cd,p.rqst_type_cd,p.prvcy_rqst_id
,p.rqst cntxt cd,p.portal type cd order by data prvcy law cd;
```

```
Offline Requests (AOB Request's) where rej_rsn_cd is null and denied as per
online svstem:
select
dpla.data prvcy law cd as dataPrivacyLaw,
p.rqst type cd as RequestType, p.rqst cntxt cd as Requester,p.portal type cd as
PortalType,
p.prvcy rqst id as PrvcyRqstId,
count(p.prvcy_rqst_id) as RequestsPartiallyDeclineCount
from gdp owner.PRVCY RQST p,gdp owner.data prvcy law assgn dpla
where dpla.data_prvcy_law_assgn_id = p.data prvcy law assgn id
and rqst_type_cd IN ('DA') and p.rqst_cntxt_cd in ('B2C') and p.portal_type_cd in
('AOB') and p.rqst stat cd in ('C') and p.crte ts >= '2020-01-01 00:00:00'
and p.crte ts <= '2020-12-31 23:59:59' and p.tst rqst sw = false
and p.prvcy_rqst_id in
(select p.prvcy rqst id from gdp owner.prvcy rqst p left join gdp owner.ofln rqst o
on p.prvcy rqst id=o.prvcy rqst id
where o.rej rsn cd is null and o.ignr rqst sw=false and p.prvcy rqst id in
select distinct sfpr.prvcy rqst id from gdp owner.serv func prvcy rqst sfpr
where sfpr.serv_func_rqst_stat_cd = any(array['R'])
and exists (select * from gdp_owner.serv_func_prvcy_rqst where serv_func_rqst_stat_cd
= any(array['ND']) and prvcy_rqst_id=sfpr.prvcy_rqst_id)
and exists (select * from gdp owner.serv func prvcy rqst where serv func rqst stat cd
= any(array['SUNP', 'SDL'])
and serv func cd=sfpr.serv func cd and prvcy rqst id=sfpr.prvcy rqst id)
and exists (select * from gdp owner.serv func prvcy rqst where serv func rqst stat cd
= any(array['D'])
and serv func cd=sfpr.serv func cd and prvcy rqst id=sfpr.prvcy rqst id)
))
and dpla.data_prvcy_law_cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by dpla.data prvcy law cd,p.rqst type cd,p.prvcy rqst id
,p.rqst_cntxt_cd,p.portal_type_cd order by data_prvcy_law_cd;
1. ND
2. R
   ND
3. R
   SUNP
      Online: B2C Request's:
select
dpla.data_prvcy_law_cd as dataPrivacyLaw,
p.rqst type cd as RequestType,
p.rqst cntxt cd as Requester,
p.portal type cd as PortalType,
p.prvcy rqst id as PrvcyRqstId,
count(p.prvcy_rqst_id) as RequestsPartiallyDeclineCount
from gdp owner.PRVCY RQST p,gdp owner.data prvcy law assgn dpla
where dpla.data_prvcy_law_assgn_id = p.data_prvcy_law_assgn_id
and rqst_type_cd IN ('DA') and p.rqst_cntxt_cd in ('B2C') and p.portal_type_cd in
('B2C') and p.rqst stat cd in ('C') and p.crte ts >= '2020-01-01 00:00:00'
```

```
and p.crte_ts <= '2020-12-31 23:59:59' and p.tst_rqst_sw = false</pre>
and p.prvcy rqst id in
SELECT distinct p.prvcy rqst id FROM gdp owner.PRVCY RQST p join
gdp_owner.serv_func_prvcy_rqst sf1 on p.prvcy_rqst_id=sf1.prvcy_rqst_id
where
sf1.prvcy_rqst_id in
(-- set2 SUNP/SDL
select distinct s1.prvcy rqst id from gdp owner.serv func prvcy rqst s1 where
s1.serv func rgst stat cd=all(array ['R'])
and exists
(select * from gdp_owner.serv_func_prvcy_rqst where serv_func_rqst_stat_cd in
('SUNP', 'SDL') and prvcy rgst id=s1.prvcy rgst id and serv func cd=s1.serv func cd)
and not exists
(select * from gdp_owner.serv_func_prvcy_rqst where serv_func_rqst_stat_cd in ('D')
and prvcy rqst id=s1.prvcy rqst id and serv func cd=s1.serv func cd)
and sf1.prvcy rqst id in
( -- set3 ND
select distinct sfpr1.prvcy rqst id from gdp owner.serv func prvcy rqst sfpr1
where sfpr1.serv func rqst stat cd = any(array['ND'])
and sfpr1.serv_func_prvcy_rqst_id not in
(select s1.serv_func_prvcy_rqst_id from gdp_owner.serv_func_prvcy_rqst s1 where
s1.serv func rqst stat cd = any(array['R'])
and sfpr1.prvcy rqst id=s1.prvcy rqst id
and exists
(select * from gdp_owner.serv_func_prvcy_rqst where serv_func_rqst_stat_cd =
any(array['ND'])
and prvcy rqst id=sfpr1.prvcy rqst id and serv func cd=s1.serv func cd)
)
)
)
and dpla.data prvcy law cd in ('BR-GDPA', 'DP-DEFAULT', 'EU-GDPR', 'US-CCPA')
group by dpla.data prvcy law cd,p.rqst type cd,p.prvcy rqst id
,p.rqst_cntxt_cd,p.portal_type_cd order by data_prvcy_law_cd;
      Offline Requests (AOB Request's) where rej_rsn_cd is null and denied as per
online system:
select
dpla.data_prvcy_law_cd as dataPrivacyLaw,
p.rqst type cd as RequestType,
p.rqst_cntxt_cd as Requester,
p.portal_type_cd as PortalType,
p.prvcy rqst id as PrvcyRqstId,
count(p.prvcy rqst id) as RequestsPartiallyDeclineCount
from gdp owner.PRVCY RQST p,gdp owner.data prvcy law assgn dpla
where dpla.data_prvcy_law_assgn_id = p.data_prvcy_law_assgn_id
and rqst type cd IN ('DA') and p.rqst cntxt cd in ('B2C') and p.portal type cd in
('AOB') and p.rqst_stat_cd in ('C') and p.crte_ts >= '2020-01-01 00:00:00'
and p.crte_ts <= '2020-12-31 23:59:59' and p.tst_rqst_sw = false</pre>
and p.prvcy rqst id in
```

```
(select p.prvcy_rqst_id from gdp_owner.prvcy_rqst p left join gdp_owner.ofln_rqst o
on p.prvcy rqst id=o.prvcy rqst id
where o.rej rsn cd is null and o.ignr rqst sw=false and p.prvcy rqst id in
SELECT distinct p.prvcy_rqst_id FROM gdp_owner.PRVCY_RQST p join
gdp owner.serv func prvcy rqst sf1 on p.prvcy rqst id=sf1.prvcy rqst id
where
sf1.prvcy_rqst_id in
(-- set2 SUNP/SDL
select distinct s1.prvcy_rqst_id from gdp_owner.serv_func_prvcy_rqst s1 where
s1.serv func rqst stat cd=all(array ['R'])
and exists
(select * from gdp owner.serv func prvcy rqst where serv func rqst stat cd in
('SUNP', 'SDL') and prvcy_rqst_id=s1.prvcy_rqst_id and serv_func_cd=s1.serv_func_cd)
and not exists
(select * from gdp_owner.serv_func_prvcy_rqst where serv_func_rqst_stat_cd in ('D')
and prvcy_rqst_id=s1.prvcy_rqst_id and serv_func_cd=s1.serv_func_cd)
)
and sf1.prvcy rqst id in
( -- set3 ND
select distinct sfpr1.prvcy_rqst_id from gdp_owner.serv_func_prvcy_rqst sfpr1
where sfpr1.serv_func_rqst_stat_cd = any(array['ND'])
and sfpr1.serv_func_prvcy_rqst_id not in
(select s1.serv func prvcy rqst id from gdp owner.serv func prvcy rqst s1 where
s1.serv_func_rqst_stat_cd = any(array['R'])
and sfpr1.prvcy rqst id=s1.prvcy rqst id
and exists
(select * from gdp_owner.serv_func_prvcy_rqst where serv_func_rqst_stat_cd =
any(array['ND'])
and prvcy_rqst_id=sfpr1.prvcy_rqst_id and serv_func_cd=s1.serv_func_cd)
)
)
)
and dpla.data_prvcy_law_cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by dpla.data prvcy law cd,p.rqst type cd,p.prvcy rqst id
,p.rqst_cntxt_cd,p.portal_type_cd order by data_prvcy_law_cd;
1. ND
2. R
   D -
3. R
   SUNP
      Online: B2C Request's :
select
dpla.data prvcy law cd as dataPrivacyLaw,
p.rqst_type_cd as RequestType,
p.rqst_cntxt_cd as Requester,
p.portal type cd as PortalType,
```

```
p.prvcy_rqst_id as PrvcyRqstId,
count(p.prvcy rqst id) as RequestsPartiallyDeclineCount
from gdp_owner.PRVCY_RQST p,gdp_owner.data_prvcy_law_assgn dpla
where dpla.data prvcy law assgn id = p.data prvcy law assgn id
and rqst_type_cd IN ('DA') and p.rqst_cntxt_cd in ('B2C') and p.portal_type_cd in
('B2C') and p.rqst stat cd in ('C') and p.crte ts >= '2020-01-01 00:00:00'
and p.crte_ts <= '2020-12-31 23:59:59' and p.tst_rqst_sw = false</pre>
and p.prvcy_rqst_id in
SELECT distinct p.prvcy_rqst_id FROM gdp_owner.PRVCY_RQST p join
gdp_owner.serv_func_prvcy_rqst sf1 on p.prvcy_rqst_id=sf1.prvcy_rqst_id
where
sf1.prvcy rqst id in
( -- set1 D
select distinct s1.prvcy_rqst_id from gdp_owner.serv_func_prvcy_rqst s1 where
s1.serv func rqst stat cd=all(array ['R'])
and exists
(select * from gdp_owner.serv_func_prvcy_rqst where serv_func_rqst_stat_cd in ('D')
and prvcy_rqst_id=s1.prvcy_rqst_id and serv_func_cd=s1.serv_func_cd)
and not exists
(select * from gdp_owner.serv_func_prvcy_rqst where serv_func_rqst_stat_cd in
('SUNP', 'SDL') and prvcy_rqst_id=s1.prvcy_rqst_id and serv_func_cd=s1.serv_func_cd)
and sf1.prvcy rqst id in
(-- set2 SUNP/SDL
select distinct s1.prvcy_rqst_id from gdp_owner.serv_func_prvcy_rqst s1 where
s1.serv func rqst stat cd=all(array ['R'])
and exists
(select * from gdp_owner.serv_func_prvcy_rqst where serv_func_rqst_stat_cd in
('SUNP', 'SDL') and prvcy_rqst_id=s1.prvcy_rqst_id and serv_func_cd=s1.serv_func_cd)
and not exists
(select * from gdp_owner.serv_func_prvcy_rqst where serv_func_rqst_stat_cd in ('D')
and prvcy_rqst_id=s1.prvcy_rqst_id and serv_func_cd=s1.serv_func_cd)
and sf1.prvcy_rqst_id in
( -- set3 ND
select distinct sfpr1.prvcy_rqst_id from gdp_owner.serv_func_prvcy_rqst sfpr1
where sfpr1.serv_func_rqst_stat_cd = any(array['ND'])
and sfpr1.serv_func_prvcy_rqst_id not in
(select s1.serv func prvcy rqst id from gdp owner.serv func prvcy rqst s1 where
s1.serv func rqst stat cd = any(array['R'])
and sfpr1.prvcy_rqst_id=s1.prvcy_rqst_id
and exists
(select * from gdp_owner.serv_func_prvcy_rqst where serv_func_rqst_stat_cd =
any(array['ND'])
and prvcy_rqst_id=sfpr1.prvcy_rqst_id and serv_func_cd=s1.serv_func cd)
)
)
and dpla.data_prvcy_law_cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by dpla.data_prvcy_law_cd,p.rqst_type_cd,p.prvcy_rqst_id
,p.rqst_cntxt_cd,p.portal_type_cd order by data_prvcy_law_cd;
```

• Offline Requests (AOB Request's) where rej\_rsn\_cd is null and denied as per online system:

```
select
dpla.data prvcy law cd as dataPrivacyLaw,
p.rqst_type_cd as RequestType,
p.rqst_cntxt_cd as Requester,
p.portal type cd as PortalType,
p.prvcy rqst id as PrvcyRqstId,
count(p.prvcy_rqst_id) as RequestsPartiallyDeclineCount
from gdp_owner.PRVCY_RQST p,gdp_owner.data_prvcy_law_assgn dpla
where dpla.data prvcy law assgn id = p.data prvcy law assgn id
and rqst_type_cd IN ('DA') and p.rqst_cntxt_cd in ('B2C') and p.portal_type_cd in
('AOB') and p.rqst_stat_cd in ('C') and p.crte_ts >= '2020-01-01 00:00:00'
and p.crte ts <= '2020-12-31 23:59:59' and p.tst rqst sw = false
and p.prvcy rqst id in
(select p.prvcy rqst id from gdp owner.prvcy rqst p left join gdp owner.ofln rqst o
on p.prvcy rqst id=o.prvcy rqst id
where o.rej rsn cd is null and o.ignr rqst sw=false and p.prvcy rqst id in
SELECT distinct p.prvcy_rqst_id FROM gdp_owner.PRVCY_RQST p join
gdp_owner.serv_func_prvcy_rqst sf1 on p.prvcy_rqst_id=sf1.prvcy_rqst_id
where
sf1.prvcy_rqst_id in
( -- set1 D
select distinct s1.prvcy rqst id from gdp owner.serv func prvcy rqst s1 where
s1.serv_func_rqst_stat_cd=all(array ['R'])
and exists
(select * from gdp_owner.serv_func_prvcy_rqst where serv_func_rqst_stat_cd in ('D')
and prvcy_rqst_id=s1.prvcy_rqst_id and serv_func_cd=s1.serv_func_cd)
and not exists
(select * from gdp owner.serv func prvcy rgst where serv func rgst stat cd in
('SUNP', 'SDL') and prvcy_rqst_id=s1.prvcy_rqst_id and serv_func_cd=s1.serv_func_cd)
and sf1.prvcy rqst id in
(-- set2 SUNP/SDL
select distinct s1.prvcy_rqst_id from gdp_owner.serv_func_prvcy_rqst s1 where
s1.serv func rqst stat cd=all(array ['R'])
and exists
(select * from gdp owner.serv func prvcy rqst where serv func rqst stat cd in
('SUNP', 'SDL') and prvcy_rqst_id=s1.prvcy_rqst_id and serv_func_cd=s1.serv_func_cd)
and not exists
(select * from gdp_owner.serv_func_prvcy_rqst where serv_func_rqst_stat_cd in ('D')
and prvcy_rqst_id=s1.prvcy_rqst_id and serv_func_cd=s1.serv_func_cd)
and sf1.prvcy rqst id in
( -- set3 ND
select distinct sfpr1.prvcy rqst id from gdp owner.serv func prvcy rqst sfpr1
where sfpr1.serv func rgst stat cd = any(array['ND'])
and sfpr1.serv_func_prvcy_rqst_id not in
(select s1.serv func prvcy rqst id from gdp owner.serv func prvcy rqst s1 where
s1.serv_func_rqst_stat_cd = any(array['R'])
and sfpr1.prvcy_rqst_id=s1.prvcy_rqst_id
and exists
```

```
(select * from gdp_owner.serv_func_prvcy_rqst where serv_func_rqst_stat_cd =
anv(arrav['ND'])
and prvcy rqst id=sfpr1.prvcy rqst id and serv func cd=s1.serv func cd)
)
)
)
and dpla.data_prvcy_law_cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by dpla.data prvcy law cd,p.rqst type cd,p.prvcy rqst id
,p.rqst_cntxt_cd,p.portal_type_cd order by data_prvcy_law_cd;
1. ND
2. R
  D -
3. R - false
1. ND
2. ND
3. R
  D -
   R - false
      Online: B2C Request's:
select
dpla.data_prvcy_law_cd as dataPrivacyLaw,
p.rqst type cd as RequestType,
p.rqst cntxt cd as Requester,
p.portal type cd as PortalType,
p.prvcy_rqst_id as PrvcyRqstId,
count(p.prvcy rqst id) as RequestsPartiallyDeclineCount
from gdp_owner.PRVCY_RQST p,gdp_owner.data_prvcy_law_assgn dpla
where dpla.data_prvcy_law_assgn_id = p.data_prvcy_law_assgn_id
and rqst_type_cd IN ('DA') and p.rqst_cntxt_cd in ('B2C') and p.portal_type_cd in
('B2C')and p.rqst stat cd in ('C') and p.crte ts >= '2020-01-01 00:00:00'
and p.crte ts <= '2020-12-31 23:59:59' and p.tst rqst sw = false
and p.prvcy rqst id in
SELECT distinct prvcy_rqst_id
FROM gdp owner.serv func prvcy rqst s inner join gdp owner.resp rec rc
      on rc.serv_func_prvcy_rqst_id = s.serv_func_prvcy_rqst id and
del prdct rqst id is null
WHERE
      (serv_func_rqst_stat_cd='R' and del_phase_sw='false')
AND NOT EXISTS (SELECT * FROM gdp owner.serv func prvcy rqst WHERE
(serv_func_rqst_stat_cd in ('SUNP','SDL','NU') and del_phase_sw='true')
AND prvcy rqst id = s.prvcy rqst id)
AND EXISTS ((SELECT * FROM gdp_owner.serv_func_prvcy_rqst WHERE
(serv_func_rqst_stat_cd in ('ND','D') and del_phase_sw='true')
AND prvcy rqst id = s.prvcy rqst id))
```

```
and dpla.data prvcy law cd in ('BR-GDPA', 'DP-DEFAULT', 'EU-GDPR', 'US-CCPA')
group by
dpla.data_prvcy_law_cd,p.rqst_type_cd,p.prvcy_rqst_id,p.rqst_cntxt_cd,p.portal_type_c
d order by data_prvcy_law_cd;
      Offline Requests (AOB Request's) where rej_rsn_cd is null and denied as per
online system:
select
dpla.data_prvcy_law_cd as dataPrivacyLaw,
p.rqst_type_cd as RequestType,
p.rqst cntxt cd as Requester,
p.portal type cd as PortalType,
p.prvcy rqst id as PrvcyRqstId,
count(p.prvcy rqst id) as RequestsPartiallyDeclineCount
from gdp owner.PRVCY RQST p,gdp owner.data prvcy law assgn dpla
where dpla.data_prvcy_law_assgn_id = p.data_prvcy_law_assgn_id
and rqst_type_cd IN ('DA') and p.rqst_cntxt_cd in ('B2C') and p.portal_type_cd in
('AOB')and p.rqst_stat_cd in ('C') and p.crte_ts >= '2020-01-01 00:00:00'
and p.crte ts <= '2020-12-31 23:59:59' and p.tst rqst sw = false</pre>
and p.prvcy_rqst_id in
(select p.prvcy rqst id from gdp owner.prvcy rqst p left join gdp owner.ofln rqst o
on p.prvcy rqst id=o.prvcy rqst id
where o.rej_rsn_cd is null and o.ignr_rqst_sw=false and p.prvcy_rqst_id in
(
SELECT distinct prvcy_rqst_id
FROM gdp_owner.serv_func_prvcy_rqst s inner join gdp_owner.resp_rec rc
      on rc.serv func prvcy rqst id = s.serv func prvcy rqst id and
del prdct rqst id is null
WHERE
      (serv_func_rqst_stat_cd='R' and del_phase_sw='false')
AND NOT EXISTS (SELECT * FROM gdp owner.serv func prvcy rqst WHERE
(serv func rgst stat cd in ('SUNP', 'SDL', 'NU') and del phase sw='true')
AND prvcy_rqst_id = s.prvcy_rqst_id)
AND EXISTS ((SELECT * FROM gdp_owner.serv_func_prvcy_rqst WHERE
(serv func rqst stat cd in ('ND', 'D') and del phase sw='true')
AND prvcy rqst id = s.prvcy rqst id))
and dpla.data prvcy law cd in ('BR-GDPA','DP-DEFAULT','EU-GDPR','US-CCPA')
group by
dpla.data_prvcy_law_cd,p.rqst_type_cd,p.prvcy_rqst_id,p.rqst_cntxt_cd,p.portal_type_c
d order by data_prvcy_law_cd;
```

<---->END----->