# **React.js Component Creation**

Name: Gorli.Thanuja

Email:gorlithanuja71@gmail.com

Roll NO: 20NN1A0578

College Name: Vignan's Nirula Institute of Technology and Science For women


University: JNTUK

### source code:


#### **CARD COMPONENT:**

```
ლ Ш ...
                                       card > src > components > card > @ Card.jsx > ...
1 import React, { useState } from 'react'
                                                                                                                                 card > src > components > card > 3 card.css > 4 card.image
  ∨ INTERSHIP
                                             import React, { usestate } ...
import { Button } from '../button/Button'
import './card.css'
                                                                                                                                             border:1px solid □#000;
                                                                                                                                             flex-shrink: 0;
     > m public
                                                                                                                                            background-color: ■#fff;
width:300px;
                                       6 export const Card = ({card}) => {
7 | const [show,setShow] = useState(
       const [show,setShow] = useState(false);
function buttonClick(){
        ∨ ≝ button
          ■ button.css
                                                                                                                                             display: flex;
                                                   setShow(!show);
                                                                                                                                              flex-direction: column;
           Button.isx
       align-items: center
         card.css
                                                     <div className={show ? "card show" : "card"}>
                                                       Card.jsx
       ∨ dimages
         image1.jpeg
         image2.jpeg
         image3.jpeg
                                                                                                                                             overflow:hidden;
background: ☐ red;
         image4.jpeg
          image5.jpeg
         image6.jpeg
                                                                                                                                          .card .image img{
width:100%;
         App.css
         JS App.js
         index.css
                                                                                                                                            object-fit: cover:
                                                                                                                                          .card .image img:hover{
        .gitignore
         package-lock.json
                                                                                                                                          .card h3{
        README.md
                                                                                                                                              margin:7px;
                                                                                                                                          .card p{
   text-align: justify;
                                                                                                                                              width:230px;
padding:10px 0px;
 > OUTLINE
  > TIMELINE
$° main* ← ⊗ 0 △ 0 🐕 0
                                                                                                                                                Ln 22, Col 2 Spaces: 4 UTF-8 CRLF CSS @ Go Live II Ninja
```

## **BUTTON COMPONENT:**



### **APP COMPONENT:**



# approach:


1. initially taking an array of objects like below

```
const cards = [
   url:image1,
   title: "Audi R8",
   description: "The definition of a supercar describes an expensive car that's flashy,"
   url:image2,
   title: "Maserati MC20",
   description: "The definition of a supercar describes an expensive car that's flashy"
   url:image3,
   title: "Porsche 911 GT3 RS",
   description: "The definition of a supercar describes an expensive car that's flashy"
   url:image4,
   title: "Lamborghini Huracan Tecnica",
   description: "The definition of a supercar describes an expensive car that's flashy"
   url:image5,
   title: "Rimac Nevera",
   description: "The definition of a supercar describes an expensive car that's flashy"
   url:image6,
   title:"ferrari F9",
   description: "The definition of a supercar describes an expensive car that's flashy"
```

- 1 . Passing this card array to child (card component) of App component by using props.
- $\boldsymbol{2}$  . getting data as argument like {card} in card component.
- 3 . in card component i use one state [show, set Show] to get extra info as description.

4 . When we click the button then show becomes true by assigning set Show (! show).

# **OUTPUT:**



**AFTER BUTTON CLICKS:** 

