

StressLess

DH2465 Pre-Study

Nima Tehranchi, Hugo Wigh, Knut Ovesjö, Marcus Pramborg
Gustaf Salenius, Hugo Ankarcrona

KTH Royal Institute of Technology, November 2026

Contents

1 Problem and Thesis **1**

2 How We Worked **2**
2.1 Timeline and milestones . . . 2
2.2 Methodology . . . 2

3 Users, Needs and Requirements **3**
3.1 The primary customer . . . 3
3.2 What the conversations showed . . . 4
3.3 Requirements . . . 5
3.4 Stakeholders and needs . . . 6

4 Concept and Design **6**
4.1 The product . . . 6
4.2 Design decisions and the alternatives we rejected . . . 7
4.3 Assumptions the product rests on . . . 7

5 Technology **8**
5.1 Architecture . . . 8
5.2 Data sources and platform constraints . . . 8
5.3 The sleep score and the engine . . . 8

6 Prototypes and Evaluation **10**
6.1 Prototype 1 . . . 10
6.2 Prototype 1 feedback and resulting changes . . . 11
6.3 Prototype 2 . . . 12
6.4 Prototype 2 feedback and prospective changes . . . 13
6.5 Known limitations of Prototype 2 and future revisions . . . 14

7 Business **16**
7.1 Competition, and what others have tried . . . 16
7.2 Business model and go-to-market . . . 17
7.3 The numbers . . . 18

8 Risks **19**

9 Current Status and Next Steps **20**
9.1 Where the project stands . . . 20
9.2 The next twelve months . . . 21

A AI Declaration Statement **25**

B Interview Summaries **25**

C Screenshots **51**
C.1 Screenshots of Prototype 1: . . . 52
C.2 Screenshots of Prototype 2: . . . 53

1. Problem and Thesis

This document is a collection of the most important information about StressLess. It consists of the knowledge collected during the startup pre-study phase, and thus also works as a guide for future development of the start up and its product.

The problem. Wearable technology can often give a large amount of data summaries and health scores to their users, but they rarely try to provide any insight into potential reasons for why the numbers look the way they do. The current wearables are not utilizing insightful data that could be used to provide deeper understanding and context for users, such as events in the users calendar, phone usage, etc.

Our thesis. Calendar-dense wearable users want to know how their daily schedule affects their sleep, heart rate, focus and what they can do to optimize these aspects of their lives, but cannot find out by hand, and would rather see the pattern in their own data than ask a doctor or coach. Three criteria, set before the interviews, would disprove it: (1) more than half say that they never wondered about this, (2) anyone kept a useful manual comparison going for over a month, or (3) if, when introducing our solution, more than half mention that they would rather ask an expert.

Result. None of the falsification criteria were met. Eight of the nine participants had wondered about the links, and some had a hypothesis of their own. Three had tried a manual method (P5 a notes app, P7 a spreadsheet and P9 the device's own journal), and none kept it up for more than a month or found it useful. The rest relied on memory. Nobody said they would rather ask an expert. The thesis holds on this sample, which shows interest but cannot size demand.

Previous attempts. PeakPath, a Stockholm startup, sold sleep and stress coaching to consultancies, private equity firms and sales teams before going bankrupt in April 2026 [1, 2]. Its co-founder told us that its large customers found calendar data hard to share, and that today she would build on data that is hard for one user to combine, which is exactly how StressLess uses data (Section B).

The gap. StressLess closes three gaps in how wearable data is used (Table 1): the score never says why, a busy day holds too many causes to untangle by hand, and scores from different brands cannot be compared fairly. No competitor product, listed in Table 7, closes all three (Sections 4 and 7.1).

Table 1: The gaps, what we found and how StressLess closes them.

Gap	Issues found	How StressLess addresses it
1. The score never says why. *Core*	"I can see it on my Oura Ring, the sleep scores just drop" (P2). Those who tried to link score and schedule did so from memory	Reads the wearable, calendar, phone and media automatically, and explains each night with up to four potential influencing factors
2. Too many causes to untangle. *Core*	"whether it's the flight, the late dinner, or the 7 am prep call" (P4). Users could not attribute their tiredness to a specific event	Estimates the effect of every cause across many nights, including causes that fall on the same day
3. Comparisons across devices are unfair. *Add-on*	"everyone has a different ring or watch" (P3), and P2 said the same of his Oura Ring against an Apple Watch	One score computed from raw data for every device

2. How We Worked

2.1 Timeline and milestones

We ran the project as two build-and-evaluate loops against the course milestones (Figure 1), in the spirit of build, measure, learn [3]. The first went from the idea, the thesis and its falsification criteria to the needs and prototype 1, tested by P1 to P3, and the second built prototype 2, tested it with all nine and evaluated it (Section 6). Each step from evidence to product is documented: findings (Table 2), requirements (Table 3), design decisions (Section 4.2), and prototype changes and evaluations (Section 6).




Figure 1: Project timeline with prototype and test dates

2.2 Methodology

The initial phase of the project involved identifying and researching an unmet need or gap in the market that our product could meet. After initial discussions and hypothesizing within the team, a theory was drafted regarding an opportunity to combine data from wearables and information from calendars, based on our own experiences.

Preparatory efforts included two main processes. Firstly, a brief market and competitor analysis was made to ensure the existence of an unmet demand. The team conducted a broad search to find information about wearables and potential direct competitors, and to document their offerings. This search also included a targeted examination of relevant online public forums to gain an understanding of self-quantifying people (dedicated users of wearables) and their related issues. In parallel, a team member identified and contacted three wearable-using individuals at a Swedish legal-tech firm that held busy schedules, and conducted early interviews to determine tangible user needs (Section B). These interviews also confirmed our hypothesis regarding the target user segment, i.e. the high-performing, calendar-driven, and data-interested individual. After establishing a possible target user group and market, the team proceeded with the product creation.

The needs were condensed into several initial features, and it was determined that a web application would be an appropriate approach for the product due to ease of use and development. A first prototype of the web application was developed with basic functionality dependent on a statistical engine, where demo data was used to produce a comprehensive view of the product. The prototype was shown to the three testers from the legal-tech firm, which were then asked for feedback. The feedback was evaluated and transformed into concrete design targets to improve the product, both design- and functionality-wise.

The design targets were implemented through iterative improvements in both frontend and backend, using the gathered feedback regarding usability, intuitiveness, comprehensiveness, and functionality. The technical structure and interface design are documented in Section 5, while the prototype details can be found in Section 6. While evaluating and choosing technical implementations and solutions, analyses were made regarding current and future costs, alongside a revenue

model that covers a year in advance (Section 7). The team simultaneously performed risk assessment, discussing potential dangers and restrictions related to using certain data sources, platforms, and technologies, compiling the findings in Section 8. The cost and revenue analysis also revealed the initial investment needed to make the project work reliably, and to deliver the product to the market. To acquire the capital needed to sustain the development efforts and commercialisation process, the team decided to target VC firms in its pitch.

Having built the second prototype by finishing incorporation of LLM reasoning, interface layout, and data integrations, a total of nine test users within the target user segment, including the previously three contacted, were interviewed personally. The interviews included a protocol of semi-structured questions to both gather information, and to guide the users in diagnosing and formulating their needs, before introducing them to the product. A contextual inquiry approach was considered, but deemed less suitable because sleep and recovery occur overnight and require assessment over several weeks, while interviews using focus groups were rejected because the discussions involved sensitive health and calendar information. By gaining access to the test users' calendar, wearable data, and potential other data sources, StressLess could deliver insights and suggestions for the users to act on. We wrote a summary of each conversation with selected quotes (Section B). We then grouped the statements from all nine conversations by theme, loosely following thematic analysis [4], and counted how many participants raised each theme. Each theme and its count became a finding in Table 2 with a design consequence, and we checked the three falsification criteria from Section 1 against the same notes.

Some users could not, or would not, use e.g. automatic calendar integration due to company firewalls or confidentiality issues. These users instead sent screenshots of their schedule, anonymised by themselves with their company-approved AI tool, or, like P9, copied their week by hand into a private calendar. To circumvent this barrier and other difficulties encountered during development, the team devised a GTM strategy and future development plan that covers the coming twelve months.

As a final check of confirmation and potential weaknesses, the team contacted a former startup, PeakPath, that sold sleep and stress coaching to a similar target user segment. They expressed concerns regarding gathering data from large customers, which echoes the findings from the interview and testing process, but also underlined that there existed potential value in the product's analysis and suggestion mechanics (Section B).

3. Users, Needs and Requirements

3.1 The primary customer

We build for one primary customer first, so that every design and go-to-market choice can be checked against them: the calendar-dense high performer who already reads their wearable scores. This is typically a knowledge worker at a startup, in sales, consulting, venture capital or a scale-up, with twenty to thirty meetings a week in a Google or Outlook calendar. They check an Apple Watch, Oura Ring, Garmin or WHOOP every day, suspect that their work rhythm affects how they feel and function, are open to fair comparison with colleagues, and want a few insights and concrete tips for improving their lifestyle. Going forward, we start with those at startups, after our correspondence with PeakPath's founders (Section B).

Why we focus on them:

1. *The problem is clearest for them.* Their triggers are calendar events (F1), and three of the nine testers slept worse after their most meeting-heavy days (Section B).
2. *The data is already there.* The calendar and the wearable records their day, so StressLess needs no new device and no logging, making it easy to adopt for new users.

3. *They will act on it.* They track a score and talk about it unprompted (F7), and multiple users claimed they would put the suggested changes into their calendars.
4. *They can be acquired a whole office at a time.* Customers can be reached through their employer, beginning with startups, where IT department entry barriers are lower (Section 7.2).

Professional athletes are not chosen as the primary customer, since WHOOP and Garmin already serve them (Section 4.2). People with serious sleep problems are pointed to a professional, since close tracking can worsen sleep anxiety [5] (R7). Finance fails reason 4: under DORA, financial firms covered by the rules must check that prospective ICT service providers are suitable before signing a contract with them [6] and a banker's calendar can hold inside information [7], so it waits for references and a security review.

Almost 500 million people use an active wearable band [8]. At 720 SEK a year, about the price of a subscription in the category (Section 7.1), that is a total addressable market (TAM) of about 360 BSEK a year. If one in ten fits this profile, our least certain estimate, the serviceable market (SAM) is about 36 BSEK, and one percent of that is an obtainable market (SOM) of about 360 MSEK a year, or 500,000 paying users, against the 1,387 the twelve-month plan reaches (Section 7.3).

3.2 What the conversations showed

Nine semi-structured conversations between September and November 2026 with people matching the primary customer (Section 2.2, summaries and protocol in Section B): three at a legal-technology scale-up (P1 to P3), three at global strategy consultancies (P4, P5, P9), one at a small venture firm (P6), the founder of an AI startup (P7) and an engineer at another (P8). In Table 2, the evidence for each finding starts with how many of the nine said or showed it.

Table 2: Findings from the nine conversations and their design consequences.

Finding	Evidence	Design consequence
F1. They can feel their schedule affect their wellbeing and can name the trigger, but only from memory	**7 of 9** named a trigger, such as important customers, quarter end, board and interview days or late slide work. The triggers match studies of work stress and sleep [9, 10], but none had measured the link, and P7's attempt with a spreadsheet ended without clear answers.	The triggers become the calendar features the model measures every night (R1, Section 5.3).
F2. The wearable shows the outcome, never the potential cause	**8 of 9** wonder about the reason behind their score.	A morning report with up to four likely causes, each with its evidence and a confidence level (R1), and no logging beyond a one-tap check-in (R2).
F3. When work gets busy, exercise is often the first thing people neglect	**3 of 9** interviewees claimed that they were often too busy to work out.	StressLess makes suggestions that help you make space for workouts (R11).
F4. Suggestions must stay inside what the user controls, and work calendars are often not theirs to connect	**3 of 9** cannot move many of their meetings. **6 of 9** have work calendars that showed our app only "busy".	Suggestions only touch events the user owns (R3). The employer can approve the work calendar for everyone at once, so we sell to employers (Section 7.2).
F5. Diet, while a valuable insight for sleep, is too cumbersome to track, at the moment	**1 of 9.** P4 orders food through the firm most days. In the tests, P1 slept 44 minutes less after dinners later than 20:00.	Not tracked for now, since it needs manual logging (Section 4.2).

Finding	Evidence	Design consequence
F6. Colleagues already compare scores, but different devices make it unfair and there is no proper tool	**6 of 9** compare with colleagues or would. But "everyone has a different ring or watch"	One score computed the same way for every wearable, and people compared only by change against their own baseline (R4, R5), on an opt-in board hidden from managers and open across companies (R13).
F7. They are already power users of their wearable data	**8 of 9** check a wearable score or metric every day, and four brought it up before we asked.	They are thus our target customer segment (Section 3.1).
F8. Privacy has to be visible in the product	**2 of 9** made privacy a condition.	The Data view shows what leaves the phone and allows for deleting everything in one action (R6).
F9. When the calendar is nearly empty, the phone tells the story	**1 of 9.** P8: "My calendar doesn't really say much about the week, it's almost empty. My app history might have more information about it, like my time on Slack"	When the calendar is thin, the engine will focus on screen time and phone unlocks instead (R9).
F10. Free time in a busy calendar is rare and soon gets booked	**4 of 9** have few unbooked time slots during business hours.	Suggestions of filling free slots with protected blocks can be automatically inserted in the calendar.

3.3 Requirements

The findings became thirteen requirements, each with a priority, a source and a check (Table 3).

Table 3: Requirements, their sources, priority and status as of prototype 2

ID	Requirement	Source	Prio.	Prototype 2
R1	Explain each night with potential causes, each with measured evidence and a confidence level	F2, testers	Must	Built
R2	No manual logging beyond one-tap check-ins	Thesis, P6, P9	Must	Partly
R3	Suggestions touch only events the user owns	F4	Must	Built, but can be improved
R4	Work for every major wearable through the on-device platforms	F6, P7, platform terms	Must	Android built, iOS planned
R5	Compare people only by change against their own baseline, with one score computed the same way for every device	F6	Must	Score built
R6	Show what leaves the device, that no language model is trained on user data, and delete everything in one action	F8	Must	Partly
R7	Never make a medical claim	P7, Table 10	Must	Built
R8	Give value in the first weeks, before the model is confident	P5, P1	Must	Partly
R9	Base analysis on phone usage, when the calendar is sparse	F9	Should	Sync built
R10	Keep playful statistics apart from the explanation, where media counts only as a measured cause	Testers, P7	Should	Partly
R11	Add the suggested change to the calendar with one click	F3, F4	Should	Designed
R12	Employers never see an individual employee's data	F8, P7, AFS 2023:2	Must	Designed
R13	An opt-in company board on change, invisible to managers, with a cross-company option	F6, P6	Could	Designed

3.4 Stakeholders and needs

Using the interview findings we have come to the following accounting of stakeholders and their needs.

Table 4: Stakeholders, their needs, and what we did

Stakeholder	**Need, and where it came from**	**Design response: what we built or designed**
Primary user	Know why last night's score changed without comparing apps by hand (F1, F2)	Daily and weekly reports with up to four likely causes, each with evidence and confidence (R1). Built
Primary user	Almost no effort, since they will not log by hand	Data comes in by itself, the only input is a one-tap check-in, and one click adds a change (R2, R11). Partly built
Primary user	Trust the explanation enough to act on it	Effects against the persons own baseline found using statistical analysis, not using the probabilistic LLM (R1, R7). Built
Primary user	Make one change they control, and protect exercise and free time (F3, F4, F10)	StressLess provides suggestions for improvements, within your control (R3) and books it as a protected block in one click (R11). Partly built
Primary user	See what happens to their data before connecting it (F8)	The Data & Privacy view shows what leaves the phone, how long it is kept and how to delete it all (R6). The promise that no model is trained on it comes with the own LLM in months 1 to 4 (Section 9.2). Partly built
Colleagues	A fair comparison across devices, and only by choice (F6, P4, P5)	One score computed the same way for every wearable, compared only as change against each person's own baseline (R5). An opt-in board, hidden from managers (R13). Score built, board in design stage
Employer and safety representative	Meet the workload duty in AFS 2023:2 with evidence that names no one [11]	Employers will have no insight into individual employee data (R12). Designed
Platform owners, model vendor, regulator	Platform terms, a data-processing agreement and a lawful basis under GDPR Article 9 [12]	Health data only through the phone's health platforms (R4) and a data protection impact assessment (DPIA) before launch (R6). Android built, iOS and DPIA planned

4. Concept and Design

4.1 The product

StressLess combines a user's data from their wearable, calendar, phone and app use and media, runs statistics on it automatically and reports the most important findings, so a busy professional sees how the events of their day go with their sleep and health scores. Figure 2 shows one of P1's mornings: a late dinner after his last one-to-one went with his low score, and the suggestion to move an upcoming one-to-one so dinner starts by 20:00.

None of the products in Table 7 does all of the following:

1. It matches the calendar, phone and app use and media (Spotify, Netflix, YouTube) with the user's biometrics. Wearables measure only the body and their AI advisors lack the day's context, while logging apps need the user to type in the day, which our participants gave up on.

2. It finds long running patterns to separate potential calendar-related causes that fall on the same day, such as ten meetings, a late dinner and an early workout (Section 5.3).
3. Each report ends with one change to the user's own calendar, that can be added with a single click. It is designed never to touch a meeting the user does not own, such as a client's (R3).

What the user sees (Section C):

- **Daily report:** Last night's score against the user's usual, up to four likely causes with their evidence (R1), and the suggested change.
- **Weekly report:** Up to four insights, one suggestion for the coming week and the recurring patterns, such as late client dinners, ranked by how strongly they go with sleep.
- **Your week in numbers:** The light part the testers asked for, such as the most-used apps and the meetings and songs with the highest heart rate (R10).
- **Social/Company board:** Designed, not built: an opt-in page where colleagues compare their change against their own baselines (R13).

An example of a calendar day and the morning report, with suggestion.

The day. Thirteen meetings, a run of five one-to-ones from 16:30, the last one-to-one at 20:30 and dinner at 21:05.
Morning report. Sleep score 66 against his usual 79. Likely causes: (1) Dinner after 20:00, which on his other such days went with falling asleep 38 minutes later and 44 minutes less sleep. (2) A run of four or more one-to-ones, which kept his heart rate up until 22:00 and his HRV 14% lower that night.
Suggested change. Move the 20:30 one-to-one into the afternoon so dinner starts by 20:00, added to the calendar with one click.

Figure 2: An example daily report, shortened (Section B).

4.2 Design decisions and the alternatives we rejected

- A chat assistant over the data was rejected. Oura Advisor and WHOOP Coach let users chat about their body data, but a language model asked open questions about health data can state causes the data does not support. The statistics decide instead (Section 5.3).
- A consumer-first launch was replaced by employer-first after the tests of prototype 2. Six of the nine had managed work calendars (F4). PeakPath's large customers found calendar data hard to share, so we start with startups (Section 7.2).
- A sleep mascot whose mood follows the score is on hold until a clinical advisor reviews it. Anxious over-tracking is documented [5, 13], and P5 saw the risk in himself: "If it told me every single morning that my sleep was bad because of work, I think I'd sleep worse."
- An athlete focus was rejected, since Garmin and WHOOP already serve exercise tracking. Training stays one cause among others (F3).
- Food is not tracked, although diet affects sleep [14], since it would need manual logging (F5). Apps that already log food could become partners later.

4.3 Assumptions the product rests on

1. Users trust a third party with both calendar and health data enough to connect both. *Falsified if* more than half decline after seeing how the data is handled.
2. The patterns found feel relevant and new to the user. Five users were given one they had not expected, such as P6's weekly meeting with his partners and P9's weekend sleep-in actually having a negative influence (Section B).
3. Users change what they do after seeing a pattern. P1, P2, P3, P6 and P7 said they would

change what they book, such as P3 moving his padel earlier and P6 keeping the evening between two dinners free, but none of the changes has been followed up yet (Section 6).

4. A meaningful share of the target market is not satisfied by their device's built-in AI services. Five of the nine explicitly express dissatisfaction with not getting an explanation behind their score (F2).

5. Technology

5.1 Architecture

Figure 3 shows the data flow. An Android app reads the data the wearable syncs to the phone, and how the phone is used. The user connects Google Calendar on the website, which gives read-only access to the events, and adds check-ins for caffeine and alcohol and uploads media histories there. Each user can only read their own data. Prototype 2 is a Next.js web app with a Python backend on FastAPI and Supabase for sign-in and storage. An iOS app is planned, and until then iPhone users upload an export of their Apple Health data as an XML file.




Figure 3: Data flow

5.2 Data sources and platform constraints

Each platform sets rules for who may read its data, and Table 5 shows the route we chose for each of the four kinds StressLess reads.

5.3 The sleep score and the engine

Wearable brands build their sleep scores from different components. Oura combines seven contributors, including REM and deep sleep [15], while Google's score for Fitbit devices combines six measures and requires sleep stages [16]. Since this makes the scores hard to compare, StressLess calculates its own from the raw sleep data, the same way for every brand (R5). The score is modelled on the sleep score Apple introduced in watchOS 26, which combines three components with maximum points of 50 for time asleep, 30 for bedtime and 20 for interruptions [17]. Apple does not publish how points are awarded within each component, so the rules below are our own. Time asleep is measured against a need of 7.5 hours, inside the 7 to 9 hours recommended for adults [18]. Each missing hour costs about 8 points, and sleeping more than two hours beyond the need costs 5. Bedtime is compared with the median of the person's bedtimes over the previous fourteen nights. Going to bed up to 20 minutes later than usual costs nothing, after which a point

is lost every four minutes. Each wake-up during the night costs 3 points, and every 8 minutes awake costs one more. AppleInsider reports that Apple's score also considers time spent in each sleep stage, but its breakdown awards points only for time asleep, bedtime consistency and interruptions [17]. The score uses stage data only to separate time asleep from time awake. A National Sleep Foundation expert panel also agreed on that stages are a weak measure of sleep quality, and that continuity, such as few awakenings and little time awake, indicates good sleep. [19].

Table 5: How StressLess gets each kind of data, and why

Data we need	**The obvious route, and what limits it**	**What we do instead, and why**
Health, training and sleep data from the wearable	Each brand's cloud API. Oura's 2026 terms bar aggregators from passing its data to AI systems [20, 21], WHOOP caps a new app at ten users until it is approved [22], and Garmin has paused new access [23]	The phone's health function, which every brand our testers wear writes to: Health Connect for Android (built) and HealthKit for iOS (exports until we can access it through our app), with consent per data type. One connection covers every brand, and no vendor can cut us off
Phone use	The phone's screen-time data. On iOS, exporting it via Apple's Device Activity API [24] requires Apple Developer Program membership ($99/year), Apple's Family Controls distribution approval, the App and Website Usage entitlement, and user permission. For customer installs, export is limited to devices in the EU with an EU-region Apple Account.	Read on Android with the usage-access permission, manually export for iPhone.
Calendar	A cloud connection to each calendar provider. Managed work calendars show outside apps only "busy" (F4)	Google Calendar through a read-only login (built), and Outlook and other calendars through the phone's own calendar (planned). The employer approves work calendars for everyone at once.
Media	Each streaming service's own API, each with its own terms	The user's own exports from Spotify, Netflix and YouTube, and a synced Last.fm and Steam account, so late listening and streaming can be tested as a cause, as with P7's music at night.

In order to find the insights, StressLess runs three separate analyses, because its data sources differ in how complete they are and in what question they can answer.

The first estimates the calendar's effect. Each day's calendar is turned into features, several of which match triggers participants named in the interviews (F1). It then fits a ridge regression on each person's own nights rather than one model across all users, because relationships found across a group often do not hold within an individual [25]. The regression gives each calendar feature a weight in sleep-score points, for example how many points each meeting beyond three costs, so that a night's predicted score is the person's usual score plus the weights of the features present that day. When two causes tend to fall on the same days, such as many meetings and long back-to-back chains, an ordinary regression cannot tell them apart and their weights swing widely from one set of nights to the next. Ridge solves this by penalising large weights, so the model only gives a cause a large weight when the data clearly supports it. When two causes always appear together, it splits their effect between them instead of letting one take all of it, which keeps the estimates stable. The trade-off is that true effects come out slightly smaller than they are [26]. The strength of this penalty is chosen by leave-one-out cross-validation. Each night is predicted from a model fitted on all the other nights, the penalty whose predictions for these unseen nights are most accurate is kept, and the share of night-to-night variation explained on them is the fit

we show the user. This avoids reporting a fit that only reflects the model memorising the nights it was trained on. The uncertainty interval for each cause comes from a moving-block bootstrap. It builds 500 new histories by drawing runs of five consecutive nights at random and refits the model on each, and the middle 95 % of the resulting weights forms the interval. Runs are drawn rather than single nights because one night affects the next, for example through sleep debt, and drawing single nights would break that link and make the intervals too narrow [27]. The result is each cause's cost in sleep-score points. It could, for example, find that a meeting running past 18:00 cost four points of last night's score while a protected evening gave two back. A report only names a cause that happened that day, and when a night is much worse than predicted, it says something outside the calendar may explain it, such as alcohol, caffeine, or screens.

The second compares days with and without a cause, one cause at a time, over the last eight weeks. It covers calendar causes as well as phone use, steps, workouts, music and check-ins, which are often missing and far too many to fit in one model, and it measures outcomes other than the score, such as time asleep, time to fall asleep and HRV. This is how P1's tests found that he slept 44 minutes less after dinners later than 20:00.

The third compares heart rate within a single day, setting each recurring meeting against the user's other meetings that day. It could, for example, find that a weekly client call runs 10 bpm higher than the rest of the day's meetings.

A limitation of this split is that the second analysis tests each cause on its own and does not adjust for causes that tend to occur on the same days. If a user mostly drinks at late dinners but sometimes has an early glass at home, the reported effect of alcohol on sleep also includes part of the effect of the late dinners.

Regarding the use of LLM's we understand there are concerns of data privacy and security, which was also raised in multiple interviews. Legislations and GDPR also come into effect regarding use of AI and LLM's. Finally, establishing trust with users and employer partners will also be paramount, and so we have come to the conclusion that hosting the LLM on our own, on a NVIDIA H100 graphics card, is the best plan going forwards to address these issues. For the pre-study we have only used Claude API where the data sent was pre-processed to replace names, and confidential information with fake counterparts in the calendar, when the information was confidential. This was decided together with the testers, and was a solution they were comfortable with. The hosting of our own LLM also introduces new possibilities, such as maybe training the LLM on user-data, with explicit consent, to find new correlations for each user. We are however uncertain about the legal aspects of this and would have to look into this further.

6. Prototypes and Evaluation

This section provides information regarding the content and development of the two versions, along with descriptions of what features where included, which feedback we received, and how this translated into design decisions. For more technical specifications of each feature, refer to Section 5. For a collection of snapshots documenting the features from both versions, see Section C.

6.1 Prototype 1

The first working version of StressLess was a web demo that tested the product logic, functionality, and basic user experience before implementing the calendar and wearable integration. It was built using the initial needs analysis, which was based on our hypotheses, and the online research. The first prototype contained several elements, some of which have been kept unchanged, and some that have since been removed or updated:

The statistical analysis engine: the engine was constructed quite early on in the development of the first prototype and its calculations were based on the type of data the team knew it could

extract from wearables. Measures used in the statistical analysis of e.g. health data and calendar data include calendar events with timestamps, bedtime, interruptions during the night, minutes asleep, etc.

File imports: The default experience was based on imported demo data. Synchronization of data through an Android app or Apple Health export was not yet available.

Tabs: Each tab with corresponding features can be viewed under Section C.1.

- Morning: this tab initially showed a sleep score with up to four likely factors that could have affected this sleep score, along with a suggested one-click improvement meant to actively make changes in the calendar. This functionality was not implemented in the backend, but displayed the option as a possible future feature. The sleep score was calculated from raw data using our own formula.
- Replay: contained a playback of the day with calendar events, location, heart rate, personal heart-rate norm, and sleep.
- Week: displayed sleep score history and a score against the meeting load of the week, together with strongest recurring patterns and leading habits.
- Reality check: if the imported data showed a mismatch between calendar events and location or health data, the tab asked the user to confirm or deny attending the event that was specified in the calendar.
- Planner: displayed possible changes to events and the resulting predicted difference in sleep score, e.g. adding or moving an event.
- Data & Privacy: showed data source explanations, persona and seed controls, import information and a guide on how to delete personal data.
- Under the Hood: information on model performance and how confidence changes as more days and nights of data accumulate.

Three demo personalities: the first iteration contained Alex, Sam, and Robin, three different demo personas that users could switch between to observe different data simulations, generated to be realistic recreations of intended target users.

Alex represented a product lead with heavy meeting days and late calls, Sam represented a consultant with many meetings, travels, and client dinners, while Robin represented a founder with very late commitments and workouts.

The data generated for these demo personas included calendar events, location visits, minute-level heart rate, workouts, sleep stages, and recovery measurements. The simulation also contained factors beyond only wearable- and calendar-logged data, like alcohol consumption, late caffeine, and illness. Prototype 1 also contained a presenter tour that highlighted and walked the user through different available features (Figure 22).

6.2 Prototype 1 feedback and resulting changes

The feedback gathered from the first user tests involving the three legal-tech scale-up employees (Section B) revealed important shortcomings of the first prototype. The users were allowed to click through the different tabs mentioned above and give their opinions regarding if the features and measures were understandable, if the pages were easy to navigate, and if the implemented functionality was useful and comprehensible.

One finding, gathered from all three testers, dealt with the user interface and user experience. The prototype had a lot of information and features, and the users described it as cluttered, confusing or overwhelming when navigating the application, visible in e.g. Figure 16 and Figure 18. Two of the testers specifically mentioned the number of tabs and features, wanting a more condensed product that could gather the important information in one spot. The team chose to reduce

the number of tabs containing functionality to three, with one containing the daily report, one containing the weekly report, and one for connecting the different data sources to StressLess. Two more tabs were made to handle the user account, and to display information regarding data and privacy. The features that the users found interesting were kept, but relocated to these main pages.

Another finding from the interviews, also coming from suggestions within the team, was that users might be interested in correlations between health indicators and media consumption. The team hypothesized around which media genres could be relevant and arrived, broadly, at music and video streaming, overall screen time, app usage, and possibly leisure-related activities like gaming. These correlations were intended to capture daily activities that were not observable through a wearable device or calendar. The correlations and insights presented in prototype 1 were also considered to be a bit plain and uninteresting, which made sense considering they were rule-based statistical insights. To make these insights more engaging and entertaining, an LLM-based report was introduced to create narratives around the statistical analysis. Building the LLM prompt has been a continuous process between prototype 1 and 2, starting with basic structured information, then adding reasoning about more complex patterns using different sources of data. The prompt is regularly revised to make sure the insights and suggestions the user receives are relevant, accurate, and interesting.

6.3 Prototype 2

The team classifies the current version of StressLess as the second prototype. The current version of the product was tested by nine users (Section B), and after receiving similar feedback from several different users, a sixth tab containing social competition functionality was added. The plain analysis presented based on only statistical rules was complemented by LLM-based narrative capacity, with more data sources added as context. The interface was restyled using mainly navy and cream surfaces, with illuminated and animated elements for visual effect.

The ability to effortlessly integrate and synchronize different sources of data was not yet available to users in prototype 1. The test users could only interact with a demo, a question which we addressed in the development and testing of prototype 2. The current version of the product utilizes Health Connect on Android and Apple Health exports on iOS (allowing access to e.g. heart rate, sleep, steps and workouts), Google Calendar synchronization, screen-time and app usage imports from Android and Apple, along with manual integration of Spotify, YouTube, and Netflix coupled with automatic sync of Last.fm and Steam data.

Daily Report: the daily report tab in Figure 23 displays last night's sleep score as a main element, together with the LLM-based report generation capabilities. The users can make a quick check in of yesterday's caffeine and alcohol intake, since these habits could affect sleep [28][29], and then generate a new daily report. The page also displays a sleep time overview with corresponding sleep stages, some heart rate-based recovery markers, an overview of yesterday's bpm and schedule, and a confirmation check of planned events along with a suggested change to the future schedule.

Weekly Report: the weekly overview uses patterns from the preceding week to generate the user's week in numbers, displaying e.g. the most used apps during the week, which of the week's calendar events had the most dramatic effect on heart rate, and which type of meeting resulted in the worst recovery. The user can also generate a weekly report with the same format as the daily report, containing a number of LLM-generated insights from the past week alongside a suggestion for change concerning the upcoming week (Figure 25). Additionally, the weekly report tab also contains trends over longer periods, sleep score averages by meeting load, an overview of the past week's calendar, and statistical information about how certain events relate to changes in health indicators. These pattern-focused features can be viewed in Figure 26 and Figure 27.

Social: after receiving feedback and general information about wants and habits from the users in

the second round of testing, the team decided to implement a social tab, where users can opt in to competitive leaderboards as displayed in Figure 29 and Figure 30. It contains example functions such as comparisons of sleep score with seasonal standings, who uses their phone the least, and a movement competition. It uses both flat numbers and stats calculated in comparison to the user's baseline, to account for relative improvements in results. The user can also decide to join weekly challenges, e.g. in comparing bed times or screentime after 22:00.

Connect your data: the second prototype supports imports regarding the user's media consumption to let the LLM use found correlations with health performance and calendar patterns (Figure 28). The team focused on basic functionality before optimizing seamlessness and automation, and the imports are done through a combination of manual actions and continuous synchronization. The user has two options when adding music streaming support, either through manually uploading historical Spotify `JSON` data, or by connecting their Last.fm account for real-time updates. Viewing habits are added through Netflix and YouTube history, with support for manual `.csv` and `JSON` imports respectively. Users that spend more free time on gaming also have the option to connect their Steam account, to synchronize their playing times on different games.

My account: the account tab currently holds information about who is signed in, an option to switch the appearance of the app, and (when not in demo mode) sign-out and delete-data functionality.

Data and Privacy: tab specifying which data types and sources StressLess uses, why, and their retention status.


6.4 Prototype 2 feedback and prospective changes

The feedback in the second round of testing was, as mentioned above, gathered from nine users in the target user segment. These testing runs were made using real data from the individual users on their own devices, letting them connect the data of their choosing. Excluding the social tab, each user experienced the application as it functions currently.


One important finding from the second testing and questioning is the importance of privacy and confidentiality. Several users were unable to connect their schedule directly to the product, either due to restrictions from their firm or legal team, or because they did not want to input names of clients or collaborators directly into our application. Regarding the users that have barriers related to work-managed and work-restricted schedules, the team will implement a go-to-market strategy aimed towards primarily start-ups and scale-ups to bypass this. Users concerned with confidentiality regarding personal details will have an option to anonymize their schedule before allowing our models access to it.

Another finding, addressed above, covered the desire for comparison and competition among colleagues. The latest version of StressLess contains an in-progress social page that will manage this demand, with emphasis on requiring an voluntary, active opt-in action.

The users also provided feedback regarding the implemented media consumption insights, generally describing the functionality as amusing and interesting. However, testers saw them as a complement rather than the reason to use the product, and P7 called them amusing but not essential, even though they led to suggestions for P2 and P9 and to P7's plan to change his late listening. The limited number of testers also meant some integrations, like the Steam synchronization, were left untested due to a lack of recent playing time. The team decided to retain the functionality as a fun aspect of the product, but recognise that it is not a core feature. For certain individuals, it can provide valuable understanding into how habits, like late phone usage, affect sleep or stress.



(a) Prototype 1: The morning report, three causes with evidence, "Add to calendar"



(b) Prototype 2: The daily report, with insights and suggestion.

Figure 4: The two prototypes. Prototype 2 is from the demo recorded for the presentation.

6.5 Known limitations of Prototype 2 and future revisions

Gathering feedback from testers and reviewing the product within the team creates relevant targets for the next iteration, but having more testers over longer periods of time would give the team a better foundation. Here are the main limitations of prototype 2 following our user testing:

Table 6: Identified limitations of Prototype 2 and corresponding revisions.

Identified limitations	**Revisions**
1. One primary future goal of StressLess is to make the user experience, from setup to daily usage, seamless and quick. Presently, prototype 2 relies on manual exports of data to provide full functionality, which could deter users that demand easy and swift use. Data collection currently happens over different time intervals, as e.g. screen-time from Android is fetched one week at a time while the remaining health data can be synced one month at a time or longer.	Modifications to prototype 2 are in progress to decrease manual data integration efforts, prioritizing reliable automatic refreshing for existing integrations. Some future synchronizations depend on collaboration with vendors through APIs, like Spotify extended access, others can be done through third party solutions.
2. Integrating full calendar functionality requires both read- and write-access to users' schedules, a feature that is yet to be fully developed.	Preliminary writing operation was developed to let users download `.ics` files, but full automation, e.g. with OAuth and Google Calendar API, has yet to be completed.
3. Prototype 2 currently does not meet security and privacy requirements, such as end-to-end encryption, EU data hosting, and calendar anonymization (keeping personal data away from the LLM).	User agreements and Terms of Service are being drafted, with an explicit consent form regarding GDPR Article 9 (processing sensitive data). For prototype 3, data flow will be mapped, with reviews to access controls and encryption, verified hosting and processing arrangements, and minimized model access to identifying information.
4. Still requires multiple platforms (Android phone for syncing, and a Next.js account).	Unify account linking, data connection, and permissions into one onboarding pipeline.
5. Location data is not integrated into the platform.	Determine whether location data adds meaningful value, and possibly introduce optional non-detailed tracking.
6. The user can currently only consent to data use regarding themselves. Calendar items with references to others require their consent as well. There is currently no way of obtaining that consent.	Remove unnecessary attendee details and replace revealing event titles with more general activity category before engine analysis. Assess the legal aspects of consent regarding calendar context.
7. Users requested social functionality, i.e. ways of interacting and competing with colleagues or friends, a feature that is not implemented in prototype 2.	The Social/Company Board is not built with full capabilities yet. It is currently designed as a demo but has not been tested with users.
8. No guarantee that the engine will find meaningful correlations and produce actionable suggestions to users.	Statistical analysis and LLM prompting has been improved to enhance StressLess ability to find patterns and distinguish which events can be shifted in the calendar. Optimization of both is a running process.
9. Users need sufficient recorded data in history for StressLess to display meaningful recurring patterns and personal baselines.	Introduce a clear progress indicator to let users see their progress towards building a baseline. Until users meet a minimum data requirement, the product might focus more of descriptive analysis.
10. Subtle important factors mentioned in user interviews, like customer importance or customer relations changing over time, are difficult for the engine to detect.	Improve the statistical analysis through continued development of the ridge model, to refine its detection of complex or dynamic patterns.
11. Some application pages are slower than others, which could create a frustrating user experience.	Measuring Vercel's Real Experience Score (RES). Prototype 2 received a score of 53/100, which signals a need for improvement.

7. Business

7.1 Competition, and what others have tried

Table 7 shows that every product covers one side of the problem. The closest, Bearable, imports sleep and heart rate from the phone's health data, but the user tags meetings or stressful evenings by hand, and a daily tag has no time, so a meeting that ended at 20:15 cannot be linked to the heart rate after it. Bearable compares days with and without a tag, and its documentation describes no adjustment for other factors [30], so factors that occur together, such as late meetings on busy weekdays, cannot be separated. StressLess reads timed events and estimates all factors together (Section 5.3).

Table 7: Competitors on the four questions that separate them. Prices are public list prices checked in November 2026, converted at 10 SEK per USD.

Product	Multi-brand	Calendar and phone context	No daily logging	Price
Oura Advisor	no	no	yes	about 60 SEK a month [31]
WHOOP Coach	no	no	yes	from about 1,990 SEK a year, device included [32, 33]
Garmin Connect+	no	no	yes	about 70 SEK a month [34]
Bearable, Gyroscope	yes	partly, typed by hand	no	from about 70 SEK a month [35, 36]
Apple, Google built-in	no	no	yes	included with the device
Reclaim, Clockwise, Motion	no body data	calendar only	yes	about 78 to 290 SEK per user a month [37, 38]
StressLess	**yes**	**yes**	**yes**	**59 SEK per employee, 99 SEK for individuals, a month**

Y Combinator, one of the world's most prestigious startup accelerators [39], has backed at least two companies that used tracker data for sleep and stress, and neither explained the night from the day without manual logging. Hypnos (Winter 2019) paired a sleep tracker with a daily mood and activity journal [40] and is no longer active [41]. PeakPath (Winter 2022) raised about 3 MUSD before its bankruptcy [1, 2]. As its co-founder told us (Section 1), its large customers found calendar data hard to share, which is why we start with startups, whose calendars we can reach directly (Section 7.2). She also wondered whether the value lies in the change the insights drive. We replace PeakPath's coach with statistics and provide a software that allows a user to make use of diverse data-sources.

One of the large competitors (Apple, Google, Samsung) could add a calendar integration, but StressLess has three advantages. First, a fast rollout within an employer could create a same-side network effect [42] if StressLess becomes more useful as more colleagues adopt it. Early adoption could also create switching costs [43] if moving to a competing product requires teams to rebuild shared workflows. Second, the triggers our participants named sit in the work calendar (F1), often open only to apps the employer has approved (F4), and StressLess gets that approval by selling to the employer (Section 7.2).

Third, StressLess works across brands. Oura does sell to employers, but since it sells its own ring [44], it has to put one brand on people who prefer different ones, as P3's colleagues do. This will make it harder for them to find employer partnerships. StressLess combines data from any brand and measures each person against their own baseline, so colleagues with different watches can still compare, much like Strava does for training [45]. Big players like Apple are likely to favour their own ecosystem, which limits the sources they integrate, e.g. the calendar or the music player. Each user's history also grows with every night and booked change, so the explanations improve with use, as Spotify's Discover Weekly does [46], and a competitor starts without it, which adds to the lock-in effect.

7.2 Business model and go-to-market

Table 8 sums up the business model. After PeakPath's reply (Section B) we called the participants back by type of company, and we plan to sell to employers in three steps.

1. **Startups:** A startup rarely has an IT team or procurement review, so the person who decides is the person who uses the product, and no managed phone hides the work calendar (F4). Our startup testers connected their calendars (Section 6), and P7 and P8 said they could have it running quickly if it gives them value. We reach the first startups through team member Nima Tehranchi's network.
2. **Scale-ups:** They have some IT and procurement but keep a startup culture: P1 to P3's employer has adopted several AI tools. Their work calendars showed only "busy" in our tests, so the employer approves the connection for all staff at once (F4), and the startups' references help us win them.
3. **Consultancies:** They mostly buy from established players, so P4, P5 and P9 find it hard to see ours adopted before it has a name. Former consultants at startups and scale-ups can spread the word inside their old firms.

Table 8: The business model on the Business Model Canvas.

Block	Our answer	Status
Customer segments	Calendar-dense high performers who read their scores (Section 3.1), reached through employers, startups first	Supported by nine conversations and follow-up calls
Value proposition	Each night's score explained from the calendar, phone and media, without logging, ending in one change the user controls	Supported by the testers' own data (Section 6)
Channels	Free three-month trials at startups in Nima Tehranchi's network, then paid pilots at scale-ups, then word of mouth, also to former colleagues in consulting. App stores for individuals, without marketing	First trials in month 5
Customer relationships	Automated daily and weekly reports, company boards, IT and procurement help at scale-ups	Unvalidated
Revenue streams	59 SEK per enrolled employee per month after the trial, 99 SEK for individuals	Individuals from month 7, employers from month 8
Key activities	Working engine and smooth integrations, trials and business cases, pilot-tests, privacy and security	Planned (Section 9.2)
Key resources	The within-person engine, trust in how health data is handled, each user's history, data from integrations	Improving key resources by iterating prototype 2 (Section 6.3)
Key partners	Wearable and calendar platforms, the GPU hosting provider, employers as customers and channel	No agreements yet
Cost structure	5.09 MSEK over twelve months, including 3.2 MSEK for payroll, and remaining for privacy and security, operations and go-to-market (Table 9)	Estimate, list prices sourced

Since 1 January 2025 the Swedish Work Environment Authority's regulation AFS 2023:2 requires employers to keep workload from becoming unhealthy (chapter 2, section 6) and to counteract ill health caused by how working hours are arranged (chapter 2, section 9), and its general advice names constant reachability as a risk and singles out recovery [11]. Companies can work to mitigate this by offering StressLess to its employees to help them manage their heavy workload and health with greater data insights.

Employers pay 59 SEK per enrolled employee a month and individuals 99 SEK, against the device subscriptions of about 60 to 170 SEK a month that three of the nine already pay (Table 7). Another subscription is a hard sell: P3 and P9 say they would not pay themselves but would use it if the company paid, P4 would pay only if it cost less than the alternatives and gave insights

that were not obvious, and P8 about 60 SEK a month if it helped him change a habit (Section B). Startups try it free for three months, which fits P2, who would pay once he had seen his own patterns, and P6, who would pay for an outcome. Scale-ups start with a paid pilot once the startups' business cases exist (Section 7.3).

7.3 The numbers

We calculated the numbers starting from what the first twelve months will cost (Table 9). Two founders work full-time. We hire a mobile engineer, a backend engineer and a half-time designer to fix the integrations that still have problems, such as the iOS app, Outlook, and media sources (Section 6.3), and to set up a separate tenant for each scale-up. With a 15 percent buffer the year costs 5.09 MSEK, and after 0.21 MSEK of revenue we ask for 5.0 MSEK.

Table 9: Twelve-month budget and the seed ask, with the basis of each line.

Line	Basis	MSEK
Team: two founders and 2.5 hired	Two founders at 30,000 SEK a month each plus employer contributions of 31.42 percent [47]. A mobile engineer, a backend engineer and half a designer at 75,000 SEK a month (including employer contributions) [48, 47].	3.20
Privacy, security and safety	EU data plane and a tenant per scale-up [49], own LLM on a rented GPU from month 5, with Claude API before [50], DPIA and legal review, security review, clinical advisor	0.52
Operations and equipment	Test devices of several brands, phones and laptops, developer accounts [51, 52], accounting, insurance	0.38
Go-to-market	Startup trials, sales for the three scale-up pilots, events and travel to Nordic offices. No paid marketing	0.33
Buffer, 15 percent		0.66
Twelve-month spend		**5.09**
Revenue, months 7 to 12	0.22 MSEK, of which about 5,000 SEK to the app stores	0.21
Net need		4.88
Seed ask	0.12 MSEK of headroom beyond the buffer	**5.0**

We offer 25 percent of the company for 5.0 MSEK in a seed round, implying a post-money valuation of 20 MSEK. Seed-stage AI companies in Finro's sample were valued at about 20 times revenue on average [53]. We use 20 times projected annual recurring revenue (ARR) as a valuation check. In month 12, the plan projects ARR of 1.03 MSEK, or about 86,000 SEK a month (Figure 5). At 20 times ARR, this gives about 20.6 MSEK, close to the proposed valuation, if StressLess meets the forecast and keeps growing after month 12.

Twenty startups of 20 to 40 staff from our extended network, and through outreach, try StressLess free for three months, five starting each month from month 5, and we assume that about two in three pay afterwards. Once the first business cases exist and Outlook works, three scale-ups of 200 to 1,000 staff sign in month 9 and start paid pilots in month 10. Of each employer's staff, 25 percent enrol in the first month, 40 percent by the second and 50 percent by the third. Individuals can subscribe to the app for 99 SEK a month. In Sweden, Google charges a combined 15% fee on auto-renewing subscriptions purchased through Google Play Billing [54]. Apple charges a 15% commission on subscriptions purchased through the App Store when the developer is enrolled in the App Store Small Business Program under Apple's standard terms [55]. But since we do not market it we expect only about 100 users by month 12. In month 12, sixteen employers pay for 1,287 users and 100 individuals pay directly: 1,387 paying users and about 86,000 SEK a month at a gross margin of 72 percent, with employers bringing 93 percent of the users and 88 percent of the revenue.




Figure 5: Monthly recurring revenue and paying users by segment, months 5 to 12. Individuals pay from month 7, startups after their three-month trial from month 8, and the three scale-up pilots from month 10.

Each startup trial ends in a business case that the scale-ups later see. We compare time asleep, sleep score and resting heart rate with each employee's baseline from the month before, along with the team's late meetings, back-to-back hours and a short survey on sleep and stress. Someone who sleeps under six hours a night loses about six more working days a year than someone who sleeps seven to nine [56], and a developer at 75,000 SEK a month costs about 3,600 SEK a working day. A user costs 708 SEK a year, so it pays for itself if it saves one working day a year for every five employees.

In month 12, serving a user costs about 17 SEK a month against 59 or 99 SEK of revenue. Most of it is the GPU, a fixed 20,000 SEK a month or about 14 SEK per user, so the cost per user falls as enrolment grows. The go-to-market budget comes to about 21,000 SEK per employer won, which a scale-up of 1,000 staff, paying about 29,500 SEK a month at half enrolment, recovers in its second month. A startup of 30 pays about 900 SEK a month and is won for traction and its business case.

8. Risks

Table 10 lists the seven risks that decide whether the company works, the first three from the plan in Section 7.3.

Table 10: The seven risks that matter most.

Risk	Likelihood, impact	Mitigation	Measured when
Employers do not trust us with staff data, or do not pay after the trial	Medium, high	Startups first through our own network, a business case from each trial, the AFS 2023:2 duty, and a fallback to the consumer path	Month 5
The scale-ups do not sign paid pilots, or sign late, and they carry about three quarters of month-12 revenue	Medium, high	The startups' business cases, and Outlook and an EU tenant ready in time. The runway does not depend on them, since revenue is only 0.21 MSEK of the year (Table 9)	Month 9, when the three pilots should be signed
The seamless integrations listed in Section 6.3 are not fixed in time	Low, high	An experienced developer from month 1. Trials start on Android and Google Calendar, which already work, allowing an Android-first launch	Month 4

Risk	Likelihood, impact	Mitigation	Measured when
People refuse to connect sufficient data sources (assumption of R6)	Low, medium	Features-only processing shown in the Data view, the employer's approval for work calendars	Field pilot, months 1-2
The engine can't find any meaningful correlations, or finds patterns by chance	Medium, high	Out-of-sample fit published to the user, phone use, check-ins and media consumption can fill in (Section 5.3)	Field pilot, months 1-2
Health data as a special category under GDPR Article 9 [12], the AI Act [57], the medical-device boundary and liability for a wrong insight	High, high	Explicit consent, a DPIA before the first trials [58], limited purpose and storage (R6), association language, a lawyer's review of the legal basis, the AI Act	DPIA by month 4
Usability not explicitly tested. Could feel too engineering- and data-focused	Medium, Low	Surveys and designer work together with real users. Fast response.	Field pilot months 1-2

9. Current Status and Next Steps

Below is the current status, and the plan for the twelve months the 5 MSEK seed round pays for.

9.1 Where the project stands

Table 11: Where the project stands, and what is still open.

Area	Done	Still open
Customer Research	Nine conversations held with people in the target customer segment. Useful feedback gained, integrated into the platform. Need found in the sample, though demand is not yet sized.	More user testing and feedback required to finalize the look of the platform, and the features to focus on. Demand and willingness to pay also remain as under-explored.
Data integration	Android health & phone data, automatic in app. Google Calendar integrated in Next.js. Apple health & phone data, media data require manual imports	Get calendar data seamlessly in apps, along with Apple health data, and location data. Sort automatic syncronization of media data (through partnerships, third-parties, or other creative solutions)
The engine	Sleep score calculations, based on raw data. Ridge model on calendar features and a simpler test for phone use. Working prompt for api call to LLM, to generate finished report	Develop statistical model further, optimize the prompt, and move to a company-hosted LLM.
The Apps	Android app with Health Connect integration sorted.	Neither engine nor output ported to app. iOS app work remains in full
Usability	Clean UI/UX, and mediocre loading speed (53/100, Real Experience Score, measured on Vercel's backend)	Proper tests for usability with users remain (details in Next Steps), and optimizations should be made to increase the Vercel score (90+ is the target). This score relates to loading speeds, which is transferable to the future apps as well, when the Next.js site is retired.

Area	Done	Still open
Privacy and safety	Basic approval for processing of personal health data.	Hosting in Europe for GDPR compliance, end-to-end encryption, DPIA, legal review, AI Act class, locally hosted LLM, extended approval for data processing. Must navigate users that have personal data regarding other people in calendar, with permissions or by stripping details before prompt.
Business	Pricing, startup-first go-to-market, budget and ask, business-case method (Section 7)	Sign free trial users, find employer partnership, more pricing research

All code can be found here, and the current site with demo can be found here.

9.2 The next twelve months

The seed round pays for two founders full time, a mobile engineer, a backend engineer and a half-time designer from month 1 (Table 9). The year runs in four phases (Table 12). The product is rebuilt as apps and tested in a field pilot. Startups then try it free for three months from month 5, and the first of them pay from month 8, a month after the app opens to paying individuals. Their business cases are then used to sign three scale-ups. Each phase ends in a milestone taken from the revenue plan in Section 7.3, and the risks each phase tests are in Table 10.

Table 12: The next twelve months by phase, and the milestone that ends each phase.

Months	Product and technology	Users and customers	Milestone
1 to 4 Build and field pilot	The engine and reports move into the Android app, and an iOS app reads HealthKit, so the website can be retired. Full Outlook and Google Calendar integration, location data, and fewer manual media imports. The own LLM is set up on a GPU in months 2 and 3. Until trials start, the Claude API is used with pseudonymised calendars, as in the pre-study. DPIA and the lawyer's review of the legal basis done by month 4	A field pilot in months 1 and 2 with at least ten users and with usability tested by surveys and the designer. Startups of 20 to 40 staff listed from Nima Tehranchi's network and outreach, and the first five signed, each with baseline and success measures agreed	The engine finds patterns the pilot users accept. DPIA signed off. First five startups signed for month 5
5 to 7 Startup trials	The own LLM runs in full from month 5 and replaces the Claude API. Fixes from the trials, and the company board tested in one startup team. App-store launch for individuals at 99 SEK a month in month 7, without marketing	Five startups start a free three-month trial each month from month 5, Android-first if iOS is not ready. Weekly follow-up of each trial, and the baseline for its business case (Section 7.3)	Fifteen startups in trial. First paying individuals in month 7
8 and 9 First employer revenue and scale-up sales	Security review, a separate tenant for each scale-up, and Outlook tested with the scale-ups' IT	The last five startups start their trial in month 8. The first trials end, and about two in three startups pay 59 SEK per enrolled employee from month 8. Business cases go to scale-ups of 200 to 1,000 staff, and three sign in month 9, with work calendars approved by the employer	First paying employers in month 8. About seven paying startups and three scale-up pilots signed by month 9

Months	Product and technology	Users and customers	Milestone
10 to 12 Scale-up pilots and next round	Reliability at about 1,400 users, with the GPU's cost per user monitored. Company boards opened to the scale-ups' teams	Paid pilots at the three scale-ups from month 10, with enrolment rising to half the staff by month 12. The last startup trials convert. Consultancies after month 12	16 paying employers, 1,387 paying users and about 86,000 SEK a month (Figure 5)

References

[1] Y Combinator. *PeakPath: Smartwatch Powered Coaching to Improve Teams Sustainable Performance*. Y Combinator company directory. URL: https://www.ycombinator.com/companies/peakpath (visited on 11/08/2026).

[2] CB Insights. *PeakPath (Nudge Labs) Company Profile*. URL: https://www.cbinsights.com/company/nudge-lab (visited on 11/08/2026).

[3] Eric Ries. *The Lean Startup: How Today's Entrepreneurs Use Continuous Innovation to Create Radically Successful Businesses*. New York: Crown Business, 2011.

[4] Virginia Braun and Victoria Clarke. "Using Thematic Analysis in Psychology". In: *Qualitative Research in Psychology* 3.2 (2006), pp. 77–101. DOI: 10.1191/1478088706qp063oa.

[5] Kelly Glazer Baron et al. "Orthosomnia: Are Some Patients Taking the Quantified Self Too Far?" In: *Journal of Clinical Sleep Medicine* 13.2 (2017), pp. 351–354. DOI: 10.5664/jcsm.6472.

[6] European Parliament and Council of the European Union. *Regulation (EU) 2022/2554 on Digital Operational Resilience for the Financial Sector (DORA)*. Official Journal of the European Union, L 333, 27.12.2022, pp. 1–79. Dec. 14, 2022. URL: http://data.europa.eu/eli/reg/2022/2554/oj (visited on 11/08/2026).

[7] European Parliament and Council of the European Union. *Regulation (EU) No 596/2014 on Market Abuse (Market Abuse Regulation)*. Official Journal of the European Union, L 173, 12.6.2014, pp. 1–61. Apr. 16, 2014. URL: http://data.europa.eu/eli/reg/2014/596/oj (visited on 11/08/2026).

[8] Omdia. *Global Wearable Band Market to Grow 9% as Smartwatches and Health Tech Surge*. Press release, published via I-Connect007. Sept. 25, 2025. URL: https://iconnect007.com/article/147071/global-wearable-band-market-to-grow-9-as-smartwatches-and-health-tech-surge/147068/ein (visited on 11/05/2026).

[9] Torbjörn Åkerstedt. "Psychosocial Stress and Impaired Sleep". In: *Scandinavian Journal of Work, Environment & Health* 32.6 (2006), pp. 493–501. DOI: 10.5271/sjweh.1054.

[10] Marianna Virtanen et al. "Long Working Hours and Sleep Disturbances: The Whitehall II Prospective Cohort Study". In: *Sleep* 32.6 (2009), pp. 737–745. DOI: 10.1093/sleep/32.6.737.

[11] Arbetsmiljöverket. *Arbetsmiljöverkets föreskrifter om planering och organisering av arbetsmiljöarbete – grundläggande skyldigheter för dig med arbetsgivaransvar (AFS 2023:2)*. In force from 1 January 2025. Nov. 22, 2023. URL: https://av.se/globalassets/filer/publikationer/foreskrifter/planering-och-organisering-av-arbetsmiljoarbete-grundlaggande-skyldigheter-for-dig-med-arbetsgivaransvar-afs2023-2.pdf (visited on 11/08/2026).

[12] European Parliament and Council of the European Union. *Regulation (EU) 2016/679 (General Data Protection Regulation)*. Official Journal of the European Union, L 119, pp. 1–88. Apr. 27, 2016. URL: https://eur-lex.europa.eu/eli/reg/2016/679/oj/eng.

[13] Haitham Jahrami et al. "Prevalence of Orthosomnia in a General Population Sample: A Cross-Sectional Study". In: *Brain Sciences* 14.11 (2024), p. 1123. DOI: 10.3390/brainsci14111123. URL: https://pmc.ncbi.nlm.nih.gov/articles/PMC11592250/ (visited on 09/27/2026).

[14] Marie-Pierre St-Onge, Anja Mikic, and Cara E. Pietrolungo. "Effects of Diet on Sleep Quality". In: *Advances in Nutrition* 7.5 (Sept. 2016), pp. 938–949. DOI: 10.3945/an.116.012336. URL: https://pmc.ncbi.nlm.nih.gov/articles/PMC5015038/.

[15] Oura. *Sleep Contributors*. Oura Help Center. Oct. 1, 2026. URL: https://support.ouraring.com/hc/en-us/articles/360057792293-Sleep-Contributors (visited on 11/09/2026).

[16] Google. *What's the Sleep Score in the Google Health app*. Fitbit Help. URL: https://support.google.com/fitbit/answer/14236513 (visited on 11/09/2026).

[17] AppleInsider. *How Sleep Score Works on Apple Watch with watchOS 26*. Sept. 12, 2025. URL: https://appleinsider.com/articles/25/09/12/how-sleep-score-works-on-apple-watch-with-watchos-26 (visited on 11/07/2026).

[18] Max Hirshkowitz et al. "National Sleep Foundation's Sleep Time Duration Recommendations: Methodology and Results Summary". In: *Sleep Health* 1.1 (Mar. 2015), pp. 40–43. DOI: 10.1016/j.sleh.2014.12.010.

[19] Maurice Ohayon, Emerson M. Wickwire, Max Hirshkowitz, et al. "National Sleep Foundation's Sleep Quality Recommendations: First Report". In: *Sleep Health* 3.1 (2017), pp. 6–19. DOI: 10.1016/j.sleh.2016.11.006.

[20] Terra. *Oura API for AI Apps: Access, Permissions, and Commercial Restrictions*. 2026. URL: https://tryterra.co/blog/oura-api-ai-apps-access-permissions-commercial-restrictions (visited on 09/27/2026).

[21] Sahha. *Can You Feed Wearable Data to an AI? Strava Says No, Garmin Says Yes, WHOOP Says Nothing*. Aug. 28, 2026. URL: https://sahha.ai/blog/health-api-ai-restrictions/ (visited on 09/27/2026).

[22] Terra. *WHOOP API in 2026: Data Access, Permissions, and Limitations*. 2026. URL: https://tryterra.co/blog/whoop-api-data-access-permissions-limitations-2026 (visited on 09/27/2026).

[23] the5krunner. *Garmin Freezes Developer API Months After Strava Lawsuit*. Sept. 14, 2026. URL: https://the5krunner.com/2026/09/14/garmin-developer-api-access-paused/ (visited on 09/27/2026).

[24] Apple. *activityData(filteredBy:using:)* Apple Developer Documentation. URL: https://developer.apple.com/documentation/deviceactivity/deviceactivitydata/activitydata(filteredusing:) (visited on 11/11/2026).

[25] Aaron J. Fisher, John D. Medaglia, and Bertus F. Jeronimus. "Lack of Group-to-Individual Generalizability Is a Threat to Human Subjects Research". In: *Proceedings of the National Academy of Sciences* 115.27 (2018), E6106–E6115. DOI: 10.1073/pnas.1711978115.

[26] Arthur E. Hoerl and Robert W. Kennard. "Ridge Regression: Biased Estimation for Nonorthogonal Problems". In: *Technometrics* 12.1 (1970), pp. 55–67. DOI: 10.1080/00401706.1970.10488634.

[27] Hans R. Künsch. "The Jackknife and the Bootstrap for General Stationary Observations". In: *The Annals of Statistics* 17.3 (1989), pp. 1217–1241. DOI: 10.1214/aos/1176347265.

[28] Carissa Gardiner et al. "The effect of caffeine on subsequent sleep: A systematic review and meta-analysis". In: *Sleep Medicine Reviews* 69, 101764 (June 2023). DOI: 10.1016/j.smrv.2023.101764. URL: https://pubmed.ncbi.nlm.nih.gov/36870101/.

[29] Carissa Gardiner et al. "The effect of alcohol on subsequent sleep in healthy adults: A systematic review and meta-analysis". In: *Sleep Medicine Reviews* 80, 102030 (Apr. 2025). DOI: 10.1016/j.smrv.2024.102030. URL: https://www.sciencedirect.com/science/article/pii/S1087079224001345.

[30] Bearable. *Bearable Support: Insights, Correlations and Health App Sync*. Help centre. URL: https://bearable.app/support/ (visited on 11/07/2026).

[31] Oura. *Oura Membership*. EU prices from Oura Help: https://support.ouraring.com/hc/en-us/articles/4409086524819. URL: https://ouraring.com/membership (visited on 11/04/2026).

[32] WHOOP. *Join WHOOP*. European membership signup page. URL: https://join.whoop.com/se/en/ (visited on 11/11/2026).
[33] WHOOP Support. *Membership Features & Benefits*. WHOOP Support article. May 28, 2026. URL: https://support.whoop.com/s/article/Membership-Features-Benefits?language=en_US (visited on 11/11/2026).
[34] Garmin. *Elevate Your Health and Fitness Goals with Garmin Connect+*. Press release. 2025. URL: https://www.garmin.com/en-US/newsroom/?p=5556 (visited on 11/04/2026).
[35] Bearable. *Our Pricing and Principles*. URL: https://bearable.app/pricing (visited on 11/04/2026).
[36] Gyroscope Innovations. *Gyroscope*. Swedish App Store listing. URL: https://apps.apple.com/se/app/gyroscope/id1104085053 (visited on 11/11/2026).
[37] CostBench. *Reclaim AI vs Clockwise: $10 vs $7.75/user/mo (2026)*. 2026. URL: https://costbench.com/compare/reclaim-ai-vs-clockwise (visited on 11/08/2026).
[38] CostBench. *Motion Pricing 2026: 2 Plans from $29–$49/user/mo*. 2026. URL: https://costbench.com/software/ai-productivity/motion/ (visited on 11/08/2026).
[39] Emer Walsh. *Start-up Accelerator and Stripe Backer More Competitive Than Ever as Acceptance Rate Falls Below 1%*. Irish Examiner. Aug. 11, 2023. URL: https://www.irishexaminer.com/business/technology/arid-41202787.html (visited on 11/11/2026).
[40] Alberto Scicali. *Hypnos – A Sleep Journal That Helps You Get Better Sleep*. Medium. URL: https://medium.com/hypnos-ai/hypnos-a-sleep-journal-that-helps-you-get-better-sleep-7d4a10942223 (visited on 11/08/2026).
[41] Y Combinator. *Hypnos*. Y Combinator company directory. URL: https://www.ycombinator.com/companies/hypnos (visited on 11/08/2026).
[42] Thomas Eisenmann, Geoffrey Parker, and Marshall W. Van Alstyne. "Strategies for Two-Sided Markets". In: *Harvard Business Review* 84.10 (2006), pp. 92–101.
[43] Joseph Farrell and Paul Klemperer. "Coordination and Lock-In: Competition with Switching Costs and Network Effects". In: *Handbook of Industrial Organization*. Vol. 3. Elsevier, 2007, pp. 1967–2072. DOI: 10.1016/S1573-448X(06)03031-7.
[44] Oura. *Oura for Employers*. URL: https://organizations.ouraring.com/solutions/employers (visited on 11/08/2026).
[45] Wareable. *Best Strava Compatible Sports Watches and Smartwatches*. URL: https://www.wareable.com/running/strava-compatible-watches (visited on 11/04/2026).
[46] Billy Steele. *Spotify's Discover Weekly Uses Your Habits to Recommend New Music*. Engadget. July 20, 2015. URL: http://www.engadget.com/2015/07/20/spotify-discover-weekly-playlist/ (visited on 11/04/2026).
[47] Skatteverket. *Arbetsgivaravgifter*. URL: https://www.skatteverket.se/arbetsgivaravgifter (visited on 11/04/2026).
[48] Sambla. *Systemutvecklare lön – så mycket tjänar en systemutvecklare*. Dec. 18, 2024. URL: https://www.sambla.se/lonestatistik/systemutvecklare-lon/ (visited on 11/04/2026).
[49] Supabase. *Supabase Pricing*. URL: https://supabase.com/pricing (visited on 11/04/2026).
[50] Anthropic. *Pricing*. Claude Platform documentation. URL: https://platform.claude.com/docs/en/about-claude/pricing (visited on 11/04/2026).
[51] Apple. *Apple Developer Program*. URL: https://developer.apple.com/programs/ (visited on 11/04/2026).
[52] Google. *How to Get Started with Play Console*. Play Console Help. URL: https://support.google.com/googleplay/android-developer/answer/113468 (visited on 11/04/2026).
[53] Lior Ronen. *AI Startup Valuations Enter a New Phase: Efficiency Defines Value*. Finro Financial Consulting. Nov. 20, 2025. URL: https://www.finrofca.com/news/ai-startup-valuation-trends-2025 (visited on 11/11/2026).
[54] Google. *Service fees*. Google Play Console Help. URL: https://support.google.com/googleplay/android-developer/answer/112622?hl=en (visited on 11/11/2026).

[55] Apple. *App Store Small Business Program*. Apple Developer. URL: https://developer.apple.com/app-store/small-business-program/ (visited on 11/11/2026).
[56] Marco Hafner et al. "Why Sleep Matters—The Economic Costs of Insufficient Sleep: A Cross-Country Comparative Analysis". In: *RAND Health Quarterly* 6.4 (2017), p. 11. URL: https://www.rand.org/pubs/research_reports/RR1791.html (visited on 11/08/2026).
[57] European Parliament and Council of the European Union. *Regulation (EU) 2024/1689 Laying Down Harmonised Rules on Artificial Intelligence (Artificial Intelligence Act)*. Official Journal of the European Union, L, 12.7.2024. June 13, 2024. URL: http://data.europa.eu/eli/reg/2024/1689/oj (visited on 11/08/2026).
[58] *Art. 35 GDPR – Data protection impact assessment*. Regulation (EU) 2016/679 (General Data Protection Regulation). Intersoft Consulting. URL: https://gdpr-info.eu/art-35-gdpr/ (visited on 11/08/2026).

A. AI Declaration Statement

AI tools were used in the development of the project in the following ways:

- Development: The majority of code was developed using AI tools, with both Claude Code and Codex writing, refactoring and testing parts of the code. Team members reviewed and tested all generated code.
- Report & presentation: Structuring and reviewing the report also utilized AI tools, to check for completeness and consistency. The AI tools could also help us in building the final presentation to speed up the process.
- Testing: Several testers used their company-approved AI tools to rewrite the names in their calendar screenshots before sharing them with the team.

The team is responsible for all content, analysis and conclusions in this report.

B. Interview Summaries

P1 to P9 are conversations the team held between September and November 2026. The compiled quotes are excerpts from the interviews selected for their relevance to the pre-study, to reduce unnecessary information.

Only P1 to P3 were shown prototype 1, which ran on example data (Section 6). All nine, P1 to P9, then tested prototype 2 on their own wearable and calendar data, and these tests are part of the evaluation summarised in Section 6.3.

Protocol, first testing

The first prototype shown to P1, P2 and P3 was an early version with example data, meant to show the users what a potential product could look like, and explain the concept. It was used to examine a set of open ended questions: Do the users understand everything on the page? Do they get stuck somewhere? What seems useful? What could be missing?

The participants were asked to review the features along with their usefulness and intuitiveness, the UI and how easy it was to comprehend and navigate, and to reflect on the functionality.

Findings

- All three users found the initial UI too cluttered with numbers and information, and said it was "overwhelming" or "confusing".
- P2 and P3 said that the app had too many tabs, and that they would like a more condensed view.

- The product had some appreciated overview graphics, like the bpm-schedule graph for instance.
- P3 mentioned media consumption as something he had wondered about, regarding how it affects his sleep.

Protocol, second testing

For all given calendars, as described in Section 2.2, every meeting, person, client and room name has been changed for confidentiality, and the employer's name is replaced with "Company". Outlined events are invitations not yet answered. At the interviewees' request, the entries in these calendar figures have been reworded, and the figures have been restructured using Claude, an AI assistant, so they are for illustration only and are not exact copies of the calendars.

Interview structure:

1. Tell me about a typical working week. How much of it is in meetings, and what kinds?
2. Have you ever noticed your body reacting to certain events in your schedule? When, and how did you notice?
3. Have you ever tried to figure out whether something in your schedule was affecting your sleep or stress? What did you do?
4. What do you use your wearable for today, and what do you pay for around it?
5. Do you do anything with colleagues around health, training or routines? What works and what doesn't?
6. How do you think what you watch and listen to, such as TV series and songs, and your app use and screen time affect your sleep and stress? Have you ever checked?
7. (Only at the end) A short description of the concept, and the reaction to it.

P1: Director, SMB go-to-market, legal-technology scale-up

Profile. Founding GTM and later promoted as director of the small-to-midsize business (SMB) go-to-market function. Previously in a customer-facing sales role at the same company. Wears an Apple Watch and follows its sleep score.

Context. P1's days are dominated by meetings. Before the director role they were mostly customer meetings, but currently P1 manages only the SMB reps, so the days are mostly internal meetings: one-to-ones with 16 direct reports, weekly leadership meetings and meetings with other functions.

How P1 logs his week. Figure 6 shows the week of 25 to 31 October from his calendar. Almost everything goes into the calendar, work and private alike: one-to-ones and reviews with his reps, client and internal calls, certifications and forecast reviews, but also inbox time at 09:00, lunch at 12:15, workouts and dinner. His work calendar showed our app only "busy" blocks, so for the test he ran screenshots of it through an AI tool that rewrote the meeting names.

Translated and compiled quotes from the interview, P1.

Q1: Tell me about a typical working week. How much of it is in meetings, and what kinds?

> "I sit in meetings most of the day. Before I became director it was mostly customer meetings, and how I felt depended on which customer I was meeting with... important customers, less important customers, and so on."
>
> "Now it is mostly one-to-ones with the people I manage. I have 16 direct reports, so most of my days are with them, plus weekly leadership meetings and meetings with



Figure 6: The week of 25 to 31 October 2026 from P1's calendar

other functions, like the Business Development Representative (BDRs), marketing and the legal engineers."

Q2: Have you ever noticed your body reacting to certain events in your schedule? When, and how did you notice?

"I could feel my pulse go up. It was worse when it was an important customer, but also when it was back-to-back all day, and then there is the pressure from your manager on top of that [...] I noticed it in my sleep too, after those days my Apple Watch would give me a worse sleep score."

"I also become really on edge before the meetings I have to prepare material for, because I do it right before since I'm not the best at handling my time well.

Q3: Have you ever tried to figure out whether something in your schedule was affecting your sleep or stress? What did you do?

"Of course I can feel the stress building up during a busy week, but it's difficult to know which exact things have the biggest effect."

Q4: What do you use your wearable for today, and what do you pay for around it?

"I wear an Apple Watch every day. I use it to track my daily activity, close my rings, check my heart rate, and glance at the sleep score when I wake up. [...] I don't pay for any extra fitness or health subscriptions, I just use the Apple Health app."

Q5: Do you do anything with colleagues around health, training or routines? What works and what doesn't?

"We have some informal initiatives at the office. We sometimes organize jogging and padel sessions in a WhatsApp group, and people occasionally compare steps or talk

> about sleep in the kitchen. But I notice that when my calendar gets packed it's hard to fit in workouts and training."

Q6: How do you think what you watch and listen to, such as TV series and songs, and your app use and screen time affect your sleep and stress? Have you ever checked?

> "I'm definitely on my phone too much during late nights. I suspect that staring at the screen and answering late emails pushes my bedtime a bit, but I don't think I ever actually checked it more deeply."

What P1 does about it today. Nothing systematic. The link between the perceived heavy or stressful days and the worse sleep scores is something he speculated about, but does not come from any type of analysis. He does not compare calendar and watch day by day, and he keeps no log.

Wearable and spending. Apple Watch, and no paid subscriptions. P1 bought the watch to understand his sleep and his health, and he describes it as disappointing. It gives him a sleep score, but not enough insight into what lies behind it or into his health.

Test on his own data. P1 then tested the product on 30 days of his own watch and calendar data. His daily and weekly reports said, in short:

- **The week.** Sleep score averaged 74 against his baseline of 79. The best night followed a morning gym session and dinner at 19:45 on Wednesday 28 October (86), and the worst a late Halloween party until 1:30 on Saturday 31 October (58).
- **Last-minute preparation weighs most.** In a 15-minute preparation block right before a meeting, his heart rate spiked above his daytime norm, and it spiked even more before Friday's leadership meeting, and the bpm maintained at a high level in the meeting that followed.
- **Which meetings affect P1 the most.** Tuesday's renewal call with a client ran 13 bpm above his norm and 9 bpm higher in the leadership meeting. His 21 one-to-ones were his calmest meetings, 2 bpm below. But a run of four or more kept his heart rate up late into the evening and his HRV 14% lower that night.
- **Dinner after 20:00.** On those days he fell asleep 38 minutes later, slept 44 minutes less and scored 8 points lower.
- **Weekends.** Weekends with three or more social plans went with sleep 8 points lower that weekend and 5 points lower the week after, an early hint from four weekends.
- **Suggestions.** Move the 20:30 one-to-one to earlier in the afternoon to allow for a dinner before 20:00. Book 30 minutes of preparation for Friday's leadership meeting on Thursday afternoon, in free time, and keep the 15 minutes before it empty.

Reaction to the concept. Very positive. P1 said the product could help him by showing him his bad patterns. He believes a product like this could make him more productive and help him live a healthier life. He claimed that he would implement the suggested changes into his calendar, and when prompted about willingness to pay he responded positively "as long as it's a reasonable price". He also expressed positive feedback regarding the UI, which was less cluttered and "easier to navigate".

Conclusions. Positive and useful takeaways from this interview:

- Three distinct factors that impact health data were noted, all visible in calendar. Which SMB rep or customer (an attribute of the event), back-to-back density (a property of the day), and external meetings in general. Pressure from the manager and the noted spike in bpm right before a meeting were also new insights that illustrate the need to look at effects of certain meetings etc. around the time they occurred as well.

- The insights rest on 30 nights, so the weekly ones rest on only four weeks, which the reports themselves call an early hint. This is a good framing from the model, that should be maintained.
- Since the availability of the product currently depends on our team being present and partly on manual setup, we have unfortunately not been able to follow up on all the effects of the changes they implement. This illustrates the potential need of running a second test, to compare.

Follow-up call. After PeakPath's reply (below) we called the participants to understand their companies process in applying new tools, and P1, who works at the same scale-up as P2 and P3, described their process. There is some IT and procurement process, but the company still leans towards a startup culture and has adopted AI tools that fit people's jobs. It is now considering one more, an AI tool for prioritising email from a recently founded company. This flexible view on new tools is why scale-ups are the second step of the go-to-market, after startups (Section 7.2).

P2: Go-to-market manager, legal-technology scale-up

Profile. Go-to-market manager at the same company as P1, working to a quarterly target cycle. Very numbers-driven. Wears an Oura Ring and tracks its sleep score continuously.

Context. P2's working year has a rhythm set by quarters, and the pressure rises toward the end of each one. P2 also works with very strategic clients and gets particularly nervous about certain clients, such as those from prestigious and influential companies, and the clients whose total contract value means the most to the company.

How P2 logs his week. Figure 7 shows the week of 25 to 31 October from his calendar. Most of it is client work, with pipeline and deal reviews for the fourth quarter, but routine and private blocks go in too: inbox time at 09:00 and 18:00, runs at lunch, gym or dinner at 18:00 and a family call on Sunday.




Figure 7: The week of 25 to 31 October 2026 from P2's calendar

Translated and compiled quotes from the interview, P2.

Q1: Tell me about a typical working week. How much of it is in meetings, and what

kinds?

> "Most of my week is client work, especially strategic clients where the contract value means everything to the company. [...] My days are packed with pipeline reviews, deal reviews, and internal alignment, and the rhythm is completely dictated by our quarterly targets."

Q2: Have you ever noticed your body reacting to certain events in your schedule? When, and how did you notice?

> "Towards the end of the quarter I get much worse sleep. I can see it on my Oura Ring, the sleep scores just drop."

> "When I'm talking to a client, I can feel my heart rate go up. But then as I build the relationship, it goes up a little less with every meeting."

> "I've also noticed that sleep score gets a lot worse when I travel to see clients on site, but I think it's because travel puts stress on my body"

Q3: Have you ever tried to figure out whether something in your schedule was affecting your sleep or stress? What did you do?

> "In weeks when I'm busy and have a lot of work, I don't get as much exercise as I'd like, and I think my sleep gets worse when I workout less. But I'm not sure if that's actually the case."

> "I usually just notice the drop in the Oura app and connect it to quarter-end stress in my head. I've never actually sat down to compare my calendar and ring data side by side, it's mostly just assumptions based on how tired I feel."

Q4: What do you use your wearable for today, and what do you pay for around it?

> "I wear an Oura Ring and check the sleep and readiness scores every morning. I also pay the monthly Oura membership fee"

Q5: Do you do anything with colleagues around health, training or routines? What works and what doesn't?

> "We're a bit competitive in the office, so the best sleep score definitely earns you some bragging rights. But it isn't fair, because my (Oura) Ring scores sleep differently from an Apple Watch, so we cannot compare our scores directly."

Q6: How do you think what you watch and listen to, such as TV series and songs, and your app use and screen time affect your sleep and stress? Have you ever checked?

> "I often put on a sitcom or listen to music in the evening to unwind. But I've never measured the effects in anyway."

What P2 does about it today. Nothing systematic. He notices the drop in the Oura app and puts it down to the quarter end from experience. He does not compare ring and calendar day by day, and the ring has no notion of a quarter, so the explanation is his own.

Wearable and spending. Oura Ring, with the Oura membership at $5.99 or €5.99 a month at list price (Section 7.1). Other paid services were not recorded in the notes.

Reaction to the concept. Positive. P2 said his own reports gave him insights he had never thought about, and that he could see himself paying for the product, on top of the Oura membership he already pays for.

Test on his own data. P2 then tested the product on 30 days of data from his own ring and calendar. His calendar also showed only "busy" blocks, so he took the same screenshot route as P1. The insights that was provided were, in short:

- **The week.** Sleep averaged 76 against his usual 83. The best night followed padel on Wednesday 28 October (88), and the hardest a dinner out until 23:00 with drinks on Friday 30 October (61). Twice that week a short night was followed by 14 more phone pickups the next day. As a fun fact, days with Metallica went with a daytime heart rate 6 bpm higher.
- **One colleague showed a stronger effect.** In his one-to-ones with one colleague, his heart rate ran higher than in his other meetings that day. On the nights after, his resting heart rate was 5.5 bpm higher, and he fell asleep 47 minutes later than usual.
- **Which meetings weigh most.** His heart rate was 15 bpm higher in the leadership presentation, with sleep 52 minutes shorter after it, and 13 bpm higher in a weekly with one client. With a different client, however, it showed as 4 bpm lower.
- **A sitcom and music.** After busy days, an evening sitcom episode went with 30 minutes more deep sleep, showing that this might help P2 to relax after a long day for better rest. Furthermore, with specifically Brian Eno playing during deep work he picked up his phone 4.5 fewer times an hour.
- **A curious connection.** On Monday 2 November, one of his busiest days with seven meetings, three of them back to back, the night still scored 92 against his usual 83, which was a bit counter-intuitive from the usual correlations we find with busy days and sleep quality.
- **Padel and family calls.** Padel evenings went with sleep 11 points higher and a resting heart rate 6 bpm lower. On two Sundays with family calls he had a resting heart rate 4.4 bpm lower and 46 minutes more sleep.
- **Suggestions.** Book padel for Tuesday evening after the leadership presentation. Keep the evening after the one-to-one free and end it with an episode to see if this correlation continues.

P2 claimed that he would now try to adjust his schedule to the suggestions.

Conclusions. A clean example of the thesis with a different cadence from P1: a multi-week business cycle rather than a single heavy day.

- The wearable reports the outcome, and the cause is a date on a fiscal calendar that no wearable can see. P2 suggests including this as a feature in order to capture links to cycles in the calendar, like the fiscal year.
- The strategic clients repeat P1's first trigger, customer importance. The client quote shows that a client's effect fades as the relationship builds, so the product should follow each client's effect from meeting to meeting rather than fix it.
- The office comparison is also an interesting aspect, with the mention of bragging rights in the office, but the various brands don't allow for fair comparisons between scores.
- The platform is capable of finding connections between 3+ sources of data, with the example of focus while listening to certain artists. This used calendar data (deep work session), Spotify data (Brian Eno) and phone usage data (phone pickups).
- His wish to pay came after he saw his own patterns, on top of a membership he already pays for shows the interest and lengths some may be willing to go for these kinds of insights.

P3: Business development representative, legal-technology scale-up

Profile. Business development representative (BDR) at the same company as P1 and P2. Organises health and training initiatives among colleagues. Wears an Apple Watch.

Context. P3 books meetings for the account executives rather than carrying the clients himself, so his days are call blocks, short discovery meetings and his own team, without the client pressure P1 and P2 describe. Outside the calls he organizes various training initiatives within the company: a run club on Monday evenings and padel on Thursdays, organised in WhatsApp groups. Since he started at the company, he has noticed that the colleagues with the most client meetings are visibly tired near the end of each quarter. He does not carry the same pressure himself and feels well. He could always feel better, but he gets enough exercise and sleep every day and does not get too stressed.

How P3 logs his week. Figure 8 shows the week of 26 October to 1 November from his calendar. Work and training are both in it. The workday is a BDR standup at 09:00, call blocks, short discovery meetings with prospects, and Friday's pipeline review. His evening podcast is not in the calendar, and the product reads it from his listening history. Weekdays hold 7 to 8 events with gaps between them, and his evenings are free except for training.




Figure 8: The week of 26 October to 1 November 2026 from P3's calendar

Translated and compiled quotes from the interview, P3.

Q1: Tell me about a typical working week. How much of it is in meetings, and what kinds?

> "Two call blocks most days, some discovery meetings, and the rest is research and sequences. It's a lot of phone and not much pressure. I don't carry the clients the account executives carry."

Q2: Have you ever noticed your body reacting to certain events in your schedule? When, and how did you notice?

> "To be honest, I feel good. I train, I sleep, I don't stress much."

> "I see it more in the others. The ones with the most client meetings look wrecked at the end of every quarter."

Q3: Have you ever tried to figure out whether something in your schedule was affecting your sleep or stress? What did you do?

> "I've never really felt the need to track or log anything. In the morning I just glance at my sleep score, see that it looks fine, and get on with my day."

Q4: What do you use your wearable for today, and what do you pay for around it?

> "I wear an Apple Watch to track my workouts and check my daily activity and sleep, but I don't pay for any subscriptions or extra fitness apps."

Q5: Do you do anything with colleagues around health, training or routines? What works and what doesn't?

> "I try to take initiatives with the others in the company, to get training and good routines going."

> "The problem with making it a game is that everyone has a different ring or watch. Since a sleep score on an Apple Watch and a sleep score on an Oura Ring are not comparable, since they measure it different, the comparison becomes unfair."

> "Right now the competitions run in a bunch of WhatsApp groups, which is not exactly optimal."

Q6: How do you think what you watch and listen to, such as TV series and songs, and your app use and screen time affect your sleep and stress? Have you ever checked?

> "I fall asleep to a podcast most nights. It switches my brain off. I've never thought of it as anything."

What P3 does about it today. Runs the challenges manually in several group chats, with scores reported by hand from different devices. For himself he does nothing systematic: he looks at the sleep score in the morning and moves on.

Wearable and spending. Apple Watch, and no paid subscriptions.

Reaction to the concept. Less interested in an explanation for himself, since his nights are fine, than in what it would do for the group. He saw the company board as the fix for both of his problems at once, the unfair devices and the WhatsApp groups, and asked whether people could join with the watch they already wear. On paying: "Not me personally, but maybe others at the company."

Test on his own data. P3 saw prototype 1 with demo data first, and then tested prototype 2 on 30 nights of his own data: his Apple Watch through Apple Health, his calendar and his listening history. His calendar was locked in the same way, and he too ran screenshots of it through an AI tool, like P1 & P2. His daily and weekly reports said, in short:

- **The week.** Sleep averaged 86 against his usual 84, and six of seven nights scored above 80. The best followed Monday 26 October, run club at 18:00 (91), and the one dip followed Thursday 29 October, the padel tournament he organised, until 22:00 (71). His meetings barely moved his nights, as in most weeks.
- **Monday 2 November.** A steady day: two call blocks, five meetings with none back-to-back, and the run club at 18:00. The night scored 89 against his usual 84, and he fell asleep 14 minutes faster than usual.
- **Run club nights are his best.** On his 4 run club evenings, his resting heart rate that night was 4 bpm lower and he slept 27 minutes longer than on his other nights.
- **Training days, better nights, unless they end late.** He trained on five days one week, and across his nights those after a training day scored 4 points higher than the 8 after a rest day. But on his days with a workout ending after 21:30, he fell asleep 34 minutes later and his resting heart rate was 5 bpm higher than on his other nights. Thursday's padel was one of them.

- **Meetings stay at work.** His heart rate ran 10 bpm above his daytime norm in Friday's pipeline review and 7 bpm above in his call blocks, while Wednesday's team lunch was the calmest hour of his week, 4 bpm below. None of it showed up in his nights: on his 13 days with two or more call blocks, his sleep scored within 1 point of his other 17.
- **His bedtime is his strength.** He was in bed within 20 minutes of 23:00 on 6 of 7 nights, which earned 28 of 30 points for consistency, his best week yet and the main reason his score stays above 80.
- **A comedy podcast before bed.** On his 7 evenings with Alex & Sigge in his headphones after 21:00, he fell asleep 12 minutes faster than on his other 23.
- **Suggestions.** On Sunday: start Thursday's padel at 18:30 instead of 20:30 and see whether the night holds up. On Tuesday: book Monday's run club as a protected block for the rest of November, so a late call cannot take its place.

The meetings he never worried about raised his heart rate during the day and left his nights alone, which is what he had said about himself.

The padel surprised him. He had treated all training as good for sleep, and the night after the tournament he organised was his worst of the week:

> "I put it at half past eight because the courts are cheaper, but maybe it's worth moving a bit earlier, since I'm the one who books it anyways."

Conclusions. P3 isn't deeply convinced about the product as an individual, but expresses a genuine interest as an organizer of company competitions and events, using the product as a way of gathering and comparing information in a social setting.

- P3 mentions noticeable stress among colleagues near large deadlines throughout the fiscal year, and claims that less pressure, a lower amount of meetings, and more exercise makes him feel more relaxed than the busier coworkers.
- Comparing health metrics such as sleep score becomes difficult when comparing across devices, since they calculate varying metrics using different algorithms.
- Current health- and training initiatives are disconnected, i.e. the effort is spread over several social media group chats. P3 appreciated the product as a possible way of simplifying the administrative burden on him.
- P3 would be interested in introducing the product on a company-wide basis rather than as an individual proposal, and was unwilling to spend his own money on this.
- He hypothesizes around the correlation of training and listening history combined with health, but has not actively confirmed it.
- The negative impact of late workouts was unexpected, and changing e.g. the padel bookings was a suggestion that P3 was willing to implement.

P4: Junior analyst, global strategy consultancy, Stockholm office

Profile. P4 is 24 and works in the firm's Stockholm office. Her Apple Watch is paired with her private iPhone, and her work calendar is on a managed phone.

Context. On her current project, P4 spends Monday to Thursday at a client site abroad about three weeks in four. Most of her 20 to 30 meetings each week belong to the client. Training "happens in hotel gyms when the day ends before ten, so about once a week".




Figure 9: The week of 26 October to 1 November 2026 from P4's calendar

Translated and compiled quotes from the interview, P4.

Q1: Tell me about a typical working week. How much of it is in meetings, and what kinds?

> "On Monday I fly out at 06:40, stay at the client site until 19:00, have dinner with the team and work in the hotel until midnight. I fly home on Thursday evening and spend Friday on internal work in Stockholm. Most of my 20 to 30 meetings each week belong to the client. Training happens in hotel gyms when the day ends before ten, so about once a week."

Q2: Have you ever noticed your body reacting to certain events in your schedule? When, and how did you notice?

> "I know what a steering committee week does to me. Resting heart rate is up on the watch, and I sleep badly the night before the SteerCo, every time. I don't need an app to tell me that part."

Q3: Have you ever tried to figure out whether something in your schedule was affecting your sleep or stress? What did you do?

> "I check the watch most mornings, then I close it and go to work. I've never tracked or logged it systematically. [...] I just notice the connection from memory after a stressful week."

Q4: What do you use your wearable for today, and what do you pay for around it?

> "I use an Apple Watch paired with my personal phone to check my resting heart rate and daily activity. I don't pay for any health subscriptions."

Q5: Do you do anything with colleagues around health, training or routines? What works and what doesn't?

> "Everyone compares flight counts and hours, not sleep. Sleep would be a new thing to compete on, and I'm not sure it's healthy for us."

Q6: How do you think what you watch and listen to, such as TV series and songs, and your app use and screen time affect your sleep and stress? Have you ever checked?

> "No I don't think so I just watch whatever I want and have time for."

What P4 does about it today. She checks the watch most mornings, "then I close it and go to work."

Wearable and spending. Apple Watch, with no paid health subscriptions.

Reaction to the concept. P4 wanted to work out "whether it's the flight, the late dinner, or the 7 am prep call. They all come together on Monday." She expected a barrier to connecting the calendar. "If I have to put a work calendar onto my private phone, legal will say no.". For a personal subscription she would require it to be cheaper than other alternatives right now, and for her to see that it could provide insights that were non-trivial.

Test on her own data. P4 tested prototype 2, with about 30 days of data, in a walkthrough using her Apple Watch data and a transcription of her work calendar. The calendar connection showed only busy blocks, so the team entered a transcription of her screenshots after she had used her internal company AI tool to rewrite the meeting names.

- **The week.** Sleep averaged 69 against her usual 74. The worst night followed Monday 26 October (57): the 06:40 flight, the 07:00 prep call, the team dinner and slides at the hotel until midnight. The best followed Friday 30 October in the Stockholm office (81).
- **The flight, the dinner or the 7 am call?** The team dinners can be told apart, because they also fall on Tuesdays and Wednesdays, and on their own they cost about 2 points. The flight and the prep call cannot: on all three of her travel Mondays they came together, so the report names them as one early start and says it cannot yet tell which of the two matters.
- **Team dinners push the night later.** On her 12 evenings with a team dinner, she went to bed 48 minutes later and slept 41 minutes less than on her other 18 nights. The hotel work after the dinners falls on the same evenings, so part of this may be the work rather than the dinner.
- **Hotel gym nights, faster sleep.** On her 4 evenings with a session in the hotel gym, her resting heart rate that night was 2 bpm lower than on her other 26 nights, and phone pick ups the following day were fewer. With four evenings it is just an early hint.
- **The SteerCo night.** P4 says she sleeps badly before every steering committee. Wednesday night before it scored 62, 12 points below her usual, with resting heart rate 3 bpm above her baseline.
- **Which meetings weigh most.** Her heart rate ran 8 bpm higher in the client's daily readout than in her other meetings those days, while the morning case team check-ins were her calmest meetings, 3 bpm lower.
- **Suggestions.** On Sunday: a "hotel work ends 23:00" block on Monday to Wednesday evenings, the part of her day she controls. On Wednesday: a protected evening before Thursday's SteerCo.

Other insights A team dinner in the calendar gives the engine an event time to compare with sleep. P4 also often orders takeaway through the firm, sometimes late in the evening. The prototype has no separate record of when she ate those meals, so an unrecorded late meal could matter on the same nights as the flight and the early prep call (F5).

Conclusions. P4 was moderately unconvinced regarding the possibility to adopt our product at her global strategy consultancy firm.

- She has personal interest in correlations between calendar events and sleep/stress but finds it could be difficult aligning with company restrictions and interests.
- Adopting the product in larger, more established firms could face barriers initially.
- Calendar change suggestions are beneficial but could need more context regarding which entries are important and untouchable.

Follow-up call. In the calls after PeakPath's reply (below), P4, P5 and P9 gave the consultancies' view. Their firms mostly adopt tools from established players, so they find it hard to see this tool adopted before it has a brand name. This is why consultancies come third in the go-to-market, after startups and scale-ups (Section 7.2).

P5: Associate, global strategy consultancy

Profile. P5 is 25 and uses an Oura Ring with his Android phone. He describes himself as a numbers person who enjoys observing his health data.

Context. On his current Stockholm project, P5 spends most days in the case team room from 08:00 to 21:00 and travels little. He runs at 06:00 four days a week and keeps his weekends empty.

How P5 logs his week. P5 keeps all his work events in his Google Calendar and logs everything from work-related meetings and calls, to runs and meals.




Figure 10: The week of 26 October to 1 November 2026 from P5's calendar

Translated and compiled quotes from the interview, P5.

Q1: Tell me about a typical working week. How much of it is in meetings, and what kinds?

> "On my current project I've got a pretty tight schedule, where I sit in the case team room from eight in the morning until nine at night. It's long stretches of intense team problem-solving [...] with a formal review every six months."

Q2: Have you ever noticed your body reacting to certain events in your schedule? When, and how did you notice?

> "When the ring gives me a really bad sleep score I obviously feel it as well, but I don't know if it depends on anything specific in the schedule, it just feels like a mix of everything."

Q3: Have you ever tried to figure out whether something in your schedule was affecting your sleep or stress? What did you do?

> "I used to write one line each evening in my notes app for about a month, but then some stressful reviews came and I stopped. It felt pretty tedious and not very informative, because I didn't know what to write down."

Q4: What do you use your wearable for today, and what do you pay for around it?

> "A sports watch looks kind of wrong in a client meeting, so I wear an Oura Ring. I pay for the Oura membership. I'd probably pay for something that works, but I already pay Oura so it has to be more useful than their advisor."

Q5: Do you do anything with colleagues around health, training or routines? What works and what doesn't?

> "My colleagues compare everything, if there is a leaderboard available we tend to be on it [...] some others at the firm would call it toxic behaviour"

Q6: How do you think what you watch and listen to, such as TV series and songs, and your app use and screen time affect your sleep and stress? Have you ever checked?

> "I don't really watch much or listen to anything specific to unwind to be honest. When I leave the team room at nine or ten at night, I just head home and try to sleep [...] I've never in depth looked my screen time or evening media usage."

What P5 does about it today. Before the test he wrote one line each evening in a notes app for a month. He found it tedious and not very informative.

Wearable and spending. He owns an Oura ring and pays for their membership, but could also consider adding a subscription.

Test on his own data. P5 tested prototype 2 in a walkthrough using his Oura Ring data and a transcription of his work calendar. The calendar connection showed only busy blocks, so the team used screenshots with the meeting names rewritten (Figure 10).

- **The week.** Sleep averaged 5 points worse against his usual score. The lowest score followed Thursday's evening partner review and slide revisions, while the highest followed Friday's earlier finish.
- **Reviews raise heart rate.** Across five occurrences, heart rate during page reviews with the manager averaged 9 bpm above other meetings on the same days. Partner reviews averaged 12 bpm above the same comparison across four occurrences. Wednesday's page review and Thursday's partner review followed this pattern.
- **Earlier finishes leave more time for sleep.** On the 7 days when work ended before 18:30, he slept 42 minutes longer than on the other 23 nights. Friday followed this pattern, although differences in weekend wake times may explain part of the association.

Conclusions. P5 has tried a manual approach to the issue of connecting schedule and health indicators, but found it tedious and unhelpful.

- P5 would need reliable insights with high confidence to beat already existing solutions like the Oura Advisor.

- He found it hard to keep the manual logging going during stressful periods of work, which made tracking less effective.
- Comments about toxicity in the office highlight the need for optionality in social functions like leaderboards. The competition aspect should be easy to opt in and out of.
- There is a risk that it could have a negative effect. "If it told me every single morning that my sleep was bad because of work, I think I'd sleep worse."

Follow-up call. P5 said the same of his firm: it mostly adopts tools from established players, so he finds it hard to see ours adopted officially before it has a brand name and presence in the market (Section 7.2).

P6: Investor, small venture capital firm

Profile. 23. Investor at a venture capital firm of two partners and him. Wears a Garmin for his runs, with an Android phone, and checks Body Battery during the day.

Context. P6's days are made of short meetings, most of them with people he has never met. His job is to see as many founders as he can, most of them at a first meeting, decide who gets a second one, and bring the best to the two partners at their weekly meeting, where he reports to them. Between those he looks after the founders the firm has invested in, by reading the investor updates they send and travelling around Europe to meet them or speak on a video conference. The dinners, three evenings a week at least, are mostly with prospective or portfolio founders, and the calls come at whatever hour the other time zone is awake.

How P6 logs his week. Figure 11 shows the week of 26 October to 1 November from his calendar, which he agreed to share in the report once every name had been changed. Founder meetings are 30-minute slots in the calendar, from 08:30 into the afternoon, with the founder as a guest. Walk-and-talks are booked as such, and the meeting with the two partners is a recurring event on Monday afternoons. Dinners are in the calendar too, and so are the calls in other time zones, some of them after 21:30.

The investor updates, which he reads on his phone at 22:00, are not in the calendar and only show up as screen time. Weekdays hold around 9 to 13 events.




Figure 11: The week of 26 October to 1 November 2026 from P6's calendar

Translated and compiled quotes from the interview, P6.

Q1: Tell me about a typical working week. How much of it is in meetings, and what kinds?

> "Most of my week is meetings, but short ones. I usually have about eight to ten a day, and most of them are first meetings, which just means it's a founder I've never met before."
>
> "Monday has the meeting with my two partners. That's the easy one, I just tell them what I've seen and they decide [...] it's the only meeting of the week where I don't have to decide anything."

Q2: Have you ever noticed your body reacting to certain events in your schedule? When, and how did you notice?

> "The worst nights are after late dinners, obviously, but also after days with a lot of first meetings. I don't really know which stresses me out the most though."

Q3: Have you ever tried to figure out whether something in your schedule was affecting your sleep or stress? What did you do?

> "I've tried to not book too many dinners, but I keep failing at that. If I have a rough night, I just look at Body Battery the next afternoon and try to make an educated guess [...] I've never put the calendar and watch side by side."

Q4: What do you use your wearable for today, and what do you pay for around it?

> "I look at Garmin's Body Battery a lot, but it's mostly for fun and I don't really know what to make of it."
>
> "I wear a Garmin for my runs, and I tried Garmin Connect+, their premium subscription, but I didn't renew it because I didn't really want to pay without first seeing noticeable improvements."

Q5: Do you do anything with colleagues around health, training or routines? What works and what doesn't?

> "There are three of us. We'd compare, sure, but a leaderboard of three people is just a group chat. Put me against the other junior investors I know at other funds and I'd join tomorrow!"

Q6: How do you think what you watch and listen to, such as TV series and songs, and your app use and screen time affect your sleep and stress? Have you ever checked?

> "I read investor updates on my phone around ten at night, and sometimes take international founder calls late into the evening, but I've never checked if screen time or media use somehow influences my recovery."

What P6 does about it today. Nothing beyond trying to book fewer dinners. He has never put the calendar and the watch side by side. After a bad night he looks at Body Battery and tries to make an educated guess.

Wearable and spending. P6 uses Garmin and the Body Battery function during the day. He tried Garmin Connect+, i.e. Garmin's premium service, but didn't renew as he didn't want to pay without first seeing noticeable improvements.

Reaction to the concept. P6 showed interest, but was decisive regarding the data collection. He connected only once the Data view had shown him the exact data extracted from the phone. He was primarily interested in seeing the effects of e.g. weekly training and drinks during dinners on his health indicators, and not as interested in a daily report.

Test on his own data. P6 then tested prototype 2 on 30 nights of his own data, using sleep and heart rate from the Garmin through Health Connect, which the Garmin app writes to, his calendar, screen time from his phone and the drinks he checked in.

- **The week.** The hardest night followed a second dinner in a row, with four drinks, after nine first meetings. The nights after Tuesday's and Wednesday's dinners were the week's two hardest, and a late call across time zones on Thursday was followed by a third short night.
- **Meetings and drinks.** On his 8 dinner nights with three or more drinks checked in, his resting heart rate was 7 bpm higher than on his other nights. Days with eight or more first meetings added about half that, 3 bpm, even without a dinner.
- **First meetings take longer to recover from.** On his 12 days with eight or more first meetings, his heart rate took longer to settle, and he fell asleep 30 minutes later than on his other 18 days.
- **The partner meeting is impactful.** In the weekly internal meeting with his two partners, his heart rate ran 12 bpm above his daytime norm, higher than in any first meeting.
- **Late calls and late screens.** On his 13 evenings with more than 45 minutes on his phone after 22:00, he fell asleep 34 minutes later than on his other 17, and picked up his phone on average 5 more times the next morning.
- **Recovery activities.** During the week's four walk-and-talks his heart rate stayed close to his daytime norm, and the hour after them was 6 bpm calmer than after a seated meeting, the one meeting type that left him better off.
- **Suggestions.** On Sunday: with dinners booked on Tuesday and Thursday, keep Wednesday evening free. If possible, book more walk-and-talks.

Conclusions. P6 recognized many of the insights, like the negative effects of consecutive dinners, and he appreciated that the report could produce insights through his input of alcohol consumption.

- The correlations between partner meetings and heart rate were surprising. In the interview, P6 had called it an easy meeting, since he did not have to make decisions.
- After seeing the weekly and daily report, he claimed that he would mark the free evenings between the next week's dinners as protected blocks.
- Asked whether he would now pay, he held his line, stating that he would need a trial period to test the actual outcome of the suggested changes.
- Some users treat the calendar as highly confidential, which requires workarounds.
- P6 expressed a wish for cross-firm leaderboards, since their own company is small.

Follow-up call. In the follow-up call, P6 gave the perspective of a small venture capital firm. With only three people in the fund, there is no IT department, enterprise device management, or formal procurement process standing in the way. However, because his calendar contains highly confidential founder meetings and deal flow, data privacy and on-device extraction remain a strict prerequisite before connecting freely.

P7: Founder, AI startup

Profile. Founder and COO of an AI startup in Stockholm with about 8 people, raising a round and selling to customers in the US and Europe. Wears an Apple Watch with an iPhone.

Context. P7's week is split between building the product and running the company. He still works on the product himself. Other work varies between investor meetings while the company raises, interviews while it hires, a board that meets every month, and a call to New York or San Francisco on most evenings. The company has a culture of working 9-9-6, nine in the morning to nine at night, six days a week. His company builds on language models, so he reads a product like this one as a user and as a builder at the same time.

How P7 logs his week. Figure 12 shows an extract of his calendar, the week of 26 October to 1 November. Everything at work goes into the calendar, for example a standup at 09:00, interviews, the board meeting, and investor meetings, each with a video link or an address. Gym sessions are also in the calendar, and the watch records the rest of his training. The product can read his Spotify listening through historical imports and Last.fm integration. The calendar runs from 09:00 to 21:00 six days a week, and Monday to Saturday hold 7 to 11 events.




Figure 12: The week of 26 October to 1 November 2026 from P7's calendar

Translated and compiled quotes from the interview, P7.

Q1: Tell me about a typical working week. How much of it is in meetings, and what kinds?

> "Half my week is meetings I can't move, with investors, candidates, the board. The other half is deep focus, and I book it as meetings so no one bothers me."
>
> "I think video calls are a bit easier, I can have notes open, there is no travel [...] I feel like I can do more of them in a row than investor meetings, for example."

Q2: Have you ever noticed your body reacting to certain events in your schedule? When, and how did you notice?

> "I've noticed it's harder to relax after board meetings, and on days of interviews I can't switch off either, because I'm still deciding who to hire."

Q3: Have you ever tried to figure out whether something in your schedule was affecting your sleep or stress? What did you do?

> "I kept a spreadsheet of resting heart rate, sleep score and training for a while to find correlations, but I stopped because the analysis got kind of complicated fast without giving clear answers."

Q4: What do you use your wearable for today, and what do you pay for around it?

> "I wear an Apple Watch and track resting heart rate, but I don't pay for any subscriptions [...] I don't really trust the sleep score, I feel like the stages are wrong half the time. Duration, timing and heart rate are the only things I usually look at."

Q5: Do you do anything with colleagues around health, training or routines? What works and what doesn't?

> "We don't compete on health. As the employer, I would never buy anything that shows me an individual's data. Aggregates, maybe, but it seems a bit unnecessary."

Q6: How do you think what you watch and listen to, such as TV series and songs, and your app use and screen time affect your sleep and stress? Have you ever checked?

> "I listen to music all day, especially when I code and work with the product! At night I often put something on to wind down and fall asleep with it playing."

What P7 does about it today. P7 kept a spreadsheet of resting heart rate, sleep score and training for a while to look for correlations. He mentions once fitting a regression on it and stopping, because the analysis became complicated fast.

Wearable and spending. Apple Watch, and no paid subscriptions. He focuses most on resting heart rate, HRV, and what lies behind the sleep score, and less on the sleep stages.

Reaction to the concept. Moderately positive, first commenting on the importance of the language used, asking if the product determined medical causal relationships or only correlations. P7 also asked if the team has a medical advisor, and about the performance of different LLM models. He thought the correlations between health indicators and music was amusing and interesting, but not essential. He enjoyed seeing correlations between different types of schedule events and health data, but seemed annoyed at the manual exports, requesting more seamless integration and synchronization.

Test on his own data. P7 then tested prototype 2 on 4 weeks of his own data, using his Apple Watch through Apple Health, his calendar and his Spotify listening. His daily and weekly reports said, in short:

- **The week.** The longest night followed a Wednesday of deep focus and his one evening without a call to the United States, where he fell asleep at 22:50 for 7 hours 48 minutes. The shortest followed the Thursday after, with a board meeting and an investor meeting, sleeping only 5 hours 20 minutes. As a fun fact, Bach was his most-played artist, 6 hours 40 minutes, almost all of it during deep focus.
- **Investor meetings.** On his 12 days with two or more investor meetings, his resting heart rate that night was 3.8 bpm higher than on his other 18 nights.
- **Contrast between board meetings and deep focus.** His heart rate ran 14 bpm above his daytime norm in Thursday's board meeting and 9 bpm above in the investor meetings, while his deep focus blocks ran 5 bpm below it.
- **Hiring days push sleep later.** On his 10 days with three or more interviews, he fell asleep 27 minutes later than on his other 20 days.
- **Empty evenings improve the night.** On his 9 evenings with nothing in the calendar after 18:00, he fell asleep 41 minutes earlier and slept 34 minutes longer than on his other 21.
- **Music, late at night and when focusing.** On his 12 nights with Spotify playing after 23:30, he fell asleep 29 minutes later than on his other 18. In his 18 deep focus blocks with Spotify playing, mostly Bach and Antonín Dvořák, his heart rate averaged lower than in his 11 blocks without.
- **Suggestions.** On Tuesday: the next time he has two investor meetings, put the second before 15:00 and compare that night's resting heart rate with his baseline.

Conclusions. As a founder of an AI startup, the intense schedule means there is a lot to unpack.

- P7 felt stressed by board meetings and long days of interviews, which was backed up by the data along with insights regarding the late US calls.
- Listening to classical music during deep focus sessions led to a calmer heart rate, while listening to music too late led to delayed sleep times.

- P7 found the musical correlation amusing, but would not class it as a vital core functionality of the product.
- He liked that the suggestions were experiments rather than advice, and said he will test changing his schedule where possible, and late listening habits.
- He expressed some annoyance over the fact that the integrations were not seamless yet, and depended partly on manual exports/imports.
- P7's company has 8 people, and he pressed on the fact that he does not want his employees' individual data.

Follow-up call. P7 and P8 presented the team with a startups' perspective. Their companies have no dedicated IT team and no security or procurement process to go through. Asked how readily they would adopt an AI tool, they said that if it gives them value they could get it running quickly. The person who decides is the end user of the product, they do not have managed phones keeps the work calendar out of reach, and the cost is small for them. The product fits people like P7, who live by a stacked calendar and must balance a heavy workload.

P8: Product engineer, AI product startup

Profile. P8 is 25 and uses an iPhone and Apple Watch. He works irregular hours.

Context. P8 has three or four meetings a week, with long stretches of deep work and Slack open all day. He uses screens until 01:00 most nights, often "a couple of hours on YouTube to relax", and sometimes goes to the gym in the evening. He mentions things being extra stressful at the end of shipping weeks, which occur quite often.

How P8 logs his week. P8's week can be seen in Figure 13, which shows a sparsely populated schedule containing a couple of standup meetings in the mornings, along with occasional candidate debriefs, syncs, gym sessions, and demos. Otherwise, most of the schedule is free or blocked for personal deep work sessions or other personal activities, time which can only be analyzed through other data sources such as screen-time, app usage, and viewing- or listening-history.




Figure 13: The week of 26 October to 1 November 2026 from P8's calendar

Translated and compiled quotes from the interview, P8.

Q1: Tell me about a typical working week. How much of it is in meetings, and what kinds?

> "My calendar doesn't really say much about the week, it's almost empty. My app history might have more information about it, like my time on Slack."
>
> "I have three or four meetings a week, with long stretches of deep work and Slack open all day. Things get extra stressful at the end of shipping weeks, and it feels like almost every week is a shipping week."

Q2: Have you ever noticed your body reacting to certain events in your schedule? When, and how did you notice?

> "I definitely crash toward the end of shipping cycles, and my sleep can get completely derailed when I work really late, but I can't really point at a certain schedule block since my calendar is pretty empty."

Q3: Have you ever tried to figure out whether something in your schedule was affecting your sleep or stress? What did you do?

> "I check the phone's screen-time summary about once a month [...] but I've never done any systematic comparison."

Q4: What do you use your wearable for today, and what do you pay for around it?

> "I use an Apple Watch with Apple Health, but I don't have any paid subscriptions. I'd pay for something that could change my bad habits though!"

Q5: Do you do anything with colleagues around health, training or routines? What works and what doesn't?

> "We did a step competition a couple of weeks ago, but everyone kind of forgot about it."

Q6: How do you think what you watch and listen to, such as TV series and songs, and your app use and screen time affect your sleep and stress? Have you ever checked?

> "I use my computer or phone until one in the morning most nights, often a couple of hours on YouTube to relax [...] I think my evening phone use might be why I sleep poorly."

Wearable and spending. Apple Watch, with no subscriptions. Says he would be fine with a subscription of about 60 SEK a month if it gave him insights he could act on.

Test on his own data. P8 tested prototype 2 using his Apple Watch data and connected his calendar directly (Section 6). His usual week holds three or four meetings. The week in Figure 13 was slightly busier than usual, with hiring debriefs, a farewell lunch, the Halloween party and invitations he had not answered.

- **The week.** The two nights with shortest sleep were Monday, following a later bedtime than usual and three hours of late YouTube, and Friday, following a Halloween party where he logged 5 drinks.
- **Phone activity.** P8 recorded on average more phone pickups on Fridays compared to other days of the week.
- **Late streaming.** On days where video streaming time exceeded 90 minutes past midnight, his heart rate was on average 5 bpm above his baseline.
- **Late workouts alongside screen time.** P8 sometimes went to the gym in the evening as well as using his phone late, a habit which resulted in falling asleep on average 32 minutes later than usual.

- **Suggestions.** Move next week's workouts earlier, and stop using YouTube past 01:00.

Conclusions. Having less entries in the calendar means more emphasis needs to be put on other sources of data.

- P8 was willing to pay, but retention depends on the quality of the product.
- He wanted the report to prioritize his screen time and phone usage data, instead of being focused on meetings. He also wanted more insights regarding his phone usage during deep work blocks, where he is supposed to be focusing on work only.
- The engine recognized weekly patterns in phone pickups, but didn't provide reasoning as to why it happens.

Follow-up call. P8's company has: no IT team, no security or procurement process to go through, and a tool that gives them value could be up and running very quickly (Section 7.2).

P9: Consulting intern, global strategy consultancy

Profile. Intern at a global strategy consultancy. Wears a WHOOP with an iPhone and checks his recovery every morning.

Context. P9's weeks all have the same shape, and the project sets it rather than him. Monday to Wednesday run from 09:00 to 23:00 - 01:00, Thursday ends at 22:00 and Friday at 17:00, and the weekend is empty. Most of his day is the work behind other people's meetings: analysis, expert calls and slides. The meetings he is in belong to the team: a problem-solving session at 17:00, a check-in at 22:00, and page reviews where his manager goes through his slides one by one.

How P9 logs his week. Figure 14 shows the week of 26 October to 1 November from his calendar. His work calendar lives in Outlook on the firm's laptop and shows only "busy" to outside apps, so for the test he copied each week into his own calendar, which took ten minutes because the weeks barely change. Each day starts with analysis at 09:00 and continues with slide work after lunch. The meetings are the team's problem-solving session at 17:00 and the check-in at 22:00. From Monday to Wednesday the check-in is followed by slide work until 01:00, but this sometimes finishes earlier, and the view cuts it off at midnight as the day changes. Lunch, dinner and smaller tasks are not booked, which leaves gaps in the day. Wednesday adds the page review with his manager at 19:30. Thursday ends with the check-in at 21:30, Friday at 17:00, and the weekend is empty. From the first entry to the last, his days add up to 69 hours, 48 of them Monday to Wednesday.

Translated and compiled quotes from the interview, P9.

Q1: Tell me about a typical working week. How much of it is in meetings, and what kinds?

> "Every week looks the pretty much the same [...] Monday to Wednesday until one in the morning, Thursday until ten, Friday until five."
>
> "I'm not personally in that many meetings, I mostly make the slides for other people's meetings. I'm in a couple of problem-solving sessions, check-ins, and the page reviews with my manager."

Q2: Have you ever noticed your body reacting to certain events in your schedule? When, and how did you notice?

> "By Wednesday night it can be pretty rough, my sleep feels more uneven."
>
> "The late slide work is what kills me [...] it's one in the morning and I'm aligning text boxes."




Figure 14: The week of 26 October to 1 November 2026 from P9's calendar

Q3: Have you ever tried to figure out whether something in your schedule was affecting your sleep or stress? What did you do?

> "I tried WHOOP's journal when I first bought it, but it asks me like twenty-five yes-or-no questions. Nobody does that for long. Apart from that I don't think I've done anything"

Q4: What do you use your wearable for today, and what do you pay for around it?

> "I check my recovery with my WHOOP every morning and I pay for the WHOOP One membership at 199 dollars a year, but nothing else. I'm a student and an intern so buying another subscription could be a bit too much for me."

Q5: Do you do anything with colleagues around health, training or routines? What works and what doesn't?

> "People compare a lot of their exercises with each other, like Strava. Also how many gym sessions they have been able to squeeze in this week."

Q6: How do you think what you watch and listen to, such as TV series and songs, and your app use and screen time affect your sleep and stress? Have you ever checked?

> "I put on lo-fi when I do slides at night, the team recommended it to me!. I don't watch anything, there's no time, I think my screen time is just PowerPoint."

What P9 does about it today. He tried WHOOP's journal when he first bought it. Apart from that, his one strategy is trying to sleep longer on weekends.

Wearable and spending. WHOOP One at 199 dollars a year, and nothing else. As a student and an intern, he is careful about paying for another subscription.

Reaction to the concept. He wanted the week explained, but was wary of adding another subscription. On price he was clear, claiming that "Free for me and paid by the company is the only version I'd actually use. I'm already paying for the WHOOP and don't want to have to get a new device." He commented on the calendar too, saying that the company legal department

would deny access to the calendar. The work calendar would have to come through the firm, so for the test he copied his weeks by hand.

Test on his own data. P9 then tested prototype 2 on 30 nights of his own data: his WHOOP through Apple Health, the weeks he copied into his own calendar, and his Spotify listening. His daily and weekly reports said, in short:

- **The week.** Sleep averaged 71, right at his usual. Monday to Wednesday ran until 01:00, and the hardest night followed Wednesday 28 October, the third in a row: asleep at 01:55, a night scoring 57. Thursday's 22:00 finish started the recovery, and the best night followed Friday 30 October: finished at 17:00, in bed at 23:15, a night scoring 86. As a fun fact, his days ran 69 hours from the first to the last entry in his calendar, 48 of them Monday to Wednesday, and none on the weekend.
- **After 01:00, sleep takes longer to come.** On his 10 nights after work until 01:00, he took 44 minutes to fall asleep after going to bed, against 16 minutes on his 4 Thursdays, when work ends at 22:00. His heart rate stayed 9 bpm above his resting rate for most of that time.
- **People weigh more than slides.** His heart rate ran 12 bpm above his daytime norm in Wednesday's page review with his manager and 8 bpm above in the 22:00 check-ins. On his 7 late blocks with lo-fi playing on Spotify, his heart rate stayed 4 bpm lower than in his other 3, and he fell asleep 12 minutes sooner after them.
- **The weekend sets up Monday.** With nothing in the calendar, he woke 2 hours 40 minutes later on Saturdays than on weekdays. On his 4 Sundays he then fell asleep 52 minutes later than on Thursdays, so Monday's late night starts from a deficit.
- **Suggestions.** On Sunday: go to bed by 23:30 and see whether Monday's score improves. On Tuesday: put on the lo-fi playlist when the slide work starts, and go straight to bed when it ends.

Conclusions. His heart rate rose most around certain people, in the page review and the check-ins.

- The weekend insight surprised him. He thought the longer sleep on Saturdays would help paying back the previous week.
- A main factor is the length of the day, seen in the calendar where Monday to Wednesday end at 01:00. Another is people, the page review and the 22:00 check-in raised his heart rate.
- Suggestions must stay inside what an intern controls, his Sunday bedtime and the hour after the slides.
- P9, like the others also had to move his work calendar by hand, showcasing the major hurdle of accessing this data that we will need to address.
- He abandoned the WHOOP journal, showing that getting a seamless experience, with no manual logging is important.

Follow-up call. On the topic of adopting new platforms his firm also buys mostly from established players, and he finds it hard to see ours adopted there early (Section 7.2).

Correspondence with PeakPath's founders

PeakPath is the closest precedent in Section 7.1. On 7 November 2026 Nima Tehranchi wrote to its three founders, Magnus, Max and Moa. Moa Stenudd, co-founder and former CTO, answered the same evening. Both messages are given in Swedish as sent, each followed by our English translation. Email addresses are left out. This is one founder's written reply, and it leaves questions 1 and 2 unanswered.

Message 1. From Nima Tehranchi (KTH) to Magnus, Max and Moa, 7 November 2026, 15:55. Subject: Intresse i PeakPath.

> Tjena Magnus, Max och Moa!
>
> Hoppas allt är bra med er!
>
> Jag pluggar på KTH och gör en förstudie för en startupidé: alla wearables ger dig ett sleep score, men förklarar inte varför. Vi kopplar därför automatiskt ihop datan med din kalender, mobilanvändning och mediekonsumtion för att förklara vad som påverkar din sömn. Målgruppen är personer med kalenderstyrda liv, som konsulter och folk på startups och scaleups.
>
> Jag såg att ni byggde PeakPath, som ligger nära vår idé, och skulle gärna höra era erfarenheter:
>
> 1. Hur pitchade ni för investerare, och vad var er ”special ingredient” som fick dem att nappa? Vår lärare tycker att vi saknar just det, så det vore extra intressant att höra.
> 2. Hur sålde ni in lösningen till bolagen, via ledningen eller genom att först skapa intresse hos de anställda?
> 3. Vad skulle ni göra annorlunda idag?
>
> Vi lämnar in på onsdag, så även ett par rader här hjälper massor. Har ni 15 minuter för ett kort samtal tar jag gärna det också!
>
> Tack på förhand och ha en riktigt fin helg!
>
> /Nima Tehranchi

Translation.

> Hi Magnus, Max and Moa!
>
> Hope all is well with you!
>
> I study at KTH and am doing a pre-study for a startup idea: every wearable gives you a sleep score but does not explain why. So we automatically connect the data with your calendar, phone use and media consumption to explain what affects your sleep. The target group is people with calendar-driven lives, such as consultants and people at startups and scale-ups.
>
> I saw that you built PeakPath, which is close to our idea, and would love to hear about your experience:
>
> 1. How did you pitch to investors, and what was your “special ingredient” that made them bite? Our teacher thinks that is exactly what we lack, so it would be especially interesting to hear.
> 2. How did you sell the solution to the companies: through management, or by first building interest among the employees?
> 3. What would you do differently today?
>
> We hand in on Wednesday, so even a couple of lines here would help a lot. If you have 15 minutes for a short call, I would gladly take that too!
>
> Thanks in advance, and have a really nice weekend!
>
> /Nima Tehranchi

Message 2. From Moa Stenudd (co-founder and former CTO, PeakPath) to Nima Tehranchi, 7 November 2026, 20:53. Subject: Re: Intresse i PeakPath.

> Hej Nima,
>
> Kul idé! Vi byggde kalenderintegrationer tidigt, men iom att vi var B2B var det något storbolagen vi riktade oss mot hade svårt att dela med sig av. Därför skrotade vi idén.

> Idag hade jag nog funderat ännu mer på hur vi kunde få tillgång till information som är svår för den enskilda användaren att själv sammanföra, alternativt hur vi kunde skapa ett mer konkret värde av den data vi redan hade.
>
> Med AI:s snabba utveckling tror jag att det blir allt enklare för en nyfiken person att själv samköra sitt sleep score med annan data från telefonen. Så frågan är vad användaren faktiskt tjänar på analysen. Kan ni gå från att förklara varför någon sover dåligt till att hjälpa personen att sova bättre?
>
> Om ni riktar er mot bolag kanske ni också kan erbjuda möjligheten att förändra något. Om ni ändå får tillgång till kalenderdatan, skulle ni kunna optimera och skriva om kalendrarna utifrån människors sömn och återhämtning för att förbättra produktivitet och hälsa?
>
> Jag undrar om er "special ingredient" kan ligga i vad ni driver för förändring med insikterna än i själva analysen.
>
> /Moa

Translation.

> Hi Nima,
>
> Nice idea! We built calendar integrations early, but since we were B2B, it was something the large companies we targeted found hard to share. So we scrapped the idea.
>
> Today I would probably have thought even more about how we could get access to information that is hard for the individual user to bring together on their own, or else how we could create more concrete value from the data we already had.
>
> With the rapid development of AI, I think it is becoming ever easier for a curious person to combine their sleep score with other data from the phone on their own. So the question is what the user actually gains from the analysis. Can you go from explaining why someone sleeps badly to helping the person sleep better?
>
> If you target companies, perhaps you can also offer the possibility of changing something. If you get access to the calendar data anyway, could you optimise and rewrite the calendars around people's sleep and recovery to improve productivity and health?
>
> I wonder whether your "special ingredient" could lie in the change you drive with the insights rather than in the analysis itself.
>
> /Moa

What the reply changes. It bears on our first risk (Table 10): the large companies PeakPath targeted found calendar data hard to share, and our employer route depends on the work calendar. We therefore called the participants back by type of company and changed the plan to sell to startups first (Section 7.2). Moa thinks AI makes it ever easier for users to combine a sleep score with phone data themselves, and wonders whether the value lies in the change the insights drive, which supports ending every report in one change the user controls (R3, R11). We have not designed or tested her idea of an employer version that rewrites calendars around sleep and recovery.

C. Screenshots

C.1 Screenshots of Prototype 1:




Figure 15: Morning



Figure 16: Replay



Figure 17: Week




Figure 18: Habits




Figure 19: Reality Check




Figure 20: Planner



Figure 21: Under the Hood




Figure 22: Presenter Tour

C.2 Screenshots of Prototype 2:



Figure 23: Daily: score and check-in




Figure 24: Daily: Reality check and protect your space




Figure 25: Weekly: Your week in numbers



Figure 26: Weekly: Your recurring patterns




Figure 27: Weekly: Sleep and weekly patterns




Figure 28: Connect your data



Figure 29: Social



Figure 30: Social: Leaderboard