




Tamm Vehicle MVPI Inquiry Service

INTEGRATION GUIDE

Date	2026-04-07
Version	0.3
Document Privacy	Confidential

Table of Contents

1. Introduction	2
1.1 Purpose.....	2
1.2 Scope.....	2
1.3 Definitions.....	2
2. Authentication	3
3. MVPI Inquiry	3
3.1 Vehicle MVPI status	3
4. Appendix	5
4.1 Service Configuration	5
4.2 Error Codes	5
4.3 Plate Dto.....	6
4.4 Plate Types.....	6
4.5 Search Type.....	6
4.6 Business validation errors and messages.	6
4.7 FAQs	7

1. Introduction

1.1 Purpose

This document detailed about APIs for MVPI inquiry about vehicles, their resources and their request/response parameters. The details of each parameter field like its type is also described, so that the clients of the API are aware of the expected inputs and the response provided by the API with samples of request and response

1.2 Scope

The document mainly focuses on the APIs available for inquiry of vehicle and the parameters required invoking these web services.

1.3 Definitions

Acronym or Abbreviation	Definition
NIC	National Information Center
NIN	National Identification Number
OTP	One Time Password
URL	Uniform Resource Locator
HTTP	Hyper Text Transfer Protocol
MOI	Ministry of Interior
MVPI	Motor Vehicle Periodic Inspection

2. Authentication

Please refer to the *Profile Management Integration Guide* or the *Integrators Integration Guide* in case you are an integrator.

3. MVPI Inquiry

The main function of this API is designed for getting MVPI status and expiry date from Tamm system. These API are in two different forms either from vehicle plate number or vehicle sequence number:

3.1 Vehicle MVPI status

The main function of this API is to validate vehicles by passing plate number or sequence number and retrieve mvpi status and expiry and odometer using.

URL

Name	Example
URL	{{baseUrl}}/api/v1/inquiry/mvpi/latest-inspection
HTTP Method	POST
Content-Type	application/json

Service Input

Name	Type	Description	Example	Required
X-Integrator-User-Id	Long Request Header	Ref table index0 4.7 FAQs	X-Integrator-User-Id=7124	Yes
searchType	Integer	Ref table index 4.5 Search Type	searchType=0,1	Yes

se- quenceNumber	Integer	Vehicle se- quence number	"se- quenceNumber": "821542710"	Condi- tional when search Type 1
plateDto	JSON Ob- ject { "text1": "ب", "text2": "ب", "text3": "ب", "number": 2222, "type": { "code": 1 } }	Vehicle plate in- formation Ref table index 4.3	{ "text1": "ب", "text2": "ب", "text3": "ب", "number": 2222, "type": { "code": 1 } }	Condi- tional when search Type 0

Example: MVPI detail using vehicle plate number

Request	{ "searchType": 0, "plate": { "text1": "م", "text2": "ق", "text3": "ع", "number": 4736, "type": { "code": 1, "nameAr": "خاص", "nameEn": "Private Car" } } }
Re- sponse	{ "plate": { "text1": "م", "text2": "ق", "text3": "ع", "number": 4736, "type": { "code": 1, "nameAr": "خصوصي", "nameEn": "خصوصي" } }, "sequenceNumber": 1083066671, "mvpiStatus": "VALID", "mvpiExpiryDateHijri": "1449-10-02", "mvpiExpiryDate": "2028-02-27", "odometer": 160000 }

Example: MVPI detail using " sequenceNumber"

Request	<pre>{ "searchType": 1, "plate": { "text1": "", "text2": "", "text3": "", "type": {} }, "sequenceNumber": "1083066671" }</pre>
Re- sponse	<pre>{ "plate": { "text1": "م", "text2": "ق", "text3": "ع", "number": 4736, "type": { "code": 1, "nameAr": "خصوصي", "nameEn": "خصوصي" } }, "sequenceNumber": 1083066671, "mvpiStatus": "VALID", "mvpiExpiryDateHijri": "1449-10-02", "mvpiExpiryDate": "2028-02-27", "odometer": 160000 }</pre>

4. Appendix

4.1 Service Configuration


Name	Staging	Production
baseUrl	https://tamm-qa-api.apps.devocp4.elm.sa	https://tamm.api.elm.sa
Idp	https://idp.apps.devocp4.elm.sa/	https://idp.elm.sa
Idp Realm	Tamm-QA	Tamm

4.2 Error Codes

Name	Type	Description
400	Business Error	Business error message translated in Arabic and English
500	System error	"Generic error occurred" or "حدث خطأ أثناء تنفيذ طلبك"
401	Unauthorized	It occurs when token is not valid, incorrect, or expired.

403	Forbidden	Token is valid, but selected user id (X-Integrator-User-Id) does not have the authority to access the service.
-----	-----------	--

4.3 Plate Dto

JSON Object Name	Json Object Value
plateDto	<pre>{ "text1": "ر", "text2": "ح", "text3": "ب", "number": 100, "type": { "code": 1 } }</pre> 

4.4 Plate Types

Plate Code	English Name	Arabic Name
1	Private Car	خاص
2	Public Transport	نقل عام
3	Private Transport	نقل خاص
10	Morotbike	دراجة آلية

4.5 Search Type

Search Type	Name
0	Plate number
1	Sequence Number

4.6 Business validation errors and messages.

This is a set of validations, not all of them and we recommend it not depends on the message description since it might change in future. But the list is only for consideration to be familiar with the validation that exists in the system.

Validation	Operation	Error detail
------------	-----------	--------------

Vehicle does not exist with the entered inputs	Search on plateNumber and SequenceNumber	{ "status": 400, "timestamp": "2026-03-30T13:53:15.718762999Z", "message": { "ar": "لم يتم العثور على مركبة بالمعلومات المدخلة", "en": "No vehicle is found with the entered information" }, "traceId": "5ce7a520d730ab70", "errors": null }
"sequenceNumber" is required	Search on SequenceNumber	{ "status": 400, "timestamp": "2026-04-06T09:50:39.514471398Z", "message": { "ar": "يرجى إدخال الرقم التسلسلي", "en": "Please enter the vehicle sequence number" }, "traceId": "1b37aade5273f2bd", "errors": null }

4.7 FAQs

Key (What does it mean?)	Explanation
X-Integrator-User-Id	X-Integrator-User-ID is a required header that carries the user identifier of the ELM client. This value is utilized by backend services during the internal validation process to ensure request authenticity and proper access handling.
Can you do inquiries about vehicles not been owned by same customer?	Vehicle inquiry services can be performed for vehicles that are owned or not owned by the same customer.
Service Pricing	Please refer to the link https://tamm.sa/public/landing/transactions-fee