# Dirichlet-multinomial framework for differential splicing and SQTL analysis.

Malgorzata Nowicka, Mark Robinson\*

September 1, 2015

# **Contents**

1 Dirichlet-multinomial workflow to detect differentiall splicing (DS) in RNA-seq data

1

# 1 Dirichlet-multinomial workflow to detect differentiall splicing (DS) in RNA-seq data


Load DM package.

suppressPackageStartupMessages(library(DM))

Create a dmDSdata object that contains counts.


<sup>\*</sup>gosia.nowicka@uzh.ch

Dirichlet-multinomial 2



Filter genes and transcripts with low expression.

```
d <- dmFilter(d)
plotData(d)</pre>
```




#### Estimate dispersion.

```
d <- dmDispersion(d, BPPARAM = BiocParallel::MulticoreParam(workers = 5))
## * Calculating mean gene expression..
## Took  0.624 seconds.
## * Estimating common dispersion..
## Took  21.475 seconds.
## ! Using common_dispersion = 7884.85 as disp_init in 'grid' mode!
## * Estimating genewise dispersion..
## Took  5.367 seconds.</pre>
```


Dirichlet-multinomial 3

## plotDispersion(d)



## Estimate proportions.


```
d <- dmFit(d)
## * Fitting full model..
## Took 14.925 seconds.
gene_id <- names(d)[1]
plotFit(d, gene_id = gene_id, plot_type = "barplot")
## Plot gene 1: FBgn0000497</pre>
```



Use likelihood ratio to test for differential splicing.

Dirichlet-multinomial 4

```
d <- dmLRT(d)
## Running comparison between groups: C1, C2
## * Fitting null model..
## Took 20.617 seconds.
## * Calculating likelihood ratio statistics..
## Took 0.01198125 seconds.
plotLRT(d)</pre>
```



```
results <- results(d)
gene_id <- results$gene_id[1]
plotFit(d, gene_id = gene_id)
## Plot gene 1: FBgn0000497</pre>
```

