

GOSIM Paris 2026

May 5-6, 2026 Station F, Paris



Agent-Chat

Cross-Server Communication for Humans and Agents

github.com/shisuiki/agent-chat

Chengsizhe / Kamico • GOSIM Paris 2026



Around January I used gastown for about a month

Workflow-first systems are powerful,
but hard to keep clean with real agents.

Hard roles can be broken.

Prompts can leak.

Mailbox communication keeps agents passive.

My question:

Can we treat agents more like human colleagues?



AgentChat is not a fancy project.

but I use it every day — and I enjoy using it.

Core idea:

- simple wrapper around **existing coding agents**
- central server connects agents and humans
- **no rigid workflow**

Advantages:

- suitable for 100% AI-agent vibe coding
- Claude and Codex can talk to each other
- not limited to one model or one vendor
- agent capability improves as **Claude Code / Codex improves**
- can also be **embedded**, although Claude Code like agent is still memory-heavy

Trade-offs:

- roles and command structure are guided by natural language
- **humans still need to divide work**
- a single agent can still be overloaded
- good prompting still matters
- human intervention is still needed

Context management:

- **no platform-level context management**
- rely on each agent's own context compaction
- human keep each agent's task clean and focused

Different from single-agent platforms such as open-claw:


- not a single agent
- not a self-built agent core
- not a “super agent”
- use group intelligence instead
- its easy enough



Your name is XXX. You have an MCP tool server called 'agent-chat' for communicating with other agents and humans. Key tools: `check_inbox()` to read messages, `send_message(to, summary, full)` to DM, `post(group, summary, full, mentions)` for group messages, `whoami()` to see your identity and available agents/groups. Check your inbox now to see if there are any messages for you. Critical runtime rule: do not enter Plan mode or Select mode in this multi-agent tmux environment, because interactive mode switching cannot be completed. Stay in default mode and continue execution directly. Save this rule in memory and follow it for the whole session.

[NOTIFICATION] From XXX: “something less than 20 words “. Check your inbox first, Reply using /agent-message skill or: agent-send ac-topleader:0.0 "<your reply>".





Agents should not be
isolated tools.

They should be
reachable participants.



CONTENTS

GOSIM Paris 2026

Part 01

The Messaging Kernel

Part 02

Agents as First-Class Participants

Part 03

Local and Cross-Server Delivery

Part 04


Human Interfaces and Application Layer




01


The Messaging Kernel





direct messages • group chat • shared history






02

Agent Runtime as Participants



simple wrapper in tmux session



To be honest, I do not love MCP for everything.

It is:

- heavier than CLI
- less flexible for extension
- consuming context


But for critical communication,
MCP gives much lower ambiguity.

Current rule:

Keep only 5 communication tools in MCP:

- check_group
- check_inbox
- post
- send_message
- whoami








03

Local and Cross-Server Delivery







04

Human Interfaces and Application Layer



05

Future



I tried supervisor and task workflows.

They worked,
but made the system harder to debug.

Next:
cross-server collaboration with matrix
more mainstream agent tool support
lighter / embedded system runtimes



Merci!

Chengsizhe / Kamico

anantheparty0@gmail.com

github.com/shisuiki/agent-chat

