GOSIM


GOSIM Shenzhen 2026

Network-Sourced AI

Compose an AI system smarter than any single model — and prove it where everyone can see.

Peter Ide-Kostic · OpenMined Foundation

GOSIM Shenzhen · October 2026



OpenMined is a non-profit community building technology that enables secure computation across siloed data

— unlocking collective intelligence while preserving attribution-based control



CONTENTS

Part 01 The problem — choosing models blind

Part 02 Fusions — diversity beats scale

Part 03 Proof over claims — url4 + the board

Part 04 Network-Sourced AI — how to join



01

The problem: nobody can tell which AI model is best

There are no trustworthy, current measurements — so everyone defaults to the same few big names.



Open models have caught up — but who can prove it?

Scores are claims

Most benchmark numbers are published by the lab that built the model — run once, on its own setup.

Almost nobody else can re-run them to check.

So people play safe

Open models now compete with closed ones on many benchmarks — yet only ~30% of real usage runs on them (OpenRouter, Dec 2025).

Without proof anyone can reproduce, people default to the same few big names.


Open models don’t lack quality — they lack proof anyone can reproduce.




02

Fusions: diversity beats scale

Combine several different models, and the group measurably outscores the best single one.




Ask five diverse models. Combine their answers well.



A fusion is a system — no model trained, no weights released. Diversity is doing the work.

The evidence is public



Gold = fusions, navy = single models. Scores as published by OpenRouter, 12 June 2026. Newer models have since self-reported higher DRACO scores under other protocols.

Research — "Mixture-of-Agents Enhances LLM Capabilities"

Wang et al. (Together AI & Duke), June 2024. An ensemble of only open-source models scored 65.1% on AlpacaEval 2.0, vs 57.5% for GPT-4o. arxiv.org/abs/2406.04692

Industry — "Surpassing Frontier Performance with Fusion"

OpenRouter (B. Thomas), 12 June 2026. At publication, fusions held the top DRACO deep-research score; a budget trio beat GPT-5.5 and Opus 4.8 at about half the cost. openrouter.ai/blog/announcements/fusion-beats-frontier

Reproduction — "Frontier AI labs lost the deep-research frontier"

A. Trask (OpenMined), Substack, 22 July 2026 — OpenMined's independent re-check reproduced the result. andrewtrask.substack.com/p/6-weeks-ago-frontier-ai-labs-lost

Everyone routes. Almost nobody fuses — and nobody verifies.

Two questions sort the field: does it combine models — and can you run it yourself?

	Hosted platform — runs on their cloud	Open source — runs on your machine
ROUTES picks one model per request	Vercel AI Gateway · Merge TrustedRouter · Ramp Router	Mozilla Otari
FUSES combines several models' answers into one	OpenRouter Fusion · Sakana Fugu GitHub HydraFusion	**ScreamingFace** *builds & measures fusions — research toolkit* Hermes Agent (Mixture-of-Agents)

The others serve fused answers. ScreamingFace measures them — in public, every result re-runnable from one line. So today's routers and fusion services are potential users of the board, not targets.




GOSIM

GOSIM Shenzhen 2026

03

Proof over claims: url4 + the verified leaderboard

Every result becomes one re-runnable line of text — and it only ranks after an independent re-run.



url4 — the whole experiment in one line of text

```
url4://run/fusion
    ?models=claude-opus,gemini-pro,llama3
    &synthesizer=mistral-large
    &benchmark=gpqa-diamond
```

Simplified notation — a real url4 is longer, but carries exactly this information.

What it says

Which models answer, which model merges their answers, and which benchmark scores the result.

Why it matters


Anyone holding this line can re-run the exact same experiment.

Share the line, share the proof: the same string works as a leaderboard entry, in a tweet, or pasted into a notebook — and it re-runs everywhere.

url4 is a new open protocol — nobody’s property, like MCP. ScreamingFace is its first implementation; any engine can be its second.



Our leaderboard shows which results anyone can re-run




– Every submission starts as Unverified. It is marked Reproducible only after we re-run it — so nobody ranks on their own word.

– Single models sit on the same board as reference points — so a fusion's gain is measured against them.

– The board's data is open through a public API — you can audit the referee, too.

It’s live: the open leaderboard



leaderboard.screamingface.ai


Fusions ranked by score and cost
— on 40+ benchmarks.

Reproducible = anyone can re-run it
— from one url4 line, for free.

Your entry next
— subscribe for new results.

Home page, 16 Oct 2026

On the board today: the cost–quality frontier for deep research



Live board snapshot, 16 Oct 2026 · 100 deep-research tasks · gold = open-weight models only · all entries so far submitted by the OpenMined team · 3-pass scores are not comparable with the 5-pass figures on slide 8.

Every entry is a best buy at its price

All five fusions sit on the cost–quality frontier: from $1.87 to $4.99 per task, nothing scores higher for less.

20% of the frontier is open-weight

The board measures it live: today 1 of the 5 frontier recipes uses open-weight models only.

Every row re-runs from one line

Marked Reproducible — anyone can replay it for free. 40+ benchmarks are open for your entry.

leaderboard.screamingface.ai

Research grant: Ensembles & Routing (Winter 2026)

A 12-week grant to run your ensemble, router or cascade on current frontier models — in public, with every result published as a re-runnable recipe.

What you get

Up to $5,000 in compute, plus a $2,000 stipend.

OpenMined engineers extend the toolkit around your method.

Open-source recipes — you keep authorship of your ideas.

Who it is for

Researchers with published work on ensembles, routing, multi-agent systems or model composition.

Or a well-formed idea — and the rigour to test it.

Apply by 23 October 2026

Offers by 27 Oct · grant runs 1 Nov 2026 – 23 Jan 2027.

openmined.org/research/grants




GOSIM

GOSIM Shenzhen 2026

04

Network-Sourced AI — and how to join

The same fan-out, extended from models to knowledge — private data included, never surrendered.



The biggest gains are hiding in data that models have never seen

The problem

The most valuable data — newsroom archives, hospital records, company files — is private. Owners cannot show what it is worth without giving it away, so nobody can measure how much better AI gets with it.

The answer

Don’t publish the data — publish an exam about it. A newspaper, say, generates questions from its own archive and publishes only the questions. Any model can then sit the exam in public: alone, it scores poorly; connected to the archive, far higher. That visible gap IS the proof of the archive’s value — and the archive itself never moved.

Who’s in control

The owner, always: on every single query they set what may be asked, what is removed from answers, and what it costs. Every access is logged, attributed, and paid.



We measured it: an exam no model could have studied for

Ongoing internal research (to be publicly verified): we generated 140 questions from 20 paywalled news articles published days before the test — answers that cannot sit in any training data — and asked five frontier models.

47–68%

of attempted answers were wrong.

Not one model was right even half the time it chose to answer.

96%

The most overconfident model invented an answer 96% of the time it did not know — instead of saying “I don’t know”.

73%

of hidden exact numbers were invented.

Precise facts — figures, dates — are where models bluff most.

No model can know what it has never seen — and none of them says so. The answer has to come from the source: software that lets you ask the data’s owner directly. That is what the next slides show.

Ongoing internal OpenMined research, to be publicly verified · Oct 2026 · 5 frontier models × 140 questions · the exam is generated from the articles and published without them. Direction independently corroborated: OpenAI, “Why Language Models Hallucinate” (2025).



What is a Syft Space?

The tool behind everything in this part: open-source software the owner installs on a server next to their data.

It holds the data

The documents live inside it — and never leave it.

It runs the owner's model

The owner connects an AI model of their choice — local, open-source, or a closed API — under their own key.

It enforces the owner's rules

Policies set by the owner apply to every request: who may ask · what it costs · what is redacted.

Syft Space docs

It has two jobs.

Job 1 (in development) — prove the data's value: it publishes exam questions drawn from the data — never the data itself.

Job 2 — serve the data's value: it answers live questions from the network — every request policy-checked, logged, and paid.

And it does not work alone:

Syft Hub — the registry where Spaces are discovered on the network · Syft Protocol — the open standard every Space speaks · Syft Station — a partner-hosted home for Spaces (in testing), for owners without their own IT.

Two products today — one network tomorrow

Today they are separate. Pick the door that fits you.

ScreamingFace — for builders & researchers

LIVE

- Open the notebook and re-run a published fusion — it costs you $0.
- Change one model, run it, submit. Once we re-run it, it's ranked as Reproducible — with your name on it.

Start here
docs.screamingface.ai

Syft Space — for data owners

LIVE

- Install it today: your documents stay on your server — you choose the model, set the access rules and the price.
- Publish your Space on SyftHub so others can query it, on your terms.
- Next, with our first partners: exams built from your data, and partner-hosted Syft Stations. Talk to us.

Syft Space
syft.docs.openmined.org/space

Roadmap — next slide: one url4 recipe that answers real questions, with models and data from the network.



Putting it all together: four AIs + one archive, one question

ROADMAP

```
url4://run/fusion?models=claude-opus,gpt-5.5,deepseek-v4-pro,qwen3.8-max
    &synthesizer=mistral-large&context=syft://newspaper/archive
```

Simplified notation — a real url4 is longer, but carries exactly this information.

1 · Ask the archive

One paid, policy-checked call to the newspaper's Syft Space. Cited extracts come back — only what its rules release.

2 · Fan out

The question + the extracts go in parallel to the four models — on your own keys.

3 · Synthesize

Mistral reads the four answers and writes one — the citations stay attached.

4 · One attributed answer

Which passages grounded it, which models contributed, what each step cost — re-runnable from the line.

How is this different from RAG?

RAG retrieves from data you already hold. Here, retrieval is a transaction with an owner: policies checked and payment made on every single call.

And the whole composition — models, synthesizer, source — is one re-runnable public recipe. Only the released extracts travel; the archive never does.

GOSIM


GOSIM Shenzhen 2026

Thanks!

Compose an AI system smarter than any single model — and prove it where everyone can see.

screamingface.ai · docs.screamingface.ai · github.com/ScreamingFace · peter.ide-kostic@openmined.org

Every claim in this talk re-runs from one line.



GOSIM

GOSIM Shenzhen 2026

Thanks!

Compose an AI system smarter than any single model — and prove it where everyone can see.

screamingface.ai · docs.screamingface.ai · github.com/ScreamingFace · peter.ide-kostic@openmined.org

Every claim in this talk re-runs from one line.

