
Filtered Player App

Operating System: Windows, macOS, Linux etc. Software requirement: Java Runtime Environment (available at http://java.com/)


Start the Application:

- A) Double click FilteredPlayerApp.jar icon in the file browser or Desktop
- B) On the terminal java -jar FilteredPlayerApp.jar
- 0) Set output port for playback (default is OK)



1) Select an input file (wav or mp3)

If the characters are distorted, try full size by clicking the square icon.



2) Play and listen

You can modify the filter while listening.

Rewind or fast forward: "Pause" or "Stop", then use the "Time" slider.

Even if playback quality is bad. You can still use "Save as file" without problem.

3) Set filter (T: Through, M: Mute, H: Harmonic, P: Percussive)

Preset1: drumCover

-- surpress percussive sound in all freq and pan range except for vocal freq range around the center

⊗ ⊜ ® Advanced Filter Setting																					
28160	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	н	Н	Н	Н	н	Н	Н	Н	н	Н	Н
19912	H	Н	H	H	Н	H	Н	Н	H	Н	Н	H	H	Н	Н	Н	Н	Н	H	Н	Н
14080	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н
9956	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н
7040	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н
4978	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н
3520	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н
2489	Т	Т	Н	Н	Н	Н	Н	Н	Н	Т	Т	Т	Н	Н	Н	Н	Н	Н	Н	Т	Т
1760	Т	Т	Н	Н	Н	Н	Н	Н	Н	Т	Т	Т	Н	Н	Н	Н	Н	Н	Н	Т	Т
1244	Т	Т	Н	Н	Н	Н	Н	Н	Н	Т	Т	Т	Н	Н	Н	Н	Н	Н	Н	Т	Т
880	Т	Т	Н	Н	Н	Н	Н	Н	Н	Т	Т	Т	Н	Н	Н	Н	Н	Н	Н	Т	Т
622	Т	Т	Н	Н	Н	Н	Н	Н	Н	Т	Т	Т	Н	Н	Н	Н	Н	Н	Н	Т	Т
440	Т	Т	Н	Н	Н	Н	Н	Н	Н	Т	Т	Т	Н	Н	Н	Н	Н	Н	Н	Т	Т
311	Т	Т	Н	Н	Н	Н	Н	Н	Н	Т	Т	Т	Н	Н	Н	Н	Н	Н	Н	Т	Т
220	Т	Т	Н	Н	Н	Н	Н	Н	Н	Т	Т	Т	Н	Н	Н	Н	Н	Н	Н	Т	Т
155	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н
110	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н
77	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н
55	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н
38	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н
27	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н
19	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н
13	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н
Hz/LR -	1.0	-0.9	-0.8	-0.7	-0.6	-0.5	-0.4	-0.3	-0.2	-0.1	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	8.0	0.9	1.0
○ THROUGH ○ MUTE ○ PERCUSSIVE								○ HARMONIC ○ SPLIT						○ THROUGHALL ○ MUTEALL							
PERCUSSIVEALL								-	Presets: © karaokeMale ® drumCover												
									Save	filter	loa	d filter									

Preset2: karaokeMale
-- mute male vocal freq range around the center
percussive/harmonic separation is not used at all

80	⊗ ⊜ ® Advanced Filter Setting																				
28160	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	T	Т	Т	Т	Т
19912	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
14080	Т	Т	Т	T	Т	T	Т	Т	T	Т	T	Т	Т	Т	Т	Т	Т	Т	Т	Т	T
9956	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	T
7040	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
4978	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
3520	Т	Т	Т	Т	Т	T	Т	Т	Т	Т	T	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
2489	Т	Т	Т	Т	Т	T	Т	Т	Т	M	M	M	Т	Т	Т	Т	Т	Т	Т	Т	Т
1760	Т	Т	Т	Т	Т	Т	Т	Т	Т	M	M	М	Т	Т	Т	Т	Т	Т	Т	Т	Т
1244	Т	Т	Т	Т	Т	Т	Т	Т	Т	M	M	M	Т	Т	Т	Т	Т	Т	Т	Т	Т
880	Т	Т	Т	Т	Т	T	Т	Т	Т	M	M	M	Т	Т	Т	Т	Т	Т	Т	Т	Т
622	Т	Т	Т	T	Т	T	Т	Т	Т	M	M	М	Т	Т	Т	Т	Т	Т	Т	Т	Т
440	Т	Т	Т	T	Т	T	Т	Т	T	M	M	M	Т	Т	Т	Т	Т	Т	Т	Т	Т
311	Т	Т	Т	Т	Т	Т	Т	Т	Т	M	M	M	Т	Т	Т	Т	Т	Т	Т	Т	Т
220	Т	Т	Т	Т	Т	Т	Т	Т	Т	M	M	M	Т	Т	Т	Т	Т	Т	Т	Т	T
155	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
110	T	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
77	T	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	T g
55	T	Т	Т	Т	Т	Т	Т	Т	Т	Т	T	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
38	T	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
27	T	Т	Т	Т	Т	Т	Т	Т	Т	Т	T	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
19	Т	Т	Т	Т	Т	Т	Т	Т	T	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	T
13	Т	Т	Т	Т	Т	Т	Т		T	Т	T	Т	Т	Т	Т	Т	Т	T	Т	Т	T
Hz/LR -	1.0	-0.9	-0.8	-0.7	-0.6		-0.4	-0.3	-0.2	-0.1	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	8.0	0.9	1.0
○ THROUGH ○ MUTE ○ PERCUSSIVE								SIVE	○ I	HARMO	NIC	○ SPLIT ○ THROUGHALL ○ MUTEALL							EALL	7	
O PERCUSSIVEALL O HARMONICALL O SPLITALL									Presets: RaraokeMale OrumCover												
									Save	filter	loa	d filter									

Note: You may save/load your custom filter.

Modification:

If you want more vocal, press "THROUGH" and add T higher freq and/or wider pan ranges around the center.

If you want more bass guiter, add "T" at lower freq around the center.

If you want more right guitar, add "T" at lower/higher freq around the right most pan ranges.

4) Save as file

Volume slider affects the volume of the save file.