

Complete V2 Runbook (Including Troubleshooting & Resolutions)

This is the **final version based on everything we implemented, tested, fixed, and validated**.

1. Architecture

Forward Sync (GCS → Azure)

```
1  GCS Bucket
2      ↓
3  Bucket Notification
4      ↓
5  Pub/Sub Topic
6      ↓
7  Pub/Sub Subscription
8      ↓
9  gcs-forward-listener.service
10     ↓
11  listener.py
12     ↓
13  file_events
14     ↓
15  batch_creator.py (Cron)
16     ↓
17  sync_batches
18     ↓
19  batch_files
20     ↓
21  Forward Workers (Docker)
22     ↓
23  Azure Blob
```

Rollback Sync (Azure → GCS)

```
1  Azure Blob
2      ↓
```

```
3  Event Grid
4      ↓
5  Azure Queue (blob-sync-events)
6      ↓
7  azure-gcs-rollback.service
8      ↓
9  rollback_listener.py
10     ↓
11  blob_events
12     ↓
13  rollback_batch_creator.py (Cron)
14     ↓
15  rollback_batches
16     ↓
17  rollback_batch_files
18     ↓
19  Rollback Workers (Docker)
20     ↓
21  GCS
```

2. Infrastructure

VM

```
1  gcstoblobstorage
```

Application:

```
1  /opt/gcs-azure-sync-v2
```

Database:

```
1  PostgreSQL
2  Database: gcssync
```

3. Environment File

```
1  PGHOST=127.0.0.1
2  PGPORT=5432
3  PGDATABASE=gcssync
4  PGUSER=gcssync
```

```
5  PGPASSWORD=Passw0rd@123
6
7  PUBSUB_SUBSCRIPTION=projects/gcp-poc-501612/subscriptions/gcs-
azureblob-sync
8
9  GOOGLE_APPLICATION_CREDENTIALS=/opt/gcs-azure-sync/pubsub-
listener-sa-key.json
10
11  AZURE_QUEUE_CONN_STR="<connection-string>"
12  AZURE_QUEUE_NAME=blob-sync-events
13
14  GCS_REMOTE=gcs
15  AZURE_REMOTE=azureblob
16
17  BATCH_MAX_FILES=5000
18  BATCH_MAX_BYTES=5368709120
19  BATCH_MAX_AGE_SEC=120
20
21  POLL_SEC=2
22
23  MAX_RETRY=5
```

4. Docker Compose

```
1  version: '3.8'
2
3  services:
4
5      worker:
6          image: gcs-worker:1.0
7          restart: unless-stopped
8          network_mode: host
9          env_file:
10             - .env
11          command: python3 worker.py
12
13      rollback-worker:
14          image: gcs-worker:1.0
15          restart: unless-stopped
```

```
16     network_mode: host
17     env_file:
18         - .env
19     command: python3 rollback_worker.py
```

5. Systemd Services

Forward Listener

File:

```
1 /etc/systemd/system/gcs-forward-listener.service
1 [Unit]
2 Description=GCS Forward Listener
3 After=network.target
4
5 [Service]
6 Type=simple
7 User=trianzadmin
8 WorkingDirectory=/opt/gcs-azure-sync-v2
9 EnvironmentFile=/opt/gcs-azure-sync-v2/.env
10 ExecStart=/opt/gcs-azure-sync-v2/venv/bin/python /opt/gcs-
  azure-sync-v2/listener.py
11 Restart=always
12 RestartSec=5
13
14 [Install]
15 WantedBy=multi-user.target
```

Rollback Listener

File:

```
1 /etc/systemd/system/azure-gcs-rollback.service
1 [Unit]
2 Description=Azure Rollback Listener
3 After=network.target
4
5 [Service]
6 Type=simple
```

```
7  User=trianzadmin
8  WorkingDirectory=/opt/gcs-azure-sync-v2
9  EnvironmentFile=/opt/gcs-azure-sync-v2/.env
10 ExecStart=/opt/gcs-azure-sync-v2/venv/bin/python /opt/gcs-
    azure-sync-v2/rollback_listener.py
11 Restart=always
12 RestartSec=5
13
14 [Install]
15 WantedBy=multi-user.target
```

6. Cron Jobs

```
1  */1 * * * * cd /opt/gcs-azure-sync-v2 && set -a && . ./env &&
    set +a && ./venv/bin/python batch_creator.py >> /opt/gcs-azure-
    sync-v2/batch_creator.log 2>&1
2
3  */1 * * * * cd /opt/gcs-azure-sync-v2 && set -a && . ./env &&
    set +a && ./venv/bin/python rollback_batch_creator.py >> /opt/gcs-
    azure-sync-v2/rollback_batch_creator.log 2>&1
4
5  */15 * * * * /opt/gcs-azure-sync-v2/recover_stale.sh
```

7. Databases & Tables

Forward

```
1  file_events
2  sync_batches
3  batch_files
4  event_dedupe
```

Rollback

```
1  blob_events
2  rollback_batches
3  rollback_batch_files
```

8. Monitoring Commands

Forward Progress

```
1 SELECT status, COUNT(*)
2 FROM file_events
3 GROUP BY status;
```

Rollback Progress

```
1 SELECT status, COUNT(*)
2 FROM blob_events
3 GROUP BY status;
```

Forward Batches

```
1 SELECT *
2 FROM sync_batches
3 ORDER BY batch_id DESC;
```

Rollback Batches

```
1 SELECT *
2 FROM rollback_batches
3 ORDER BY batch_id DESC;
```

Queue Depth

```
1 python -c "
2 import os
3 from azure.storage.queue import QueueClient
4
5 q=QueueClient.from_connection_string(
6 os.environ['AZURE_QUEUE_CONN_STR'],
7 os.environ['AZURE_QUEUE_NAME']
8 )
9
10 print(q.get_queue_properties().approximate_message_count)
11 "
```

Expected:

1 0

9. Before Cutover

Enable

1 Forward Listener
2 Forward Worker
1 <code>sudo systemctl start gcs-forward-listener</code>
2
3 <code>sudo docker-compose up -d --scale worker=10</code>

Disable

1 Rollback Listener
2 Rollback Workers
1 <code>sudo systemctl stop azure-gcs-rollback</code>
2
3 <code>sudo docker stop \$(sudo docker ps --format "{{.Names}}" grep rollback-worker)</code>

10. After Cutover

Disable

1 Forward Listener
2 Forward Worker
1 <code>sudo systemctl stop gcs-forward-listener</code>
2
3 <code>sudo docker stop gcs-azure-sync-v2_worker_1</code>

Enable

1 Rollback Listener
2 Rollback Workers
1 <code>sudo systemctl start azure-gcs-rollback</code>
2
3 <code>sudo docker-compose up -d --scale rollback-worker=10</code>

Troubleshooting Section

Issue 1: Duplicate Events

Symptom

- | |
|--------------------------|
| 1 Multiple copies |
| 2 Multiple notifications |

Resolution

Created:

- | |
|----------------|
| 1 event_dedupe |
|----------------|

table.

Issue 2: Worker Cannot See Rclone

Symptom

- | |
|-------------------------|
| 1 Config file not found |
|-------------------------|

Resolution

Added mount:

- | |
|---|
| 1 /home/trianzadmin/.config/rclone:/root/.config/rclone |
|---|
-

Issue 3: Service Account Missing

Symptom

- | |
|---|
| 1 Failed to create file system for gcs: |
|---|

Resolution

Mounted:

- | |
|--|
| 1 /opt/gcs-azure-sync/rclone-sa-key.json |
|--|

into container.

Issue 4: GCS Permissions

Symptom

```
1 storage.buckets.list denied
```

Resolution

Fixed IAM permissions for:

```
1 rclone-sa@gcp-poc-501612.iam.gserviceaccount.com
```

Issue 5: PostgreSQL Schema Mismatch

Symptoms

```
1 column id does not exist
2 column processed_at does not exist
3 column worker_name does not exist
```

Resolutions

Added:

```
1 ALTER TABLE file_events
2 ADD COLUMN processed_at TIMESTAMP;
3
4 ALTER TABLE file_events
5 ADD COLUMN worker_name VARCHAR(100);
```

and changed code to use:

```
1 event_id
```

instead of:

```
1 id
```

Issue 6: Rollback Queue Name Wrong

Symptom

```
1 QueueNotFound
```

Resolution

Changed:

```
1 AZURE_QUEUE_NAME=blob-sync-events
```

Issue 7: .env Not Loaded

Symptom

```
1 KeyError: AZURE_QUEUE_CONN_STR
```

Resolution

Run:

```
1 set -a
2 source .env
3 set +a
```

or load via systemd EnvironmentFile.

Issue 8: Rollback Worker Not Claiming Batches

Root Cause

Rollback worker was actually running:

```
1 worker.py
```

instead of:

```
1 rollback_worker.py
```

Resolution

Added:

```
1 command: python3 rollback_worker.py
```

Issue 9: rollback_batch_files Missing

Symptom

```
1 relation rollback_batch_files does not exist
```

Resolution

Created:

```
1 CREATE TABLE rollback_batch_files
2 (
3   batch_id BIGINT,
4   blob_event_id TEXT
5 );
```

Issue 10: Queue Backlog

Symptoms

```
1 Azure Queue depth
2 2173
3 742
4 ...
```

Root Cause

```
1 rollback_listener.py stopped
```

Resolution

Created:

```
1 azure-gcs-rollback.service
```

Issue 11: Large Rollback Test

Test

```
1 7757 files
```

Result

```
1 Batch 4 = 5000
2 Batch 5 = 586
3 Batch 6 = 1433
4 Batch 7 = 739
```

Validated rollback batching.

Issue 12: Cron Created Nothing

Symptom

- 1 Manual run worked
- 2 Cron did not

Root Cause

Cron lacked environment.

Resolution

Changed cron:

- 1 `set -a && . ./env && set +a`

and added log files.

PostgreSQL Precautions

Daily Backup

- 1 `pg_dump`

daily.

Monitor Size

- 1 `SELECT`
- 2 `pg_size_pretty(`
- 3 `pg_database_size('gcssync')`
- 4 `);`

Retention

- 1 `DELETE`
- 2 `FROM file_events`
- 3 `WHERE created_at < NOW() - INTERVAL '90 days';`

Same for:

- 1 `blob_events`
-

Validation Achieved

✅ GCS → Azure

- ✓ Azure → GCS
 - ✓ Pub/Sub
 - ✓ Event Grid
 - ✓ Azure Queue
 - ✓ Batch Splitting
 - ✓ 10 Worker Scale
 - ✓ 10,000+ Forward Files
 - ✓ 7,757+ Rollback Files
 - ✓ Cron
 - ✓ Systemd Services
 - ✓ Production Readiness
-

Final Recommendation

The architecture is production-ready with:

- 1 Forward Listener (systemd)
- 2 Rollback Listener (systemd)
- 3
- 4 Forward Batch Creator (cron)
- 5 Rollback Batch Creator (cron)
- 6
- 7 10 Forward Workers
- 8 10 Rollback Workers
- 9
- 10 PostgreSQL Backup + Monitoring

and has been successfully validated end-to-end. 🚀

```
2 sudo chown trianzadmin:trianzadmin /backup 913 pg_dump -Fc gcssync >
/backup/gcssync_before_upgrade.dump 914 sudo -u postgres psql -c "\du" 915 sudo -u
postgres pg_dump -Fc gcssync -f /backup/gcssync_before_upgrade.dump 916 sudo -u
```

```
postgres pg_dump -Fc gcssync -f /tmp/gcssync_before_upgrade.dump 917 sudo mv
/tmp/gcssync_before_upgrade.dump /backup/ 918 cd /backup/ 919 ls 920 sudo chown
postgres:postgres /backup 921 sudo -u postgres pg_dump -Fc gcssync -f
/backup/gcssync_before_upgrade.dump 922 ls 923 sudo -u postgres psql -d gcssync -c
"\dt" 924 925 sudo -u postgres psql -d gcssync 926 systemctl status
gcs-rclone-sync 927 ` 928 systemctl cat gcs-rclone-sync 929 docker -
version 930 sudo apt update 931 sudo apt install -y docker.io
docker-compose-plugin 932 sudo apt install -y docker.io 933 docker -
-version 934 sudo systemctl enable docker 935 sudo systemctl start
docker 936 systemctl status docker 937 sudo systemctl enable docker
938 sudo systemctl start docker 939 docker compose version 940 sudo
systemctl enable docker 941 sudo systemctl start dockersudo
systemctl enable docker 942 sudo systemctl start docker 943 sudo
systemctl enable docker 944 sudo systemctl status docker 945 docker
compose version 946 sudo docker compose version 947 docker --version
948 sudo apt install -y docker-compose 949 docker-compose --version
950 ls -ltr /opt/gcs-azure-sync 951 mkdir -p /opt/gcs-azure-sync-v2
952 sudo mkdir -p /opt/gcs-azure-sync-v2 953 cd /opt/gcs-azure-sync-
v2 954 exit 955 cd /home/trianzadmin/ 956 ls 957 cd scripts/ 958 ls
959 exit 960 cd scripts/ 961 ls 962 cd .. 963 ls 964 ls -a 965 cd
scripts/ 966 ls -a 967 sudo chown -R trianzadmin:trianzadmin
/opt/gcs-azure-sync-v2 968 mv * /opt/gcs-azure-sync-v2 969 cd
/opt/gcs-azure-sync-v2/ 970 ls 971 ls -a 972 cd.. 973 cd .. 974 cd
/home/trianzadmin/scripts/ 975 ls -la 976 mv .env.example /opt/gcs-
azure-sync-v2/ 977 ls 978 ls -la 979 cd /opt/gcs-azure-sync-v2/ 980
ls 981 ls -la 982 cd /opt/gcs-azure-sync-v2 983 python3 -m venv venv
984 source venv/bin/activate 985 pip install -r requirements.txt 986
cp .env.example .env 987 sudo vi .env 988 cat .env 989 systemctl
status pgbouncer --no-pager 990 psql -h 127.0.0.1 -p 5432 -U gcssync
-d gcssync 991 sudo apt update 992 sudo apt install -y pgbouncer 993
systemctl status pgbouncer --no-pager 994 cat .env 995 sudo vi .env
996 cat .env 997 ls -l /opt/gcs-azure-sync/*.json 998 sudo vi .env
999 cat .env 1000 sudo vi .env 1001 cat .env 1002 cat
rollback_listener.py 1003 sudo vi .env 1004 cat .env 1005 sudo
vi .env 1006 cat .env 1007 rclone ls gcs: 1008 rclone listremotes
1009 rclone config show gcs 1010 rclone ls gcs:highradius-poc-gcs-
blobstorage 1011 rclone ls gcs:highradius-poc-gcs-blobstorage1 1012
sudo vi .env 1013 rclone ls azureblob: 1014 cat > Dockerfile
<<'EOF' 1015 FROM python:3.12-alpine 1016 RUN apk add --no-cache
\ 1017 rclone \ 1018 gcc \ 1019 musl-dev \ 1020 postgresql-dev 1021
COPY requirements.txt /tmp/ 1022 RUN pip install --no-cache-dir -r
/tmp/requirements.txt 1023 WORKDIR /app 1024 COPY common.py . 1025
```

```
COPY worker.py . 1026 COPY rollback_worker.py . 1027 CMD
["python3","worker.py"] 1028 EOF 1029 cat > docker-compose.yml
<<'EOF' 1030 version: '3.8' 1031 services: 1032 worker: 1033 image:
gcs-worker:1.0 1034 restart: unless-stopped 1035 env_file: 1036
- .env 1037 rollback-worker: 1038 image: gcs-worker:1.0 1039
restart: unless-stopped 1040 env_file: 1041 - .env 1042 EOF 1043 ls
1044 cat > recover_stale.sh <<'EOF' 1045 #!/bin/bash 1046 source
/opt/gcs-azure-sync-v2/.env 1047 export PGPASSWORD="$PGPASSWORD"
1048 psql \ 1049 -h "$PGHOST" \ 1050 -p "$PGPORT" \ 1051 -U
"$PGUSER" \ 1052 -d "$PGDATABASE" <<SQL 1053 UPDATE sync_batches
1054 SET status='PENDING' 1055 WHERE status='PROCESSING' 1056 AND
started_at IS NOT NULL 1057 AND started_at < NOW() - INTERVAL '30
minutes'; 1058 UPDATE rollback_batches 1059 SET status='PENDING'
1060 WHERE status='PROCESSING' 1061 AND started_at IS NOT NULL 1062
AND started_at < NOW() - INTERVAL '30 minutes'; 1063 SQL 1064 EOF
1065 chmod +x recover_stale.sh 1066 cd /opt/gcs-azure-sync-v2 1067
docker build -t gcs-worker:1.0 . 1068 sudo docker build -t gcs-
worker:1.0 . 1069 sudo docker images | grep gcs-worker 1070 ls -l
docker-compose.yml 1071 sudo docker-compose up -d --scale worker=10
1072 1073 sudo docker ps 1074 sudo docker logs gcs-azure-sync-v2_rollback-
worker_1 1075 psql -h 127.0.0.1 -p 6432 -U gcssync -d gcssync 1076 sudo vi .env 1077
cat .env 1078 psql -h 127.0.0.1 -p 6432 -U gcssync -d gcssync 1079 sudo cat
/etc/pgbouncer/userlist.txt 1080 hostname -i 1081 psql -h 127.0.0.1 -p 6432 -U gcssync
-d gcssync 1082 sudo vi .env 1083 psql -h 127.0.0.1 -p 6432 -U gcssync -d gcssync 1084
psql -h 127.0.0.1 -p 5432 -U gcssync -d gcssync 1085 ls -la 1086 vi /opt/gcs-azure-sync-
v2/autoscale.sh 1087 sudo vi /opt/gcs-azure-sync-v2/autoscale.sh 1088 sudo chmod
+x autoscale.sh 1089 cd /opt/gcs-azure-sync-v2 1090 docker build -t gcs-worker:1.0 .
1091 sudo docker build -t gcs-worker:1.0 1092 sudo docker build -t gcs-worker:1.0 .
1093 docker images | grep gcs-worker 1094 sudo docker images | grep gcs-worker 1095
docker-compose up -d --scale worker=1 1096 sudo docker-compose up -d --scale
worker=1 1097 sudo docker ps -a 1098 sudo docker logs f4b9a468abef 1099 sudo
docker logs 0b55fe5c70c6 1100 grep PGPORT .env 1101 sudo docker-compose down
1102 sudo docker rm -f $(sudo docker ps -aq) 1103 sudo docker build --no-cache -t
gcs-worker:1.0 . 1104 grep PGHOST .env 1105 grep PGPORT .env 1106 sudo docker rm -
f $(sudo docker ps -aq) 1107 sudo docker ps -a 1108 cat /opt/gcs-azure-sync-
v2/docker-compose.yml 1109 hostname -i 1110 sudo vi .env 1111 cat vi .env 1112 sudo
docker-compose down 1113 sudo docker-compose up -d --scale worker=1 1114 sudo
docker ps 1115 sudo docker logs $(sudo docker ps -q | head -1) 1116 ls 1117 vi docker-
compose.yml 1118 sudo vi .env 1119 vi docker-compose.yml 1120 sudo docker-
compose down 1121 sudo docker ps -a 1122 sudo docker build --no-cache -t gcs-
worker:1.0 . 1123 sudo docker-compose up -d --scale worker=1 1124 sudo docker ps
```

1125 sudo docker logs \$(sudo docker ps -q | head -1) 1126 sudo docker inspect
73e953e37ca9 | grep -i restart 1127 sudo -u postgres psql -d gcssync 1128 cd /opt/gcs-
azure-sync-v2 1129 source venv/bin/activate 1130 python batch_creator.py 1131 cd
/opt/gcs-azure-sync-v2 1132 set -a 1133 source .env 1134 set +a 1135 echo
\$PGPASSWORD 1136 python batch_creator.py 1137 \d file_events 1138 sudo -u
postgres psql -d gcssync 1139 python batch_creator.py 1140 echo \$? 1141 sudo -u
postgres psql -d gcssync 1142 cd /opt/gcs-azure-sync-v2 1143 source
venv/bin/activate 1144 set -a 1145 source .env 1146 set +a 1147 python listener.py
1148 vi /opt/gcs-azure-sync-v2/listener.py 1149 cat /opt/gcs-azure-sync-v2/listener.py
1150 vi /opt/gcs-azure-sync-v2/listener.py 1151 python listener.py 1152 vi /opt/gcs-
azure-sync-v2/listener.py 1153 python listener.py 1154 cd /opt/gcs-azure-sync-v2 1155
source venv/bin/activate 1156 python listener.py 1157 sudo -u postgres psql -d gcssync
1158 cd /opt/gcs-azure-sync-v2 1159 source venv/bin/activate 1160 python
batch_creator.py 1161 cd /opt/gcs-azure-sync-v2 1162 source venv/bin/activate 1163
set -a 1164 source .env 1165 set +a 1166 python batch_creator.py 1167 grep -n
"SELECT id" /opt/gcs-azure-sync-v2/common.py 1168 grep -n "id" /opt/gcs-azure-sync-
v2/common.py 1169 sudo vi /opt/gcs-azure-sync-v2/common.py 1170 sed -n '50,125p'
/opt/gcs-azure-sync-v2/common.py 1171 sudo vi /opt/gcs-azure-sync-v2/common.py
1172 sed -n '50,125p' /opt/gcs-azure-sync-v2/common.py 1173 grep -n "e.id|id,"
/opt/gcs-azure-sync-v2/common.py 1174 cd /opt/gcs-azure-sync-v2 1175 source
venv/bin/activate 1176 set -a 1177 source .env 1178 set +a 1179 python
batch_creator.py 1180 echo \$? 1181 sudo -u postgres psql -d gcssync 1182 python
batch_creator.py 1183 echo \$? 1184 sudo -u postgres psql -d gcssync 1185 sudo
docker logs gcs-azure-sync-v2_worker 1186 sudo docker logs gcs-azure-sync-
v2_worker_1 1187 grep -n "SELECT e." /opt/gcs-azure-sync-v2/common.py 1188 cd
/opt/gcs-azure-sync-v2 1189 sudo docker-compose down 1190 sudo docker build --no-
cache -t gcs-worker:1.0 . 1191 sudo docker ps -a 1192 sudo docker-compose up -d --
scale worker=1 1193 sudo docker logs gcs-azure-sync-v2_worker_1 1194 sudo -u
postgres psql -d gcssync 1195 sudo docker ps 1196 sudo docker logs c4f18c5e0f13 --
tail 100 1197 sudo docker logs dc85aedcc8b1 --tail 100 1198 ps -ef | grep rclone 1199
sudo -u postgres psql -d gcssync 1200 sudo docker logs c4f18c5e0f13 --tail 100 1201
sudo -u postgres psql -d gcssync 1202 docker logs worker 1203 sudo docker logs
worker 1204 cat /opt/gcs-azure-sync-v2/worker.py 1205 grep -n "def run_worker"
/opt/gcs-azure-sync-v2/common.py 1206 sed -n '127,220p' /opt/gcs-azure-sync-
v2/common.py 1207 sudo docker exec -it gcs-azure-sync-v2_worker_1 rclone
listremotes 1208 sudo vi docker-compose.yml 1209 cat docker-compose.yml 1210 ls -l
/home/trianzadmin/.config/rclone/rclone.conf 1211 sudo -u postgres psql -d gcssync
1212 cd /opt/gcs-azure-sync-v2 1213 sudo docker-compose down 1214 sudo docker
exec -it gcs-azure-sync-v2_worker_1 rclone listremotes 1215 sudo docker ps 1216 cd
/opt/gcs-azure-sync-v2 1217 sudo docker-compose up -d --scale worker=1 1218 sudo
docker ps -a 1219 sudo docker logs gcs-azure-sync-v2_worker_1 1220 cat docker-

compose.yml 1221 sudo docker exec -it gcs-azure-sync-v2_worker_1 rclone
listremotes 1222 sudo -u postgres psql -d gcssync 1223 sudo docker exec -it gcs-azure-
sync-v2_worker_1 sh 1224 sudo -u postgres psql -d gcssync 1225 sudo vi common.py
1226 cat common.py 1227 sudo vi common.py 1228 python common.py 1229 sudo
docker-compose down 1230 sudo docker build --no-cache -t gcs-worker:1.0 . 1231
sudo docker-compose up -d --scale worker=1 1232 sudo docker logs -f gcs-azure-sync-
v2_worker_1 1233 sudo -u postgres psql -d gcssync 1234 cd /opt/gcs-azure-sync-v2
1235 source venv/bin/activate 1236 set -a 1237 source .env 1238 set +a 1239 python
batch_creator.py 1240 sudo -u postgres psql -d gcssync 1241 sudo vi docker-
compose.yml 1242 ls -l /opt/gcs-azure-sync/rclone-sa-key.json 1243 sudo -u postgres
psql -d gcssync 1244 cd /opt/gcs-azure-sync-v2 1245 sudo docker-compose down
1246 sudo docker-compose up -d --scale worker=1 1247 sudo docker exec -it gcs-
azure-sync-v2_worker_1 sh 1248 sudo -u postgres psql -d gcssync 1249 sudo docker-
compose down 1250 sudo docker-compose up -d --scale worker=1 1251 sudo -u
postgres psql -d gcssync 1252 cd /opt/gcs-azure-sync-v2 1253 sudo docker-compose
down 1254 sudo docker-compose up -d --scale worker=1 1255 sudo docker logs -f gcs-
azure-sync-v2_worker_1 1256 sudo -u postgres psql -d gcssync 1257 systemctl status
gcs-rclone-sync.service 1258 systemctl status blob-to-gcs.service 1259 systemctl stop
blob-to-gcs.service 1260 systemctl status blob-to-gcs.service 1261 systemctl status
gcs-rclone-sync.service 1262 sudo -u postgres psql -d gcssync 1263 sudo docker exec
-it gcs-azure-sync-v2_worker_1 sh 1264 sudo -u postgres psql -d gcssync 1265 sudo
docker logs -f gcs-azure-sync-v2_worker_1 1266 cd /opt/gcs-azure-sync-v2 1267
source venv/bin/activate 1268 set -a 1269 source .env 1270 set +a 1271 python
batch_creator.py 1272 sudo docker logs -f gcs-azure-sync-v2_worker_1 1273 sudo -u
postgres psql -d gcssync 1274 sudo docker logs -f gcs-azure-sync-v2_worker_1 1275 cd
/opt/gcs-azure-sync-v2 1276 source venv/bin/activate 1277 set -a 1278 source .env
1279 set +a 1280 python rollback_listener.py 1281 grep AZURE_QUEUE_CONN_STR
/opt/gcs-azure-sync-v2/.env 1282 1283 cd /opt/gcs-azure-sync-v2 1284
source venv/bin/activate 1285 set -a 1286 source .env 1287 set +a
1288 echo \$AZURE_QUEUE_CONN_STR 1289 echo \$AZURE_QUEUE_NAME 1290
python -c " 1291 import os 1292 from azure.storage.queue import
QueueClient 1293 q = QueueClient.from_connection_string(1294
os.environ['AZURE_QUEUE_CONN_STR'], 1295
os.environ['AZURE_QUEUE_NAME'] 1296) 1297 print('QUEUE OK') 1298 "
1299 sudo vi .env 1300 echo \$AZURE_QUEUE_CONN_STR 1301 cat .env 1302
echo \$AZURE_QUEUE_CONN_STR 1303 unset AZURE_QUEUE_CONN_STR 1304 set
-a 1305 source .env 1306 set +a 1307 echo \$AZURE_QUEUE_CONN_STR 1308
cd /opt/gcs-azure-sync-v2 1309 source venv/bin/activate 1310 set -a
1311 source .env 1312 set +a 1313 python rollback_listener.py 1314
echo \$AZURE_QUEUE_CONN_STR 1315 az storage queue list --connection-
string "\$AZURE_QUEUE_CONN_STR" --output table 1316 1317

```
gcstoblobstorage 1318 curl -sL https://aka.ms/InstallAzureCLIDeb | sudo bash 1319 az
version 1320 az storage queue list --connection-string "$AZURE_QUEUE_CONN_STR" --
output table 1321 sudo vi .env 1322 set -a 1323 source .env 1324 set +a 1325 python -c
" 1326 import os 1327 from azure.storage.queue import QueueClient 1328 q =
QueueClient.from_connection_string( 1329 os.environ['AZURE_QUEUE_CONN_STR'],
1330 os.environ['AZURE_QUEUE_NAME'] 1331 ) 1332 print(q.get_queue_properties())
1333 print('QUEUE OK') 1334 " 1335 python rollback_listener.py 1336 sudo vi
rollback_listener.py 1337 python rollback_listener.py 1338 cat rollback_listener.py
1339 sudo vi rollback_listener.py 1340 python rollback_listener.py 1341 sudo -u
postgres psql -d gcssync 1342 cd /opt/gcs-azure-sync-v2 1343 source
venv/bin/activate 1344 set -a 1345 source .env 1346 set +a 1347 python
rollback_batch_creator.py 1348 sudo -u postgres psql -d gcssync 1349 cd /opt/gcs-
azure-sync-v2 1350 source venv/bin/activate 1351 set -a 1352 source .env 1353 set +a
1354 python rollback_batch_creator.py 1355 sudo vi common.py 1356 cat common.py
1357 sudo -u postgres psql -d gcssync 1358 python rollback_batch_creator.py 1359
sudo -u postgres psql -d gcssync 1360 cd /opt/gcs-azure-sync-v2 1361 source
venv/bin/activate 1362 set -a 1363 source .env 1364 set +a 1365 python
rollback_batch_creator.py 1366 sudo -u postgres psql -d gcssync 1367 sudo docker-
compose up -d --scale rollback-worker=1 1368 cd /opt/gcs-azure-sync-v2 1369 sudo
docker-compose down 1370 sudo docker ps -a 1371 sudo docker rm -f $(sudo docker
ps -aq) 1372 sudo docker-compose up -d 1373 sudo docker ps 1374
rollback_batch_files 1375 sudo -u postgres psql -d gcssync 1376 cd /opt/gcs-azure-
sync-v2 1377 source venv/bin/activate 1378 set -a 1379 source .env 1380 set +a 1381
python rollback_batch_creator.py 1382 sudo -u postgres psql -d gcssync 1383 sudo
docker logs -f gcs-azure-sync-v2_rollback-worker_1 1384 sudo -u postgres psql -d
gcssync 1385 sudo docker logs gcs-azure-sync-v2_rollback-worker_1 --tail 100 1386
sudo -u postgres psql -d gcssync 1387 sudo docker logs gcs-azure-sync-v2_rollback-
worker_1 --tail 100 1388 cd /opt/gcs-azure-sync-v2 1389 sudo docker-compose down
1390 sudo docker build --no-cache -t gcs-worker:1.0 . 1391 sudo docker-compose
down 1392 cd /opt/gcs-azure-sync-v2/ 1393 sudo docker-compose down 1394 sudo
docker logs gcs-azure-sync-v2_rollback-worker_1 --tail 100 1395 cd /opt/gcs-azure-
sync-v2 1396 sudo docker-compose down 1397 sudo docker build --no-cache -t gcs-
worker:1.0 . 1398 lsblk 1399 df -Th 1400 l 1401 ls 1402 ps -a 1403 docker ps 1404
docker ps -a 1405 sudo docker ps -a 1406 sudo docker image prune -a -f 1407 df -Th
1408 sudo docker builder prune -a -f 1409 cd /opt/gcs-azure-sync-v2 1410 sudo
docker-compose down 1411 sudo docker build --no-cache -t gcs-worker:1.0 . 1412
Successfully tagged gcs-worker:1.0 1413 sudo docker-compose up -d 1414 1415 sudo
docker ps 1416 sudo -u postgres psql -d gcssync 1417 sudo docker
exec -it gcs-azure-sync-v2_rollback-worker_1 sh 1418 sudo -u
postgres psql -d gcssync 1419 sudo docker ps 1420 sudo systemctl
status gcs-rcclone-sync-v2 1421 sudo systemctl stop gcs-rcclone-sync-
```

v2 1422 sudo docker stop gcs-azure-sync-v2_worker_1 1423 sudo docker
ps 1424 sudo systemctl stop gcs-rclone-sync-v2 1425 sudo -u postgres
psql -d gcssync 1426 sudo docker logs -f gcs-azure-sync-v2_rollback-
worker_1 1427 sudo -u postgres psql -d gcssync 1428 sudo docker exec
-it gcs-azure-sync-v2_rollback-worker_1 sh 1429 sudo vi docker-
compose.yml 1430 cd /opt/gcs-azure-sync-v2 1431 sudo docker-compose
down 1432 sudo docker build --no-cache -t gcs-worker:1.0 . 1433 sudo
docker ps 1434 cd /opt/gcs-azure-sync-v2 1435 sudo docker-compose up
-d 1436 sudo docker ps 1437 sudo docker stop gcs-azure-sync-
v2_worker_1 1438 sudo -u postgres psql -d gcssync 1439 cd /opt/gcs-
azure-sync-v2 1440 source venv/bin/activate 1441 set -a 1442
source .env 1443 set +a 1444 python rollback_listener.py 1445 sudo -
u postgres psql -d gcssync 1446 cd /opt/gcs-azure-sync-v2 1447
source venv/bin/activate 1448 set -a 1449 source .env 1450 set +a
1451 python rollback_batch_creator.py 1452 sudo -u postgres psql -d
gcssync 1453 sudo docker logs -f gcs-azure-sync*v2_rollback-worker_1
1454 sudo docker logs -f gcs-azure-sync-v2_rollback-worker_1 1455
sudo -u postgres psql -d gcssync 1456 grep -n "ROLLBACK"
rollback_batch_creator.py 1457 cat rollback_batch_creator.py 1458
sudo -u postgres psql -d gcssync 1459 sudo vi common.py 1460 cat
common.py 1461 cd /opt/gcs-azure-sync-v2 1462 source
venv/bin/activate 1463 set -a 1464 source .env 1465 set +a 1466
python rollback_batch_creator.py 1467 sudo -u postgres psql -d
gcssync 1468 crontab -e 1469 sudo crontab -e 1470 cat crontab 1471
cat crontab -e 1472 sudo crontab -e 1473 sudo vi crontab -e 1474
crontab -e 1475 vi crontab 1476 vi crontab -e 1477 crontab -l 1478
systemctl status cron 1479 grep CRON /var/log/syslog | tail -20 1480
journalctl -u cron -n 50 1481 sudo -u postgres psql -d gcssync 1482
rclone ls azureblob:highradius-poc-gcs-blobstorage3 | grep failover_
| wc -l 1483 sudo -u postgres psql -d gcssync 1484 rclone ls
azureblob:highradius-poc-gcs-blobstorage3 | grep failover_ | wc -l
1485 ` 1486 python rollback_listener.py 1487 cd /opt/gcs-azure-sync-
v2/ 1488 python rollback_listener.py 1489 python3
rollback_listener.py 1490 cd /opt/gcs-azure-sync-v2 1491 source
venv/bin/activate 1492 which python 1493 python rollback_listener.py
1494 cd /opt/gcs-azure-sync-v2 1495 source venv/bin/activate 1496
set -a 1497 source .env 1498 set +a 1499 echo \$AZURE_QUEUE_NAME 1500
echo \$AZURE_QUEUE_CONN_STR 1501 python rollback_listener.py 1502
sudo -u postgres psql -d gcssync 1503 cd /opt/gcs-azure-sync-v2 1504
source venv/bin/activate 1505 set -a 1506 source .env 1507 set +a
1508 python rollback_batch_creator.py 1509 sudo -u postgres psql -d
gcssync 1510 tail -f /opt/gcs-azure-sync-

```
v2/rollback_batch_creator.log 1511 sudo docker logs -f gcs-azure-
sync-v2_rollback-worker_1 1512 sudo -u postgres psql -d gcssync 1513
python rollback_batch_creator.py 1514 sudo -u postgres psql -d
gcssync 1515 rclone ls gcs:highradius-poc-gcs-blobstorage3 | grep
failover_ | wc -l 1516 sudo -u postgres psql -d gcssync 1517 rclone
ls gcs:highradius-poc-gcs-blobstorage3 | grep failover_ | wc -l 1518
python -c " 1519 import os 1520 from azure.storage.queue import
QueueClient 1521 q = QueueClient.from_connection_string( 1522
os.environ['AZURE_QUEUE_CONN_STR'], 1523
os.environ['AZURE_QUEUE_NAME'] 1524 ) 1525
print(q.get_queue_properties().approximate_message_count) 1526 "
1527 cd /opt/gcs-azure-sync-v2 1528 source venv/bin/activate 1529
set -a 1530 source .env 1531 set +a 1532 python -c " 1533 import os
1534 from azure.storage.queue import QueueClient 1535 q =
QueueClient.from_connection_string( 1536
os.environ['AZURE_QUEUE_CONN_STR'], 1537
os.environ['AZURE_QUEUE_NAME'] 1538 ) 1539 print('Queue depth =',
q.get_queue_properties().approximate_message_count) 1540 " 1541
python rollback_listener.py 1542 python -c " 1543 import os 1544
from azure.storage.queue import QueueClient 1545
q=QueueClient.from_connection_string( 1546
os.environ['AZURE_QUEUE_CONN_STR'], 1547
os.environ['AZURE_QUEUE_NAME'] 1548 ) 1549
print(q.get_queue_properties().approximate_message_count) 1550 "
1551 python -c " 1552 import os 1553 from azure.storage.queue import
QueueClient 1554 q=QueueClient.from_connection_string( 1555
os.environ['AZURE_QUEUE_CONN_STR'], 1556
os.environ['AZURE_QUEUE_NAME'] 1557 ) 1558
print(q.get_queue_properties().approximate_message_count) 1559 "
1560 python -c " 1561 import os 1562 from azure.storage.queue import
QueueClient 1563 q=QueueClient.from_connection_string( 1564
os.environ['AZURE_QUEUE_CONN_STR'], 1565
os.environ['AZURE_QUEUE_NAME'] 1566 ) 1567
print(q.get_queue_properties().approximate_message_count) 1568 "
1569 python rollback_listener.py 1570 python -c " 1571 import os
1572 from azure.storage.queue import QueueClient 1573
q=QueueClient.from_connection_string( 1574
os.environ['AZURE_QUEUE_CONN_STR'], 1575
os.environ['AZURE_QUEUE_NAME'] 1576 ) 1577
print(q.get_queue_properties().approximate_message_count) 1578 "
1579 python rollback_listener.py 1580 python -c " 1581 import os
1582 from azure.storage.queue import QueueClient 1583
```

```
q=QueueClient.from_connection_string( 1584
os.environ['AZURE_QUEUE_CONN_STR'], 1585
os.environ['AZURE_QUEUE_NAME'] 1586 ) 1587
print(q.get_queue_properties().approximate_message_count) 1588 "
1589 python -c " 1590 import os 1591 from azure.storage.queue import
QueueClient 1592 q=QueueClient.from_connection_string( 1593
os.environ['AZURE_QUEUE_CONN_STR'], 1594
os.environ['AZURE_QUEUE_NAME'] 1595 ) 1596
print(q.get_queue_properties().approximate_message_count) 1597 "
1598 SELECT COUNT(*) 1599 FROM blob_events 1600 WHERE
container_name='highradius-poc-gcs-blobstorage3' 1601 python
rollback_listener.py 1602 python -c " 1603 import os 1604 from
azure.storage.queue import QueueClient 1605
q=QueueClient.from_connection_string( 1606
os.environ['AZURE_QUEUE_CONN_STR'], 1607
os.environ['AZURE_QUEUE_NAME'] 1608 ) 1609
print(q.get_queue_properties().approximate_message_count) 1610 "
1611 rclone ls azureblob:highradius-poc-gcs-blobstorage3 | grep
failover_ | wc -l 1612 rclone ls gcs:highradius-poc-gcs-blobstorage3
| grep failover_ | wc -l 1613 python -c " 1614 import os 1615 from
azure.storage.queue import QueueClient 1616
q=QueueClient.from_connection_string( 1617
os.environ['AZURE_QUEUE_CONN_STR'], 1618
os.environ['AZURE_QUEUE_NAME'] 1619 ) 1620
print(q.get_queue_properties().approximate_message_count) 1621 "
1622 sudo vi rollback_listener.py 1623 pkill -f rollback_listener.py
1624 cd /opt/gcs-azure-sync-v2 1625 source venv/bin/activate 1626
set -a 1627 source .env 1628 set +a 1629 python rollback_listener.py
1630 sudo vi rollback_listener.py 1631 pkill -f rollback_listener.py
1632 python -c " 1633 import os 1634 from azure.storage.queue import
QueueClient 1635 q = QueueClient.from_connection_string( 1636
os.environ['AZURE_QUEUE_CONN_STR'], 1637
os.environ['AZURE_QUEUE_NAME'] 1638 ) 1639
print(q.get_queue_properties().approximate_message_count) 1640 "
1641 rclone ls gcs:highradius-poc-gcs-blobstorage3 | grep failover_
| wc -l 1642 sudo docker-compose up -d --scale rollback-worker=10
1643 python -c " 1644 import os 1645 from azure.storage.queue import
QueueClient 1646 q = QueueClient.from_connection_string( 1647
os.environ['AZURE_QUEUE_CONN_STR'], 1648
os.environ['AZURE_QUEUE_NAME'] 1649 ) 1650
print(q.get_queue_properties().approximate_message_count) 1651 "
1652 sudo -u postgres psql -d gcssync 1653 sudo docker ps 1654
```

```

systemctl stop gcs-azure-sync-v2_worker_1 1655 sudo systemctl stop
gcs-azure-sync-v2_worker_1 1656 sudo docker ps --format "{{.Names}}"
| grep rollback-worker | wc -l 1657 1658 for c in $(sudo docker ps --format
"{{.Names}}" | grep rollback-worker); do echo "==== $c ====="; sudo docker logs --tail
20 $c; done 1659 systemctl stop gcs-azure-sync-v2_worker_1 1660 sudo -u postgres
psql -d gcssync 1661 rclone ls gcs:highradius-poc-gcs-blobstorage3 | grep failover_ |
wc -l 1662 vi /opt/gcs-azure-sync-v2/.env 1663 cat /opt/gcs-azure-sync-v2/.env 1664 vi
/opt/gcs-azure-sync-v2/.env 1665 sudo vi /opt/gcs-azure-sync-v2/.env 1666 sudo
docker-compose down 1667 sudo docker-compose up -d --scale rollback-worker=10
1668 rclone ls gcs:highradius-poc-gcs-blobstorage3 | grep failover_ | wc -l 1669 sudo -u
postgres psql -d gcssync 1670 cd /opt/gcs-azure-sync-v2 1671 source
venv/bin/activate 1672 set -a 1673 source .env 1674 set +a 1675 python
rollback_batch_creator.py 1676 sudo -u postgres psql -d gcssync 1677 rclone ls
gcs:highradius-poc-gcs-blobstorage3 | grep failover_ | wc -l 1678 (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ rclone ls gcs:highradius-poc-
gcs-blobstorage3 | grep failover_ | wc -l 1679 7019 1680 (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ 1681 python -c " 1682 import
os 1683 from azure.storage.queue import QueueClient 1684 q =
QueueClient.from_connection_string( 1685 os.environ['AZURE_QUEUE_CONN_STR'],
1686 os.environ['AZURE_QUEUE_NAME'] 1687 ) 1688
print(q.get_queue_properties().approximate_message_count) 1689 " 1690 sudo -u
postgres psql -d gcssync 1691 python -c " 1692 import os 1693 from
azure.storage.queue import QueueClient 1694 q =
QueueClient.from_connection_string( 1695 os.environ['AZURE_QUEUE_CONN_STR'],
1696 os.environ['AZURE_QUEUE_NAME'] 1697 ) 1698
print(q.get_queue_properties().approximate_message_count) 1699 " 1700 python -c "
1701 import os 1702 from azure.storage.queue import QueueClient 1703 q =
QueueClient.from_connection_string( 1704 os.environ['AZURE_QUEUE_CONN_STR'],
1705 os.environ['AZURE_QUEUE_NAME'] 1706 ) 1707
print(q.get_queue_properties().approximate_message_count) 1708 " 1709 ps -ef | grep
rollback_listener.py 1710 cd /opt/gcs-azure-sync-v2 1711 source venv/bin/activate
1712 set -a 1713 source .env 1714 set +a 1715 nohup python rollback_listener.py >
rollback_listener.log 2>&1 & 1716 ps -ef | grep rollback_listener.py 1717 python -c "
1718 import os 1719 from azure.storage.queue import QueueClient 1720
q=QueueClient.from_connection_string( 1721
os.environ['AZURE_QUEUE_CONN_STR'], 1722 os.environ['AZURE_QUEUE_NAME']
1723 ) 1724 print(q.get_queue_properties().approximate_message_count) 1725 " 1726
rclone ls gcs:highradius-poc-gcs-blobstorage3 | grep failover_ | wc -l 1727 ps -ef | grep
rollback_listener.py 1728 sudo -u postgres psql -d gcssync 1729 cd /opt/gcs-azure-
sync-v2 1730 source venv/bin/activate 1731 set -a 1732 source .env 1733 set +a 1734
python rollback_batch_creator.py 1735 sudo -u postgres psql -d gcssync 1736 sudo vi

```

```
/etc/systemd/system/azure-gcs-rollback.service 1737 sudo systemctl daemon-reload
1738 sudo systemctl enable azure-gcs-rollback 1739 sudo systemctl start azure-gcs-
rollback 1740 sudo systemctl status azure-gcs-rollback 1741 rclone ls gcs:highradius-
poc-gcs-blobstorage3 | grep failover_ | wc -l 1742 rclone ls azureblob:highradius-poc-
gcs-blobstorage3 | grep failover_ | wc -l 1743 rclone ls azureblob:highradius-poc-gcs-
blobstorage4 | grep failover_ | wc -l 1744 sudo -u postgres psql -d gcssync 1745 rclone
ls azureblob:highradius-poc-gcs-blobstorage4 | grep failover_ | wc -l 1746 sudo -u
postgres psql -d gcssync 1747 python rollback_batch_creator.py 1748 rclone ls
azureblob:highradius-poc-gcs-blobstorage4 | grep failover_ | wc -l 1749 rclone ls
azureblob:highradius-poc-gcs-blobstorage4 | grep failback_ | wc -l 1750 rclone ls
gcs:highradius-poc-gcs-blobstorage4 | grep failback_ | wc -l 1751 sudo crontab -e 1752
crontab -e 1753 crontab -i 1754 crontab i 1755 crontab l 1756 crontab 1757 crontab -i
1758 crontab -l 1759 crontab -e 1760 crontab -l 1761 tail -f /opt/gcs-azure-sync-
v2/batch_creator.log 1762 tail -f /opt/gcs-azure-sync-v2/rollback_batch_creator.log
1763 rclone ls azureblob:highradius-poc-gcs-blobstorage4 | grep failback_ | wc -l 1764
rclone ls azureblob:highradius-poc-gcs-blobstorage9 | grep failbackes_ | wc -l 1765
rclone ls gcs:highradius-poc-gcs-blobstorage9 | grep failbackes_ | wc -l 1766 sudo -u
postgres psql -d gcssync 1767 rclone ls azureblob:highradius-poc-gcs-blobstorage9 |
grep failbackes_ | wc -l 1768 rclone ls gcs:highradius-poc-gcs-blobstorage9 | grep
failbackes_ | wc -l 1769 rclone ls gcs:highradius-poc-gcs-blobstorage9 | grep fail*_ | wc
-l 1770 rclone ls gcs:highradius-poc-gcs-blobstorage9 | grep *_ | wc -l 1771 rclone ls
gcs:highradius-poc-gcs-blobstorage9 | grep . | wc -l 1772 rclone ls gcs:highradius-poc-
gcs-blobstorage9 | grep failbacke_ | wc -l 1773 rclone ls gcs:highradius-poc-gcs-
blobstorage9 | grep failbacks_ | wc -l 1774 rclone ls azureblob:highradius-poc-gcs-
blobstorage9 | grep failbacks_ | wc -l 1775 rclone ls azureblob:highradius-poc-gcs-
blobstorage9 | grep failbacks_ failbackes_ | wc -l 1776 rclone ls azureblob:highradius-
poc-gcs-blobstorage9 | grep failbacks_ | wc -l 1777 rclone ls azureblob:highradius-poc-
gcs-blobstorage9 wc -l 1778 rclone ls azureblob:highradius-poc-gcs-blobstorage9 | wc
-l 1779 rclone ls gcs:highradius-poc-gcs-blobstorage9 | wc -l 1780 rclone ls
gcs:highradius-poc-gcs-blobstorage9 1781 sudo docker ps --format "{{.Names}}" | grep
rollback-worker | wc -l 1782 sudo -u postgres psql -d gcssync 1783 ps -ef | grep
listener.py 1784 sudo docker ps 1785 pkill -f rollback_listener.py 1786 ps -ef | grep
listener.py 1787 cat .env 1788 sudo docker stop $(sudo docker ps --format "{{.Names}}")
| grep rollback-worker) 1789 sudo docker ps 1790 ps -ef | grep listener.py 1791 pkill -f
rollback_listener.py 1792 ps -ef | grep listener.py 1793 grep rollback_listener.py 1794
cd /opt/gcs-azure-sync-v2 1795 source venv/bin/activate 1796 set -a 1797 source .env
1798 set +a 1799 nohup python listener.py > listener.log 2>&1 & 1800 ps -ef | grep
listener.py 1801 history 1802 sudo systemctl stop azure-gcs-rollback 1803 sudo
systemctl disable azure-gcs-rollback 1804 ps -ef | grep listener.p 1805 (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ sudo systemctl stop azure-
gcs-rollback 1806 (venv) trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ sudo
```

```
systemctl disable azure-gcs-rollback 1807 Removed "/etc/systemd/system/multi-
user.target.wants/azure-gcs-rollback.service". 1808 (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ ps -ef | grep listener.p 1809
trianza+ 122835 104407 23 10:47 pts/8 00:00:28 python listener.py 1810 trianza+
132669 104407 0 10:49 pts/8 00:00:00 grep --color=auto listener.p 1811 (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ 1812 sudo docker ps 1813 ``
1814 python listener.py 1815 ifconfig 1816 exit 1817 sudo -u postgres psql -d gcssync
1818 date 1819 sudo -u postgres psql -d gcssync 1820 rclone ls gcs:highradius-poc-
gcs-blobstorage6 | wc -l 1821 history 1822 source .env 1823 rclone ls
azureblob:highradius-poc-gcs-blobstorage9 | grep failbackes_ | wc -l 1824 rclone ls
azureblob:highradius-poc-gcs-blobstorage8 | grep forward_ | wc -l 1825 rclone ls
gcs:highradius-poc-gcs-blobstorage8 | grep forward_ | wc -l 1826 history 1827 sudo vi
/etc/systemd/system/gcs-forward-listener.service 1828 sudo systemctl daemon-
reload 1829 sudo systemctl enable gcs-forward-listener 1830 sudo systemctl start gcs-
forward-listener 1831 sudo systemctl status gcs-forward-listener 1832 python -c " 1833
import os 1834 from azure.storage.queue import QueueClient 1835
q=QueueClient.from_connection_string( 1836
os.environ['AZURE_QUEUE_CONN_STR'], 1837 os.environ['AZURE_QUEUE_NAME']
1838 ) 1839 print(q.get_queue_properties().approximate_message_count) 1840 " 1841
source venv/bin/activate 1842 cd /opt/gcs-azure-sync-v2/ 1843 source
venv/bin/activate 1844 set -a 1845 source .env 1846 set +a 1847 python -c " 1848
import os 1849 from azure.storage.queue import QueueClient 1850
q=QueueClient.from_connection_string( 1851
os.environ['AZURE_QUEUE_CONN_STR'], 1852 os.environ['AZURE_QUEUE_NAME']
1853 ) 1854 print(q.get_queue_properties().approximate_message_count) 1855 " 1856
python -c " 1857 import os 1858 from azure.storage.queue import QueueClient 1859
q=QueueClient.from_connection_string( 1860
os.environ['AZURE_QUEUE_CONN_STR'], 1861 os.environ['AZURE_QUEUE_NAME']
1862 ) 1863 print(q.get_queue_properties().approximate_message_count) 1864 " 1865
rclone ls gcs:highradius-poc-gcs-blobstorage4 | wc -l 1866 rclone ls
azureblob:highradius-poc-gcs-blobstorage4 | wc -l 1867 rclone sync gcs:highradius-
poc-gcs-blobstorage4 azureblob:highradius-poc-gcs-blobstorage4 1868 rclone ls
azureblob:highradius-poc-gcs-blobstorage4 | wc -l 1869 rclone sync gcs:highradius-
poc-gcs-blobstorage4 azureblob:highradius-poc-gcs-blobstorage4 1870 rclone sync
gcs:highradius-poc-gcs-blobstorage4 azureblob:highradius-poc-gcs-blobstorage4 -P
1871 rclone ls gcs:highradius-poc-gcs-blobstorage4 | wc -l 1872 rclone ls
azureblob:highradius-poc-gcs-blobstorage4 | wc -l 1873 exit 1874 python listener.py
1875 cd /opt/gcs-azure-sync 1876 cd .. 1877 cd gcs-azure-sync-v2/ 1878 python
listener.py 1879 set -a 1880 source .env 1881 set +a 1882 python listener.py 1883
history 1884 python listener.py 1885 ls 1886 histoty 1887 history 1888 python -c "
import os from azure.storage.queue import QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],
os.environ['AZURE_QUEUE_NAME'] )
```

```
print(q.get_queue_properties().approximate_message_count) " 1889 cd /opt/gcs-azure-
sync-v2/ 1890 source venv/bin/activate 1891 set -a 1892 source .env 1893 set +a 1894
python -c " import os from azure.storage.queue import QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],
os.environ['AZURE_QUEUE_NAME'] )
```

```
print(q.get_queue_properties().approximate_message_count) " 1895 history 1896
systemctl status azure-gcs-rollback.service 1897 systemctl start azure-gcs-
rollback.service 1898 sudo systemctl start azure-gcs-rollback.service 1899 sudo
docker ps 1900 history 1901 sudo systemctl start gcs-azure-sync-v2_rollback-worker_1
1902 history (venv) trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ sudo docker-compose up -d -
-scale worker=10 Stopping and removing gcs-azure-sync-v2_rollback-worker_2 ... done
Stopping and removing gcs-azure-sync-v2_rollback-worker_3 ... done Stopping and
removing gcs-azure-sync-v2_rollback-worker_4 ... done Stopping and removing gcs-
azure-sync-v2_rollback-worker_5 ... done Stopping and removing gcs-azure-sync-
v2_rollback-worker_6 ... done Stopping and removing gcs-azure-sync-v2_rollback-
worker_7 ... done Stopping and removing gcs-azure-sync-v2_rollback-worker_8 ... done
Stopping and removing gcs-azure-sync-v2_rollback-worker_9 ... done Stopping and
removing gcs-azure-sync-v2_rollback-worker_10 ... done Creating gcs-azure-sync-
v2_worker_2 ... done Creating gcs-azure-sync-v2_worker_3 ... done Creating gcs-azure-
sync-v2_worker_4 ... done Creating gcs-azure-sync-v2_worker_5 ... done Creating gcs-
azure-sync-v2_worker_6 ... done Creating gcs-azure-sync-v2_worker_7 ... done
Creating gcs-azure-sync-v2_worker_8 ... done Creating gcs-azure-sync-v2_worker_9 ...
done Creating gcs-azure-sync-v2_worker_10 ... done Starting gcs-azure-sync-
v2_rollback-worker_1 ... done (venv) trianzadmin@gcstoblobstorage:/opt/gcs-azure-
sync-v2$ sudo docker ps CONTAINER ID IMAGE COMMAND CREATED STATUS PORTS
NAMES e341d266fcc8 gcs-worker:1.0 "python3 worker.py" 13 seconds ago Up 12
seconds gcs-azure-sync-v2_worker_2 43525e445192 gcs-worker:1.0 "python3
worker.py" 13 seconds ago Up 12 seconds gcs-azure-sync-v2_worker_4 87131e4e02a1
gcs-worker:1.0 "python3 worker.py" 13 seconds ago Up 12 seconds gcs-azure-sync-
v2_worker_6 0385b5b202fa gcs-worker:1.0 "python3 worker.py" 13 seconds ago Up 12
seconds gcs-azure-sync-v2_worker_9 417d74612de9 gcs-worker:1.0 "python3
worker.py" 13 seconds ago Up 12 seconds gcs-azure-sync-v2_worker_3 3c8baf4ab352
gcs-worker:1.0 "python3 worker.py" 13 seconds ago Up 12 seconds gcs-azure-sync-
v2_worker_5 0e87c7a82769 gcs-worker:1.0 "python3 worker.py" 13 seconds ago Up 12
```

```
seconds gcs-azure-sync-v2_worker_10 fedc94f141f2 gcs-worker:1.0 "python3
worker.py" 13 seconds ago Up 12 seconds gcs-azure-sync-v2_worker_8 1b98dad81222
gcs-worker:1.0 "python3 worker.py" 13 seconds ago Up 12 seconds gcs-azure-sync-
v2_worker_7 2dfcddb9a125 gcs-worker:1.0 "python3 rollback_wo..." 8 hours ago Up 12
seconds gcs-azure-sync-v2_rollback-worker_1 79cb4893d5e9 gcs-worker:1.0 "python3
worker.py" 8 hours ago Up 8 hours gcs-azure-sync-v2_worker_1 (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ sudo systemctl start azure-
gcs-rollback.service (venv) trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-
v2$ python -c " import os from azure.storage.queue import QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],
os.environ['AZURE_QUEUE_NAME'] )
```

```
print(q.get_queue_properties().approximate_message_count) " 8192 (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ python -c " import os from
azure.storage.queue import QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],
os.environ['AZURE_QUEUE_NAME'] )
```

```
print(q.get_queue_properties().approximate_message_count) " 7845 (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ python -c " import os from
azure.storage.queue import QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],
os.environ['AZURE_QUEUE_NAME'] )
```

```
print(q.get_queue_properties().approximate_message_count) " 7711 (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ python -c " import os from
azure.storage.queue import QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],
os.environ['AZURE_QUEUE_NAME'] )
```

```
print(q.get_queue_properties().approximate_message_count) " 7530 (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ python -c " import os from
azure.storage.queue import QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],
os.environ['AZURE_QUEUE_NAME'] )
```

```
print(q.get_queue_properties().approximate_message_count) " 7394 (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ python -c " import os from
azure.storage.queue import QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],
os.environ['AZURE_QUEUE_NAME'] )
```

```
print(q.get_queue_properties().approximate_message_count) " 7268 (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ python -c " import os from
azure.storage.queue import QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],
os.environ['AZURE_QUEUE_NAME'] )
```

```
print(q.get_queue_properties().approximate_message_count) " 7140 (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ python -c " import os from
azure.storage.queue import QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],
os.environ['AZURE_QUEUE_NAME'] )
```

```
print(q.get_queue_properties().approximate_message_count) " 6981 (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ python -c " import os from
azure.storage.queue import QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],
os.environ['AZURE_QUEUE_NAME'] )
```

```
print(q.get_queue_properties().approximate_message_count) " 6824 (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ python -c " import os from
azure.storage.queue import QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],
os.environ['AZURE_QUEUE_NAME'] )
```

```
print(q.get_queue_properties().approximate_message_count) " 6674 (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ python -c " import os from
azure.storage.queue import QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],
os.environ['AZURE_QUEUE_NAME'] )
```

```
print(q.get_queue_properties().approximate_message_count) " 6488 (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ sudo -u postgres psql -d
gcssync psql (16.15 (Ubuntu 16.15-0ubuntu0.24.04.1)) Type "help" for help.
```

```
gcssync=# SELECT pg_size_pretty( pg_database_size('gcssync') ); `` pg_size_pretty
```

619 MB (1 row)

```
gcssync=# SELECT relname, n_live_tup FROM pg_stat_user_tables ORDER BY
n_live_tup DESC; ERROR: syntax error at or near "" LINE 1: ^ gcssync=# SELECT
count(*) FROM pg_stat_activity; count
```

18

(1 row)

```
gcssync=# SELECT pi*, state, query, NOW()-query_start FROM pg_stat_activity WHERE
state < 'idle'; ERROR: syntax error at or near "," LINE 2: pi*, ^ gcssync=# \q (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ python -c " import os from
azure.storage.queue import QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],
os.environ['AZURE_QUEUE_NAME'])
```

```
print(q.get_queue_properties().approximate_message_count) " 0 (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ python -c " import os from
azure.storage.queue import QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],
os.environ['AZURE_QUEUE_NAME'])
```

```
print(q.get_queue_properties().approximate_message_count) " 0 (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ ^C (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ history 921 sudo -u postgres
pg_dump -Fc gcssync -f /backup/gcssync_before_upgrade.dump 922 ls 923 sudo -u
postgres psql -d gcssync -c "\dt" 924 925 sudo -u postgres psql -d gcssync
926 systemctl status gcs-rclone-sync 927 ` 928 systemctl cat gcs-
rclone-sync 929 docker -version 930 sudo apt update 931 sudo apt
install -y docker.io docker-compose-plugin 932 sudo apt install -y
docker.io 933 docker --version 934 sudo systemctl enable docker 935
sudo systemctl start docker 936 systemctl status docker 937 sudo
systemctl enable docker 938 sudo systemctl start docker 939 docker
compose version 940 sudo systemctl enable docker 941 sudo systemctl
start dockersudo systemctl enable docker 942 sudo systemctl start
docker 943 sudo systemctl enable docker 944 sudo systemctl status
```

```
docker 945 docker compose version 946 sudo docker compose version
947 docker --version 948 sudo apt install -y docker-compose 949
docker-compose --version 950 ls -ltr /opt/gcs-azure-sync 951 mkdir -
p /opt/gcs-azure-sync-v2 952 sudo mkdir -p /opt/gcs-azure-sync-v2
953 cd /opt/gcs-azure-sync-v2 954 exit 955 cd /home/trianzadmin/ 956
ls 957 cd scripts/ 958 ls 959 exit 960 cd scripts/ 961 ls 962 cd ..
963 ls 964 ls -a 965 cd scripts/ 966 ls -a 967 sudo chown -R
trianzadmin:trianzadmin /opt/gcs-azure-sync-v2 968 mv * /opt/gcs-
azure-sync-v2 969 cd /opt/gcs-azure-sync-v2/ 970 ls 971 ls -a 972
cd.. 973 cd .. 974 cd /home/trianzadmin/scripts/ 975 ls -la 976
mv .env.example /opt/gcs-azure-sync-v2/ 977 ls 978 ls -la 979 cd
/opt/gcs-azure-sync-v2/ 980 ls 981 ls -la 982 cd /opt/gcs-azure-
sync-v2 983 python3 -m venv venv 984 source venv/bin/activate 985
pip install -r requirements.txt 986 cp .env.example .env 987 sudo
vi .env 988 cat .env 989 systemctl status pgbouncer --no-pager 990
psql -h 127.0.0.1 -p 5432 -U gcssync -d gcssync 991 sudo apt update
992 sudo apt install -y pgbouncer 993 systemctl status pgbouncer --
no-pager 994 cat .env 995 sudo vi .env 996 cat .env 997 ls -l
/opt/gcs-azure-sync/*.json 998 sudo vi .env 999 cat .env 1000 sudo
vi .env 1001 cat .env 1002 cat rollback_listener.py 1003 sudo
vi .env 1004 cat .env 1005 sudo vi .env 1006 cat .env 1007 rclone
lsd gcs: 1008 rclone listremotes 1009 rclone config show gcs 1010
rclone lsd gcs:highradius-poc-gcs-blobstorage 1011 rclone lsd
gcs:highradius-poc-gcs-blobstorage1 1012 sudo vi .env 1013 rclone
lsd azureblob: 1014 cat > Dockerfile <<'EOF' 1015 FROM python:3.12-
alpine 1016 RUN apk add --no-cache \ 1017 rclone \ 1018 gcc \ 1019
musl-dev \ 1020 postgresql-dev 1021 COPY requirements.txt /tmp/ 1022
RUN pip install --no-cache-dir -r /tmp/requirements.txt 1023 WORKDIR
/app 1024 COPY common.py . 1025 COPY worker.py . 1026 COPY
rollback_worker.py . 1027 CMD ["python3","worker.py"] 1028 EOF 1029
cat > docker-compose.yml <<'EOF' 1030 version: '3.8' 1031 services:
1032 worker: 1033 image: gcs-worker:1.0 1034 restart: unless-stopped
1035 env_file: 1036 - .env 1037 rollback-worker: 1038 image: gcs-
worker:1.0 1039 restart: unless-stopped 1040 env_file: 1041 - .env
1042 EOF 1043 ls 1044 cat > recover_stale.sh <<'EOF' 1045
#!/bin/bash 1046 source /opt/gcs-azure-sync-v2/.env 1047 export
PGPASSWORD="$PGPASSWORD" 1048 psql \ 1049 -h "$PGHOST" \ 1050 -p
"$PGPORT" \ 1051 -U "$PGUSER" \ 1052 -d "$PGDATABASE" <<SQL 1053
UPDATE sync_batches 1054 SET status='PENDING' 1055 WHERE
status='PROCESSING' 1056 AND started_at IS NOT NULL 1057 AND
started_at < NOW() - INTERVAL '30 minutes'; 1058 UPDATE
rollback_batches 1059 SET status='PENDING' 1060 WHERE
```

```
status='PROCESSING' 1061 AND started_at IS NOT NULL 1062 AND
started_at < NOW() - INTERVAL '30 minutes'; 1063 SQL 1064 EOF 1065
chmod +x recover_stale.sh 1066 cd /opt/gcs-azure-sync-v2 1067 docker
build -t gcs-worker:1.0 . 1068 sudo docker build -t gcs-worker:1.0 .
1069 sudo docker images | grep gcs-worker 1070 ls -l docker-
compose.yml 1071 sudo docker-compose up -d --scale worker=10 1072
1073 sudo docker ps 1074 sudo docker logs gcs-azure-sync-v2_rollback-worker_1 1075
psql -h 127.0.0.1 -p 6432 -U gcssync -d gcssync 1076 sudo vi .env 1077 cat .env 1078
psql -h 127.0.0.1 -p 6432 -U gcssync -d gcssync 1079 sudo cat
/etc/pgbouncer/userlist.txt 1080 hostname -i 1081 psql -h 127.0.0.1 -p 6432 -U gcssync
-d gcssync 1082 sudo vi .env 1083 psql -h 127.0.0.1 -p 6432 -U gcssync -d gcssync 1084
psql -h 127.0.0.1 -p 5432 -U gcssync -d gcssync 1085 ls -la 1086 vi /opt/gcs-azure-sync-
v2/autoscale.sh 1087 sudo vi /opt/gcs-azure-sync-v2/autoscale.sh 1088 sudo chmod
+x autoscale.sh 1089 cd /opt/gcs-azure-sync-v2 1090 docker build -t gcs-worker:1.0 .
1091 sudo docker build -t gcs-worker:1.0 1092 sudo docker build -t gcs-worker:1.0 .
1093 docker images | grep gcs-worker 1094 sudo docker images | grep gcs-worker 1095
docker-compose up -d --scale worker=1 1096 sudo docker-compose up -d --scale
worker=1 1097 sudo docker ps -a 1098 sudo docker logs f4b9a468abef 1099 sudo
docker logs 0b55fe5c70c6 1100 grep PGPORT .env 1101 sudo docker-compose down
1102 sudo docker rm -f $(sudo docker ps -aq) 1103 sudo docker build --no-cache -t
gcs-worker:1.0 . 1104 grep PGHOST .env 1105 grep PGPORT .env 1106 sudo docker rm -
f $(sudo docker ps -aq) 1107 sudo docker ps -a 1108 cat /opt/gcs-azure-sync-
v2/docker-compose.yml 1109 hostname -i 1110 sudo vi .env 1111 cat vi .env 1112 sudo
docker-compose down 1113 sudo docker-compose up -d --scale worker=1 1114 sudo
docker ps 1115 sudo docker logs $(sudo docker ps -q | head -1) 1116 ls 1117 vi docker-
compose.yml 1118 sudo vi .env 1119 vi docker-compose.yml 1120 sudo docker-
compose down 1121 sudo docker ps -a 1122 sudo docker build --no-cache -t gcs-
worker:1.0 . 1123 sudo docker-compose up -d --scale worker=1 1124 sudo docker ps
1125 sudo docker logs $(sudo docker ps -q | head -1) 1126 sudo docker inspect
73e953e37ca9 | grep -i restart 1127 sudo -u postgres psql -d gcssync 1128 cd /opt/gcs-
azure-sync-v2 1129 source venv/bin/activate 1130 python batch_creator.py 1131 cd
/opt/gcs-azure-sync-v2 1132 set -a 1133 source .env 1134 set +a 1135 echo
$PGPASSWORD 1136 python batch_creator.py 1137 \d file_events 1138 sudo -u
postgres psql -d gcssync 1139 python batch_creator.py 1140 echo $? 1141 sudo -u
postgres psql -d gcssync 1142 cd /opt/gcs-azure-sync-v2 1143 source
venv/bin/activate 1144 set -a 1145 source .env 1146 set +a 1147 python listener.py
1148 vi /opt/gcs-azure-sync-v2/listener.py 1149 cat /opt/gcs-azure-sync-v2/listener.py
1150 vi /opt/gcs-azure-sync-v2/listener.py 1151 python listener.py 1152 vi /opt/gcs-
azure-sync-v2/listener.py 1153 python listener.py 1154 cd /opt/gcs-azure-sync-v2 1155
source venv/bin/activate 1156 python listener.py 1157 sudo -u postgres psql -d gcssync
1158 cd /opt/gcs-azure-sync-v2 1159 source venv/bin/activate 1160 python
```

```
batch_creator.py 1161 cd /opt/gcs-azure-sync-v2 1162 source venv/bin/activate 1163
set -a 1164 source .env 1165 set +a 1166 python batch_creator.py 1167 grep -n
"SELECT id" /opt/gcs-azure-sync-v2/common.py 1168 grep -n " id" /opt/gcs-azure-sync-
v2/common.py 1169 sudo vi /opt/gcs-azure-sync-v2/common.py 1170 sed -n '50,125p'
/opt/gcs-azure-sync-v2/common.py 1171 sudo vi /opt/gcs-azure-sync-v2/common.py
1172 sed -n '50,125p' /opt/gcs-azure-sync-v2/common.py 1173 grep -n "e.id| id,"
/opt/gcs-azure-sync-v2/common.py 1174 cd /opt/gcs-azure-sync-v2 1175 source
venv/bin/activate 1176 set -a 1177 source .env 1178 set +a 1179 python
batch_creator.py 1180 echo $? 1181 sudo -u postgres psql -d gcssync 1182 python
batch_creator.py 1183 echo $? 1184 sudo -u postgres psql -d gcssync 1185 sudo
docker logs gcs-azure-sync-v2_worker 1186 sudo docker logs gcs-azure-sync-
v2_worker_1 1187 grep -n "SELECT e." /opt/gcs-azure-sync-v2/common.py 1188 cd
/opt/gcs-azure-sync-v2 1189 sudo docker-compose down 1190 sudo docker build --no-
cache -t gcs-worker:1.0 . 1191 sudo docker ps -a 1192 sudo docker-compose up -d --
scale worker=1 1193 sudo docker logs gcs-azure-sync-v2_worker_1 1194 sudo -u
postgres psql -d gcssync 1195 sudo docker ps 1196 sudo docker logs c4f18c5e0f13 --
tail 100 1197 sudo docker logs dc85aedcc8b1 --tail 100 1198 ps -ef | grep rclone 1199
sudo -u postgres psql -d gcssync 1200 sudo docker logs c4f18c5e0f13 --tail 100 1201
sudo -u postgres psql -d gcssync 1202 docker logs worker 1203 sudo docker logs
worker 1204 cat /opt/gcs-azure-sync-v2/worker.py 1205 grep -n "def run_worker"
/opt/gcs-azure-sync-v2/common.py 1206 sed -n '127,220p' /opt/gcs-azure-sync-
v2/common.py 1207 sudo docker exec -it gcs-azure-sync-v2_worker_1 rclone
listremotes 1208 sudo vi docker-compose.yml 1209 cat docker-compose.yml 1210 ls -l
/home/trianzadmin/.config/rclone/rclone.conf 1211 sudo -u postgres psql -d gcssync
1212 cd /opt/gcs-azure-sync-v2 1213 sudo docker-compose down 1214 sudo docker
exec -it gcs-azure-sync-v2_worker_1 rclone listremotes 1215 sudo docker ps 1216 cd
/opt/gcs-azure-sync-v2 1217 sudo docker-compose up -d --scale worker=1 1218 sudo
docker ps -a 1219 sudo docker logs gcs-azure-sync-v2_worker_1 1220 cat docker-
compose.yml 1221 sudo docker exec -it gcs-azure-sync-v2_worker_1 rclone
listremotes 1222 sudo -u postgres psql -d gcssync 1223 sudo docker exec -it gcs-azure-
sync-v2_worker_1 sh 1224 sudo -u postgres psql -d gcssync 1225 sudo vi common.py
1226 cat common.py 1227 sudo vi common.py 1228 python common.py 1229 sudo
docker-compose down 1230 sudo docker build --no-cache -t gcs-worker:1.0 . 1231
sudo docker-compose up -d --scale worker=1 1232 sudo docker logs -f gcs-azure-sync-
v2_worker_1 1233 sudo -u postgres psql -d gcssync 1234 cd /opt/gcs-azure-sync-v2
1235 source venv/bin/activate 1236 set -a 1237 source .env 1238 set +a 1239 python
batch_creator.py 1240 sudo -u postgres psql -d gcssync 1241 sudo vi docker-
compose.yml 1242 ls -l /opt/gcs-azure-sync/rclone-sa-key.json 1243 sudo -u postgres
psql -d gcssync 1244 cd /opt/gcs-azure-sync-v2 1245 sudo docker-compose down
1246 sudo docker-compose up -d --scale worker=1 1247 sudo docker exec -it gcs-
azure-sync-v2_worker_1 sh 1248 sudo -u postgres psql -d gcssync 1249 sudo docker-
```

```
compose down 1250 sudo docker-compose up -d --scale worker=1 1251 sudo -u
postgres psql -d gcssync 1252 cd /opt/gcs-azure-sync-v2 1253 sudo docker-compose
down 1254 sudo docker-compose up -d --scale worker=1 1255 sudo docker logs -f gcs-
azure-sync-v2_worker_1 1256 sudo -u postgres psql -d gcssync 1257 systemctl status
gcs-rclone-sync.service 1258 systemctl status blob-to-gcs.service 1259 systemctl stop
blob-to-gcs.service 1260 systemctl status blob-to-gcs.service 1261 systemctl status
gcs-rclone-sync.service 1262 sudo -u postgres psql -d gcssync 1263 sudo docker exec
-it gcs-azure-sync-v2_worker_1 sh 1264 sudo -u postgres psql -d gcssync 1265 sudo
docker logs -f gcs-azure-sync-v2_worker_1 1266 cd /opt/gcs-azure-sync-v2 1267
source venv/bin/activate 1268 set -a 1269 source .env 1270 set +a 1271 python
batch_creator.py 1272 sudo docker logs -f gcs-azure-sync-v2_worker_1 1273 sudo -u
postgres psql -d gcssync 1274 sudo docker logs -f gcs-azure-sync-v2_worker_1 1275 cd
/opt/gcs-azure-sync-v2 1276 source venv/bin/activate 1277 set -a 1278 source .env
1279 set +a 1280 python rollback_listener.py 1281 grep AZURE_QUEUE_CONN_STR
/opt/gcs-azure-sync-v2/.env 1282 1283 cd /opt/gcs-azure-sync-v2 1284
source venv/bin/activate 1285 set -a 1286 source .env 1287 set +a
1288 echo $AZURE_QUEUE_CONN_STR 1289 echo $AZURE_QUEUE_NAME 1290
python -c " 1291 import os 1292 from azure.storage.queue import
QueueClient 1293 q = QueueClient.from_connection_string( 1294
os.environ['AZURE_QUEUE_CONN_STR'], 1295
os.environ['AZURE_QUEUE_NAME'] 1296 ) 1297 print('QUEUE OK') 1298 "
1299 sudo vi .env 1300 echo $AZURE_QUEUE_CONN_STR 1301 cat .env 1302
echo $AZURE_QUEUE_CONN_STR 1303 unset AZURE_QUEUE_CONN_STR 1304 set
-a 1305 source .env 1306 set +a 1307 echo $AZURE_QUEUE_CONN_STR 1308
cd /opt/gcs-azure-sync-v2 1309 source venv/bin/activate 1310 set -a
1311 source .env 1312 set +a 1313 python rollback_listener.py 1314
echo $AZURE_QUEUE_CONN_STR 1315 az storage queue list --connection-
string "$AZURE_QUEUE_CONN_STR" --output table 1316 1317
gcstoblobstorage 1318 curl -sL https://aka.ms/InstallAzureCLIDeb | sudo bash 1319 az
version 1320 az storage queue list --connection-string "$AZURE_QUEUE_CONN_STR" --
output table 1321 sudo vi .env 1322 set -a 1323 source .env 1324 set +a 1325 python -c
" 1326 import os 1327 from azure.storage.queue import QueueClient 1328 q =
QueueClient.from_connection_string( 1329 os.environ['AZURE_QUEUE_CONN_STR'],
1330 os.environ['AZURE_QUEUE_NAME'] 1331 ) 1332 print(q.get_queue_properties())
1333 print('QUEUE OK') 1334 " 1335 python rollback_listener.py 1336 sudo vi
rollback_listener.py 1337 python rollback_listener.py 1338 cat rollback_listener.py
1339 sudo vi rollback_listener.py 1340 python rollback_listener.py 1341 sudo -u
postgres psql -d gcssync 1342 cd /opt/gcs-azure-sync-v2 1343 source
venv/bin/activate 1344 set -a 1345 source .env 1346 set +a 1347 python
rollback_batch_creator.py 1348 sudo -u postgres psql -d gcssync 1349 cd /opt/gcs-
azure-sync-v2 1350 source venv/bin/activate 1351 set -a 1352 source .env 1353 set +a
```

1354 python rollback_batch_creator.py 1355 sudo vi common.py 1356 cat common.py
1357 sudo -u postgres psql -d gcssync 1358 python rollback_batch_creator.py 1359
sudo -u postgres psql -d gcssync 1360 cd /opt/gcs-azure-sync-v2 1361 source
venv/bin/activate 1362 set -a 1363 source .env 1364 set +a 1365 python
rollback_batch_creator.py 1366 sudo -u postgres psql -d gcssync 1367 sudo docker-
compose up -d --scale rollback-worker=1 1368 cd /opt/gcs-azure-sync-v2 1369 sudo
docker-compose down 1370 sudo docker ps -a 1371 sudo docker rm -f \$(sudo docker
ps -aq) 1372 sudo docker-compose up -d 1373 sudo docker ps 1374
rollback_batch_files 1375 sudo -u postgres psql -d gcssync 1376 cd /opt/gcs-azure-
sync-v2 1377 source venv/bin/activate 1378 set -a 1379 source .env 1380 set +a 1381
python rollback_batch_creator.py 1382 sudo -u postgres psql -d gcssync 1383 sudo
docker logs -f gcs-azure-sync-v2_rollback-worker_1 1384 sudo -u postgres psql -d
gcssync 1385 sudo docker logs gcs-azure-sync-v2_rollback-worker_1 --tail 100 1386
sudo -u postgres psql -d gcssync 1387 sudo docker logs gcs-azure-sync-v2_rollback-
worker_1 --tail 100 1388 cd /opt/gcs-azure-sync-v2 1389 sudo docker-compose down
1390 sudo docker build --no-cache -t gcs-worker:1.0 . 1391 sudo docker-compose
down 1392 cd /opt/gcs-azure-sync-v2/ 1393 sudo docker-compose down 1394 sudo
docker logs gcs-azure-sync-v2_rollback-worker_1 --tail 100 1395 cd /opt/gcs-azure-
sync-v2 1396 sudo docker-compose down 1397 sudo docker build --no-cache -t gcs-
worker:1.0 . 1398 lsblk 1399 df -Th 1400 l 1401 ls 1402 ps -a 1403 docker ps 1404
docker ps -a 1405 sudo docker ps -a 1406 sudo docker image prune -a -f 1407 df -Th
1408 sudo docker builder prune -a -f 1409 cd /opt/gcs-azure-sync-v2 1410 sudo
docker-compose down 1411 sudo docker build --no-cache -t gcs-worker:1.0 . 1412
Successfully tagged gcs-worker:1.0 1413 sudo docker-compose up -d 1414 1415 sudo
docker ps 1416 sudo -u postgres psql -d gcssync 1417 sudo docker
exec -it gcs-azure-sync-v2_rollback-worker_1 sh 1418 sudo -u
postgres psql -d gcssync 1419 sudo docker ps 1420 sudo systemctl
status gcs-rclone-sync-v2 1421 sudo systemctl stop gcs-rclone-sync-
v2 1422 sudo docker stop gcs-azure-sync-v2_worker_1 1423 sudo docker
ps 1424 sudo systemctl stop gcs-rclone-sync-v2 1425 sudo -u postgres
psql -d gcssync 1426 sudo docker logs -f gcs-azure-sync-v2_rollback-
worker_1 1427 sudo -u postgres psql -d gcssync 1428 sudo docker exec
-it gcs-azure-sync-v2_rollback-worker_1 sh 1429 sudo vi docker-
compose.yml 1430 cd /opt/gcs-azure-sync-v2 1431 sudo docker-compose
down 1432 sudo docker build --no-cache -t gcs-worker:1.0 . 1433 sudo
docker ps 1434 cd /opt/gcs-azure-sync-v2 1435 sudo docker-compose up
-d 1436 sudo docker ps 1437 sudo docker stop gcs-azure-sync-
v2_worker_1 1438 sudo -u postgres psql -d gcssync 1439 cd /opt/gcs-
azure-sync-v2 1440 source venv/bin/activate 1441 set -a 1442
source .env 1443 set +a 1444 python rollback_listener.py 1445 sudo -
u postgres psql -d gcssync 1446 cd /opt/gcs-azure-sync-v2 1447

```
source venv/bin/activate 1448 set -a 1449 source .env 1450 set +a
1451 python rollback_batch_creator.py 1452 sudo -u postgres psql -d
gcssync 1453 sudo docker logs -f gcs-azure-sync*v2_rollback-worker_1
1454 sudo docker logs -f gcs-azure-sync-v2_rollback-worker_1 1455
sudo -u postgres psql -d gcssync 1456 grep -n "ROLLBACK"
rollback_batch_creator.py 1457 cat rollback_batch_creator.py 1458
sudo -u postgres psql -d gcssync 1459 sudo vi common.py 1460 cat
common.py 1461 cd /opt/gcs-azure-sync-v2 1462 source
venv/bin/activate 1463 set -a 1464 source .env 1465 set +a 1466
python rollback_batch_creator.py 1467 sudo -u postgres psql -d
gcssync 1468 crontab -e 1469 sudo crontab -e 1470 cat crontab 1471
cat crontab -e 1472 sudo crontab -e 1473 sudo vi crontab -e 1474
crontab -e 1475 vi crontab 1476 vi crontab -e 1477 crontab -l 1478
systemctl status cron 1479 grep CRON /var/log/syslog | tail -20 1480
journalctl -u cron -n 50 1481 sudo -u postgres psql -d gcssync 1482
rclone ls azureblob:highradius-poc-gcs-blobstorage3 | grep failover_
| wc -l 1483 sudo -u postgres psql -d gcssync 1484 rclone ls
azureblob:highradius-poc-gcs-blobstorage3 | grep failover_ | wc -l
1485 ` 1486 python rollback_listener.py 1487 cd /opt/gcs-azure-sync-
v2/ 1488 python rollback_listener.py 1489 python3
rollback_listener.py 1490 cd /opt/gcs-azure-sync-v2 1491 source
venv/bin/activate 1492 which python 1493 python rollback_listener.py
1494 cd /opt/gcs-azure-sync-v2 1495 source venv/bin/activate 1496
set -a 1497 source .env 1498 set +a 1499 echo $AZURE_QUEUE_NAME 1500
echo $AZURE_QUEUE_CONN_STR 1501 python rollback_listener.py 1502
sudo -u postgres psql -d gcssync 1503 cd /opt/gcs-azure-sync-v2 1504
source venv/bin/activate 1505 set -a 1506 source .env 1507 set +a
1508 python rollback_batch_creator.py 1509 sudo -u postgres psql -d
gcssync 1510 tail -f /opt/gcs-azure-sync-
v2/rollback_batch_creator.log 1511 sudo docker logs -f gcs-azure-
sync-v2_rollback-worker_1 1512 sudo -u postgres psql -d gcssync 1513
python rollback_batch_creator.py 1514 sudo -u postgres psql -d
gcssync 1515 rclone ls gcs:highradius-poc-gcs-blobstorage3 | grep
failover_ | wc -l 1516 sudo -u postgres psql -d gcssync 1517 rclone
ls gcs:highradius-poc-gcs-blobstorage3 | grep failover_ | wc -l 1518
python -c " 1519 import os 1520 from azure.storage.queue import
QueueClient 1521 q = QueueClient.from_connection_string( 1522
os.environ['AZURE_QUEUE_CONN_STR'], 1523
os.environ['AZURE_QUEUE_NAME'] 1524 ) 1525
print(q.get_queue_properties().approximate_message_count) 1526 "
1527 cd /opt/gcs-azure-sync-v2 1528 source venv/bin/activate 1529
set -a 1530 source .env 1531 set +a 1532 python -c " 1533 import os
```

```

1534 from azure.storage.queue import QueueClient 1535 q =
QueueClient.from_connection_string( 1536
os.environ['AZURE_QUEUE_CONN_STR'], 1537
os.environ['AZURE_QUEUE_NAME'] 1538 ) 1539 print('Queue depth =',
q.get_queue_properties().approximate_message_count) 1540 " 1541
python rollback_listener.py 1542 python -c " 1543 import os 1544
from azure.storage.queue import QueueClient 1545
q=QueueClient.from_connection_string( 1546
os.environ['AZURE_QUEUE_CONN_STR'], 1547
os.environ['AZURE_QUEUE_NAME'] 1548 ) 1549
print(q.get_queue_properties().approximate_message_count) 1550 "
1551 python -c " 1552 import os 1553 from azure.storage.queue import
QueueClient 1554 q=QueueClient.from_connection_string( 1555
os.environ['AZURE_QUEUE_CONN_STR'], 1556
os.environ['AZURE_QUEUE_NAME'] 1557 ) 1558
print(q.get_queue_properties().approximate_message_count) 1559 "
1560 python -c " 1561 import os 1562 from azure.storage.queue import
QueueClient 1563 q=QueueClient.from_connection_string( 1564
os.environ['AZURE_QUEUE_CONN_STR'], 1565
os.environ['AZURE_QUEUE_NAME'] 1566 ) 1567
print(q.get_queue_properties().approximate_message_count) 1568 "
1569 python rollback_listener.py 1570 python -c " 1571 import os
1572 from azure.storage.queue import QueueClient 1573
q=QueueClient.from_connection_string( 1574
os.environ['AZURE_QUEUE_CONN_STR'], 1575
os.environ['AZURE_QUEUE_NAME'] 1576 ) 1577
print(q.get_queue_properties().approximate_message_count) 1578 "
1579 python rollback_listener.py 1580 python -c " 1581 import os
1582 from azure.storage.queue import QueueClient 1583
q=QueueClient.from_connection_string( 1584
os.environ['AZURE_QUEUE_CONN_STR'], 1585
os.environ['AZURE_QUEUE_NAME'] 1586 ) 1587
print(q.get_queue_properties().approximate_message_count) 1588 "
1589 python -c " 1590 import os 1591 from azure.storage.queue import
QueueClient 1592 q=QueueClient.from_connection_string( 1593
os.environ['AZURE_QUEUE_CONN_STR'], 1594
os.environ['AZURE_QUEUE_NAME'] 1595 ) 1596
print(q.get_queue_properties().approximate_message_count) 1597 "
1598 SELECT COUNT(*) 1599 FROM blob_events 1600 WHERE
container_name='highradius-poc-gcs-blobstorage3' 1601 python
rollback_listener.py 1602 python -c " 1603 import os 1604 from
azure.storage.queue import QueueClient 1605

```

```

q=QueueClient.from_connection_string( 1606
os.environ['AZURE_QUEUE_CONN_STR'], 1607
os.environ['AZURE_QUEUE_NAME'] 1608 ) 1609
print(q.get_queue_properties().approximate_message_count) 1610 "
1611 rclone ls azureblob:highradius-poc-gcs-blobstorage3 | grep
failover_ | wc -l 1612 rclone ls gcs:highradius-poc-gcs-blobstorage3
| grep failover_ | wc -l 1613 python -c " 1614 import os 1615 from
azure.storage.queue import QueueClient 1616
q=QueueClient.from_connection_string( 1617
os.environ['AZURE_QUEUE_CONN_STR'], 1618
os.environ['AZURE_QUEUE_NAME'] 1619 ) 1620
print(q.get_queue_properties().approximate_message_count) 1621 "
1622 sudo vi rollback_listener.py 1623 pkill -f rollback_listener.py
1624 cd /opt/gcs-azure-sync-v2 1625 source venv/bin/activate 1626
set -a 1627 source .env 1628 set +a 1629 python rollback_listener.py
1630 sudo vi rollback_listener.py 1631 pkill -f rollback_listener.py
1632 python -c " 1633 import os 1634 from azure.storage.queue import
QueueClient 1635 q = QueueClient.from_connection_string( 1636
os.environ['AZURE_QUEUE_CONN_STR'], 1637
os.environ['AZURE_QUEUE_NAME'] 1638 ) 1639
print(q.get_queue_properties().approximate_message_count) 1640 "
1641 rclone ls gcs:highradius-poc-gcs-blobstorage3 | grep failover_
| wc -l 1642 sudo docker-compose up -d --scale rollback-worker=10
1643 python -c " 1644 import os 1645 from azure.storage.queue import
QueueClient 1646 q = QueueClient.from_connection_string( 1647
os.environ['AZURE_QUEUE_CONN_STR'], 1648
os.environ['AZURE_QUEUE_NAME'] 1649 ) 1650
print(q.get_queue_properties().approximate_message_count) 1651 "
1652 sudo -u postgres psql -d gcssync 1653 sudo docker ps 1654
systemctl stop gcs-azure-sync-v2_worker_1 1655 sudo systemctl stop
gcs-azure-sync-v2_worker_1 1656 sudo docker ps --format "{{.Names}}"
| grep rollback-worker | wc -l 1657 1658 for c in $(sudo docker ps --format
"{{.Names}}" | grep rollback-worker); do echo "==== $c ====="; sudo docker logs --tail
20 $c; done 1659 systemctl stop gcs-azure-sync-v2_worker_1 1660 sudo -u postgres
psql -d gcssync 1661 rclone ls gcs:highradius-poc-gcs-blobstorage3 | grep failover_ |
wc -l 1662 vi /opt/gcs-azure-sync-v2/.env 1663 cat /opt/gcs-azure-sync-v2/.env 1664 vi
/opt/gcs-azure-sync-v2/.env 1665 sudo vi /opt/gcs-azure-sync-v2/.env 1666 sudo
docker-compose down 1667 sudo docker-compose up -d --scale rollback-worker=10
1668 rclone ls gcs:highradius-poc-gcs-blobstorage3 | grep failover_ | wc -l 1669 sudo -u
postgres psql -d gcssync 1670 cd /opt/gcs-azure-sync-v2 1671 source
venv/bin/activate 1672 set -a 1673 source .env 1674 set +a 1675 python
rollback_batch_creator.py 1676 sudo -u postgres psql -d gcssync 1677 rclone ls

```

```
gcs:highradius-poc-gcs-blobstorage3 | grep failover_ | wc -l 1678 (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ rclone ls gcs:highradius-poc-
gcs-blobstorage3 | grep failover_ | wc -l 1679 7019 1680 (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ 1681 python -c " 1682 import
os 1683 from azure.storage.queue import QueueClient 1684 q =
QueueClient.from_connection_string( 1685 os.environ['AZURE_QUEUE_CONN_STR'],
1686 os.environ['AZURE_QUEUE_NAME'] 1687 ) 1688
print(q.get_queue_properties().approximate_message_count) 1689 " 1690 sudo -u
postgres psql -d gcssync 1691 python -c " 1692 import os 1693 from
azure.storage.queue import QueueClient 1694 q =
QueueClient.from_connection_string( 1695 os.environ['AZURE_QUEUE_CONN_STR'],
1696 os.environ['AZURE_QUEUE_NAME'] 1697 ) 1698
print(q.get_queue_properties().approximate_message_count) 1699 " 1700 python -c "
1701 import os 1702 from azure.storage.queue import QueueClient 1703 q =
QueueClient.from_connection_string( 1704 os.environ['AZURE_QUEUE_CONN_STR'],
1705 os.environ['AZURE_QUEUE_NAME'] 1706 ) 1707
print(q.get_queue_properties().approximate_message_count) 1708 " 1709 ps -ef | grep
rollback_listener.py 1710 cd /opt/gcs-azure-sync-v2 1711 source venv/bin/activate
1712 set -a 1713 source .env 1714 set +a 1715 nohup python rollback_listener.py >
rollback_listener.log 2>&1 & 1716 ps -ef | grep rollback_listener.py 1717 python -c "
1718 import os 1719 from azure.storage.queue import QueueClient 1720
q=QueueClient.from_connection_string( 1721
os.environ['AZURE_QUEUE_CONN_STR'], 1722 os.environ['AZURE_QUEUE_NAME']
1723 ) 1724 print(q.get_queue_properties().approximate_message_count) 1725 " 1726
rclone ls gcs:highradius-poc-gcs-blobstorage3 | grep failover_ | wc -l 1727 ps -ef | grep
rollback_listener.py 1728 sudo -u postgres psql -d gcssync 1729 cd /opt/gcs-azure-
sync-v2 1730 source venv/bin/activate 1731 set -a 1732 source .env 1733 set +a 1734
python rollback_batch_creator.py 1735 sudo -u postgres psql -d gcssync 1736 sudo vi
/etc/systemd/system/azure-gcs-rollback.service 1737 sudo systemctl daemon-reload
1738 sudo systemctl enable azure-gcs-rollback 1739 sudo systemctl start azure-gcs-
rollback 1740 sudo systemctl status azure-gcs-rollback 1741 rclone ls gcs:highradius-
poc-gcs-blobstorage3 | grep failover_ | wc -l 1742 rclone ls azureblob:highradius-poc-
gcs-blobstorage3 | grep failover_ | wc -l 1743 rclone ls azureblob:highradius-poc-gcs-
blobstorage4 | grep failover_ | wc -l 1744 sudo -u postgres psql -d gcssync 1745 rclone
ls azureblob:highradius-poc-gcs-blobstorage4 | grep failover_ | wc -l 1746 sudo -u
postgres psql -d gcssync 1747 python rollback_batch_creator.py 1748 rclone ls
azureblob:highradius-poc-gcs-blobstorage4 | grep failover_ | wc -l 1749 rclone ls
azureblob:highradius-poc-gcs-blobstorage4 | grep failback_ | wc -l 1750 rclone ls
gcs:highradius-poc-gcs-blobstorage4 | grep failback_ | wc -l 1751 sudo crontab -e 1752
crontab -e 1753 crontab -i 1754 crontab i 1755 crontab l 1756 crontab 1757 crontab -i
1758 crontab -l 1759 crontab -e 1760 crontab -l 1761 tail -f /opt/gcs-azure-sync-
```

```
v2/batch_creator.log 1762 tail -f /opt/gcs-azure-sync-v2/rollback_batch_creator.log
1763 rclone ls azureblob:highradius-poc-gcs-blobstorage4 | grep failback_ | wc -l 1764
rclone ls azureblob:highradius-poc-gcs-blobstorage9 | grep failbackes_ | wc -l 1765
rclone ls gcs:highradius-poc-gcs-blobstorage9 | grep failbackes_ | wc -l 1766 sudo -u
postgres psql -d gcssync 1767 rclone ls azureblob:highradius-poc-gcs-blobstorage9 |
grep failbackes_ | wc -l 1768 rclone ls gcs:highradius-poc-gcs-blobstorage9 | grep
failbackes_ | wc -l 1769 rclone ls gcs:highradius-poc-gcs-blobstorage9 | grep fail*_ | wc
-l 1770 rclone ls gcs:highradius-poc-gcs-blobstorage9 | grep *_ | wc -l 1771 rclone ls
gcs:highradius-poc-gcs-blobstorage9 | grep . | wc -l 1772 rclone ls gcs:highradius-poc-
gcs-blobstorage9 | grep failbacke_ | wc -l 1773 rclone ls gcs:highradius-poc-gcs-
blobstorage9 | grep failbacks_ | wc -l 1774 rclone ls azureblob:highradius-poc-gcs-
blobstorage9 | grep failbacks_ | wc -l 1775 rclone ls azureblob:highradius-poc-gcs-
blobstorage9 | grep failbacks_ failbackes_ | wc -l 1776 rclone ls azureblob:highradius-
poc-gcs-blobstorage9 | grep failbacks_ | wc -l 1777 rclone ls azureblob:highradius-poc-
gcs-blobstorage9 wc -l 1778 rclone ls azureblob:highradius-poc-gcs-blobstorage9 | wc
-l 1779 rclone ls gcs:highradius-poc-gcs-blobstorage9 | wc -l 1780 rclone ls
gcs:highradius-poc-gcs-blobstorage9 1781 sudo docker ps --format "{{.Names}}" | grep
rollback-worker | wc -l 1782 sudo -u postgres psql -d gcssync 1783 ps -ef | grep
listener.py 1784 sudo docker ps 1785 pkill -f rollback_listener.py 1786 ps -ef | grep
listener.py 1787 cat .env 1788 sudo docker stop $(sudo docker ps --format "{{.Names}}")
| grep rollback-worker) 1789 sudo docker ps 1790 ps -ef | grep listener.py 1791 pkill -f
rollback_listener.py 1792 ps -ef | grep listener.py 1793 grep rollback_listener.py 1794
cd /opt/gcs-azure-sync-v2 1795 source venv/bin/activate 1796 set -a 1797 source .env
1798 set +a 1799 nohup python listener.py > listener.log 2>&1 & 1800 ps -ef | grep
listener.py 1801 history 1802 sudo systemctl stop azure-gcs-rollback 1803 sudo
systemctl disable azure-gcs-rollback 1804 ps -ef | grep listener.p 1805 (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ sudo systemctl stop azure-
gcs-rollback 1806 (venv) trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ sudo
systemctl disable azure-gcs-rollback 1807 Removed "/etc/systemd/system/multi-
user.target.wants/azure-gcs-rollback.service". 1808 (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ ps -ef | grep listener.p 1809
trianza+ 122835 104407 23 10:47 pts/8 00:00:28 python listener.py 1810 trianza+
132669 104407 0 10:49 pts/8 00:00:00 grep --color=auto listener.p 1811 (venv)
trianzadmin@gcstoblobstorage:/opt/gcs-azure-sync-v2$ 1812 sudo docker ps 1813 ``
1814 python listener.py 1815 ifconfig 1816 exit 1817 sudo -u postgres psql -d gcssync
1818 date 1819 sudo -u postgres psql -d gcssync 1820 rclone ls gcs:highradius-poc-
gcs-blobstorage6 | wc -l 1821 history 1822 source .env 1823 rclone ls
azureblob:highradius-poc-gcs-blobstorage9 | grep failbackes_ | wc -l 1824 rclone ls
azureblob:highradius-poc-gcs-blobstorage8 | grep forward_ | wc -l 1825 rclone ls
gcs:highradius-poc-gcs-blobstorage8 | grep forward_ | wc -l 1826 history 1827 sudo vi
/etc/systemd/system/gcs-forward-listener.service 1828 sudo systemctl daemon-
```

```

reload 1829 sudo systemctl enable gcs-forward-listener 1830 sudo systemctl start gcs-
forward-listener 1831 sudo systemctl status gcs-forward-listener 1832 python -c " 1833
import os 1834 from azure.storage.queue import QueueClient 1835
q=QueueClient.from_connection_string( 1836
os.environ['AZURE_QUEUE_CONN_STR'], 1837 os.environ['AZURE_QUEUE_NAME']
1838 ) 1839 print(q.get_queue_properties().approximate_message_count) 1840 " 1841
source venv/bin/activate 1842 cd /opt/gcs-azure-sync-v2/ 1843 source
venv/bin/activate 1844 set -a 1845 source .env 1846 set +a 1847 python -c " 1848
import os 1849 from azure.storage.queue import QueueClient 1850
q=QueueClient.from_connection_string( 1851
os.environ['AZURE_QUEUE_CONN_STR'], 1852 os.environ['AZURE_QUEUE_NAME']
1853 ) 1854 print(q.get_queue_properties().approximate_message_count) 1855 " 1856
python -c " 1857 import os 1858 from azure.storage.queue import QueueClient 1859
q=QueueClient.from_connection_string( 1860
os.environ['AZURE_QUEUE_CONN_STR'], 1861 os.environ['AZURE_QUEUE_NAME']
1862 ) 1863 print(q.get_queue_properties().approximate_message_count) 1864 " 1865
rclone ls gcs:highradius-poc-gcs-blobstorage4 | wc -l 1866 rclone ls
azureblob:highradius-poc-gcs-blobstorage4 | wc -l 1867 rclone sync gcs:highradius-
poc-gcs-blobstorage4 azureblob:highradius-poc-gcs-blobstorage4 1868 rclone ls
azureblob:highradius-poc-gcs-blobstorage4 | wc -l 1869 rclone sync gcs:highradius-
poc-gcs-blobstorage4 azureblob:highradius-poc-gcs-blobstorage4 1870 rclone sync
gcs:highradius-poc-gcs-blobstorage4 azureblob:highradius-poc-gcs-blobstorage4 -P
1871 rclone ls gcs:highradius-poc-gcs-blobstorage4 | wc -l 1872 rclone ls
azureblob:highradius-poc-gcs-blobstorage4 | wc -l 1873 exit 1874 python listener.py
1875 cd /opt/gcs-azure-sync 1876 cd .. 1877 cd gcs-azure-sync-v2/ 1878 python
listener.py 1879 set -a 1880 source .env 1881 set +a 1882 python listener.py 1883
history 1884 python listener.py 1885 ls 1886 histroty 1887 history 1888 python -c "
import os from azure.storage.queue import QueueClient

q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],
os.environ['AZURE_QUEUE_NAME'] )

print(q.get_queue_properties().approximate_message_count) " 1889 cd /opt/gcs-azure-
sync-v2/ 1890 source venv/bin/activate 1891 set -a 1892 source .env 1893 set +a 1894
python -c " import os from azure.storage.queue import QueueClient

q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],
os.environ['AZURE_QUEUE_NAME'] )

print(q.get_queue_properties().approximate_message_count) " 1895 history 1896
systemctl status azure-gcs-rollback.service 1897 systemctl start azure-gcs-
rollback.service 1898 sudo systemctl start azure-gcs-rollback.service 1899 sudo

```

```
docker ps 1900 history 1901 sudo systemctl start gcs-azure-sync-v2_rollback-worker_1
1902 history 1903 sudo docker-compose up -d --scale worker=10 1904 sudo docker ps
1905 sudo systemctl start azure-gcs-rollback.service 1906 python -c " import os from
azure.storage.queue import QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],
os.environ['AZURE_QUEUE_NAME'] )
```

```
print(q.get_queue_properties().approximate_message_count) " 1907 python -c " import
os from azure.storage.queue import QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],
os.environ['AZURE_QUEUE_NAME'] )
```

```
print(q.get_queue_properties().approximate_message_count) " 1908 python -c " import
os from azure.storage.queue import QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],
os.environ['AZURE_QUEUE_NAME'] )
```

```
print(q.get_queue_properties().approximate_message_count) " 1909 python -c " import
os from azure.storage.queue import QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],
os.environ['AZURE_QUEUE_NAME'] )
```

```
print(q.get_queue_properties().approximate_message_count) " 1910 python -c " import
os from azure.storage.queue import QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],
os.environ['AZURE_QUEUE_NAME'] )
```

```
print(q.get_queue_properties().approximate_message_count) " 1911 python -c " import
os from azure.storage.queue import QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],
os.environ['AZURE_QUEUE_NAME'] )
```

```
print(q.get_queue_properties().approximate_message_count) " 1912 python -c " import
os from azure.storage.queue import QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],
os.environ['AZURE_QUEUE_NAME'] )
```

```
print(q.get_queue_properties().approximate_message_count) " 1913 python -c " import  
os from azure.storage.queue import QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],  
os.environ['AZURE_QUEUE_NAME'] )
```

```
print(q.get_queue_properties().approximate_message_count) " 1914 python -c " import  
os from azure.storage.queue import QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],  
os.environ['AZURE_QUEUE_NAME'] )
```

```
print(q.get_queue_properties().approximate_message_count) " 1915 python -c " import  
os from azure.storage.queue import QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],  
os.environ['AZURE_QUEUE_NAME'] )
```

```
print(q.get_queue_properties().approximate_message_count) " 1916 python -c " import  
os from azure.storage.queue import QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],  
os.environ['AZURE_QUEUE_NAME'] )
```

```
print(q.get_queue_properties().approximate_message_count) " 1917 sudo -u postgres  
psql -d gcssync 1918 python -c " import os from azure.storage.queue import  
QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],  
os.environ['AZURE_QUEUE_NAME'] )
```

```
print(q.get_queue_properties().approximate_message_count) " 1919 python -c " import  
os from azure.storage.queue import QueueClient
```

```
q=QueueClient.from_connection_string( os.environ['AZURE_QUEUE_CONN_STR'],  
os.environ['AZURE_QUEUE_NAME'] )
```

```
print(q.get_queue_properties().approximate_message_count) " 1920 history
```