### Web Basics – HTML 5

Lesson 3. List



## Lesson Objectives



In this lesson, you will learn about:

Numbered List

- Bulleted List

## Numbered List Numbered List



List of items can be numbered or ordered is called numbered/ordered List

Tags can be used for creating ordered list are:

- <
- tag
- Defines a list item.
- Should be used as a child tag of either <OL> or <UL> tag.
- tag
- defines an ordered list.
- An ordered list can be numerical or alphabetical.
- Attributes in tag are
  - start
  - type

# 3.1: Numbered List Example

Example (Code)

```
<!DOCTYPE html>
 <html>
     <body>
      <h2>My favorite cricket teams</h1
     <0|>
          <|i>INDIA</|i>
          SRILANKA
     </body>
 </html>
```

Output

- 1. INDIA
- 2. SRILANKA

# Attributes in <OL> tag



#### Type Attribute:

- Specifies the kind of marked to use in the list
- Valid values for the Type Attribute
  - A-Uppercase letters
  - a-Lowercase letters
  - I-Uppercase Roman letters
  - i-Lowercase Roman letters
  - 1-Standard numbers, default

#### Start Attribute

Specifies the start value of an ordered list

# 3.1: Numbered List **Example**



•Example:

```
<!DOCTYPE html>
<html>
   <body>
      <h2>My favorite cricket teams<h2>
         INDIA
             SRILANKA
             PAKISTAN
             AUSTRALIA
             SOUTH AFRICA
         <0|>
   </body>
</html>
```

#### Output

- b. INDIA
- c. SRILANKA
- d. PAKISTAN
- e. AUSTRALIA
- f. SOUTH AFRICA

#### 3.1: Numbered List

## Demo



NumberedList.html

## Bulleted List Bulleted List



List of items prefixed with bullets is called Bulleted /Unordered List tag

- defines an unordered list.
- An unordered list items will be marked with bullets (small black circles).

#### Example

```
<!DOCTYPE html>
<html>
<html>
<body>
<h2>My favorite cricket teams</h2>

INDIA
SRILANKA
</body>
</html>
```

#### Output

- INDIA
- SRILANKA

# Attributes in <UL> tag



#### Style Attribute:

• Can be used in <UL> tag to define the style of the marker.

Style Attribute Value	Description
list-style-type:disc	The list items will be marked with bullets (default)
list-style-type:circle	The list items will be marked with circles
list-style-type:square	The list items will be marked with squares
list-style-type:none	The list items will not be marked
list-style-image: url('logo.gif');	The list items will be marked with an image

#### Example

<UL style="list-style-type:circle"> will be used to prefix unordered list of items with square.

## Example (Code):



#### Example

```
<!DOCTYPE html>
<html>
  <body>
         <h2>My favorite cricket
teams</h2>
         style="list-style-
type:square">
               INDIA
               SRILANKA
         </body>
</html>
```

#### Output

- INDIA
- SRILANKA

# 3.2 Bulleted List Demo



BulletedList.html

## Lab



Lab 3

### Lesson Summary



In this lesson, you have learnt about:

- Types of available list items
- Create bulleted, numbered and glossary listed items



### Review Question: Questions



Question 1:Which tag is used at the beginning of an Ordered List

- < < 0 |>
- < |i>>

Question 2:To create a bulleted list <UL> tag is used • True/ False

Question 3: \_\_\_\_\_ attribute is used to modify the appearance of bullets



## Review Question: Match the Following



1. <dd>&gt;</dd>
------------------

- 3.
- 4.
- 5.
- 6. <ul style="list-styletype:circle">

- a. 1-Standard numbers
- b. Square Form
- c. A-Uppercase letters
- d. I-Uppercase Roman letters
- e. Data Definition
- f. Data Term

