

# Priority Experimental Engines: Multidimensional SBC and Phase-Aware Interference

An independent, evidence-conscious assessment of the proposed architecture, its fit with the current codebase, and the safest path from research prototype to prospective evaluation.

PROCEED WITH CORRECTIONS

|                   |                                                                                                                                                         |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| Document reviewed | Priority Experimental Engines: Multidimensional SBC and Phase-Aware Interference - Codex Guide                                                          |
| Review basis      | Complete 26-page document review, visual inspection, comparison with the current SBC/Vedha/forex source, status records and focused verification tests. |
| Prepared          | 28 July 2026                                                                                                                                            |

**Scope note.** This review evaluates software architecture, epistemic controls and current implementation readiness. It does not certify Jyotish doctrine, establish financial efficacy, or authorize automated execution.

# 1 Executive Verdict

The guide is a strong research architecture proposal. Its multidimensional SBC decomposition, timestamp-safe interval model, auditability and safety ladder are worth building. However, the document is not classical doctrine, independent empirical evidence, or proof that phase interference predicts markets.

The recommended decision is therefore selective: implement the multidimensional SBC foundation after correcting several contracts; build fixed-polarity phasors only as an exact equivalence and visualisation layer; keep continuous timing phase isolated until it survives predeclared out-of-sample testing.

## What the guide gets right

- **Honest status progression:** implementation, source certification, financial validation and execution are correctly treated as separate gates.
- **Evidence-preserving channels:** supportive, adverse, activation, conflict, confidence, unknown and Vedha pressures remain separately visible.
- **Timestamp safety:** atomic, non-overlapping intervals are preferable to retrospective smoothing across unknown or invalid segments.
- **Deduplication:** one planetary configuration must not become several independent votes merely because it appears in aspect, SBC and Ashtakavarga views.
- **Execution quarantine:** no LLM-generated number, hidden coefficient or experimental signal is allowed to reach MT5 or Auto Suggest.
- **Prospective discipline:** purged walk-forward evaluation, embargoes, immutable cohorts and preservation of null results are explicitly required.

## Important classification

The PDF metadata identifies it as an OpenAI-prepared project guide. That does not make it invalid, but it means it should be catalogued as **project specification / engineering hypothesis**, not ingested into the classical-text knowledge base as an authoritative Jyotish source.

## Decision at a glance

| BUILD NOW                                                   | BUILD CAUTIOUSLY                                           | HOLD                                                        |
|-------------------------------------------------------------|------------------------------------------------------------|-------------------------------------------------------------|
| Atomic SBC intervals, separated metrics and audit contracts | Fixed 0/pi phasor equivalence and non-voting visualisation | Directional timing-phase claims and every execution pathway |

## 2 Current Codebase Reality

| Capability               | Current state            | Assessment                                                                                                                      |
|--------------------------|--------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| SBC foundation           | Implemented              | Timestamp-safe snapshots, Panchanga, nakshatra, 81-cell grid and explicit profile hashes exist.                                 |
| Vedha ledger             | Partially implemented    | Favorable, adverse, net, normalized direction, unresolved count and coverage already exist.                                     |
| Chakra workspace         | Implemented              | 9x9 board, actors, matched cells and guidance ledger are packaged.                                                              |
| Atomic SBC intervals     | Not implemented          | The present engine evaluates snapshots rather than a complete boundary-swept time series.                                       |
| Multidimensional metrics | Partial                  | Direction is present; activation, conflict, formal confidence and unknown channels are not complete contracts.                  |
| Forex composition        | Research foundation only | Independent latent currencies, base-minus-quote arithmetic and invariants exist, but the connector is unscored and uncertified. |
| Phase engine             | Not implemented          | No fixed-phasor, timing-phase, coherence or interference runtime exists.                                                        |
| Prospective validation   | Not registered           | Identity, source-profile scoring and protocol freeze remain blockers.                                                           |

**Verification:** 82 focused SBC, Vedha, Chakra, service and instrument-relative forex research tests passed during this review. The gap is therefore primarily missing second-generation contracts and evidence, not a broken existing foundation.

## 3 Corrections Required Before Build

### 3.1 Forex common-mode activation

The guide proposes  $(\text{abs}(\text{USD\_raw}) + \text{abs}(\text{JPY\_raw})) / 2$ . This measures absolute net strength, not true gross evidence activation. Internal supportive and adverse cancellation has already been lost inside each raw score.

```
gross_activation = (S_A_USD + S_A_JPY) / 2
joint_net_strength = (abs(USD_raw) + abs(JPY_raw)) / 2
```

### 3.2 Timing phase can reverse apparent polarity

For an adverse vector, adding a timing phase larger than  $\pi/2$  can make its real projection positive. The source label remains adverse while the displayed directional result appears supportive.

```
For directional display: abs(phi_timing) < pi/2 - margin
Otherwise: classify output as non-directional timing geometry.
```

### 3.3 Unknown share is not yet a known magnitude

An unresolved contribution often lacks the multiplier needed to know its magnitude. A magnitude-based unknown share would therefore invent information. Begin with count-based coverage and an explicit reason ledger.

```
S_U_count = unresolved_eligible_count / eligible_count
Unknown magnitude = null until magnitude is source-defined.
```

### 3.4 Confidence aggregation is not frozen

The phrase 'minimum-sensitive or geometric' permits materially different results. One versioned formula, missing-factor behavior, floors and calibration rules must be selected before exposing  $S_Q$ .

```
Do not average away a critical failure.
Do not multiply the same uncertainty into both magnitude and confidence.
```

### 3.5 Causal clusters need reproducible assignment

INDEPENDENT, DUPLICATE, REINFORCING\_MODIFIER and related labels are useful, but the guide does not specify deterministic membership rules. Analyst discretion could otherwise change the score.

```
Every cluster decision needs rule ID, evidence IDs, profile version,
reason code, and a deterministic test fixture.
```

## 4 Phase Engine: Useful Mathematics, Limited Claim

The fixed supportive phase 0 and adverse phase pi is mathematically equivalent to the existing signed scalar sum. It adds **no new predictive information**. Its value is architectural: it proves the vector implementation, exposes cancellation visually and provides a controlled baseline for later experiments.

### Fixed 0/pi mode - GO

- Require exact equality between scalar net and Re(Z) within frozen tolerance.
- Require gross activation to equal the sum of contribution magnitudes.
- Return no dominant phase when the resultant is near zero.
- Expose cancellation separately from low activity.
- Keep the implementation non-voting and execution-locked.

### Continuous timing phase - HOLD FOR CONTROLLED EXPERIMENT

Applying, exact and separating positions are observable. Mapping those positions onto a rotating angle is not a classical rule or physical wave law. It is a model choice. A linear time-to-angle mapping can create false precision, especially for asymmetric aspect windows, retrograde loops, repeated exact hits and stations.

| Required control                 | Why it matters                                                                                                 |
|----------------------------------|----------------------------------------------------------------------------------------------------------------|
| Versioned lifecycle segments     | Applying, exact, separating, station and retrograde loops cannot share an implicit symmetric window.           |
| Bounded phase span               | Prevents timing rotation from silently reversing the displayed supportive/adverse axis.                        |
| Separate labels                  | Polarity, timing angle, real projection and quadrature must never be collapsed into one bullish/bearish label. |
| Training-only candidate profiles | Alternative spans and kernels belong inside purged training folds, not certified defaults.                     |
| Ablation                         | The timing model must beat the scalar baseline prospectively, not merely produce a more attractive visual.     |

### Source boundary

Even if input polarities are page-certified, the phasor transform itself remains an engineering layer. A more honest status label would be **SOURCE\_PROFILED\_EXPERIMENTAL**, rather than implying that the phase construction is source-certified.

## 5 Recommended Delivery Sequence

| Gate      | Deliverable                                                                   | Decision                        |
|-----------|-------------------------------------------------------------------------------|---------------------------------|
| P0        | Corrected gap audit against existing SBC, Chakra and forex modules            | GO                              |
| P1        | Frozen contribution, provenance, unknown, interval and cluster contracts      | GO                              |
| S1-S2     | Boundary-swept atomic intervals plus multidimensional SBC ledger              | GO                              |
| S3        | Reuse Chakra Lab for synchronized time series and audit inspection            | GO                              |
| S4        | Independent USD/JPY composition with accepted identities and immutable export | GO WITH SOURCE BLOCKS           |
| F1        | Fixed $0/\pi$ phasor equivalence core                                         | GO, NON-VOTING                  |
| F2        | Phasor visualisation and near-zero handling                                   | GO AFTER F1                     |
| F3-F4     | Deterministic timing phase and comparison profiles                            | HOLD FOR PREDECLARED EXPERIMENT |
| V1-V2     | Purged walk-forward study and frozen prospective observer cohort              | MANDATORY BEFORE CLAIMS         |
| Execution | Auto Suggest, official ML notes or MT5 influence                              | BLOCKED                         |

### Additional contract fields to add

- Evidence cutoff timestamp and as-of timestamp.
- Calculation version, profile hash and instrument-mapping identity.
- Source locator, source role and transcription certainty.
- Unknown reason, causal-cluster role and prospective/historical segment.
- Units, normalization domain, epsilon, activation floor and numeric tolerance.
- Explicit declaration of whether Vedha channels are diagnostic subsets or included once in the total SBC field.

### Final recommendation

**Proceed with the multidimensional SBC engine. It extends an existing, tested foundation and improves honesty by separating direction from activation, conflict and uncertainty. Prototype fixed-phase visualisation cautiously. It is useful as a mathematical audit but does not create predictive evidence. Defer directional timing-phase claims. They require corrected semantics, frozen profiles, ablation and prospective evaluation.**

The most important discipline is linguistic as well as technical: 'implemented' must never become 'validated', and 'source-profiled input' must never become 'source-certified phase physics'. With those boundaries, the guide can become a valuable next research milestone.

### Document-quality notes

The guide is clear and professionally structured. Minor corrections: page 8 is blank; the validation ladder on page 11 is numbered 8 through 15 rather than 1 through 8; and the phrase 'full multidimensional SBC' should mean complete engineering channels, not complete source-certified Jyotish doctrine.