

READ-ONLY RESEARCH GUIDE


Sarvatobhadra Chakra Lab

Easy user manual for Gann Astro Desk 0.10.9


HOW THE PROGRAM DRAWS VEDHA RAYS

The direction is relative to a planet facing inward from its nakshatra cell.

LEFT



FRONT



RIGHT




Figure-relative only: LEFT and RIGHT are not compass directions. Absolute cardinal orientation remains unresolved.

The lab uses source-profiled, figure-relative Vedha geometry on an 81-cell board.

READ ONLY

NO LOOKAHEAD

NOT FINANCIALLY VALIDATED

Purpose: Use this lab to inspect source-profiled Sarvatobhadra context and Vedha evidence for one moment. Its percentage is an evidence-balance meter, not probability, confidence, market direction, or permission to trade.

Manual version 1.0 | 18 July 2026 | Raman sidereal profile

Quick Start

SARVATOBHADRA CHAKRA LAB

Six-step beginner workflow in Gann Astro Desk 0.10.9

1

Open Chakra

Choose Chakra in the top workspace bar.

2

Set moment and place

Enter the IST timestamp and intentional research coordinates.

3

Choose actors

For a first run, keep fixed actors and uncheck planets marked Required.

4

Refresh snapshot

Inputs do not recalculate until you press Refresh snapshot.

5

Read the board

Green = context, gold = ray, magenta = matched, cyan = selected.

6

Read the ledger

Check score, favorable/adverse units, coverage, matched cells, and inspector.

STOP

The percentage is an evidence-balance meter. It is not probability, confidence, bullish/bearish direction, or permission to trade.

Begin with this six-step workflow. Detailed explanations follow.

Best first run: Keep Sun, Moon, Rahu, and Ketu selected. Uncheck Mars, Mercury, Jupiter, Venus, and Saturn until you have verified their motion class. This avoids guessing.

Screen Tour

The screenshot shows the Gann Astro Desk interface with the SarvatoBhadra Chakra Lab workspace. The interface is divided into several sections, each labeled with a number 1 through 8:

- 1 Chakra tab:** Located at the top left, it shows the Gann Astro Desk logo and the SarvatoBhadra Chakra Lab workspace.
- 2 Moment and place:** Located on the left side, it displays the current moment (19-07-2023 21:58) and place (19-07-2023 21:58).
- 3 Optional context:** Located on the left side, it displays the current context (A, M) and name (A, M).
- 4 Vedha actors:** Located on the left side, it displays a list of actors (SUN, MOON, MARS, JUPITER, VENUS, SATURN, HAHU, KETU) with their respective states (Fixed, Requested, or Locked).
- 5 81-cell board:** The central area, displaying an 81-cell grid of data, including Nakshatra, rashi, tithi, weekday, vowel, and initial layers.
- 6 Board legend:** Located on the right side, it displays a legend for the 81-cell board, showing context, ray, and matched color states.
- 7 Guidance ledger:** Located on the right side, it displays a ledger of evidence balance, units, net, and coverage.
- 8 Evidence and inspector:** Located on the right side, it displays a list of evidence (SUN, MOON, MARS, JUPITER, VENUS, SATURN, HAHU, KETU) with their respective states (Fixed, Requested, or Locked).

Actual native 0.10.9 Chakra Lab screen, annotated for this manual.

No.	Area	What it is for
1	Chakra tab	Opens the read-only Chakra Lab workspace.
2	Moment and place	IST timestamp, latitude, longitude, and altitude.
3	Optional context	Research-only vowel and name-initial keys.
4	Vedha actors	Planet selection, explicit motion, and dignity.
5	81-cell board	Nakshatra, rashi, tithi, weekday, vowel, and initial layers.
6	Board legend	Context, ray, and matched color states.
7	Guidance ledger	Evidence balance, units, net, and coverage.
8	Evidence and inspector	Actor readiness, matched cells, and selected-cell layers.

The Idea in One Minute


The program builds one 9 x 9 Sarvatobhadra board for the moment you choose. Each cell can contain one or more certified layers, such as a nakshatra, rashi, tithi group, weekday, vowel, or name-initial key.

1. The current moment supplies context values: planetary nakshatras and rashis, the tithi group, and any optional letter keys you enter.
2. Each selected planet starts from its current nakshatra cell and projects one source-profiled Vedha ray.
3. A matched cell occurs only where a ray target overlaps the current context.
4. Only matched cells enter the guidance ledger; ordinary ray cells do not score.


HOW THE PROGRAM DRAWS VEDHA RAYS

The direction is relative to a planet facing inward from its nakshatra cell.

LEFT



FRONT



RIGHT




Figure-relative only: LEFT and RIGHT are not compass directions. Absolute cardinal orientation remains unresolved.

Left, front, and right are relative to the figure. They are not North, South, East, or West.

Important: The program deliberately does not claim an absolute compass orientation because the held source figures have an unresolved rotation conflict.

1. Set the Moment

Timestamp

Enter the moment in IST. The app sends an explicit +05:30 offset and derives astronomy, Panchanga, placements, board context, and Vedha evidence from the same cutoff. There is no lookahead inside the snapshot.

- For current research, use the present IST date and time.
- For historical research, enter the exact historical IST moment you intend to study.
- After changing any input, press Refresh snapshot. Inputs do not recalculate automatically.

Location

Latitude, longitude, and altitude define the geographic reference used by the foundation calculation. The fields are prefilled from the active workspace; verify them instead of assuming they represent your laptop location.

Consistency rule: Use one documented location policy for a research series. Changing location between samples can change Panchanga context and makes comparisons harder to interpret.

Optional context

Vowel keys and name-initial keys add extra context layers. Leave both blank for a basic moment study. Do not type an instrument symbol such as USDJPY unless you have a separately reviewed, time-valid mapping.

Field	Example	When to use
Vowel keys	A, AA	Only when a source-reviewed vowel mapping is part of the research question.
Name-initial keys	KA, RA	Only when a source-reviewed name or instrument identity mapping exists.

Current boundary: The separate instrument-relative Forex research layer is not connected to the production Chakra Lab. Optional letters are therefore manual research inputs, not automatic currency mappings.

2. Choose Vedha Actors

A Vedha actor is a selected planet whose current nakshatra becomes the starting cell for one ray. The checkbox includes or excludes the actor from the guidance calculation.

Direction rules used by the program

Actor	Motion	Ray	Beginner instruction
Sun	Fixed	LEFT	No motion choice is needed.
Moon	Fixed	LEFT	Waxing/waning context resolves nature automatically.
Rahu	Fixed	RIGHT	Treated as fixed source-profile direction.
Ketu	Fixed	RIGHT	Treated as fixed source-profile direction.
Mars, Mercury, Jupiter, Venus, Saturn	Direct / swift	LEFT	Choose only with verified motion evidence.
Mars, Mercury, Jupiter, Venus, Saturn	Mean	FRONT	Choose only with verified motion evidence.
Mars, Mercury, Jupiter, Venus, Saturn	Retrograde	RIGHT	Choose only with verified motion evidence.

Why the app says Required: Automatic direct-versus-swift thresholds are not certified. The program refuses to guess. If you do not have verified motion evidence, uncheck that planet or leave it unresolved.

Nature rules

Bodies	Nature	Program behavior
Jupiter, Venus	Benefic	Matched evidence receives a positive sign.
Saturn, Sun, Rahu, Ketu, Mars	Malefic	Matched evidence receives a negative sign.
Moon	Conditional	Non-waning is benefic; waning is malefic in this profile.
Mercury	Conditional	Needs association context; the current UI does not infer it, so matched Mercury evidence can remain unresolved.

3. Set Dignity Without Double Counting

Dignity changes the size of a scored match. It does not change the ray direction. Use the status that is valid for the selected moment; do not choose a value merely to make the score larger.

Setting	Multiplier	Meaning in this ledger
Ordinary	1.0x	One ordinary matched evidence unit.
Retrograde	2.0x	Applied from the actor's motion class.
Exalted	3.0x	Three evidence units for an otherwise resolved match.
Debilitated	0.5x	Half an evidence unit for an otherwise resolved match.

Fail-closed combination: Do not combine Retrograde with Exalted or Debilitated. The held source gives separate multipliers but no certified stacking or precedence rule. The program marks that contribution unresolved and excludes it from the net.

A contribution can also be unresolved when the planet's nature is conditional, such as Mercury without certified association context. Unresolved matches remain visible and reduce Coverage; they are not silently treated as zero evidence.

4. Read the 81-Cell Board

Visual state	Meaning	What to do
Green - Context	The cell contains a value active in the selected moment.	Treat it as current context, not a signal.
Gold outline - Ray	At least one selected actor's Vedha ray reaches the cell.	Inspect only if it overlaps context.
Magenta - Matched	A ray target and current context overlap.	This match appears in Matched cells and may contribute units.
Cyan outline - Selected	You clicked the cell.	Read every certified layer in Cell inspector.

A cell can hold several layers at once. The large label shows the preferred display layer, while the small abbreviations indicate all layers present. Clicking a cell is the reliable way to see its complete contents.

5. Look for magenta matched cells first.
6. Click a matched cell or its entry in Matched cells.
7. Read the layer and value in Cell inspector.
8. Check which actor produced the match and whether the contribution was scored or unresolved.

No matched cells is valid: It means the selected rays did not intersect the current target context. It is not a calculation failure and it is not a neutral market forecast.

5. Read the Guidance Ledger

The ledger summarizes only matched target layers. Its numerical model is an explicit engineering normalization built for comparison. It is not a classical numerical score.

Metric	Plain-English meaning
Favorable	Sum of positive, resolved matched evidence units.
Adverse	Sum of negative, resolved matched evidence units.
Net	Favorable plus Adverse.
Coverage	Scored matched cells divided by all matched cells.
Percentage	Net divided by Favorable plus absolute Adverse, shown from -100% to +100%.
Band	Favorable dominant, adverse dominant, or balanced/no scored hits.

$$\text{normalized score} = \text{net} / (\text{favorable} + \text{absolute adverse})$$

Do not misread -100%: It can mean one adverse match and no favorable match. It does not mean 100% confidence, a 100% chance of decline, or a maximum-strength event. Always read matched count and coverage beside the percentage.

Coverage rule: A low coverage percentage means some matched evidence could not be scored because motion, nature, or multiplier precedence was unresolved. Do not compare low-coverage samples as if they were complete.

Worked Example

This engine-level example is intentionally simple. It demonstrates the arithmetic, not a market forecast.

Actor	Source and ray	Matched target	Signed units
Jupiter	Krittika, Mean -> Front	Shravana	+1.0
Saturn	Krittika, Retrograde -> Right	Bharani	-2.0

Favorable = +1.0. Adverse = -2.0. Net = -1.0. Absolute evidence = 3.0.

-1.0 / 3.0 = -33.3% | Adverse Evidence Dominant

Correct interpretation: Within the supplied Sarvatobhadra context, resolved adverse evidence outweighed resolved favorable evidence. This does not mean short USDJPY, sell Bitcoin, or place any order.

Incorrect interpretation: There is a 33.3% probability of a price decline, or Saturn guarantees a bearish move.

Recommended Beginner Workflows

Workflow A - Safe observation run

9. Open Chakra and verify the IST timestamp and location.
10. Keep Sun, Moon, Rahu, and Ketu selected.
11. Uncheck Mars, Mercury, Jupiter, Venus, and Saturn.
12. Leave vowel and name-initial fields blank.
13. Press Refresh snapshot.
14. Record snapshot ID, score, coverage, matched cells, and the fact that only fixed actors were used.

Workflow B - Full research run

15. Prepare verified motion classes for Mars through Saturn before opening the lab.
16. Select only the actors relevant to the research question.
17. Set dignity from the same timestamp, avoiding retrograde plus non-ordinary combinations.
18. Refresh and inspect Actor evidence for Ready or unresolved status.
19. Record every actor setting together with the snapshot ID.

Workflow C - Instrument identity experiment

Use optional vowel/name-initial keys only with a reviewed mapping record. Keep this work in the separate experimental instrument-relative SBC layer. Do not treat manual letter matching as production financial evidence.

Troubleshooting

What you see	What it means	What to do
Motion Required	A selected variable planet has no explicit motion class.	Set a verified class or uncheck the actor; do not guess.
No matched target cells	No ray intersects current context.	Record zero matches; do not call it neutral or bullish/bearish.
0.0% score	Evidence is balanced or there are no scored hits.	Check matched count, favorable/adverse units, and coverage.
Low coverage	One or more matches are unresolved.	Inspect Mercury nature, missing motion, and multiplier conflicts.
Score did not change	Inputs were edited but the snapshot was not refreshed.	Press Refresh snapshot and confirm the snapshot ID changes.
Unexpected time	Timestamp was entered incorrectly.	Use IST and verify date, hour, and minute before refreshing.
Invalid vowel or initial	The token is outside the certified board vocabulary.	Use the accepted token lists in this manual.
Not financially validated	This is the correct permanent research lock.	Do not seek a setting that removes it.

Snapshot identity: The short code beside Refresh snapshot identifies the exact inputs and evidence. If inputs change, the ID should change. Save it with your research note.

Research Note Template

Use this checklist whenever you compare Chakra evidence with a later market observation. Keeping the input record separate from the future outcome protects against hindsight leakage.

Field	What to record
Snapshot ID	Copy the short ID shown at the top.
Moment	IST date and time used.
Location	Latitude, longitude, altitude, and reason for choosing them.
Context keys	Vowels and initials, or 'blank'.
Actors	Selected planets plus exact motion and dignity settings.
Ledger	Percentage, band, favorable, adverse, net, coverage.
Matched cells	Actor, layer, value, direction, and signed units/unresolved status.
Pre-outcome hypothesis	A plain statement written before seeing later bars.
Outcome observation	Recorded later in a separate timestamped field.
Decision	Keep as research evidence; never backfill it into live inference.

Recommended language: Use 'favorable/adverse evidence dominant' exactly as the app does. Avoid replacing it with bullish, bearish, buy, sell, confidence, or probability.

Accepted Optional Keys

The program uppercases comma-separated input and rejects unknown values. The following machine tokens are accepted by the current 81-cell profile.

Layer	Accepted keys
Vowels	A, AA, I, II, U, UU, VOCALIC_R, LONG_VOCALIC_R, VOCALIC_L, LONG_VOCALIC_L, E, AI, O, AU, ANUSVARA, VISARGA
Name initials	A, VA, KA, HA, DDA, MA, TTA, PA, RA, TA, NA, YA, BHA, JA, KHA, GA, SA, DA, CHA, LA

Semantic exception: NAME_INITIAL:A is kept as its own board cell because the source ring begins with vowel A. The engine does not create a duplicate synthetic vowel target.

Plain-English glossary

Term	Meaning
Actor	A selected planet that projects one Vedha ray.
Context	Values active in the selected moment.
Ray	Figure-relative path generated from an actor's nakshatra cell.
Matched cell	A ray target that overlaps current context.
Contribution	One matched layer with resolved or unresolved guidance units.
Coverage	Share of matched contributions that could be scored.
Evidence cutoff	The same timestamp used for all facts in one snapshot.
Guidance band	Which sign dominates the resolved matched evidence.

What the Chakra Lab Does Not Do

- It does not read price bars or MT5 market data.
- It does not produce bullish, bearish, buy, sell, stop, target, position size, or P/L.
- It does not feed Auto Suggest, the prospective shadow ledger, or order execution.
- It does not infer direct/swift versus mean motion for Mars through Saturn.
- It does not infer Mercury association nature.
- It does not stack retrograde and dignity multipliers.
- It does not apply special corner/junction rules, Latta, or classical natal-severity translation.
- It does not resolve absolute cardinal orientation.
- It is not yet prospectively validated for financial use.

Bottom line: Use the Chakra Lab to organize and compare source-profiled evidence. Keep all market interpretation in a separately validated research workflow.

Source and implementation references

- Gann Astro Desk 0.10.9: `src/views/ChakraLabWorkspace.tsx`.
- Snapshot contract: `sbc/chakra_lab.py`, `SBC_CHAKRA_LAB_SNAPSHOT_V1`.
- Vedha engine and normalized ledger: `sbc/vedha.py`.
- Executable profile: `configs/sbc/vedha/phaladeepika_editor_vedha_guidance_v1.yaml`.
- 81-cell profile: `configs/sbc/grids/sbc_81_rotation_normalized_partial_v1.yaml`.
- Program audit: `docs/sbc/VEDHA_GUIDANCE_AUDIT.md`.
- Primary rule witness: Phaladeepika 1937 editor supplement, PDF pages 347-351, printed pages 310-314.
- Secondary geometry/motion cross-check: Sanjay Rath, Crux of Vedic Astrology, PDF pages 21-22, printed pages 10-11.

END OF MANUAL | VERSION 1.0