# **ASSESSMENT DOCUMENT:**

# Tables for the project:

# Flight:

ysql> des	sc flight;		<b></b>	<b></b>	+
Field	Туре	Null	Key	Default	Extra
f_id   f_name   src   dstn	varchar(30) varchar(30) varchar(30) varchar(30)	NO NO NO		NULL NULL NULL NULL	
4 rows in	set (0.00 sec)	)			

#### **Book:**

mysql> de	sc book;				
Field	Туре	Null	Key	Default	Extra
b_id b_date dst fare f_date f_name src status	int varchar(30) varchar(30) int varchar(30) varchar(30) varchar(30) varchar(30)	NO NO NO NO NO NO NO YES	PRI	NULL NULL NULL NULL NULL NULL NULL NULL	auto_increment
+ 8 rows in	+ set (0.00 sec)	+)	+		<del> </del>

# Passenger:

```
mysql> desc pass;
                        | Null | Key | Default | Extra
  Field | Type
  p_id
           int
                          NO
                                  PRI
                                        NULL
                                                   auto_increment
  f_name
           varchar(30)
                          NO
                                        NULL
           varchar(30)
varchar(30)
  1_name
                          NO
                                        NULL
  gender
                          NO
                                        NULL
  b_id
           int
                          YES
                                 MUL
                                        NULL
5 rows in set (0.00 sec)
```


#### Check-In:

Field	Type	Null	Key	Default	Extra
c_id	int	NO	PRI	NULL	auto_increment
b_id	int	YES	MUL	NULL	
check_time	varchar(30)	NO		NULL	
f_name	varchar(30)	NO		NULL	
l_name	varchar(30)	NO		NULL	
f_date	varchar(30)	NO		NULL	
f_number	varchar(30)	NO		NULL	
s_number	varchar(30)	NO		NULL	


#### **Contact:**

```
mysql> desc contact;
                         | Null | Key | Default |
 Field
                          YES
                                       NULL
 name
           varchar(30)
           varchar(30)
                          YES
 email
                                       NULL
 phone
           varchar(30)
                          YES
                                       NULL
 message | varchar(150)
                         YES
                                       NULL
4 rows in set (0.00 sec)
```


# **Home Page:**



#### **Output:**










Payment is successful!








You have successfully checked in!



# **Admin Page:**





#### **Passenger Details**

Passenger ID	First Name	Last Name	Gender	Booking Id
9	gourav	soni	Male	1006
10	Bhoomika	M	Female	1007
11	Ajay	Kumar	Male	1008
12	Ankush	Raj	Male	1009
13	Gourav	Soni	Male	1010







#### **Booking Details**


Booking ID	Booking date	Destination	Fare	Flight Date	Flight Name	Source
1001	2022-10-25	Bangalore	5000	2022-11-03	BF-101	Delhi
1002	2022-10-25	Bangalore	9000	2022-10-29	BF-102	Chandigarh
1003	2022-10-25	Delhi	2000	2022-10-30	BF-104	Assam
1004	2022-10-25	Shimla	2000	2022-11-06	BF-102	Punjab
1005	2022-10-25	Delhi	3000	2022-11-05	BF-102	Dehradun
1006	2022-10-25	Bangalore	3000	2022-10-28	BF-101	Delhi
1007	2022-10-25	Hyderabad	50000	2022-10-30	BF-101	Delhi
1008	2022-10-25	Ranchi	3000	2022-11-04	BF-103	deogarh
1009	2022-10-26	Bangalore	7000	2022-11-06	BF-105	Ranchi
1010	2022-10-26	Lucknow	5000	2022-11-04	BF-103	Bangalore











# **After Cancellation:**

_id	b_date	dst	fare	f_date	f_name	src	status
 1001	2022-10-25	Bangalore	5000	2022-11-03	BF-101	Delhi	booked
1002	2022-10-25	Bangalore	9000	2022-10-29	BF-102	Chandigarh	NULL
1003	2022-10-25	Delhi	2000	2022-10-30	BF-104	Assam	NULL
1004	2022-10-25	Shimla	2000	2022-11-06	BF-102	Punjab	NULL
1005	2022-10-25	Delhi	3000	2022-11-05	BF-102	Dehradun	NULL
1006	2022-10-25	Bangalore	3000	2022-10-28	BF-101	Delhi	NULL
1007	2022-10-25	Hyderabad	50000	2022-10-30	BF-101	Delhi	NULL
1008	2022-10-25	Ranchi	3000	2022-11-04	BF-103	deogarh	cancelled
1009	2022-10-26	Bangalore	7000	2022-11-06	BF-105	Ranchi	booked
1010	2022-10-26	Lucknow	5000	2022-11-04	BF-103	Bangalore	cancelled

Name: Gourav Soni