

SQL File 22* ×

Limit to 1000 rows | Jump to

```

1 -- 1.Show records of 'male' patient from 'southwest' region.
2 • SELECT*
3 FROM campusx.insurance
4 WHERE gender = 'male' and region= 'southwest'

```

SQLAdditions

Automatic context help is disabled.
Use the toolbar to manually get help
for the current caret position or to
toggle automatic help.

Result Grid | Filter Rows: Export: Wrap Cell Content: □

index	PatientID	age	gender	bmi	bloodpressure	diabetic	children	smoker	region	claim
16	17	35.0	male	34.1	90	No	0	No	southwest	1261.44
17	18	41.0	male	34.4	84	No	0	No	southwest	1261.86
18	19	49.0	male	35.4	97	Yes	0	No	southwest	1263.25
21	22	34.0	male	31.1	96	No	0	No	southwest	1526.31
47	48	31.0	male	39.5	80	Yes	0	No	southwest	1682.6
72	73	22.0	male	34.4	98	Yes	0	No	southwest	1826.84
73	74	20.0	male	20.9	98	No	1	No	southwest	1832.09
74	75	50.0	male	24.6	90	No	1	No	southwest	1837.24
76	77	38.0	male	28.4	87	No	1	No	southwest	1842.52
84	85	36.0	male	22	88	Yes	1	No	southwest	1964.78
100	101	30.0	male	22.3	83	Yes	1	No	southwest	2103.08
140	141	47.0	male	35.2	80	No	1	No	southwest	2416.96

insurance 1 ×

Output:

Action Output

#	Time	Action	Message	Duration / Fetch
75	10:32:16	UPDATE campusx.insurance_data SET claim = '5000' where PatientID = '1234'	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'claim = '5000'' at line 1	0.000 sec
76	10:34:05	UPDATE campusx.insurance_data SET PatientID = '5000' where claim = '1234'	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'PatientID = '5000'' at line 1	0.000 sec
77	10:48:23	rename table insurance_data as insurance	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'rename table insurance_data as insurance' at line 1	0.000 sec
78	10:48:42	alter table insurance_data as insurance	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'alter table insurance_data as insurance' at line 1	0.000 sec
79	10:49:38	alter TABLE insurance_data RENAME TO INSURANCE	0 row(s) affected	0.203 sec
80	10:50:55	SELECT* FROM campusx.insurance WHERE gender = 'male' and region= 'southwest' LIMIT 0, 1000	152 row(s) returned	0.016 sec / 0.000 sec

MySQL Workbench

MyConnection ×

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

- campusx
 - Tables
 - Insurance
 - Smartphones
 - users
- Views
- Stored Procedures
- Functions
- praveendb
- sys

Administration Schemas Information

No object selected

Insurance 2 ×

SQL File 22* ×

Limit to 1000 rows | Jump to

```

1 -- 2>Show all records having bmi in range 30 to 45 both inclusive.
2 • SELECT*
3 FROM campusx.insurance
4 WHERE bmi between 30 and 45;

```

SQLAdditions

Automatic context help is disabled.
Use the toolbar to manually get help
for the current caret position or to
toggle automatic help.

Result Grid | Filter Rows: Export: Wrap Cell Content: □

index	PatientID	age	gender	bmi	bloodpressure	diabetic	children	smoker	region	claim
1	2	24.0	male	30.1	87	No	0	No	southeast	1131.51
2	3	male		33.3	82	Yes	0	No	southeast	1135.94
3	4	male		33.7	80	No	0	No	northwest	1136.4
4	5	male		34.1	100	No	0	No	northwest	1137.01
5	6	male		34.4	96	Yes	0	No	northwest	1137.47
6	7	male		37.3	86	Yes	0	No	northwest	1141.45
7	8	19.0	male	41.1	100	No	0	No	northwest	1146.8
8	9	20.0	male	43	86	No	0	No	northwest	1149.4
15	16	32.0	male	30.4	86	Yes	0	No		1256.3
16	17	35.0	male	34.1	90	No	0	No	southwest	1261.44
17	18	41.0	male	34.4	84	No	0	No	southwest	1261.86
18	19	49.0	male	35.4	97	Yes	0	No	southwest	1263.25

insurance 1 ×

Output:

Action Output

#	Time	Action	Message	Duration / Fetch
76	10:34:05	UPDATE campusx.insurance_data SET PatientID = '5000' where claim = '1234'	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'PatientID = '5000'' at line 1	0.000 sec
77	10:48:23	rename table insurance_data as insurance	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'rename table insurance_data as insurance' at line 1	0.000 sec
78	10:48:42	alter table insurance_data as insurance	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'alter table insurance_data as insurance' at line 1	0.000 sec
79	10:49:38	alter TABLE insurance_data RENAME TO INSURANCE	0 row(s) affected	0.203 sec
80	10:50:55	SELECT* FROM campusx.insurance WHERE gender = 'male' and region= 'southwest' LIMIT 0, 1000	152 row(s) returned	0.016 sec / 0.000 sec
81	10:52:25	SELECT* FROM campusx.insurance WHERE bmi between 30 and 45 LIMIT 0, 1000	688 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

Search 25° ENG IN 10:52 26/09/2023

MySQL Workbench

MyConnection

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

campus

- Tables
 - insurance
 - smartphones
 - users
- Views
- Stored Procedures
- Functions
- praveenbd
- sys

SQL File 22* x

```

1 -- 3.Show minimum and maximum bloodpressure of diabetic patient who smokes.
2 -- Make column names as MinBP and MaxBP respectively.
3 • SELECT max(bloodpressure) as MaxBP, min(bloodpressure) as MinBP
4 FROM campusx.insurance
5 WHERE diabetic='YES' and smoker='YES'
    
```

Result Grid | Filter Rows: Export: Wrap Cell Content:

MaxBP	MinBP
140	80

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration Schemas

No object selected

Result 3 x

Output

Action Output

Time	Action	Message	Duration / Fetch
77	10:48:23 rename table insurance_data as insurance	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'rename table insurance_data as insurance' at line 1	0.000 sec
78	10:48:42 alter table insurance_data as insurance	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'alter table insurance_data as insurance' at line 1	0.000 sec
79	10:49:38 alter TABLE insurance_data RENAME TO INSURANCE	0 row(s) affected	0.203 sec
80	10:50:55 SELECT* FROM campusx.insurance WHERE gender = 'male' and region='southwest' LIMIT 0, 1000	152 row(s) returned	0.016 sec / 0.000 sec
81	10:52:25 SELECT* FROM campusx.insurance WHERE bmi between 30 and 45 LIMIT 0, 1000	688 row(s) returned	0.016 sec / 0.000 sec
82	10:54:15 SELECT max(bloodpressure) as MaxBP, min(bloodpressure) as MinBP FROM campusx.insurance WHERE diabetic='YES' and smoker='YES' LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

MySQL Workbench

MyConnection

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

campus

- Tables
 - insurance
 - smartphones
 - users
- Views
- Stored Procedures
- Functions
- praveenbd
- sys

SQL File 22* x

```

1 -- 4.Find no of unique patients who are not from southwest region.
2 • SELECT count(distinct PatientID)
3 FROM campusx.insurance
4 WHERE region > 'southwest';
    
```

Result Grid | Filter Rows: Export: Wrap Cell Content:

count(distinct PatientID)
1026

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration Schemas

No object selected

Result 4 x

Output

Action Output

Time	Action	Message	Duration / Fetch
78	10:48:42 alter table insurance_data as insurance	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'alter table insurance_data as insurance' at line 1	0.000 sec
79	10:49:38 alter TABLE insurance_data RENAME TO INSURANCE	0 row(s) affected	0.203 sec
80	10:50:55 SELECT* FROM campusx.insurance WHERE gender = 'male' and region='southwest' LIMIT 0, 1000	152 row(s) returned	0.016 sec / 0.000 sec
81	10:52:25 SELECT* FROM campusx.insurance WHERE bmi between 30 and 45 LIMIT 0, 1000	688 row(s) returned	0.016 sec / 0.000 sec
82	10:54:15 SELECT max(bloodpressure) as MaxBP, min(bloodpressure) as MinBP FROM campusx.insurance WHERE diabetic='YES' and smoker='YES' LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
83	10:55:20 SELECT count(distinct PatientID) FROM campusx.insurance WHERE region > 'southwest' LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

MySQL Workbench

MyConnection

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

- campusx
 - Tables
 - Views
 - Stored Procedures
 - Functions
- praveendb
- sys

SQL File 22* x

```

1 -- 5.Total claim amount from male smoker.
2 • SELECT sum(claim)
3 FROM campusx.insurance
4 WHERE gender = 'male' and smoker ='yes';
```

Result Grid | Filter Rows: Export: Wrap Cell Content: Result Grid

sum(claim)
5253678.99

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration Schemas

No object selected

Result 5 x

Action Output

#	Time	Action	Message	Duration / Fetch
79	10:49:38	after TABLE insurance_dbo.RENAME TO INSURANCE	0 row(s) affected	0.203 sec
80	10:50:55	SELECT* FROM campusx.insurance WHERE gender = 'male' and region= 'southwest' LIMIT 0, 1000	152 row(s) returned	0.016 sec / 0.000 sec
81	10:52:25	SELECT* FROM campusx.insurance WHERE bmi between 30 and 45 LIMIT 0, 1000	688 row(s) returned	0.016 sec / 0.000 sec
82	10:54:15	SELECT max(bloodpressure) as MaxBP, min(bloodpressure) as MinBP FROM campusx.insurance WHERE region <> 'southwest' LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
83	10:55:20	SELECT count(distinct PatientID) FROM campusx.insurance WHERE region <> 'southwest' LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
84	10:56:16	SELECT sum(claim) FROM campusx.insurance WHERE gender = 'male' and smoker ='yes' LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

MyConnection

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

- campusx
 - Tables
 - Views
 - Stored Procedures
 - Functions
- praveendb
- sys

SQL File 22* x

```

1 -- 6.Select all records of south region.
2 • SELECT *
3 FROM campusx.insurance
4 WHERE region IN ('southeast','southwest');
```

Result Grid | Filter Rows: Export: Wrap Cell Content: Result Grid

index	PatientID	age	gender	bmi	bloodpressure	diabetic	children	smoker	region	claim
270	271	46.0	female	44.2	91	Yes	0	No	southeast	3994.18
274	275	24.0	male	37.3	99	Yes	2	No	southeast	4058.12
276	277	23.0	male	30	95	Yes	1	No	southeast	4074.45
277	278	26.0	male	31.5	95	Yes	1	No	southwest	4076.5
280	281	25.0	female	27.9	88	Yes	0	No	southeast	4137.52
281	282	59.0	female	32.4	94	No	1	No	southwest	4149.74
282	283	48.0	female	33.3	100	Yes	1	No	southeast	4151.03
283	284	34.0	female	24.3	90	Yes	0	No	southeast	4185.1
285	286	27.0	female	30.1	81	No	3	No	southwest	4234.93
286	287	30.0	male	27.6	90	No	1	No	southeast	4237.13
289	290	35.0	male	30.3	80	No	3	No	southwest	4260.74
290	291	49.0	male	44.2	80	No	2	No	southeast	4266.17

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration Schemas

No object selected

Result 6 x

Action Output

#	Time	Action	Message	Duration / Fetch
80	10:50:55	SELECT* FROM campusx.insurance WHERE gender = 'male' and region= 'southwest' LIMIT 0, 1000	152 row(s) returned	0.016 sec / 0.000 sec
81	10:52:25	SELECT* FROM campusx.insurance WHERE bmi between 30 and 45 LIMIT 0, 1000	688 row(s) returned	0.016 sec / 0.000 sec
82	10:54:15	SELECT max(bloodpressure) as MaxBP, min(bloodpressure) as MinBP FROM campusx.insurance WHERE region <> 'southwest' LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
83	10:55:20	SELECT count(distinct PatientID) FROM campusx.insurance WHERE region <> 'southwest' LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
84	10:56:16	SELECT sum(claim) FROM campusx.insurance WHERE gender = 'male' and smoker ='yes' LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
85	10:57:19	SELECT * FROM campusx.insurance WHERE region IN ('southeast','southwest') LIMIT 0, 1000	757 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

MyConnection

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

- campusx
 - Tables
 - Views
 - Stored Procedures
 - Functions
- praveendb
- sys

SQL File 22* x

```

1 -- 6.Select all records of south region.
2 • SELECT *
3 FROM campusx.insurance
4 WHERE region IN ('southeast','southwest');
```

Result Grid | Filter Rows: Export: Wrap Cell Content: Result Grid

index	PatientID	age	gender	bmi	bloodpressure	diabetic	children	smoker	region	claim
270	271	46.0	female	44.2	91	Yes	0	No	southeast	3994.18
274	275	24.0	male	37.3	99	Yes	2	No	southeast	4058.12
276	277	23.0	male	30	95	Yes	1	No	southeast	4074.45
277	278	26.0	male	31.5	95	Yes	1	No	southwest	4076.5
280	281	25.0	female	27.9	88	Yes	0	No	southeast	4137.52
281	282	59.0	female	32.4	94	No	1	No	southwest	4149.74
282	283	48.0	female	33.3	100	Yes	1	No	southeast	4151.03
283	284	34.0	female	24.3	90	Yes	0	No	southeast	4185.1
285	286	27.0	female	30.1	81	No	3	No	southwest	4234.93
286	287	30.0	male	27.6	90	No	1	No	southeast	4237.13
289	290	35.0	male	30.3	80	No	3	No	southwest	4260.74
290	291	49.0	male	44.2	80	No	2	No	southeast	4266.17

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration Schemas

No object selected

Result 6 x

Action Output

#	Time	Action	Message	Duration / Fetch
80	10:50:55	SELECT* FROM campusx.insurance WHERE gender = 'male' and region= 'southwest' LIMIT 0, 1000	152 row(s) returned	0.016 sec / 0.000 sec
81	10:52:25	SELECT* FROM campusx.insurance WHERE bmi between 30 and 45 LIMIT 0, 1000	688 row(s) returned	0.016 sec / 0.000 sec
82	10:54:15	SELECT max(bloodpressure) as MaxBP, min(bloodpressure) as MinBP FROM campusx.insurance WHERE region <> 'southwest' LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
83	10:55:20	SELECT count(distinct PatientID) FROM campusx.insurance WHERE region <> 'southwest' LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
84	10:56:16	SELECT sum(claim) FROM campusx.insurance WHERE gender = 'male' and smoker ='yes' LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
85	10:57:19	SELECT * FROM campusx.insurance WHERE region IN ('southeast','southwest') LIMIT 0, 1000	757 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

MyConnection

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

campus

- Tables
 - insurance
 - smartphones
 - users
- Views
- Stored Procedures
- Functions
- praveendb
- sys

SQL File 22*

```

1 -- 7.No of patient having normal blood pressure. Normal range[90-120]
2 • SELECT COUNT(*)
3   FROM insurance
4   WHERE bloodpressure BETWEEN 90 AND 120;
5
6

```

Result Grid | Filter Rows: Export: Wrap Cell Content: □

COUNT(*)
758

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration Schemas

No object selected

Result 8 x

Action Output

Time	Action	Message	Duration / Fetch
83 10:55:20	SELECT count(distinct PatientID) FROM campus.insurance WHERE region <> 'southwest' LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
84 10:56:16	SELECT sum(claim) FROM campus.insurance WHERE gender = 'male' and smoker = 'yes' LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
85 10:57:19	SELECT * FROM campus.insurance WHERE region IN ('southeast','southwest') LIMIT 0, 1000	757 row(s) returned	0.000 sec / 0.000 sec
86 10:57:48	SELECT * FROM campus.insurance WHERE region = 'south';	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL version.	0.000 sec / 0.000 sec
87 10:57:56	SELECT * FROM campus.insurance WHERE region = 'south'; LIMIT 0, 1000	0 row(s) returned	0.015 sec / 0.000 sec
88 10:58:42	SELECT COUNT(*) FROM insurance WHERE bloodpressure BETWEEN 90 AND 120 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

MyConnection

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

campus

- Tables
 - insurance
 - smartphones
 - users
- Views
- Stored Procedures
- Functions
- praveendb
- sys

SQL File 22*

```

1 -- 8.No of patient below 17 years of age having normal blood pressure as per below formula -
2 -- BP normal range = 80+(age in years * 2) to 100 + (age in years * 2)
3 • SELECT COUNT(*)
4   FROM insurance
5   WHERE age < 17 AND (bloodpressure BETWEEN 80+(age * 2) AND 100 + (age * 2));
6

```

Result Grid | Filter Rows: Export: Wrap Cell Content: □

COUNT(*)
5

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration Schemas

No object selected

Result 10 x

Action Output

Time	Action	Message	Duration / Fetch
85 10:57:19	SELECT * FROM campus.insurance WHERE region IN ('southeast','southwest') LIMIT 0, 1000	757 row(s) returned	0.000 sec / 0.000 sec
86 10:57:48	SELECT * FROM campus.insurance WHERE region = 'south';	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL version.	0.000 sec / 0.000 sec
87 10:57:56	SELECT * FROM campus.insurance WHERE region = 'south'; LIMIT 0, 1000	0 row(s) returned	0.015 sec / 0.000 sec
88 10:58:42	SELECT COUNT(*) FROM insurance WHERE age < 17 AND bloodpressure BETWEEN 80+(age * 2) AND 100 + (age * 2);	1 row(s) returned	0.000 sec / 0.000 sec
89 10:59:55	SELECT COUNT(*) FROM insurance WHERE age < 17 AND bloodpressure BETWEEN 80+(age * 2) AND 100 + (age * 2); LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec
90 11:00:02	SELECT COUNT(*) FROM insurance WHERE age < 17 AND bloodpressure BETWEEN 80+(age * 2) AND 100 + (age * 2);	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

MyConnection

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

campus

- Tables
 - insurance
 - smartphones
 - users
- Views
- Stored Procedures
- Functions

praveendb

sys

SQL File 22*

Limit to 1000 rows

-- 10. Write a SQL query to update the claim amount for the patient with PatientID = 1234 to 5000.

• UPDATE campusx.insurance

SET claim = 5000

WHERE PatientID = 1234;

1
2
3
4
5
6
7
8
9

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration Schemas

No object selected

Information

Action Output

#	Time	Action	Message	Duration / Fetch
88	10:50:42	SELECT COUNT(*) FROM insurance WHERE bloodpressure BETWEEN 90 AND 120 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
89	10:59:55	SELECT COUNT(*) FROM insurance WHERE age < 17 AND bloodpressure BETWEEN 80+(age * 2) AND 120	1 row(s) returned	0.015 sec / 0.000 sec
90	11:00:02	SELECT COUNT(*) FROM insurance WHERE age < 17 AND bloodpressure BETWEEN 80+(age * 2) AND 120	1 row(s) returned	0.000 sec / 0.000 sec
91	11:01:22	SELECT avg(claim) from campusx.insurance where gender='Female' and smoker='NO' and diabetic='YE...'.	1 row(s) returned	0.000 sec / 0.000 sec
92	11:02:06	UPDATE insurance SET claim = 5000 WHERE PatientID = 1234	Error Code: 1175. You are using safe update mode and you tried to update a table without a WHERE that...	0.016 sec
93	11:02:32	UPDATE campusx.insurance SET claim = 5000 WHERE PatientID = 1234	Error Code: 1175. You are using safe update mode and you tried to update a table without a WHERE that...	0.000 sec

Object Info Session

Search

ENG IN 26/09/2023 11:02

MySQL Workbench

MyConnection

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

campus

Tables

insurance

smartphones

users

Views

Stored Procedures

Functions

praveendb

sys

SQL File 22*

Limit to 1000 rows

1 -- 9.What is the average claim amount for non-smoking female patients who are diabetic?
2 • SELECT avg(claim)
3 from campusx.insurance
4 where gender ='female' and smoker='NO' and diabetic ='YES';
5
6

Result Grid

avg(claim)

893.76863117871

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration Schemas

No object selected

Result 11 ×

Action Output

Time	Action	Message	Duration / Fetch
86	10:57:48 SELECT * FROM campusx.insurance WHERE region = 'south';	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL version for the right syntax to use near 'campusx.insurance WHERE region = 'south'' at line 1	0.00 sec
87	10:57:56 SELECT * FROM campusx.insurance WHERE region = 'south'; LIMIT 0, 1000	0 row(s) returned	0.015 sec / 0.000 sec
88	10:58:42 SELECT COUNT(*) FROM insurance WHERE bloodpressure BETWEEN 90 AND 120 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
89	10:59:55 SELECT COUNT(*) FROM insurance WHERE age < 17 AND bloodpressure BETWEEN 80+(age * 2) AND 100	1 row(s) returned	0.015 sec / 0.000 sec
90	11:00:02 SELECT COUNT(*) FROM insurance WHERE age < 17 AND bloodpressure BETWEEN 80+(age * 2) AND 100	1 row(s) returned	0.000 sec / 0.000 sec
91	11:01:22 SELECT avg(claim) from campusx.insurance where gender ='female' and smoker='NO' and diabetic ='YES';	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

MyConnection

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

campus

Tables

insurance

smartphones

users

Views

Stored Procedures

Functions

praveendb

sys

SQL File 22*

Limit to 1000 rows

1 -- 11.Write a SQL query to delete all records for patients who are smokers and have no children.
2 • DELETE FROM insurance
3 WHERE smoker = 'Yes' AND children = 0
4
5
6
7
8
9

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration Schemas

No object selected

Result 11 ×

Action Output

Time	Action	Message	Duration / Fetch
89	10:59:55 SELECT COUNT(*) FROM insurance WHERE age < 17 AND bloodpressure BETWEEN 80+(age * 2) AND 100	1 row(s) returned	0.015 sec / 0.000 sec
90	11:00:02 SELECT COUNT(*) FROM insurance WHERE age < 17 AND bloodpressure BETWEEN 80+(age * 2) AND 100	1 row(s) returned	0.000 sec / 0.000 sec
91	11:01:22 SELECT avg(claim) from campusx.insurance where gender ='female' and smoker='NO' and diabetic ='YES';	1 row(s) returned	0.000 sec / 0.000 sec
92	11:02:06 UPDATE insurance SET claim = 5000 WHERE PatientID = 1234	Error Code: 1175. You are using safe update mode and you tried to update a table without a WHERE clause. This update affected 0 rows.	0.016 sec
93	11:02:32 UPDATE campusx.insurance SET claim = 5000 WHERE PatientID = 1234	Error Code: 1175. You are using safe update mode and you tried to update a table without a WHERE clause. This update affected 0 rows.	0.000 sec
94	11:03:15 DELETE FROM insurance WHERE smoker = 'Yes' AND children = 0	Error Code: 1175. You are using safe update mode and you tried to update a table without a WHERE clause. This update affected 0 rows.	0.000 sec

Object Info Session