

Table 14.1.2 Treatment Emergent Adverse Events by Treatment, System Organ Class and Preferred Term
Safety Population - Group B (Cisplatin and Capecitabine)

	Treatment
MedDRA System Organ Class	Group-B
MedDRA Preferred Term	(n=436)
Number of Subjects with TEAEs	433 (99.3%)
Blood and lymphatic system disorders	317 (72.7%)
Anaemia	162 (37.2%)
Anaemia macrocytic	1 (0.2%)
Bone marrow failure	2 (0.5%)
Disseminated intravascular coagulation	1 (0.2%)
Febrile neutropenia	5 (1.1%)
Granulocytopenia	7 (1.6%)
Hypercoagulation	1 (0.2%)
Hypochromasia	1 (0.2%)
Leukocytosis	1 (0.2%)
Leukopenia	99 (22.7%)
Lymphopenia	4 (0.9%)
Neutropenia	241 (55.3%)
Neutrophilia	2 (0.5%)
Splenic vein thrombosis	1 (0.2%)
Thrombocytopenia	91 (20.9%)
Thrombocytosis	1 (0.2%)
White blood cell disorder	1 (0.2%)
Cardiac disorders	49 (11.2%)
Acute myocardial infarction	2 (0.5%)
Angina pectoris	2 (0.5%)
Atrial fibrillation	4 (0.9%)
Atrial flutter	1 (0.2%)

TEAEs: Treatment-emergent adverse events.

Subjects are counted once within each System Organ Class and Preferred Term.

n = Number of subjects with at least one event.

N = Number of subjects in the safety population. % = $100 \times n/N$.

Source: /home/u64240743/gastric/TABLES/AE_TABLE_1.sas

Date: 21MAY2026

Table 14.1.2 Treatment Emergent Adverse Events by Treatment, System Organ Class and Preferred Term
Safety Population - Group B (Cisplatin and Capecitabine)

MedDRA System Organ Class MedDRA Preferred Term	Treatment
	Group-B (n=436)
Atrial thrombosis	1 (0.2%)
Atrioventricular block first degree	2 (0.5%)
Bradycardia	1 (0.2%)
Bundle branch block right	1 (0.2%)
Cardiac arrest	1 (0.2%)
Cardio-respiratory arrest	4 (0.9%)
Cardiomyopathy	1 (0.2%)
Cardiopulmonary failure	2 (0.5%)
Cardiotoxicity	2 (0.5%)
Cardiovascular disorder	1 (0.2%)
Extrasystoles	1 (0.2%)
Intracardiac thrombus	1 (0.2%)
Left ventricular hypertrophy	1 (0.2%)
Myocardial infarction	2 (0.5%)
Myocardial ischaemia	6 (1.4%)
Palpitations	6 (1.4%)
Pericardial effusion	1 (0.2%)
Sinus tachycardia	3 (0.7%)
Tachycardia	4 (0.9%)
Ventricular arrhythmia	1 (0.2%)
Ventricular extrasystoles	1 (0.2%)
Congenital, familial and genetic disorders	2 (0.5%)
Epidermolysis	1 (0.2%)
Pyloric stenosis	1 (0.2%)

TEAEs: Treatment-emergent adverse events.

Subjects are counted once within each System Organ Class and Preferred Term.

n = Number of subjects with at least one event.

N = Number of subjects in the safety population. % = $100 \times n/N$.

Source: /home/u64240743/gastric/TABLES/AE_TABLE_1.sas

Date: 21MAY2026

Table 14.1.2 Treatment Emergent Adverse Events by Treatment, System Organ Class and Preferred Term
Safety Population - Group B (Cisplatin and Capecitabine)

MedDRA System Organ Class MedDRA Preferred Term	Treatment
	Group-B (n=436)
Ear and labyrinth disorders	42 (9.6%)
Deafness	8 (1.8%)
Deafness unilateral	1 (0.2%)
Ear discomfort	1 (0.2%)
Hearing impaired	4 (0.9%)
Hypoacusis	2 (0.5%)
Ototoxicity	1 (0.2%)
Presbycusis	1 (0.2%)
Tinnitus	23 (5.3%)
Vertigo	8 (1.8%)
Endocrine disorders	2 (0.5%)
Adrenal insufficiency	1 (0.2%)
Hyperthyroidism	1 (0.2%)
Eye disorders	19 (4.4%)
Cataract	1 (0.2%)
Conjunctival hyperaemia	1 (0.2%)
Conjunctivitis	4 (0.9%)
Conjunctivitis allergic	1 (0.2%)
Diplopia	1 (0.2%)
Dry eye	2 (0.5%)
Eye swelling	1 (0.2%)
Lacrimation increased	2 (0.5%)
Ocular discomfort	1 (0.2%)
Ocular icterus	1 (0.2%)

TEAEs: Treatment-emergent adverse events.

Subjects are counted once within each System Organ Class and Preferred Term.

n = Number of subjects with at least one event.

N = Number of subjects in the safety population. % = $100 \times n/N$.

Source: /home/u64240743/gastric/TABLES/AE_TABLE_1.sas

Date: 21MAY2026

Table 14.1.2 Treatment Emergent Adverse Events by Treatment, System Organ Class and Preferred Term
Safety Population - Group B (Cisplatin and Capecitabine)

MedDRA System Organ Class MedDRA Preferred Term	Treatment
	Group-B (n=436)
Photophobia	1 (0.2%)
Retinal vein thrombosis	1 (0.2%)
Vision blurred	4 (0.9%)
Visual impairment	1 (0.2%)
Gastrointestinal disorders	374 (85.8%)
Abdominal discomfort	6 (1.4%)
Abdominal distension	16 (3.7%)
Abdominal pain	79 (18.1%)
Abdominal pain lower	2 (0.5%)
Abdominal pain upper	44 (10.1%)
Aphthous stomatitis	1 (0.2%)
Ascites	17 (3.9%)
Cheilitis	1 (0.2%)
Colitis ischaemic	1 (0.2%)
Colonic polyp	1 (0.2%)
Constipation	112 (25.7%)
Dental caries	2 (0.5%)
Diarrhoea	108 (24.8%)
Dry mouth	5 (1.1%)
Dyspepsia	21 (4.8%)
Dysphagia	14 (3.2%)
Enteritis	1 (0.2%)
Epigastric discomfort	1 (0.2%)
Erosive oesophagitis	3 (0.7%)

TEAEs: Treatment-emergent adverse events.

Subjects are counted once within each System Organ Class and Preferred Term.

n = Number of subjects with at least one event.

N = Number of subjects in the safety population. % = $100 \times n/N$.

Source: /home/u64240743/gastric/TABLES/AE_TABLE_1.sas

Date: 21MAY2026

Table 14.1.2 Treatment Emergent Adverse Events by Treatment, System Organ Class and Preferred Term
Safety Population - Group B (Cisplatin and Capecitabine)

MedDRA System Organ Class MedDRA Preferred Term	Treatment
	Group-B (n=436)
Eructation	2 (0.5%)
Faecal incontinence	1 (0.2%)
Faecaloma	1 (0.2%)
Flatulence	7 (1.6%)
Gastric haemorrhage	2 (0.5%)
Gastric perforation	1 (0.2%)
Gastric ulcer	1 (0.2%)
Gastritis	1 (0.2%)
Gastrointestinal haemorrhage	3 (0.7%)
Gastrointestinal stenosis	3 (0.7%)
Gastrointestinal ulcer	1 (0.2%)
Gastrooesophageal reflux disease	4 (0.9%)
Gingival bleeding	1 (0.2%)
Gingival disorder	1 (0.2%)
Gingival oedema	1 (0.2%)
Gingival pain	2 (0.5%)
Gingivitis	1 (0.2%)
Haematemesis	4 (0.9%)
Haematochezia	1 (0.2%)
Haemorrhoids	7 (1.6%)
Hypoaesthesia oral	1 (0.2%)
Ileus	8 (1.8%)
Ileus paralytic	1 (0.2%)
Inguinal hernia	1 (0.2%)

TEAEs: Treatment-emergent adverse events.

Subjects are counted once within each System Organ Class and Preferred Term.

n = Number of subjects with at least one event.

N = Number of subjects in the safety population. % = $100 \times n/N$.

Source: /home/u64240743/gastric/TABLES/AE_TABLE_1.sas

Date: 21MAY2026

Table 14.1.2 Treatment Emergent Adverse Events by Treatment, System Organ Class and Preferred Term
Safety Population - Group B (Cisplatin and Capecitabine)

MedDRA System Organ Class MedDRA Preferred Term	Treatment
	Group-B (n=436)
Intestinal obstruction	4 (0.9%)
Intestinal perforation	1 (0.2%)
Lower gastrointestinal haemorrhage	1 (0.2%)
Mechanical ileus	1 (0.2%)
Melaena	8 (1.8%)
Mouth ulceration	2 (0.5%)
Nausea	270 (61.9%)
Obstruction gastric	2 (0.5%)
Odynophagia	2 (0.5%)
Oesophageal pain	2 (0.5%)
Oesophageal stenosis	2 (0.5%)
Oesophagitis	6 (1.4%)
Pneumatosis intestinalis	1 (0.2%)
Proctalgia	1 (0.2%)
Salivary hypersecretion	2 (0.5%)
Small intestinal obstruction	1 (0.2%)
Stomatitis	42 (9.6%)
Subileus	1 (0.2%)
Toothache	6 (1.4%)
Upper gastrointestinal haemorrhage	3 (0.7%)
Vomiting	201 (46.1%)
General disorders and administration site conditio	291 (66.7%)
Asthenia	101 (23.2%)
Catheter site erosion	1 (0.2%)

TEAEs: Treatment-emergent adverse events.

Subjects are counted once within each System Organ Class and Preferred Term.

n = Number of subjects with at least one event.

N = Number of subjects in the safety population. % = $100 \times n/N$.

Source: /home/u64240743/gastric/TABLES/AE_TABLE_1.sas

Date: 21MAY2026

Table 14.1.2 Treatment Emergent Adverse Events by Treatment, System Organ Class and Preferred Term
Safety Population - Group B (Cisplatin and Capecitabine)

MedDRA System Organ Class MedDRA Preferred Term	Treatment
	Group-B (n=436)
Catheter site erythema	1 (0.2%)
Catheter site pain	2 (0.5%)
Chest discomfort	5 (1.1%)
Chest pain	4 (0.9%)
Chills	5 (1.1%)
Condition aggravated	1 (0.2%)
Death	2 (0.5%)
Device dislocation	2 (0.5%)
Device occlusion	1 (0.2%)
Disease progression	1 (0.2%)
Face oedema	1 (0.2%)
Fatigue	163 (37.4%)
General physical health deterioration	20 (4.6%)
Hyperthermia	1 (0.2%)
Implant site extravasation	1 (0.2%)
Implant site vesicles	1 (0.2%)
Inflammation	1 (0.2%)
Influenza like illness	2 (0.5%)
Infusion site extravasation	1 (0.2%)
Injection site pain	1 (0.2%)
Injection site reaction	1 (0.2%)
Malaise	4 (0.9%)
Medical device complication	1 (0.2%)
Mucosal dryness	1 (0.2%)

TEAEs: Treatment-emergent adverse events.

Subjects are counted once within each System Organ Class and Preferred Term.

n = Number of subjects with at least one event.

N = Number of subjects in the safety population. % = $100 \times n/N$.

Source: /home/u64240743/gastric/TABLES/AE_TABLE_1.sas

Date: 21MAY2026

Table 14.1.2 Treatment Emergent Adverse Events by Treatment, System Organ Class and Preferred Term
Safety Population - Group B (Cisplatin and Capecitabine)

MedDRA System Organ Class MedDRA Preferred Term	Treatment
	Group-B (n=436)
Mucosal inflammation	32 (7.3%)
Multi-organ failure	4 (0.9%)
Non-cardiac chest pain	7 (1.6%)
Oedema	15 (3.4%)
Oedema peripheral	27 (6.2%)
Pain	7 (1.6%)
Performance status decreased	4 (0.9%)
Pyrexia	45 (10.3%)
Thirst	1 (0.2%)
Hepatobiliary disorders	24 (5.5%)
Cholecystitis	2 (0.5%)
Gallbladder pain	1 (0.2%)
Hepatic function abnormal	1 (0.2%)
Hepatic lesion	1 (0.2%)
Hepatic steatosis	1 (0.2%)
Hepatitis	2 (0.5%)
Hepatomegaly	1 (0.2%)
Hepatotoxicity	2 (0.5%)
Hyperbilirubinaemia	11 (2.5%)
Jaundice	2 (0.5%)
Jaundice cholestatic	2 (0.5%)
Portal vein thrombosis	1 (0.2%)
Immune system disorders	3 (0.7%)
Contrast media allergy	1 (0.2%)

TEAEs: Treatment-emergent adverse events.

Subjects are counted once within each System Organ Class and Preferred Term.

n = Number of subjects with at least one event.

N = Number of subjects in the safety population. % = $100 \times n/N$.

Source: /home/u64240743/gastric/TABLES/AE_TABLE_1.sas

Date: 21MAY2026

Table 14.1.2 Treatment Emergent Adverse Events by Treatment, System Organ Class and Preferred Term
Safety Population - Group B (Cisplatin and Capecitabine)

MedDRA System Organ Class MedDRA Preferred Term	Treatment
	Group-B (n=436)
Hypersensitivity	1 (0.2%)
Iodine allergy	1 (0.2%)
Infections and infestations	106 (24.3%)
Bacterial infection	1 (0.2%)
Bronchitis	7 (1.6%)
Candidiasis	6 (1.4%)
Cellulitis	2 (0.5%)
Cystitis	1 (0.2%)
Device related infection	6 (1.4%)
Diverticulitis	1 (0.2%)
Endocarditis	1 (0.2%)
Escherichia infection	1 (0.2%)
Febrile infection	1 (0.2%)
Folliculitis	1 (0.2%)
Fungal oesophagitis	1 (0.2%)
Gangrene	1 (0.2%)
Gastroenteritis	1 (0.2%)
Genital candidiasis	1 (0.2%)
Genital infection fungal	1 (0.2%)
Herpes simplex	1 (0.2%)
Herpes zoster	2 (0.5%)
Infection	5 (1.1%)
Influenza	13 (3.0%)
Mumps	1 (0.2%)

TEAEs: Treatment-emergent adverse events.

Subjects are counted once within each System Organ Class and Preferred Term.

n = Number of subjects with at least one event.

N = Number of subjects in the safety population. % = $100 \times n/N$.

Source: /home/u64240743/gastric/TABLES/AE_TABLE_1.sas

Date: 21MAY2026

Table 14.1.2 Treatment Emergent Adverse Events by Treatment, System Organ Class and Preferred Term
Safety Population - Group B (Cisplatin and Capecitabine)

MedDRA System Organ Class MedDRA Preferred Term	Treatment
	Group-B (n=436)
Nasopharyngitis	18 (4.1%)
Oesophageal candidiasis	4 (0.9%)
Onychomycosis	1 (0.2%)
Oral candidiasis	3 (0.7%)
Oral fungal infection	4 (0.9%)
Oral herpes	3 (0.7%)
Orchitis	1 (0.2%)
Paronychia	3 (0.7%)
Pharyngitis	3 (0.7%)
Pharyngotonsillitis	1 (0.2%)
Pneumonia	12 (2.8%)
Pneumonia klebsiella	1 (0.2%)
Pneumonia primary atypical	1 (0.2%)
Purulence	1 (0.2%)
Rhinitis	1 (0.2%)
Sepsis	2 (0.5%)
Tracheobronchitis	1 (0.2%)
Upper respiratory tract infection	17 (3.9%)
Urinary tract infection	9 (2.1%)
Urinary tract infection staphylococcal	1 (0.2%)
Viral upper respiratory tract infection	1 (0.2%)
Vulvovaginal mycotic infection	1 (0.2%)
Injury, poisoning and procedural complications	24 (5.5%)
Anastomotic stenosis	1 (0.2%)

TEAEs: Treatment-emergent adverse events.

Subjects are counted once within each System Organ Class and Preferred Term.

n = Number of subjects with at least one event.

N = Number of subjects in the safety population. % = $100 \times n/N$.

Source: /home/u64240743/gastric/TABLES/AE_TABLE_1.sas

Date: 21MAY2026

Table 14.1.2 Treatment Emergent Adverse Events by Treatment, System Organ Class and Preferred Term
Safety Population - Group B (Cisplatin and Capecitabine)

MedDRA System Organ Class MedDRA Preferred Term	Treatment
	Group-B (n=436)
Concussion	1 (0.2%)
Contusion	4 (0.9%)
Excoriation	1 (0.2%)
Facial bones fracture	1 (0.2%)
Fall	2 (0.5%)
Jaw fracture	1 (0.2%)
Laceration	1 (0.2%)
Limb injury	1 (0.2%)
Muscle strain	1 (0.2%)
Overdose	3 (0.7%)
Periorbital haematoma	1 (0.2%)
Pneumothorax traumatic	1 (0.2%)
Post procedural discharge	1 (0.2%)
Post procedural haematoma	1 (0.2%)
Postoperative wound complication	2 (0.5%)
Procedural pain	4 (0.9%)
Rib fracture	1 (0.2%)
Road traffic accident	1 (0.2%)
Tooth fracture	1 (0.2%)
Traumatic haematoma	1 (0.2%)
Wound	1 (0.2%)
Wound dehiscence	1 (0.2%)
Investigations	208 (47.7%)
Alanine aminotransferase increased	16 (3.7%)

TEAEs: Treatment-emergent adverse events.

Subjects are counted once within each System Organ Class and Preferred Term.

n = Number of subjects with at least one event.

N = Number of subjects in the safety population. % = $100 \times n/N$.

Source: /home/u64240743/gastric/TABLES/AE_TABLE_1.sas

Date: 21MAY2026

Table 14.1.2 Treatment Emergent Adverse Events by Treatment, System Organ Class and Preferred Term
Safety Population - Group B (Cisplatin and Capecitabine)

MedDRA System Organ Class MedDRA Preferred Term	Treatment
	Group-B (n=436)
Aspartate aminotransferase increased	14 (3.2%)
Blood albumin decreased	3 (0.7%)
Blood alkaline phosphatase increased	14 (3.2%)
Blood amylase increased	2 (0.5%)
Blood bilirubin increased	7 (1.6%)
Blood calcium decreased	7 (1.6%)
Blood chloride decreased	2 (0.5%)
Blood creatine increased	2 (0.5%)
Blood creatinine decreased	1 (0.2%)
Blood creatinine increased	41 (9.4%)
Blood lactate dehydrogenase increased	8 (1.8%)
Blood magnesium decreased	6 (1.4%)
Blood phosphorus decreased	5 (1.1%)
Blood potassium decreased	3 (0.7%)
Blood potassium increased	4 (0.9%)
Blood pressure increased	2 (0.5%)
Blood sodium decreased	4 (0.9%)
Blood urea increased	5 (1.1%)
Blood uric acid decreased	1 (0.2%)
Blood uric acid increased	1 (0.2%)
C-reactive protein increased	2 (0.5%)
Carcinoembryonic antigen increased	1 (0.2%)
Creatinine renal clearance decreased	11 (2.5%)
Electrocardiogram QT prolonged	1 (0.2%)

TEAEs: Treatment-emergent adverse events.

Subjects are counted once within each System Organ Class and Preferred Term.

n = Number of subjects with at least one event.

N = Number of subjects in the safety population. % = $100 \times n/N$.

Source: /home/u64240743/gastric/TABLES/AE_TABLE_1.sas

Date: 21MAY2026

Table 14.1.2 Treatment Emergent Adverse Events by Treatment, System Organ Class and Preferred Term
Safety Population - Group B (Cisplatin and Capecitabine)

MedDRA System Organ Class MedDRA Preferred Term	Treatment
	Group-B (n=436)
Electrocardiogram ST segment depression	1 (0.2%)
Electrocardiogram T wave inversion	1 (0.2%)
Fibrin D dimer increased	2 (0.5%)
Gamma-glutamyltransferase increased	2 (0.5%)
Glomerular filtration rate abnormal	1 (0.2%)
Glomerular filtration rate decreased	35 (8.0%)
Glomerular filtration rate increased	1 (0.2%)
Haematocrit decreased	1 (0.2%)
Haemoglobin decreased	37 (8.5%)
International normalised ratio increased	1 (0.2%)
Neutrophil count abnormal	1 (0.2%)
Neutrophil count decreased	22 (5.0%)
Platelet count decreased	23 (5.3%)
Protein urine present	1 (0.2%)
Prothrombin time prolonged	1 (0.2%)
Troponin I increased	3 (0.7%)
Troponin T increased	1 (0.2%)
Urine colour abnormal	1 (0.2%)
Urine ketone body present	1 (0.2%)
Urine output decreased	1 (0.2%)
Vitamin B12 decreased	1 (0.2%)
Weight decreased	79 (18.1%)
Weight increased	9 (2.1%)
White blood cell count decreased	16 (3.7%)

TEAEs: Treatment-emergent adverse events.

Subjects are counted once within each System Organ Class and Preferred Term.

n = Number of subjects with at least one event.

N = Number of subjects in the safety population. % = $100 \times n/N$.

Source: /home/u64240743/gastric/TABLES/AE_TABLE_1.sas

Date: 21MAY2026

Table 14.1.2 Treatment Emergent Adverse Events by Treatment, System Organ Class and Preferred Term
Safety Population - Group B (Cisplatin and Capecitabine)

MedDRA System Organ Class MedDRA Preferred Term	Treatment
	Group-B (n=436)
White blood cells urine positive	1 (0.2%)
Metabolism and nutrition disorders	288 (66.1%)
Cachexia	2 (0.5%)
Decreased appetite	202 (46.3%)
Dehydration	24 (5.5%)
Diabetes mellitus	1 (0.2%)
Fluid retention	1 (0.2%)
Hypercalcaemia	1 (0.2%)
Hypercholesterolaemia	2 (0.5%)
Hyperglycaemia	12 (2.8%)
Hyperkalaemia	12 (2.8%)
Hyperlipidaemia	1 (0.2%)
Hypernatraemia	1 (0.2%)
Hypertriglyceridaemia	2 (0.5%)
Hyperuricaemia	2 (0.5%)
Hypoalbuminaemia	25 (5.7%)
Hypocalcaemia	38 (8.7%)
Hypochloraemia	1 (0.2%)
Hypoglycaemia	1 (0.2%)
Hypokalaemia	60 (13.8%)
Hypomagnesaemia	61 (14.0%)
Hyponatraemia	37 (8.5%)
Hypophagia	5 (1.1%)
Hypophosphataemia	13 (3.0%)

TEAEs: Treatment-emergent adverse events.

Subjects are counted once within each System Organ Class and Preferred Term.

n = Number of subjects with at least one event.

N = Number of subjects in the safety population. % = $100 \times n/N$.

Source: /home/u64240743/gastric/TABLES/AE_TABLE_1.sas

Date: 21MAY2026

Table 14.1.2 Treatment Emergent Adverse Events by Treatment, System Organ Class and Preferred Term
Safety Population - Group B (Cisplatin and Capecitabine)

MedDRA System Organ Class MedDRA Preferred Term	Treatment
	Group-B (n=436)
Hypoproteinaemia	1 (0.2%)
Type 2 diabetes mellitus	1 (0.2%)
Musculoskeletal and connective tissue disorders	73 (16.7%)
Arthralgia	12 (2.8%)
Back pain	20 (4.6%)
Bone pain	6 (1.4%)
Flank pain	6 (1.4%)
Joint swelling	1 (0.2%)
Muscle spasms	3 (0.7%)
Muscular weakness	6 (1.4%)
Musculoskeletal chest pain	3 (0.7%)
Musculoskeletal discomfort	1 (0.2%)
Musculoskeletal pain	8 (1.8%)
Myalgia	9 (2.1%)
Neck pain	3 (0.7%)
Pain in extremity	15 (3.4%)
Neoplasms benign, malignant and unspecified (incl	15 (3.4%)
Cancer pain	3 (0.7%)
Choroidal haemangioma	1 (0.2%)
Haemangioma	1 (0.2%)
Metastases to abdominal cavity	1 (0.2%)
Metastases to central nervous system	1 (0.2%)
Metastases to meninges	1 (0.2%)
Tumour associated fever	1 (0.2%)

TEAEs: Treatment-emergent adverse events.

Subjects are counted once within each System Organ Class and Preferred Term.

n = Number of subjects with at least one event.

N = Number of subjects in the safety population. % = $100 \times n/N$.

Source: /home/u64240743/gastric/TABLES/AE_TABLE_1.sas

Date: 21MAY2026

Table 14.1.2 Treatment Emergent Adverse Events by Treatment, System Organ Class and Preferred Term
Safety Population - Group B (Cisplatin and Capecitabine)

MedDRA System Organ Class MedDRA Preferred Term	Treatment
	Group-B (n=436)
Tumour haemorrhage	2 (0.5%)
Tumour pain	4 (0.9%)
Tumour perforation	1 (0.2%)
Nervous system disorders	188 (43.1%)
Ataxia	1 (0.2%)
Burning sensation	1 (0.2%)
Cerebral haemorrhage	2 (0.5%)
Cerebral infarction	1 (0.2%)
Cerebrovascular accident	1 (0.2%)
Convulsion	2 (0.5%)
Depressed level of consciousness	1 (0.2%)
Dizziness	48 (11.0%)
Dysaesthesia	1 (0.2%)
Dysgeusia	29 (6.7%)
Essential tremor	1 (0.2%)
Facial paresis	1 (0.2%)
Headache	23 (5.3%)
Hemiparesis	1 (0.2%)
Hemiplegia	1 (0.2%)
Hypoaesthesia	8 (1.8%)
Hypotonia	2 (0.5%)
Ischaemic stroke	1 (0.2%)
Lethargy	1 (0.2%)
Motor dysfunction	1 (0.2%)

TEAEs: Treatment-emergent adverse events.

Subjects are counted once within each System Organ Class and Preferred Term.

n = Number of subjects with at least one event.

N = Number of subjects in the safety population. % = $100 \times n/N$.

Source: /home/u64240743/gastric/TABLES/AE_TABLE_1.sas

Date: 21MAY2026

Table 14.1.2 Treatment Emergent Adverse Events by Treatment, System Organ Class and Preferred Term
Safety Population - Group B (Cisplatin and Capecitabine)

MedDRA System Organ Class MedDRA Preferred Term	Treatment
	Group-B (n=436)
Neuralgia	1 (0.2%)
Neuropathy peripheral	42 (9.6%)
Neurotoxicity	5 (1.1%)
Paraesthesia	29 (6.7%)
Paralysis	1 (0.2%)
Parosmia	1 (0.2%)
Peripheral motor neuropathy	1 (0.2%)
Peripheral sensory neuropathy	27 (6.2%)
Peroneal nerve palsy	1 (0.2%)
Polyneuropathy	9 (2.1%)
Presyncope	3 (0.7%)
Somnolence	1 (0.2%)
Speech disorder	1 (0.2%)
Spinal cord compression	1 (0.2%)
Subarachnoid haemorrhage	1 (0.2%)
Syncope	14 (3.2%)
Tremor	2 (0.5%)
Psychiatric disorders	53 (12.2%)
Agitation	1 (0.2%)
Anxiety	11 (2.5%)
Completed suicide	2 (0.5%)
Confusional state	4 (0.9%)
Depression	3 (0.7%)
Food aversion	1 (0.2%)

TEAEs: Treatment-emergent adverse events.

Subjects are counted once within each System Organ Class and Preferred Term.

n = Number of subjects with at least one event.

N = Number of subjects in the safety population. % = $100 \times n/N$.

Source: /home/u64240743/gastric/TABLES/AE_TABLE_1.sas

Date: 21MAY2026

Table 14.1.2 Treatment Emergent Adverse Events by Treatment, System Organ Class and Preferred Term
Safety Population - Group B (Cisplatin and Capecitabine)

MedDRA System Organ Class MedDRA Preferred Term	Treatment
	Group-B (n=436)
Hallucination	1 (0.2%)
Insomnia	32 (7.3%)
Mood altered	1 (0.2%)
Restlessness	1 (0.2%)
Sleep disorder	2 (0.5%)
Stress	1 (0.2%)
Renal and urinary disorders	52 (11.9%)
Acute prerenal failure	2 (0.5%)
Azotaemia	1 (0.2%)
Bladder spasm	1 (0.2%)
Dysuria	6 (1.4%)
Glycosuria	1 (0.2%)
Haematuria	2 (0.5%)
Hydronephrosis	1 (0.2%)
Incontinence	1 (0.2%)
Nephrectasia	1 (0.2%)
Nephropathy	1 (0.2%)
Nephropathy toxic	7 (1.6%)
Nocturia	3 (0.7%)
Oliguria	3 (0.7%)
Pollakiuria	6 (1.4%)
Polyuria	1 (0.2%)
Proteinuria	1 (0.2%)
Renal failure	8 (1.8%)

TEAEs: Treatment-emergent adverse events.

Subjects are counted once within each System Organ Class and Preferred Term.

n = Number of subjects with at least one event.

N = Number of subjects in the safety population. % = $100 \times n/N$.

Source: /home/u64240743/gastric/TABLES/AE_TABLE_1.sas

Date: 21MAY2026

Table 14.1.2 Treatment Emergent Adverse Events by Treatment, System Organ Class and Preferred Term
Safety Population - Group B (Cisplatin and Capecitabine)

MedDRA System Organ Class MedDRA Preferred Term	Treatment
	Group-B (n=436)
Renal failure acute	4 (0.9%)
Renal failure chronic	1 (0.2%)
Renal impairment	4 (0.9%)
Renal pain	1 (0.2%)
Urinary retention	2 (0.5%)
Urinary tract obstruction	1 (0.2%)
Reproductive system and breast disorders	7 (1.6%)
Benign prostatic hyperplasia	1 (0.2%)
Erectile dysfunction	1 (0.2%)
Genital erosion	1 (0.2%)
Nipple pain	1 (0.2%)
Pelvic pain	1 (0.2%)
Prostatic obstruction	1 (0.2%)
Vaginal discharge	1 (0.2%)
Respiratory, thoracic and mediastinal disorders	126 (28.9%)
Choking	1 (0.2%)
Chronic obstructive pulmonary disease	1 (0.2%)
Cough	20 (4.6%)
Dysphonia	8 (1.8%)
Dyspnoea	24 (5.5%)
Dyspnoea exertional	3 (0.7%)
Emphysema	1 (0.2%)
Epistaxis	13 (3.0%)
Haemoptysis	1 (0.2%)

TEAEs: Treatment-emergent adverse events.

Subjects are counted once within each System Organ Class and Preferred Term.

n = Number of subjects with at least one event.

N = Number of subjects in the safety population. % = $100 \times n/N$.

Source: /home/u64240743/gastric/TABLES/AE_TABLE_1.sas

Date: 21MAY2026

Table 14.1.2 Treatment Emergent Adverse Events by Treatment, System Organ Class and Preferred Term
Safety Population - Group B (Cisplatin and Capecitabine)

MedDRA System Organ Class MedDRA Preferred Term	Treatment
	Group-B (n=436)
Hiccups	47 (10.8%)
Increased upper airway secretion	1 (0.2%)
Laryngeal oedema	1 (0.2%)
Nasal discomfort	1 (0.2%)
Oropharyngeal pain	7 (1.6%)
Painful respiration	1 (0.2%)
Pleural effusion	3 (0.7%)
Pneumonia aspiration	1 (0.2%)
Pneumonitis	1 (0.2%)
Productive cough	8 (1.8%)
Pulmonary embolism	24 (5.5%)
Pulmonary thrombosis	1 (0.2%)
Rales	1 (0.2%)
Respiratory distress	2 (0.5%)
Respiratory failure	1 (0.2%)
Respiratory tract haemorrhage	1 (0.2%)
Rhinitis allergic	1 (0.2%)
Rhinorrhoea	9 (2.1%)
Sneezing	1 (0.2%)
Tachypnoea	1 (0.2%)
Throat irritation	1 (0.2%)
Upper-airway cough syndrome	1 (0.2%)
Skin and subcutaneous tissue disorders	150 (34.4%)
Acne	1 (0.2%)

TEAEs: Treatment-emergent adverse events.

Subjects are counted once within each System Organ Class and Preferred Term.

n = Number of subjects with at least one event.

N = Number of subjects in the safety population. % = $100 \times n/N$.

Source: /home/u64240743/gastric/TABLES/AE_TABLE_1.sas

Date: 21MAY2026

Table 14.1.2 Treatment Emergent Adverse Events by Treatment, System Organ Class and Preferred Term
Safety Population - Group B (Cisplatin and Capecitabine)

MedDRA System Organ Class MedDRA Preferred Term	Treatment
	Group-B (n=436)
Actinic keratosis	1 (0.2%)
Acute febrile neutrophilic dermatosis	1 (0.2%)
Alopecia	19 (4.4%)
Cold sweat	1 (0.2%)
Decubitus ulcer	1 (0.2%)
Dermatitis	1 (0.2%)
Dermatitis allergic	3 (0.7%)
Dry skin	11 (2.5%)
Erythema	2 (0.5%)
Henoch-Schonlein purpura	1 (0.2%)
Hyperhidrosis	7 (1.6%)
Nail disorder	3 (0.7%)
Night sweats	2 (0.5%)
Palmar-plantar erythrodysesthesia syndr	97 (22.2%)
Pigmentation disorder	6 (1.4%)
Pruritus	10 (2.3%)
Pruritus allergic	1 (0.2%)
Pruritus generalised	1 (0.2%)
Psoriasis	1 (0.2%)
Rash	23 (5.3%)
Rash erythematous	1 (0.2%)
Rash maculo-papular	1 (0.2%)
Scar pain	1 (0.2%)
Skin discolouration	1 (0.2%)

TEAEs: Treatment-emergent adverse events.

Subjects are counted once within each System Organ Class and Preferred Term.

n = Number of subjects with at least one event.

N = Number of subjects in the safety population. % = $100 \times n/N$.

Source: /home/u64240743/gastric/TABLES/AE_TABLE_1.sas

Date: 21MAY2026

Table 14.1.2 Treatment Emergent Adverse Events by Treatment, System Organ Class and Preferred Term
Safety Population - Group B (Cisplatin and Capecitabine)

MedDRA System Organ Class MedDRA Preferred Term	Treatment
	Group-B (n=436)
Skin exfoliation	2 (0.5%)
Skin fissures	1 (0.2%)
Skin hyperpigmentation	27 (6.2%)
Skin reaction	1 (0.2%)
Skin toxicity	2 (0.5%)
Stasis dermatitis	1 (0.2%)
Urticaria	2 (0.5%)
Xeroderma	1 (0.2%)
Social circumstances	1 (0.2%)
Hearing disability	1 (0.2%)
Surgical and medical procedures	1 (0.2%)
Tooth extraction	1 (0.2%)
Vascular disorders	61 (14.0%)
Arterial thrombosis limb	1 (0.2%)
Arteriosclerosis	1 (0.2%)
Axillary vein thrombosis	1 (0.2%)
Blood pressure fluctuation	1 (0.2%)
Circulatory collapse	3 (0.7%)
Deep vein thrombosis	10 (2.3%)
Embolism	1 (0.2%)
Flushing	2 (0.5%)
Haematoma	2 (0.5%)
Haemorrhage	1 (0.2%)

TEAEs: Treatment-emergent adverse events.

Subjects are counted once within each System Organ Class and Preferred Term.

n = Number of subjects with at least one event.

N = Number of subjects in the safety population. % = $100 \times n/N$.

Source: /home/u64240743/gastric/TABLES/AE_TABLE_1.sas

Date: 21MAY2026

Table 14.1.2 Treatment Emergent Adverse Events by Treatment, System Organ Class and Preferred Term
Safety Population - Group B (Cisplatin and Capecitabine)

	Treatment
MedDRA System Organ Class	Group-B
MedDRA Preferred Term	(n=436)
Hypertension	8 (1.8%)

TEAEs: Treatment-emergent adverse events.

Subjects are counted once within each System Organ Class and Preferred Term.

n = Number of subjects with at least one event.

N = Number of subjects in the safety population. % = $100 \times n/N$.

Source: /home/u64240743/gastric/TABLES/AE_TABLE_1.sas

Date: 21MAY2026

Table 14.1.2 Treatment Emergent Adverse Events by Treatment, System Organ Class and Preferred Term
Safety Population - Group B (Cisplatin and Capecitabine)

MedDRA System Organ Class MedDRA Preferred Term	Treatment
	Group-B (n=436)
Hypotension	14 (3.2%)
Jugular vein thrombosis	3 (0.7%)
Orthostatic hypotension	3 (0.7%)
Paget-Schroetter syndrome	1 (0.2%)
Pallor	1 (0.2%)
Pelvic venous thrombosis	1 (0.2%)
Phlebitis	1 (0.2%)
Phlebitis superficial	1 (0.2%)
Subclavian vein thrombosis	5 (1.1%)
Thrombophlebitis	5 (1.1%)
Thrombophlebitis superficial	2 (0.5%)
Thrombosis	2 (0.5%)
Venous thrombosis	2 (0.5%)
Venous thrombosis limb	2 (0.5%)

TEAEs: Treatment-emergent adverse events.

Subjects are counted once within each System Organ Class and Preferred Term.

n = Number of subjects with at least one event.

N = Number of subjects in the safety population. % = $100 \times n/N$.

Source: /home/u64240743/gastric/TABLES/AE_TABLE_1.sas

Date: 21MAY2026