

Table 14.1.3 Laboratory Shift Table From Baseline to End of Period
Safety Population - Group B (Cisplatin and Capecitabine)

		Treatment end (N=436)				
Parameter Category	Parameter (Unit)	Baseline	Low	Normal	High	Missing
BIOCHEMISTRY	Alanine Aminotransferase (U/L)	HIGH	1 (0.2)	43 (9.9)	15 (3.4)	0
		LOW	1 (0.2)	2 (0.5)	0	0
		MISSING	0	1 (0.2)	1 (0.2)	0
		NORMAL	11 (2.5)	334 (76.6)	18 (4.1)	9 (2.1)
	Albumin (g/L)	HIGH	0	8 (1.8)	2 (0.5)	0
		LOW	30 (6.9)	20 (4.6)	0	1 (0.2)
		MISSING	1 (0.2)	10 (2.3)	0	0
		NORMAL	39 (8.9)	310 (71.1)	5 (1.1)	9 (2.1)
	Alkaline Phosphatase (U/L)	HIGH	1 (0.2)	34 (7.8)	149 (34.2)	4 (0.9)
		LOW	0	1 (0.2)	0	0
		MISSING	0	3 (0.7)	2 (0.5)	0
		NORMAL	3 (0.7)	206 (47.2)	25 (5.7)	5 (1.1)
	Aspartate Aminotransferase (U/L)	HIGH	0	46 (10.6)	28 (6.4)	1 (0.2)
		LOW	0	5 (1.1)	0	0
		MISSING	0	0	1 (0.2)	0
		NORMAL	3 (0.7)	309 (70.9)	34 (7.8)	9 (2.1)

1. Baseline = Last non-missing value on or before first dose date.

2. LOW = Below lower limit of normal (LLN); HIGH = Above upper limit of normal (ULN).

Source: /home/u64240743/gastric/TABLES/SHIFT_TABLE_ADLB.sas

Date: 21MAY2026

Table 14.1.3 Laboratory Shift Table From Baseline to End of Period
Safety Population - Group B (Cisplatin and Capecitabine)

		Treatment end (N=436)				
Parameter Category	Parameter (Unit)	Baseline	Low	Normal	High	Missing
BIOCHEMISTRY	Bilirubin (umol/L)	HIGH	0	1 (0.2)	422 (96.8)	9 (2.1)
		MISSING	0	0	3 (0.7)	0
		NORMAL	0	0	1 (0.2)	0
	Calcium (mmol/L)	HIGH	0	3 (0.7)	0	0
		LOW	18 (4.1)	12 (2.8)	0	0
		MISSING	2 (0.5)	12 (2.8)	0	0
		NORMAL	51 (11.7)	326 (74.8)	2 (0.5)	9 (2.1)
	Creatinine (umol/L)	HIGH	0	2 (0.5)	2 (0.5)	0
		LOW	0	1 (0.2)	0	0
		MISSING	0	2 (0.5)	0	0
		NORMAL	1 (0.2)	370 (84.9)	48 (11.0)	10 (2.3)
	Glomerular Filtration Rate (mL/min)	MISSING	0	0	0	436 (100.0)
	Lactate Dehydrogenase (U/L)	HIGH	1 (0.2)	35 (8.0)	178 (40.8)	4 (0.9)
		MISSING	0	6 (1.4)	7 (1.6)	1 (0.2)
		NORMAL	0	151 (34.6)	46 (10.6)	7 (1.6)
	Magnesium (mmol/L)	HIGH	0	0	1 (0.2)	0

1. Baseline = Last non-missing value on or before first dose date.

2. LOW = Below lower limit of normal (LLN); HIGH = Above upper limit of normal (ULN).

Source: /home/u64240743/gastric/TABLES/SHIFT TABLE_ADLB.sas

Date: 21MAY2026

Table 14.1.3 Laboratory Shift Table From Baseline to End of Period
Safety Population - Group B (Cisplatin and Capecitabine)

		Treatment end (N=436)				
Parameter Category	Parameter (Unit)	Baseline	Low	Normal	High	Missing
BIOCHEMISTRY	Magnesium (mmol/L)	LOW	3 (0.7)	4 (0.9)	0	0
		MISSING	3 (0.7)	10 (2.3)	1 (0.2)	1 (0.2)
		NORMAL	41 (9.4)	357 (81.9)	1 (0.2)	8 (1.8)
	Phosphate (mmol/L)	MISSING	0	0	0	291 (66.7)
	Potassium (mmol/L)	HIGH	0	6 (1.4)	2 (0.5)	0
		LOW	2 (0.5)	5 (1.1)	0	0
		MISSING	0	2 (0.5)	0	0
		NORMAL	23 (5.3)	379 (86.9)	8 (1.8)	9 (2.1)
	Sodium (mmol/L)	HIGH	0	7 (1.6)	0	0
		LOW	15 (3.4)	12 (2.8)	0	0
		MISSING	1 (0.2)	1 (0.2)	0	0
		NORMAL	48 (11.0)	336 (77.1)	7 (1.6)	9 (2.1)

1. Baseline = Last non-missing value on or before first dose date.

2. LOW = Below lower limit of normal (LLN); HIGH = Above upper limit of normal (ULN).

Source: /home/u64240743/gastric/TABLES/SHIFT TABLE_ADLB.sas

Date: 21MAY2026

Table 14.1.3 Laboratory Shift Table From Baseline to End of Period
Safety Population - Group B (Cisplatin and Capecitabine)

		Treatment end (N=436)				
Parameter Category	Parameter (Unit)	Baseline	Low	Normal	High	Missing
HEMATOLOGY	Hemoglobin (g/dL)	LOW	284 (65.1)	0	0	10 (2.3)
		MISSING	115 (26.4)	0	0	27 (6.2)
	Leukocytes (10/L)	LOW	5 (1.1)	0	0	1 (0.2)
		MISSING	98 (22.5)	0	0	332 (76.1)

1. Baseline = Last non-missing value on or before first dose date.

2. LOW = Below lower limit of normal (LLN); HIGH = Above upper limit of normal (ULN).

Source: /home/u64240743/gastric/TABLES/SHIFT TABLE_ADLB.sas

Date: 21MAY2026

Table 14.1.3 Laboratory Shift Table From Baseline to End of Period
Safety Population - Group B (Cisplatin and Capecitabine)

		Treatment end (N=436)				
Parameter Category	Parameter (Unit)	Baseline	Low	Normal	High	Missing
HEMATOLOGY	Neutrophils (10/L)	LOW	32 (7.3)	0	0	11 (2.5)
		MISSING	136 (31.2)	0	0	257 (58.9)
	Platelets (10/L)	LOW	13 (3.0)	0	0	2 (0.5)
		MISSING	96 (22.0)	0	0	325 (74.5)

1. Baseline = Last non-missing value on or before first dose date.

2. LOW = Below lower limit of normal (LLN); HIGH = Above upper limit of normal (ULN).

Source: /home/u64240743/gastric/TABLES/SHIFT TABLE_ADLB.sas

Date: 21MAY2026