# FOODIE

## Food Ordering Website

Complete HTML, CSS and JavaScript source code with sample website output

| | |
|---|---|
| **Project features** | Home page, food categories, special offers, shopping cart, discount calculation, delivery charge and checkout. |
| **Technologies** | HTML for structure, CSS for styling and JavaScript for cart operations. |
| **Discount rules** | 10% off for orders of ₹299 or more; 15% off for orders of ₹499 or more. |
| **Delivery rule** | Free delivery for orders of ₹399 or more; otherwise ₹30 delivery charge. |

The output pages are illustrative previews of the website. The cart example shows the totals produced by the JavaScript rules.

# 1. Website Output – Home Page

This is the initial page shown when the website opens. The Home tab is active and the cart count starts at zero.

## ■ FOODIE

Delicious Food & Refreshing Drinks

**Home** Biryanis Veg Thali Drinks ■ Cart (0)

### Welcome to Foodie!

Enjoy delicious meals at affordable prices.

■ SPECIAL OFFERS ■

**10% OFF**
Orders above ■299

**15% OFF**
Orders above ■499

**FREE DELIVERY**
Orders above ■399

■

**Cheese Pizza**

Delicious cheesy pizza

■199

Add to Cart

■

**Veg Burger**

Fresh and tasty burger

■99

Add to Cart

■

**French Fries**

Crispy golden fries

■79

Add to Cart

■

**Pasta**

Creamy and tasty pasta

■149

Add to Cart

© 2026 Foodie | Fresh Food, Happy Life!

## 2. Other Menu Pages

The navigation buttons switch between these menu categories. Each category displays four food or drink cards with an Add to Cart button.

| Biryanis | Veg Thali |
|---|---|
| ■ Chicken Biryani – ■199<br>■ Veg Biryani – ■149<br>■ Dum Biryani – ■229<br>■ Paneer Biryani – ■179 | ■ Veg Thali – ■149<br>■ Special Veg Thali – ■199<br>■ South Indian Meals – ■129<br>■ Special Chicken Thali – ■249 |
| **Drinks** | **Cart** |
| ■ Cold Drink – ■40<br>■ Coffee – ■60<br>■ Milkshake – ■100<br>■ Lemon Juice – ■35 | Shows each selected item, quantity, item total, subtotal, discount, delivery charge and final total. Each item has a Remove button. |

## 3. Sample Cart Output

Example: add one Cheese Pizza (■199) and one Veg Burger (■99). The subtotal is ■298, so no percentage discount applies. Since the subtotal is below ■399, delivery is ■30.

| Item | Quantity | Item total |
|---|---|---|
| Cheese Pizza | 1 | ■199.00 |
| Veg Burger | 1 | ■99.00 |
| **Subtotal** | | **■298.00** |
| **Discount** | | **■0.00** |
| **Delivery** | | **■30.00** |
| **Final Total** | | **■328.00** |

Checkout behaviour: when Place Order is clicked, the website displays an order confirmation alert with the subtotal, discount, delivery charge and final amount. The cart is then cleared.

# 4. Complete Source Code (HTML + CSS + JavaScript)

Copy the code into a file named **index.html**, save it, and open the file in a web browser.

### Source code – lines 1 to 78

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Foodie - Food Ordering</title>

<style>
* {
    margin: 0;
    padding: 0;
    box-sizing: border-box;
    font-family: Arial, sans-serif;
}

body {
    background: #fff8f0;
    color: #333;
}

header {
    background: #ff5722;
    color: white;
    padding: 20px;
    text-align: center;
}

nav {
    background: #222;
    display: flex;
    justify-content: center;
    gap: 10px;
    padding: 12px;
    flex-wrap: wrap;
}

nav button {
    background: transparent;
    color: white;
    border: none;
    padding: 12px 22px;
    font-size: 16px;
    cursor: pointer;
}

nav button:hover,
nav button.active {
    background: #ff5722;
    border-radius: 5px;
}

.page {
    display: none;
    padding: 30px 20px;
    text-align: center;
    min-height: 70vh;
}

.page.active {
    display: block;
}

h2 {
    color: #ff5722;
    margin-bottom: 20px;
}

.items {
    display: flex;
    justify-content: center;
    gap: 25px;
    flex-wrap: wrap;
    margin-top: 25px;
}

.card {
    background: white;
    width: 240px;
```

### Source code – lines 79 to 156

```
    padding: 20px;
    border-radius: 12px;
    box-shadow: 0 3px 12px #ddd;
}

.food-image {
    font-size: 65px;
    margin-bottom: 10px;
}

.card h3 {
    margin: 10px 0;
}

.price {
    color: #ff5722;
    font-weight: bold;
    margin: 12px;
}

.card button,
.checkout {
    background: #ff5722;
    color: white;
    border: none;
    padding: 11px 18px;
    border-radius: 5px;
    cursor: pointer;
}

.card button:hover,
.checkout:hover {
    background: #e64a19;
}

.offer-section {
    background: #222;
    color: white;
    padding: 25px;
    border-radius: 12px;
    margin: 20px auto;
    max-width: 900px;
}

.offer-section h2 {
    color: #ffca28;
}

.offer {
    background: #fff3e0;
    color: #333;
    display: inline-block;
    padding: 15px;
    margin: 8px;
    border-radius: 8px;
    font-weight: bold;
}

#cart-items {
    max-width: 600px;
    margin: auto;
}

.cart-row {
    background: white;
    padding: 15px;
    margin: 10px 0;
    border-radius: 8px;
    display: flex;
    justify-content: space-between;
    align-items: center;
    gap: 10px;
}

.remove {
    background: #333;
    color: white;
    border: none;
```

### Source code – lines 157 to 234

```
    padding: 7px 10px;
    cursor: pointer;
    border-radius: 4px;
}

#total {
    margin: 25px;
    font-size: 22px;
    font-weight: bold;
}

#discount {
    color: green;
    font-weight: bold;
    margin: 10px;
}

footer {
    background: #222;
    color: white;
    text-align: center;
    padding: 18px;
}

@media (max-width: 600px) {
    .card {
        width: 100%;
        max-width: 320px;
    }

    .cart-row {
        font-size: 14px;
    }
}
</style>
</head>

<body>

<header>
    <h1>■ Foodie</h1>
    <p>Delicious Food & Refreshing Drinks</p>
</header>

<nav>
    <button class="active" onclick="showPage('home',this)">Home</button>
    <button onclick="showPage('biryani',this)">Biryanis</button>
    <button onclick="showPage('thali',this)">Veg Thali</button>
    <button onclick="showPage('drinks',this)">Drinks</button>
    <button onclick="showPage('cart',this)">
        ■ Cart (<span id="cart-count">0</span>)
    </button>
</nav>

<!-- HOME PAGE -->

<section id="home" class="page active">

<h2>Welcome to Foodie!</h2>
<p>Enjoy delicious meals at affordable prices.</p>

<div class="offer-section">
    <h2>■ SPECIAL OFFERS ■</h2>

    <div class="offer">
        10% OFF<br>Orders above ■299
    </div>

    <div class="offer">
        15% OFF<br>Orders above ■499
    </div>

    <div class="offer">
        FREE DELIVERY<br>Orders above ■399
    </div>
</div>

<div class="items">
```

## Source code – lines 235 to 312

```
<div class="card">
<div class="food-image">■</div>
<h3>Cheese Pizza</h3>
<p>Delicious cheesy pizza</p>
<p class="price">■199</p>
<button onclick="addToCart('Cheese Pizza',199)">Add to Cart</button>
</div>

<div class="card">
<div class="food-image">■</div>
<h3>Veg Burger</h3>
<p>Fresh and tasty burger</p>
<p class="price">■99</p>
<button onclick="addToCart('Veg Burger',99)">Add to Cart</button>
</div>

<div class="card">
<div class="food-image">■</div>
<h3>French Fries</h3>
<p>Crispy golden fries</p>
<p class="price">■79</p>
<button onclick="addToCart('French Fries',79)">Add to Cart</button>
</div>

<div class="card">
<div class="food-image">■</div>
<h3>Pasta</h3>
<p>Creamy and tasty pasta</p>
<p class="price">■149</p>
<button onclick="addToCart('Pasta',149)">Add to Cart</button>
</div>

</div>
</section>

<!-- BIRYANI PAGE -->

<section id="biryani" class="page">

<h2>■ Special Biryani Collection</h2>
<p>Enjoy delicious and flavourful biryanis!</p>

<div class="items">

<div class="card">
<div class="food-image">■</div>
<h3>Chicken Biryani</h3>
<p>Traditional spicy chicken biryani</p>
<p class="price">■199</p>
<button onclick="addToCart('Chicken Biryani',199)">Add to Cart</button>
</div>

<div class="card">
<div class="food-image">■</div>
<h3>Veg Biryani</h3>
<p>Fresh vegetable dum biryani</p>
<p class="price">■149</p>
<button onclick="addToCart('Veg Biryani',149)">Add to Cart</button>
</div>

<div class="card">
<div class="food-image">■</div>
<h3>Dum Biryani</h3>
<p>Special aromatic dum biryani</p>
<p class="price">■229</p>
<button onclick="addToCart('Dum Biryani',229)">Add to Cart</button>
</div>

<div class="card">
<div class="food-image">■</div>
<h3>Paneer Biryani</h3>
<p>Delicious paneer masala biryani</p>
<p class="price">■179</p>
<button onclick="addToCart('Paneer Biryani',179)">Add to Cart</button>
</div>

</div>
```

## Source code – lines 313 to 390

```
</section>

<!-- VEG THALI PAGE -->

<section id="thali" class="page">

<h2>■ Veg Thali & Special Meals</h2>
<p>Complete meals with delicious flavours.</p>

<div class="items">

<div class="card">
<div class="food-image">■</div>
<h3>Veg Thali</h3>
<p>Rice, dal, curry and chapati</p>
<p class="price">■149</p>
<button onclick="addToCart('Veg Thali',149)">Add to Cart</button>
</div>

<div class="card">
<div class="food-image">■</div>
<h3>Special Veg Thali</h3>
<p>Premium vegetarian meal</p>
<p class="price">■199</p>
<button onclick="addToCart('Special Veg Thali',199)">Add to Cart</button>
</div>

<div class="card">
<div class="food-image">■</div>
<h3>South Indian Meals</h3>
<p>Rice, sambar, rasam and vegetables</p>
<p class="price">■129</p>
<button onclick="addToCart('South Indian Meals',129)">Add to Cart</button>
</div>

<div class="card">
<div class="food-image">■</div>
<h3>Special Chicken Thali</h3>
<p>Rice, chicken curry and sides</p>
<p class="price">■249</p>
<button onclick="addToCart('Special Chicken Thali',249)">Add to Cart</button>
</div>

</div>
</section>

<!-- DRINKS PAGE -->

<section id="drinks" class="page">

<h2>Refreshing Drinks ■</h2>
<p>Choose your favourite drink.</p>

<div class="items">

<div class="card">
<div class="food-image">■</div>
<h3>Cold Drink</h3>
<p>Chilled soft drink</p>
<p class="price">■40</p>
<button onclick="addToCart('Cold Drink',40)">Add to Cart</button>
</div>

<div class="card">
<div class="food-image">■</div>
<h3>Coffee</h3>
<p>Hot and fresh coffee</p>
<p class="price">■60</p>
<button onclick="addToCart('Coffee',60)">Add to Cart</button>
</div>

<div class="card">
<div class="food-image">■</div>
<h3>Milkshake</h3>
<p>Sweet chocolate milkshake</p>
<p class="price">■100</p>
<button onclick="addToCart('Milkshake',100)">Add to Cart</button>
</div>
```

### Source code – lines 391 to 468

```
<div class="card">
<div class="food-image">■</div>
<h3>Lemon Juice</h3>
<p>Fresh lemon juice</p>
<p class="price">■35</p>
<button onclick="addToCart('Lemon Juice',35)">Add to Cart</button>
</div>

</div>
</section>

<!-- CART PAGE -->

<section id="cart" class="page">

<h2>■ Your Shopping Cart</h2>

<div id="cart-items">
<p>Your cart is empty.</p>
</div>

<p id="subtotal">Subtotal: ■0</p>
<p id="discount">Discount: ■0</p>
<p id="total">Total: ■0</p>
<p id="delivery">Delivery: ■0</p>

<button class="checkout" onclick="checkout()">
Place Order
</button>

</section>

<footer>
<p>© 2026 Foodie | Fresh Food, Happy Life!</p>
</footer>

<script>

let cart = [];

function showPage(pageId,button) {

document.querySelectorAll('.page').forEach(page => {
    page.classList.remove('active');
});

document.getElementById(pageId).classList.add('active');

document.querySelectorAll('nav button').forEach(btn => {
    btn.classList.remove('active');
});

button.classList.add('active');

if(pageId === 'cart') {
    displayCart();
}

}

function addToCart(name,price) {

let existingItem = cart.find(item => item.name === name);

if(existingItem) {
    existingItem.quantity++;
} else {
    cart.push({
        name:name,
        price:price,
        quantity:1
    });
}

updateCartCount();
alert(name + ' added to cart!');
```

### Source code – lines 469 to 546

```
}

function updateCartCount() {

let count = cart.reduce(
    (sum,item) => sum + item.quantity,0
);

document.getElementById('cart-count').textContent = count;

}

function displayCart() {

let cartItems = document.getElementById('cart-items');
let subtotal = 0;

if(cart.length === 0) {

    cartItems.innerHTML = '<p>Your cart is empty.</p>';
    document.getElementById('subtotal').textContent = 'Subtotal: ■0';
    document.getElementById('discount').textContent = 'Discount: ■0';
    document.getElementById('total').textContent = 'Total: ■0';
    document.getElementById('delivery').textContent = 'Delivery: ■0';
    return;

}

cartItems.innerHTML = '';

cart.forEach((item,index) => {

    let itemTotal = item.price * item.quantity;
    subtotal += itemTotal;

    let row = document.createElement('div');
    row.className = 'cart-row';

    let details = document.createElement('span');

    details.textContent =
        item.name + ' × ' + item.quantity +
        ' = ■' + itemTotal;

    let removeButton = document.createElement('button');
    removeButton.className = 'remove';
    removeButton.textContent = 'Remove';

    removeButton.onclick = function() {
        removeItem(index);
    };

    row.appendChild(details);
    row.appendChild(removeButton);
    cartItems.appendChild(row);

});

// Special discount calculation

let discount = 0;

if(subtotal >= 499) {
    discount = subtotal * 0.15;
} else if(subtotal >= 299) {
    discount = subtotal * 0.10;
}

// Delivery calculation

let delivery = subtotal >= 399 ? 0 : 30;

let finalTotal = subtotal - discount + delivery;

document.getElementById('subtotal').textContent =
    'Subtotal: ■' + subtotal.toFixed(2);

document.getElementById('discount').textContent =
```

## Source code – lines 547 to 607

```
    'Discount: -■' + discount.toFixed(2);

document.getElementById('total').textContent =
    'Total: ■' + finalTotal.toFixed(2);

document.getElementById('delivery').textContent =
    'Delivery: ■' + delivery;

}

function removeItem(index) {

cart.splice(index,1);

updateCartCount();
displayCart();

}

function checkout() {

if(cart.length === 0) {
    alert('Please add items to your cart first!');
    return;
}

let subtotal = cart.reduce(
    (sum,item) => sum + item.price * item.quantity,0
);

let discount = 0;

if(subtotal >= 499) {
    discount = subtotal * 0.15;
} else if(subtotal >= 299) {
    discount = subtotal * 0.10;
}

let delivery = subtotal >= 399 ? 0 : 30;

let total = subtotal - discount + delivery;

alert(
    '■ Order placed successfully!' +
    '\\nSubtotal: ■' + subtotal +
    '\\nDiscount: ■' + discount.toFixed(2) +
    '\\nDelivery: ■' + delivery +
    '\\nFinal Amount: ■' + total.toFixed(2)
);

cart = [];

updateCartCount();
displayCart();

}

</script>

</body>
</html>
```