

## Apontamentos JS.

### - Primitive Types

- Numbers;
- Boolean values;
- Null type;
- Undefined type.

### - Reference Types

- Objects;
- Arrays;
- Functions.

### - Anonymous Function

- An anonymous function is a function without a name;
- An anonymous function cannot be accessed after its creation, therefore it often needs to be assigned to a variable;
- Often anonymous functions are passed as arguments to other functions.

### - Callback function

- A callback function is passed as an argument to another function.

### - Event bubbling

- A method by which an event got triggered within a nested set of HTML elements gets captured by the innermost element and travels up the DOM tree hierarchy to its outermost element.

Resolução exame 2022 Normal

1.  
a)

2.  
g)

3.  
b)

4.  
b)

5.  
b)

6.  
b)

7.  
b)

8.  
d)

9.  
b)

10.  
b)

11.  
c)

12.  
c)

13.

?  $\rightarrow$  d)

14. *Nota!  $\rightarrow$  Probs e elementos são imutáveis*  
?  $\rightarrow$  a)

15.  
a)

16.  
?  $\rightarrow$  b)

17.  
a)

18.  
c)

19.  
b)

20.  
a)  $\times$  b)

21.  
a)

22.  
a)

23.  
b)

24.  
a)

25.  
i,

b)

26.  
o)

27.  
c)

28.  
a)

29.  
a)

30.  
a)  
g)

*Resolução exame 2022 Recurso*

1.  
a)

2.  
c)

3.  
d)

4.  
a)

5.  
b)

6.  
a)

7. a)

8. a)

9. d)

10. c) ?

11. b)

12. d)

13. a)

14. d)

15. b)

16. e) / a) ?

17. d)

18. c)

19. a)

e)

20. a)

21. a)

22. d)

23. c)

24. c)

25. e)

26. b)

27. a)  
e)

28. c)

29. ?  
.

30. d)  
g)