

Ex. No 4: Analyze email headers and detect email spoofing using MHA (Mail Header Analyzer)

Description:

Here's a step-by-step guide on how to execute and analyze an email header:

1. Access the Email Header

- **Gmail:** Open the email, click the three dots (More) in the upper right corner, and select "Show original."
- **Outlook:** Open the email, click on "File," then "Properties," and find the "Internet headers" box.
- **Yahoo:** Open the email, click on the three dots (More), and select "View raw message."

2. Copy the Email Header

- Once you access the header, copy all the text that appears. This text contains various metadata fields about the email's journey from the sender to your inbox.

3. Identify Key Header Fields

- **From:** The sender's email address.
- **To:** The recipient's email address.
- **Date:** The date and time the email was sent.
- **Subject:** The email's subject line.
- **Return-Path:** The return address if the email bounces.
- **Received:** A list of servers the email passed through on its way to the recipient. This is usually the most critical part of header analysis.
- **Message-ID:** A unique identifier for the email.
- **SPF (Sender Policy Framework) / DKIM (DomainKeys Identified Mail):** Indicators of email authentication.

4. Analyze the 'Received' Fields

- The Received fields show the path the email took from the sender to the recipient. These fields are listed in reverse order (from the last server to the first).
- Each Received line will show:
 - **The sending server's hostname/IP address.**
 - **The receiving server's hostname/IP address.**
 - **The date and time the email passed through.**

1. Check for IP Addresses and Hostnames

- Use tools like **WHOIS** or online IP lookup services to identify the geographical location and ownership of the IP addresses found in the Received lines.
- Check if any IP addresses are suspicious or if the hostname does not match the expected sending server.

6. Examine the SPF, DKIM, and DMARC Results

- **SPF:** Checks if the sender's IP is authorized to send emails for the domain.
 - **Pass:** Indicates the IP is authorized.
 - **Fail:** The IP is not authorized and could be a sign of spoofing.
- **DKIM:** Verifies that the email content has not been altered in transit.
 - **Pass:** The email has not been tampered with.
 - **Fail:** The email content may have been altered.
- **DMARC:** A policy that uses SPF and DKIM to authenticate the email.
 - **Pass:** Indicates alignment with SPF/DKIM policies.
 - **Fail:** Indicates possible spoofing or tampering.

7. Analyze the 'Message-ID'

- The Message-ID is unique to each email. It usually includes the domain of the sending server.
- Check if the domain in the Message-ID matches the sender's domain. If not, it could be a sign of spoofing.

8. Look for Anomalies

- **Mismatch in Email Domains:** Check if the From domain matches the domains in Return-Path, Message-ID, and other authentication results.
- **Strange IP Addresses:** Be wary of IP addresses that do not match the known sending server or are from unexpected locations.
- **Suspicious Time Stamps:** Check for significant time discrepancies in the Received lines, which could indicate delays or rerouting.

6. Use Online Tools

- Use online email header analysis tools like **MXToolbox** or **Google's G Suite Toolbox** to automatically parse and analyze the email header.

7. Document and Report Findings

- Document all your findings, especially if you detect phishing or spoofing.
- Report suspicious emails to your IT department or email provider for further investigation.

Example of a Header Analysis

Here's a quick example with a sample header:

vbnet

Copy code

Received: from mail.example.com (mail.example.com [192.0.2.1])

by mail.receiver.com with ESMTP id u29si8604336pjs.40.2023.08.10.07.00.16;

Thu, 10 Aug 2023 07:00:16 -0700 (PDT)


Received: by mail.example.com with SMTP id a1mr1243772ywh.51;

Thu, 10 Aug 2023 07:00:15 -0700 (PDT)

Message-ID: <CA+7eu=4pSeXgQ@mail.example.com>

- **Check IP Addresses:** Lookup 192.0.2.1 and ensure it is associated with mail.example.com.
- **Verify SPF/DKIM:** Check if mail.example.com is authorized to send emails for this domain.
- **Compare Time Stamps:** Ensure the times make sense chronologically without unusual delays.

Email:



Email Header:

Original Message

Message ID	<1017279312.553171.1789982973834@ip-10-12-53-102.ap-south-1.compute.internal>
Created at:	Mon, Sep 21, 2026 at 9:46 PM (Delivered after 0 seconds)
From:	InCred Money <marketing@mail.incredmoney.com> Using NetcoreCloud Mailer
To:	govardhanachari28@gmail.com
Subject:	Scheduled Service Downtime
SPF:	PASS with IP 103.52.180.240 Learn more
DKIM:	'PASS' with domain mail.incredmoney.com Learn more
DMARC:	'PASS' Learn more

[Download Original](#)

[Copy to clipboard](#)

SPF, DKIM, DMARC Results:

SPF:	PASS with IP 209.85.220.69 Learn more
DKIM:	'PASS' with domain klu.ac.in Learn more
DMARC:	'PASS' Learn more

Received ip address:

Delivered-To: 99240040117@klu.ac.in
Received: by 2002:a05:7301:5793:b0:313:c22b:b85 with SMTP id ez19csp268062dyc; Wed, 19 Aug 2026 09:09:37 -0700 (PDT)
X-Forwarded-Encrypted: i=5; AHgh+RpzsFMRoGaJWC3r6GhT4CDKN1a7G2GzxmFwtUXjadJW/6BmqzHmUD/1IFchQGoWBX42GBaycnIW4gnUEQ==@klu.ac.in
X-Received: by 2002:a05:6402:1ed4:b0:6a3:714e:f5b4 with SMTP id 4fb4d7f45d1cf-6a4032f9642mr4260749a12.9.1787155777050; Wed, 19 Aug 2026 09:09:37 -0700 (PDT)
ARC-Seal: i=4; a=rsa-sha256; t=1787155777; cv=pass; d=google.com; s=arc-20260327; b=1/97bLN5oJ0hmvi/oBmBhKRH0Bk3wLb9ALIBYefyQ2rh+gzMga3iQxd1iJHyg+br3k AUwt0wluXU3mvENVdK8LBOIPoWP506+g6cK1X1xy+4TKMN+K0e4+Dzebm0RWPbwccs bCuboQ+XDxxLrdL6xZJ7h7fLESF0jo/pFScX11On+cv118LzLH/Ku91xiHVOJ2Nq4LA/I3QLvhPj2IIUTVQBEvYlPaJTzZzCK6CgoZg2xt1wAhbwEwcfneNoGAhvvXNr/D5WhZoR Z4YGiCOiAhhN1Q1uLy/637Jlppw0QdWnebLms1DQbmdWuNmMUIzs1DzPXl+ND4pYTx3I 46fw==
ARC-Message-Signature: i=4; a=rsa-sha256; c=relaxed/relaxed; d=google.com; s=arc-20260327; h=list-unsubscribe:list-archive:list-help:list-post:list-id :mailing-list:precedence:to:subject:message-id:date:from:in-reply-to:references:mime-version:dkim-signature; bh=e9G3fp0jRQ3hj0UXD6IDG3c7ok2SX1GTLaBCwTQgipc=; fh=X0dQhwcVRQ0INHIXbw7oAtaMubHfN8vym/okksAFVcs=; b=cUqdZncrKxWrmkIIziiG/RrRi/P5ZPcErVy6XLQ/P34+fc42Py9MbPKfg8WQgv+Kb 0Qudz7S3mCbaVI7a17hfuvTkKzpwj7IZUbSetiRde4KK1f07vvb6W5J0r3HbyoDBWI1 NZzu3ma2+ewWuvbIKVl3z3GpwWxt9JvCQbNz8m17z3zAdjw3VcObV1ysJyEqIbLS10Z hMm4XTwy5Dgs5x/uhjK4X7H/p/FCWY1u+uypDqL1SQC/Vq17As/gwmDoTfv0kzXfk8hb +TWBNp/rVAw276wZj3eMG7C1t9J/HHF3pjuISxdp/C6bECW98kmg2MC+pHPkwnENXB74 +xCA==; dara=google.com
ARC-Authentication-Results: i=4; mx.google.com; dkim=pass header.i=@klu.ac.in header.s=google header.b=h4rxMbcn; arc=pass (i=3 spf=pass spfdomain=klu.ac.in dkim=pass dkdomain=klu.ac.in dmarc=pass fromdomain=klu.ac.in); spf=pass (google.com: domain of 2024cse+bncbccyx7xjleilxkux2qdbubccdayvg@klu.ac.in designates 209.85.220.69 as permitted sender) smtp.mailfrom=2024cse+bncBCCYX7XJLEILXKUX2QDBUBCCDAYVG@klu.ac.in; dmarc=pass (p=QUARANTINE sp=NONE dis=NONE) header.from=klu.ac.in; dara=neutral header.i=@klu.ac.in
Return-Path: <2024cse+bncBCCYX7XJLEILXKUX2QDBUBCCDAYVG@klu.ac.in>
Received: from mail-sor-f69.google.com (mail-sor-f69.google.com [209.85.220.69]) by mx.google.com with SMTPS id 4fb4d7f45d1cf-6a3feafid89sor779546a12.8.2026.08.19.09.36 for <99240040117@klu.ac.in> (Google Transport Security); Wed, 19 Aug 2026 09:09:37 -0700 (PDT)
Received-SPF: pass (google.com: domain of 2024cse+bncbccyx7xjleilxkux2qdbubccdayvg@klu.ac.in designates 209.85.220.69 as permitted sender) client-ip=209.85.220.69; Authentication-Results: mx.google.com; dkim=pass header.i=@klu.ac.in header.s=google header.b=h4rxMbcn; arc=pass (i=3 spf=pass spfdomain=klu.ac.in dkim=pass dkdomain=klu.ac.in dmarc=pass fromdomain=klu.ac.in); spf=pass (google.com: domain of 2024cse+bncbccyx7xjleilxkux2qdbubccdayvg@klu.ac.in designates 209.85.220.69 as permitted sender) smtp.mailfrom=2024cse+bncBCCYX7XJLEILXKUX2QDBUBCCDAYVG@klu.ac.in; dmarc=pass (p=QUARANTINE sp=NONE dis=NONE) header.from=klu.ac.in; dara=neutral header.i=@klu.ac.in
ARC-Seal: i=3; a=rsa-sha256; t=1787155776; cv=pass; d=google.com; s=arc-20260327; b=LCQ+IiCQQRhxJeiCqDSYfClFqp0OCNQHLYPexh1wrMwGeA8MCwx6pL8U79/EAJQ/E 2eMShNaIsuHiN/3VpstyZP7ZbWptzqYef8Xm3NTHypKQEL4Jo5XM11CJ82Wr2Dqg68c y1rs6pw4uf0XmqoQmEU0ThNQ+RstA40CiJLBM+bVaQ85YrYYLizjDY+0fZ4NruxAJLy Phyc4btQJ0nRkbo+x3zkFvsTpUvZtWJCDagPAigJr93iziD/kblEonDlx+13PamLGDxN r8IbcuQp8IrgSbLpIKpc49jm0dE/Cd6ngvZt4NEZ38yeitzneQ10Wpjl512TauNK6Qy GTxw==
ARC-Message-Signature: i=3; a=rsa-sha256; c=relaxed/relaxed; d=google.com; s=arc-20260327; h=list-unsubscribe:list-archive:list-help:list-post:list-id :mailing-list:precedence:to:subject:message-id:date:from:in-reply-to:references:mime-version:dkim-signature; bh=e9G3fp0jRQ3hj0UXD6IDG3c7ok2SX1GTLaBCwTQgipc=; fh=X0dQhwcVRQ0INHIXbw7oAtaMubHfN8vym/okksAFVcs=; b=HzA88syDLYPMdbq9kr5U+wV86f07R3tlnmknW/Yb6oNNXvuvtiHxgND5x1NBNFZk3L p5weawqRAS5x/iYvP2idumMxb01UGRLec6nxaBCfmpK/Ir6RXsnNhBOXG/XSvTWsviY ogyOBZ8GtChag91Z4aLMNRzkYQConXM11ICvF2WtYrjZqkMLIaVNC/dbyOPdywhUrgX EB1PQDbwXulAKp0CvznP044sUTupgsFdCmKnUP9DuT5a09/LGC2XJIL0Joto99wEDE 3LZXGox7aouNSD07XS2akJly02xqpKMjfelxjlfEikwJLAhxNd/izKsec50RThDoexj qB5A==; darn=klu.ac.in
ARC-Authentication-Results: i=3; mx.google.com; dkim=pass header.i=@klu.ac.in header.s=google header.b=oYGoCtX6; arc=pass (i=1); spf=pass (google.com: domain of hodcse@klu.ac.in designates 209.85.220.41 as permitted sender) smtp.mailfrom=hodcse@klu.ac.in; dmarc=pass (p=QUARANTINE sp=NONE dis=NONE) header.from=klu.ac.in; dara=neutral header.i=@klu.ac.in

Whois Verification:

whois.com/whois/209.85.220.69

Whois

Domains

Hosting

Websites

Email

Security

Whois

Deals

209.85.220.69

WHOIS

Whois IP 209.85.220.69

Updated 5 days ago

ARIN WHOIS data and services are subject to the Terms of Use
available at: https://www.arin.net/resources/registry/whois/tou/

If you see inaccuracies in the results, please report at
https://www.arin.net/resources/registry/whois/inaccuracy_reporting/

Copyright 1997-2026, American Registry for Internet Numbers, Ltd.
#

NetRange: 209.85.128.0 - 209.85.255.255
CIDR: 209.85.128.0/17
NetName: GOOGLE
NetHandle: NET-209-85-128-0-1
Parent: NET209 (NET-209-0-0-0-0)
NetType: Direct Allocation
OriginAS:
Organization: Google LLC (GOGL)
RegDate: 2006-01-13
Updated: 2012-02-24
Ref: https://rdap.arin.net/registry/ip/209.85.128.0

OrgName: Google LLC
OrgId: GOGL
Address: 1600 Amphitheatre Parkway
City: Mountain View
StateProv: CA
PostalCode: 94043
Country: US
RegDate: 2000-03-30
Updated: 2019-10-31
Comment: Please note that the recommended way to file abuse complaints are located in the

Sale

.space

\$29.88

\$1.18

BUY NOW

*while stocks last

On Sale!

i

c

u

.ICU @ \$1.48 \$21.48

AI WEBSITE BUILDER

Build A Beautiful Website In Minutes!

Starts at \$2.48

MXtoolbox Header Analysis:

MX TOOLBOX

SUPERTOOL

PricingToolsDelivery CenterMonitoringProductsResourcesLogin

SuperToolMX LookupBlacklistsDMARCDiagnosticsEmail HealthDNS LookupAnalyze HeadersAll Tools

Header Analyzed

Email Subject: Fwd: IEEE Communication Society - Data Challenge Hackathon 28th and 29th August 2026

Analyze New Header

Delivery Information

DMARC Compliant

SPF Alignment

SPF Authenticated

DKIM Alignment

DKIM Authenticated

Relay Information

Received Delay: 9 seconds

From mail-sor-f41.google.com to mx.google.com

to-

to mx.google.com

to-

Relay (Seconds)

Hop	Delay	From	By	With	Time (UTC)	Blacklist
1	*	mail-sor-f41.google.com 209.85.220.41	mx.google.com	SMTPS	8/19/2026 4:09:28 PM	✓

Your IP is 103.238.220.194 | Contact Terms & Conditions Security API Privacy Phone: (888) 498-6952 | © Copyright 2004-2026, MXToolBox, Inc. All rights reserved. US Patents 10836953 B2 & 11461738 B2