

IN THE HOUSE OF REPRESENTATIVES

HOUSE BILL NO. 830

BY STATE AFFAIRS COMMITTEE

AN ACT

RELATING TO UNIFORM CONTROLLED SUBSTANCES; AMENDING SECTION 37-2705, IDAHO CODE, TO PROVIDE THAT ALKALOIDS FOUND IN OR DERIVED FROM MITRAGYNA SPECIOSA SHALL BE A SCHEDULE I CONTROLLED SUBSTANCE; AND DECLARING AN EMERGENCY AND PROVIDING AN EFFECTIVE DATE.

Be It Enacted by the Legislature of the State of Idaho:

SECTION 1. That Section 37-2705, Idaho Code, be, and the same is hereby amended to read as follows:

37-2705. SCHEDULE I. (a) The controlled substances listed in this section are included in schedule I.

(b) Any of the following opiates, including their isomers, esters, ethers, salts, and salts of isomers, esters, and ethers, unless specifically excepted, whenever the existence of these isomers, esters, ethers and salts is possible within the specific chemical designation:

- (1) Acetyl-alpha-methylfentanyl (N-[1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-phenylacetamide);
- (2) Acetylmethadol;
- (3) Acetyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide);
- (4) Acryl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylacrylamide);
- (5) Allylprodine;
- (6) Alphacetylmethadol (except levo-alphacetylmethadol also known as levo-alpha-acetylmethadol, levomethadyl acetate or LAAM);
- (7) Alphameprodine;
- (8) Alphamethadol;
- (9) Alpha'-methyl butyryl fentanyl (2-methyl-N-(1-phenethylpiperidin-4-yl)-N-phenylbutanamide);
- (10) Alpha-methylfentanyl;
- (11) Alpha-methylthiofentanyl (N-[1-methyl-2-(2-thienyl)ethyl-4-piperidinyl]-N-phenylpropanamide);
- (12) Benzethidine;
- (13) Betacetylmethadol;
- (14) Beta-hydroxyfentanyl (N-[1-(2-hydroxy-2-phenethyl)-4-piperidinyl]-N-phenylpropanamide);
- (15) Beta-hydroxythiofentanyl;
- (16) Beta-hydroxy-3-methylfentanyl (N-(1-(2-hydroxy-2-phenethyl)-3-methyl-4-piperidinyl)-N-phenylpropanamide);
- (17) Betameprodine;
- (18) Betamethadol;
- (19) Beta-methyl fentanyl;
- (20) Beta'-phenyl fentanyl;

- (21) Betaprodine;
- (22) Brorphine (1-(1-(1-(4-Bromophenyl)ethyl)piperidin-4-yl)-1,3-dihydro-2H-benzo[D]imidazol-2-one);
- (23) Butonitazene (2-(2-(4-butoxybenzyl)-5-nitro-1hbenzimidazol-1-yl)-N,N-diethylethan-1-amine);
- (24) Clonitazene;
- (25) Crotonyl fentanyl ((E)-N-(1-phenethylpiperidin-4-yl)-N-phenylbut-2-enamide);
- (26) Cyclopentyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopentanecarboxamide);
- (27) Cyclopropyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopropanecarboxamide);
- (28) Dextromoramide;
- (29) Diampromide;
- (30) Diethylthiambutene;
- (31) Difenoxin;
- (32) Dimenoxadol;
- (33) Dimepheptanol;
- (34) 2',5'-Dimethoxyfentanyl (N-(1-(2,5-dimethoxyphenethyl)piperidin-4-yl)-N-phenylpropionamide);
- (35) Dimethylthiambutene;
- (36) Dioxaphetyl butyrate;
- (37) Dipipanone;
- (38) Ethylmethylthiambutene;
- (39) Etodesnitazene; Etazene (2-(2-(4-ethoxybenzyl)-1hbenzimidazol-1-yl)-N,N-diethylethan-1-amine);
- (40) Etonitazene;
- (41) Etoxeridine;
- (42) Fentanyl-related substances. "Fentanyl-related substances" means any substance not otherwise listed and for which no exemption or approval is in effect under section 505 of the federal food, drug, and cosmetic act, 21 U.S.C. 355, and that is structurally related to fentanyl by one (1) or more of the following modifications:
 - i. Replacement of the phenyl portion of the phenethyl group by any monocycle, whether or not further substituted in or on the monocycle;
 - ii. Substitution in or on the phenethyl group with alkyl, alkenyl, alkoxyl, hydroxyl, halo, haloalkyl, amino, or nitro groups;
 - iii. Substitution in or on the piperidine ring with alkyl, alkenyl, alkoxyl, ester, ether, hydroxyl, halo, haloalkyl, amino, or nitro groups;
 - iv. Replacement of the aniline ring with any aromatic monocycle, whether or not further substituted in or on the aromatic monocycle; and/or
 - v. Replacement of the N-propionyl group by another acyl group;
- (43) Fentanyl carabamate;
- (44) Flunitazene (N,N-diethyl-2-(2-(4-fluorobenzyl)-5-nitro-1h-benzimidazol-1-yl)ethan-1-amine);
- (45) 4-Fluoroisobutyryl fentanyl (N-(4-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)isobutyramide);

1 (46) 2'-fluoro ortho-fluorofentanyl;
 2 (47) Furanyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylfu-
 3 ran-2-carboxamide);
 4 (48) 3-Furanyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylfu-
 5 ran-3-carboxamide);
 6 (49) Furethidine;
 7 (50) Hydroxypethidine;
 8 (51) Isobutyryl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-
 9 phenylisobutyramide);
 10 (52) Isovaleryl fentanyl (3-methyl-N-(1-phenethylpiperidin-4-yl)-N-
 11 phenylbutanimide);
 12 (53) Isotonitazene (N,N-diethyl-2-(2-(4isopropoxybenzyl)-5-ni-
 13 tro-1h-benzimidazol-1-yl)ethan-1-amine);
 14 (54) Ketobemidone;
 15 (55) Levomoramide;
 16 (56) Levophenacylmorphane;
 17 (57) Meta-fluorofentanyl (N-(3-fluorophenyl)-N-(1-phenethylpiperi-
 18 din-4-yl)isobutyramide);
 19 (58) Meta-fluoroisobutyryl fentanyl (N-(3-fluorophenyl)-N-(1-
 20 phenethylpiperidin-4-yl)isobutyramide);
 21 (59) Methoxyacetyl fentanyl (2-methoxy-N-(1-phenethylpiperidin-4-
 22 yl)-N-phenylacetamide);
 23 (60) 2-Methyl AP-237 (1-(2-methyl-4-(3-phenylprop-2-en-1-yl)piper-
 24 azin-1-yl)butan-1-one);
 25 (61) 4'-methyl acetyl fentanyl;
 26 (62) 3-Methylfentanyl;
 27 (63) 3-methylthiofentanyl (N-[(3-methyl-1-(2-thienyl)ethyl-4-pip-
 28 eridinyl]-N-phenylpropanamide);
 29 (64) Metodesnitazene (N,N-diethyl-2-(2-(4-methoxybenzyl)-1h-benzim-
 30 idazol-1-yl)ethan-1-amine);
 31 (65) Metonitazene (N,N-diethyl-2-(2-(4-methoxybenzyl)-5-nitro-
 32 1hbenzimidazol-1-yl)ethan-1-amine);
 33 (66) Morpheridine;
 34 (67) MPPP (1-methyl-4-phenyl-4-propionoxypiperidine);
 35 (68) MT-45 (1-cyclohexyl-4-(1,2-diphenylethyl)piperazine);
 36 (69) N-(4-chlorophenyl)-N-(1-phenethylpiperidin-4-yl) Isobutyramide
 37 (para-chloroisobutyryl fentanyl);
 38 (70) Noracymethadol;
 39 (71) Norlevorphanol;
 40 (72) Normethadone;
 41 (73) Norpipanone;
 42 (74) N-pyrrolidino etonitazene (2-(4-ethoxybenzyl)-5-nitro-1-(2-
 43 pyrrolidin-1-yl)ethyl)1hbenzimidazole);
 44 (75) Ocfentanil (N-(2-fluorophenyl)-2-methoxy-N-(1-phenethyl-
 45 piperidin-4-yl)acetamide);
 46 (76) Ortho-fluoroacryl fentanyl;
 47 (77) Ortho-fluorobutyryl fentanyl;
 48 (78) Ortho-fluorofentanyl;
 49 (79) Ortho-fluorofuranyl fentanyl (N-(2-fluorophenyl)-N-(1-
 50 phenethylpiperidin-4-yl)furan-2-carboxamide);

- 1 (80) Ortho-fluoroisobutyryl fentanyl;
- 2 (81) Ortho-methyl acetylfentanyl;
- 3 (82) Ortho-methyl methoxyacetyl fentanyl;
- 4 (83) Para-chloroisobutyryl fentanyl (N-(4-chlorophenyl)-N-(1-phenethylpiperidin-4-yl) isobutyramide);
- 5 (84) Para-fluorobutyryl fentanyl (N-(4-fluorophenyl)-N-(1-phenethylpiperidin-4-yl) butyramide);
- 6 (85) Para-fluorofentanyl (N-(4-fluorophenyl)-N-[1-(2-phenethyl)-4-piperidiny] propanamide);
- 7 (86) Para-fluoro furanyl fentanyl;
- 8 (87) Para-methoxybutyryl fentanyl (N-(4-methoxyphenyl)-N-(1-phenethylpiperidin-4-yl) butyramide);
- 9 (88) Para-methoxyfuranyl fentanyl (N-(4-methoxyphenyl)-N-(1-phenethylpiperidin-4-yl) furan-2-carboxamide);
- 10 (89) Para-methylcyclopropyl fentanyl (N-(4-methylphenyl)-N-(1-phenylpiperidin-4-yl) cyclopropanecarboxamide);
- 11 (90) Para-methylfentanyl;
- 12 (91) PEPAP (1-(-2-phenethyl)-4-phenyl-4-acetoxypiperidine);
- 13 (92) Phenadoxone;
- 14 (93) Phenampromide;
- 15 (94) Phenomorphan;
- 16 (95) Phenoperidine;
- 17 (96) Phenyl fentanyl;
- 18 (97) Piritramide;
- 19 (98) Proheptazine;
- 20 (99) Properidine;
- 21 (100) Propiram;
- 22 (101) Protonitazene (N,N-diethyl-2-(5-nitro-2-(4-propoxybenzyl)-1H-benzimidazol-1-yl)ethan-1-amine);
- 23 (102) Racemoramide;
- 24 (103) Tetrahydrofuranyl fentanyl (N-(1-phenethylpiperidine-4-yl)-N-phenyltetrahydrofuran-2-carboxamide);
- 25 (104) Thiofentanyl (N-phenyl-N-[1-(2-thienyl)ethyl-4-piperidiny]-propanamide);
- 26 (105) Tilidine;
- 27 (106) Trimeperidine;
- 28 (107) u-47700 (3,4-Dichloro-N-[2-(dimethylamino) cyclohexyl]-N-methylbenzamide);
- 29 (108) Valeryl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylpentanamide);
- 30 (109) Zipeprol (1-methoxy-3-[4-(2-methoxy-2-phenylethyl)piperazin-1-yl]-1-phenylpropan-2-ol).
- 31 (c) Any of the following opium derivatives, their salts, isomers and salts of isomers, unless specifically excepted, whenever the existence of these salts, isomers and salts of isomers is possible within the specific chemical designation:
- 32 (1) Acetorphine;
- 33 (2) Acetyldihydrocodeine;
- 34 (3) Benzylmorphine;
- 35 (4) Codeine methylbromide;

- (5) Codeine-N-Oxide;
- (6) Cyprenorphine;
- (7) Desomorphine;
- (8) Dihydromorphine;
- (9) Drotebanol;
- (10) Etorphine (except hydrochloride salt);
- (11) Heroin;
- (12) Hydromorphenol;
- (13) Methyldesorphine;
- (14) Methyldihydromorphine;
- (15) Morphine methylbromide;
- (16) Morphine methylsulfonate;
- (17) Morphine-N-Oxide;
- (18) Myrophine;
- (19) Nicocodeine;
- (20) Nicomorphine;
- (21) Normorphine;
- (22) Pholcodine;
- (23) Thebacon.

(d) Hallucinogenic substances. Any material, compound, mixture or preparation that contains any quantity of the following hallucinogenic substances, their salts, isomers and salts of isomers, unless specifically excepted, whenever the existence of these salts, isomers, and salts of isomers is possible within the specific chemical designation (for purposes of this subsection only, the term "isomer" includes the optical, position and geometric isomers):

- (1) Dimethoxyphenethylamine, or any compound not specifically excepted or listed in another schedule that can be formed from dimethoxyphenethylamine by replacement of one (1) or more hydrogen atoms with another atom(s), functional group(s) or substructure(s) including, but not limited to, compounds such as DOB, DOC, 2C-B, 25B-NBOMe;
- (2) Methoxyamphetamine or any compound not specifically excepted or listed in another schedule that can be formed from methoxyamphetamine by replacement of one (1) or more hydrogen atoms with another atom(s), functional group(s) or substructure(s) including, but not limited to, compounds such as PMA and DOM;
- (3) 5-methoxy-3,4-methylenedioxy-amphetamine;
- (4) 5-methoxy-N,N-diisopropyltryptamine;
- (5) Amphetamine or methamphetamine with a halogen substitution on the benzyl ring, including compounds such as fluorinated amphetamine and fluorinated methamphetamine;
- (6) 3,4-methylenedioxy amphetamine;
- (7) 3,4-methylenedioxymethamphetamine (MDMA);
- (8) 3,4-methylenedioxy-N-ethylamphetamine (also known as N-ethyl-alpha-methyl-3,4 (methylenedioxy) phenethylamine, and N-ethyl MDA, MDE, MDEA);
- (9) N-hydroxy-3,4-methylenedioxyamphetamine (also known as N-hydroxy-alpha-methyl-3,4 (methylenedioxy) phenethylamine, and N-hydroxy MDA);

- 1 (10) 3,4,5-trimethoxy amphetamine;
- 2 (11) 5-methoxy-N,N-dimethyltryptamine (also known as 5-methoxy-3-2[2-
- 3 (dimethylamino)ethyl]indole and 5-MeO-DMT);
- 4 (12) Alpha-ethyltryptamine (some other names: etryptamine, 3-(2-am-
- 5 inobutyl) indole);
- 6 (13) Alpha-methyltryptamine;
- 7 (14) Bufotenine;
- 8 (15) Diethyltryptamine (DET);
- 9 (16) Dimethyltryptamine (DMT);
- 10 (17) Ibogaine;
- 11 (18) Lysergic acid diethylamide;
- 12 (19) Marihuana;
- 13 (20) Mescaline;
- 14 (21) Methoxetamine;
- 15 (22) Parahexyl;
- 16 (23) Peyote;
- 17 (24) N-ethyl-3-piperidyl benzilate;
- 18 (25) N-methyl-3-piperidyl benzilate;
- 19 (26) Para-methoxymethamphetamine (PMMA), 1-(4-methoxyphenyl)-N-
- 20 methylpropan-2-amine;
- 21 (27) Psilocybin;
- 22 (28) Psilocyn;
- 23 (29) Tetrahydrocannabinols or synthetic equivalents of the substances
- 24 contained in the plant, or in the resinous extractives of Cannabis, sp.
- 25 and/or synthetic substances, derivatives, and their isomers with simi-
- 26 lar chemical structure such as the following:
- 27 i. Tetrahydrocannabinols, except for the permitted amount of
- 28 tetrahydrocannabinol found in industrial hemp, or nabiximols in a
- 29 drug product approved by the United States food and drug adminis-
- 30 tration:
- 31 a. Δ^1 cis or trans tetrahydrocannabinol, and their opti-
- 32 cal isomers, excluding dronabinol in sesame oil and encapsu-
- 33 lated in either a soft gelatin capsule or in an oral solution
- 34 in a drug product approved by the U.S. Food and Drug Adminis-
- 35 tration.
- 36 b. Δ^6 cis or trans tetrahydrocannabinol, and their optical
- 37 isomers.
- 38 c. $\Delta^{3,4}$ cis or trans tetrahydrocannabinol, and its optical
- 39 isomers. (Since nomenclature of these substances is not in-
- 40 ternationally standardized, compounds of these structures,
- 41 regardless of numerical designation of atomic positions are
- 42 covered.)
- 43 d. [(6aR,10aR)-9-(hydroxymethyl)-6,6-dimethyl-3-(2methy-
- 44 loctan-2-yl)-6a,7,10,10a-tetrahydrobenzo[c]chromen-
- 45 1-ol)], also known as 6aR-trans-3-(1,1-dimethylhep-
- 46 tyl)-6a,7,10,10a-tetrahydro-1-hydroxy-6,6-dimethyl-6H-
- 47 dibenzo[b,d]pyran-9-methanol (HU-210) and its geometric
- 48 isomers (HU211 or dexanabinol).
- 49 ii. The following synthetic drugs:

- a. Any compound structurally derived from (1H-indole-3-yl)(cycloalkyl, cycloalkenyl, aryl)methanone, or (1H-indole-3-yl)(cycloalkyl, cycloalkenyl, aryl)methane, or (1H-indole-3-yl)(cycloalkyl, cycloalkenyl, aryl), methyl or dimethyl butanoate, amino-methyl (or dimethyl)-1-oxobutan-2-yl carboxamide by substitution at the nitrogen atoms of the indole ring or carboxamide to any extent, whether or not further substituted in or on the indole ring to any extent, whether or not substituted to any extent in or on the cycloalkyl, cycloalkenyl, aryl ring(s) (substitution in the ring may include, but is not limited to, heteroatoms such as nitrogen, sulfur and oxygen).
- b. N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-(5-fluoropentyl)-1H-indazole-3-carboxamide (5F-AB-PINACA).
- c. 1-(1.3-benzodioxol-5-yl)-2-(ethylamino)-pentan-1-one (N-ethylpentylone, ephylone).
- d. 1-(4-cyanobutyl)-N-(2-phenylpropan-2-yl)-1H-indazole-3-carboxamide (4-cn-cumyl-BUTINACA).
- e. 5-pentyl-2-(2-phenylpropan-2-yl)pyrido[4,3-b]indol-1-one (Cumyl PeGACLONE).
- f. Ethyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate * (5F-EDMB-PINACA).
- g. Ethyl 2-(1-(5-fluoropentyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate (5F-EDMB-PICA).
- h. (1-(4-fluorobenzyl)-1H-indol-3-yl)(2,2,3,3-tetraethylcyclopropyl)methanone (FUB-144).
- i. 1-(5-fluoropentyl)-N-(2-phenylpropan-2-yl)-1H-indazole-3-carboxamide (5f-cumyl-pinaca; SGT-25).
- j. (1-(5-fluoropentyl)-N-(2-phenylpropan-2-yl)-1H-pyrrolo[2.3-B]pyridine-3-carboxamide (5f-cumyl-P7AICA).
- k. FUB-AMB, MMB-FUBINACA (Methyl 2-(1-(4-fluorobenzyl)-1H-indazole-3-carboxamido)-3-methylbutanoate).
- l. MMB-FUBICA (Methyl 2-(1-(4-Fluorobenzyl)-1H-Indole-3-carboxamido)-3-methyl butanoate).
- m. Methyl 3,3-dimethyl-2-((1-(pent-4-en-1-yl)-1H-indazol-3-yl)formamido)butanoate (MDMB-4EN-PINACA).
- n. Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3-methylbutanoate (MMB-CHMICA, AMB-CHMICA).
- o. Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate (MDMB-CHMICA).
- p. Methyl 2-(1-(4-fluorobenzyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate (MDMB-FUBINACA).
- q. Methyl 2-[[1-(4-Fluorobutyl)Indole-3-Carbonyl]Amino]-3,3-Dimethyl-Butanoate (4F-MDMB-BUTICA).
- r. Methyl 2-(1-(5-fluoropentyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate (5F-MDMBPICA).
- s. Methyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate (5F-ADB, 5FMDMB-PINACA).
- t. Methyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxamido)-3-methylbutanoate (5FAMB).

- 1 u. N-(1-Amino-3,3-dimethyl-1-oxobutan-2-yl)-1-butyl-1H-
2 Indazole-3-carboxamide (ADB-BUTINACA).
- 3 v. N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(4-fluo-
4 robenzyl)-1H-indazole-3-carboxamide (ADB-FUBINACA).
- 5 w. N-(1-Amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(pent-4-
6 en-1-yl)-1H-indazole-3-carboxamide (ADB-4EN-PINACA).
- 7 x. N-(adamantan-1-yl)-1-(4-fluorobenzyl)-1H-indazole-3-
8 carboxamide (FUB-AKB48; FUB-APINACA).
- 9 y. N-(adamantan-1-yl)-1-(5-fluoropentyl)-1H-indazole-3-
10 carboxamide (5F-APINACA, 5F-AKB48).
- 11 z. N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-(Cyclohexyl-
12 methyl)-1H-indazole-3-carboxamide (AB-CHMINACA).
- 13 aa. Naphthalen-1-yl 1-(5-fluoropentyl)-1H-indole-3-car-
14 boxylate (NM2201; CBL2201).
- 15 bb. Any compound structurally derived from 3-(1-naph-
16 thoyl)pyrrole by substitution at the nitrogen atom of the
17 pyrrole ring to any extent, whether or not further sub-
18 stituted in the pyrrole ring to any extent, whether or not
19 substituted in the naphthyl ring to any extent.
- 20 cc. Any compound structurally derived from 1-(1-naphthyl-
21 methyl)indene by substitution at the 3-position of the in-
22 dene ring to any extent, whether or not further substituted
23 in the indene ring to any extent, whether or not substituted
24 in the naphthyl ring to any extent.
- 25 dd. Any compound structurally derived from 3-phenyl-
26 lacetylindole by substitution at the nitrogen atom of the
27 indole ring to any extent, whether or not further substi-
28 tuted in the indole ring to any extent, whether or not sub-
29 stituted in the phenyl ring to any extent.
- 30 ee. Any compound structurally derived from 2-(3-hydroxy-
31 cyclohexyl)phenol by substitution at the 5-position of the
32 phenolic ring to any extent, whether or not substituted in
33 the cyclohexyl ring to any extent.
- 34 ff. Any compound structurally derived from 3-(benzoyl)in-
35 dole structure with substitution at the nitrogen atom of
36 the indole ring to any extent, whether or not further sub-
37 stituted in the indole ring to any extent and whether or not
38 substituted in the phenyl ring to any extent.
- 39 gg. [2,3-dihydro-5-methyl-3-(4-morpholinyl-
40 methyl)pyrrolo[1,2,3-de]-1,4-benzoxazin-6-yl]-1-
41 naphthalenylmethanone (WIN-55,212-2).
- 42 hh. 3-dimethylheptyl-11-hydroxyhexahydrocannabinol (HU-
43 243).
- 44 ii. [(6S, 6aR, 9R, 10aR)-9-hydroxy-6-methyl-3-[(2R)-
45 5-phenylpentan-2-yl]oxy-5,6,6a,7,8,9,10,10a-octahy-
46 drophenanthridin-1-yl]acetate (CP 50,5561).
- 47 (30) Ethylamine analog of phencyclidine: N-ethyl-1-phenylcy-
48 clohexylamine (1-phenylcyclohexyl) ethylamine; N-(1-phenylcy-
49 clohexyl) ethylamine, cyclohexamine, PCE;

(31) Pyrrolidine analog of phencyclidine: 1-(phenylcyclohexyl) - pyrrolidine, PCPy, PHP;

(32) Thiophene analog of phencyclidine 1-[1-(2-thienyl)-cyclohexyl]-piperidine, 2-thienylanalog of phencyclidine, TPCP, TCP;

(33) Thiofuranyl fentanyl;

(34) 1-[1-(2-thienyl) cyclohexyl] pyrrolidine another name: TCPy;

(35) Spores or mycelium capable of producing mushrooms that contain psilocybin or psilocin.

(e) Unless specifically excepted or unless listed in another schedule, any material, compound, mixture or preparation which contains any quantity of the following substances having a depressant effect on the central nervous system, including its salts, isomers, and salts of isomers whenever the existence of such salts, isomers, and salts of isomers is possible within the specific chemical designation:

(1) Clonazepam;

(2) Diclazepam;

(3) Gamma hydroxybutyric acid (some other names include GHB; gamma-hydroxybutyrate, 4-hydroxybutyrate; 4-hydroxybutanoic acid; sodium oxybate; sodium oxybutyrate);

(4) Etizolam;

(5) Flualprazolam;

(6) Flubromazolam;

(7) Flunitrazepam (also known as R2, Rohypnol);

(8) Mecloqualone;

(9) Methaqualone.

(f) Stimulants. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation which contains any quantity of the following substances having a stimulant effect on the central nervous system, including its salts, isomers, and salts of isomers:

(1) Amineptine (7-[(10,11-dihydro-5H-dibenzo[a,d]cyclohepten-5-yl)amino]heptanoic acid);

(2) Aminorex (some other names: aminoxaphen, 2-amino-5-phenyl-2-oxazoline, or 4,5-dihydro-5-phenyl-2-oxazoline), 4,4'-dimethylaminorex (4,4'-DMAR; 4,5-dihydro-4-methyl-5-(4-methylphenyl)-2-oxazoline) or (4,5-dihydro-5-phenyl-2-oxazoline);

(3) Cathinone (some other names: 2-amino-1-phenol-1-propanone, alpha-aminopropiophenone, 2-aminopropiophenone and norephedrone);

(4) Substituted cathinones. Any compound, except bupropion or compounds listed under a different schedule, structurally derived from 2-aminopropan-1-one by substitution at the 1-position with either phenyl, naphthyl or thiophene ring systems, whether or not the compound is further modified in any of the following ways:

i. By substitution in the ring system to any extent with alkyl, alkylendioxy, alkoxy, haloalkyl, hydroxyl or halide substituents, whether or not further substituted in the ring system by one (1) or more other univalent substituents;

ii. By substitution at the 3-position with an acyclic alkyl substituent;

iii. By substitution at the 2-amino nitrogen atom with alkyl, dialkyl, benzyl or methoxybenzyl groups, or by inclusion of the 2-amino nitrogen atom in a cyclic structure.

- (5) Alpha-pyrrolidinoheptaphenone* (PV8);
- (6) Alpha-pyrrolidinohexanophenone* (A-PHP);
- (7) 4-chloro-alpha-pyrrolidinovalerophenone* (4chloro-a-pvp);
- (8) Eutylone (1-(1,3-benzodioxol-5-yl)-2-(ethylamino)butan-1-one);
- (9) Fenethylamine;
- (10) Mesocarb (N-phenyl-N'-(3-(1-phenylpropan-2-yl)-1,2,3-oxadiazol-3-ium-5-yl) carbamimidate);
- (11) Methcathinone (some other names: 2-(methyl-amino)-propiophenone, alpha-(methylamino)-propiophenone, N-methylcathinone, AL-464, AL-422, AL-463 and UR1423);
- (12) Methiopropamine (N-methyl-1-(thiophen-2-yl)propan-2-amine);
- (13) (+/-)cis-4-methylaminorex [(+/-)cis-4,5-dihydro-4-methyl-5-phenyl-2-oxazamine];
- (14) 4-methyl-alpha-ethylaminopentiophenone* (4-MEAP);
- (15) 4'-methyl-alpha-pyrrolidinohexiophenone* (MPHP);
- (16) 2-(methylamino)-1-(3-methylphenyl)propan-1-one (3-MMC);
- (17) 4-methyl-1-phenyl-2-(pyrrolidine-1-yl)pent-1-one (ALPHA-PIHP);
- (18) N-benzylpiperazine (also known as: BZP, 1-benzylpiperazine);
- (19) N-ethylamphetamine;
- (20) N-ethylhexedrone*;
- (21) N,N-dimethylamphetamine (also known as: N,N-alpha-trimethylbenzeneethanamine).

(g) Unless specifically excepted or unless listed in another schedule, any alkaloids found in or derived from Mitragyna speciosa, including synthetic alkaloids, homologs, analogs, isomers, esters, ethers, salts, and salts of isomers, esters, and ethers, when the existence of the isomers, esters, ethers, and salts is possible within the specific chemical designation.

SECTION 2. An emergency existing therefor, which emergency is hereby declared to exist, this act shall be in full force and effect on and after July 1, 2026.