

Live for more

Live for discoveries. Live for adventure. Live for excitement. Welcome to the world of the Renault KWID. The KWID's design strategy symbolises dynamic performance, robust strength and a taste for adventure. Its SUV-inspired stance offers a high driving position and greater visibility, making it ideal for zipping around in urban traffic or roaring down the open highway.

The KWID has won the hearts of thousands of Indians and critics alike, making it India's favourite car with more than 24 awards and counting. Go ahead, make the most of every day.

Introducing the new powerful 1.0L engine

Live for more excitement with best-in-class performance. The Renault KWID 1.0 comes powered with a 1.0 litre SCe engine that makes driving smoother, effortless and more exciting. The high technology engine has been carefully crafted to deliver more power and better acceleration. This racier avatar also comes with speed-sport designer decals and two-tone gloss grey ORVMs that give it an added attitude.





Live for more Style




The Renault KWID is designed to turn heads. Its **SUV-inspired design** with short front and rear overhangs along with **high ground clearance** exudes an impression of strength and robustness. The **bold, structured grille** design highlights the Renault diamond logo, while the headlights incorporate Renault's new lighting signature with a **C-shaped** chrome trim. Stylish **fog lamps** further enhance the Renault KWID's striking stance. The chiselled, muscular front end flows into a dynamic profile, accentuated by turn **indicators on the fender** cladding.



The sculpted sides provide a fluid, dynamic touch with the rectangular forms of the black wheel arches, further accentuating the Renault KWID's SUV breeding. The steeply-raked, forward-positioned windscreen lends a sense of movement and fluidity to the car's high waistline. The lower part of the rear bumper comes with a black trim, another SUV cue. While the integrated roof spoiler adds to the car's dynamic stance.

Live for more Style



The Renault KWID's interior carries forward the same bold styling as the outside. The horizontal, uncluttered lines of the **dashboard** convey an impression of width and refinement. The digital instrument cluster and **piano black centre fascia with chrome surround** harmoniously house the centrally-positioned MediaNAV system, creating a contemporary high-quality feel that combines style and practicality. The chrome highlights continue on the side AC vents and control knobs, lending the Renault KWID a sophisticated edge.



The black, red and grey fabric of the **ergo smart cabin** further gives the Renault KWID's interiors a sporty feel. The **chunky steering wheel** provides for an enhanced grip, while the 4-way adjustable driver seat means that you can find the most ideal driving position.

Live for more Comfort & Convenience








Make the most of your weekends with the Renault KWID's ergo smart cabin. **Class-leading space** that comfortably seats 5 complements a host of thoughtful features. The Renault KWID's adaptable ergonomic seats with bolster support offer superior comfort and a high driving position for better visibility, while the **electric power steering** and one-touch lane change indicator make driving a breeze. **Power assisted windows** bring convenience to your fingertips while the **powerful air-conditioning** with heater makes every drive pleasant. All of these controls are easy to reach from both the driver and passenger sides.



Innovative **smart storage spaces** like the three set glove compartments, floor and door side console and centre console with bottle holders let you carry all essentials in the cabin at close reach. The Renault KWID's **class-leading boot space of 300 litres** can be extended up to 1115 litres, making it the perfect partner for a long road trip. The Renault KWID also comes with added features like **intermittent wipers** and a **power socket** to ensure that your phone's battery never runs out of charge. Getaways have never been this comfortable and convenient.

Live for more Technology




Find your way to a new adventure. The Renault KWID comes with a state-of-the-art, user-friendly **MediaNAV** multimedia and navigation system which features a first-in-class **seven-inch (18 cm) touchscreen display,** complemented by two speakers in the front. The MediaNAV system comes with a range of functions such as navigation with **turn by turn voice guidance, Bluetooth audio streaming and hands-free telephony,** USB and AUX-input ports and speed sensing volume control.



The innovative and easy-to-read **digital instrument cluster** with **on-board trip computer** provides valuable information such as average fuel consumption, distance to empty, average speed and more, while the **gear shift indicator** helps you achieve optimum fuel efficiency. The Renault KWID also comes with the convenience of **remote keyless entry** and **one-touch lane change indicator** that further simplifies your drive experience.

Live for more Performance & Safety



The Renault KWID has an engine for every need, whether you seek a smooth city ride or pole position performance. The two engine options with advanced **SCe** – **S**mart **C**ontrol **e**fficiency engine technology for **accurate air to fuel ratio** monitoring – deliver the ultimate driving pleasure. A knock sensor automatically adjusts spark advance to fuel quality, to help deliver optimised performance and **fuel efficiency of 25.17 Km/L***. The suspension system of the Renault KWID is calibrated for **optimum ride, handling and braking,** providing for a comfortable, safe drive. The ultra high **ground clearance of 180 mm** lets you take on any challenge with ease.







When it comes to safety, there can be no compromises. For added protection, the Renault KWID comes equipped with high safety **Pro-Sense front seat belt,** a **driver side airbag*** and **central locking** system. The **front disc brakes** ensure you're equipped for all weather conditions and road surfaces, while the **high mount stop lamp** and **audible parking brake** warning let you be at complete peace of mind all through the journey.

Colour zone







FIERY RED

ICE COOL WHITE

MOONLIGHT SILVER






OUTBACK BRONZE

PLANET GREY



We believe peace of mind goes a long way in improving driving pleasure.

That's why all our cars are backed by a firm promise and commitment to provide you with support, convenience and expertise, if you ever need it. Welcome to Renault's world-class quality and unmatched customer satisfaction.





SUPERIOR WARRANTY

When you buy a Renault, you get an assurance for 2 years or 50,000 kms.*, whichever comes first. Because your peace of mind is the only thing we care about.



FREE ROADSIDE ASSIST FOR 2 YEARS

Need roadside assist if there's a breakdown or accident during the first two years from the date of purchase? Call the 24x7 toll-free number 1800 300 44444. Air and road medical evacuation will be co-ordinated.



With Renault Secure, stay assured with industry leading offer of additional 2 year optional extended warranty that comes with roadside assistance (for immobilization and accidents). Call the 24x7 toll-free number 1800 300 44444 for assistance.



GENUINELY RENAULT

In case you need to replace your car spare parts, get genuine Renault parts at competitive prices. Renault has fixed service prices throughout the country.



EXCEEDS ALL EXPECTATIONS

We provide navigation assistance and concierge services to help you find hotels, dining options and events.

*Warranty coverage 2 years or 50,000 kms. from the date of invoice (whichever comes first).

ARIANTS	STD	RXE	RXL	RXT
owertrain				
8 SCe	✓	✓	✓	✓
0 SCe	-	-	-	✓
kteriors				
old structured front grille	✓	✓	✓	✓
shaped signature headlamps	✓	✓	✓	✓
ack bumpers	✓	✓	-	-
ody coloured bumpers	-		✓	✓
heel arch cladding	✓	✓	✓	✓
de indicator on wheel arch cladding	✓	✓	✓	✓
ont fog lamps	-	-	-	✓
RVM on passenger side	-	-	✓	✓
vo-tone gloss grey ORVMs	-	-	-	1.0 SCe only
pillar black applique	-	-	✓	✓
ack decals on doors - half size	-	✓	-	-
ack decals on doors - full size	-	-	✓	✓^
peed-sport designer decals on doors - full size	-	-	-	1.0 SCe only
nted glazing	✓	✓	✓	✓
eel wheels painted black	✓	-	✓	✓
eel wheels painted silver	-	✓	-	-
ack hub cap	✓	✓	-	-
ulti spoke wheel cover	-	-	✓	✓
tegrated roof spoiler	✓	✓	✓	✓
teriors				
ono-tone dashboard	✓	✓	✓	-
ual-tone dashboard	-	-	-	✓
gital instrument cluster	Plain	Satin silver contour	Satin silver contour	Chrome contour
porty steering wheel with piano black accent		-	COTTCOOT	<u> </u>
reering wheel leather wrap insert			-	0
entre fascia with satin silver contour		✓	✓	
ano black centre fascia with chrome contour		-	<u> </u>	✓
and black certific fascia with emorne contour				
entral air vents: adjustable & closable	-	✓	✓	With chrome knobs
de air vents with contour finish	Plain	Plain	Satin silver	Chrome
oor console with 2 can holders	✓	✓	✓	✓
arking brake console	✓	✓	✓	✓
ont seats: Outer valance cover	Small	Small	Large	Large
ont seats: Inner valance cover	-		✓	✓
ont seats: Premium contoured seats	-	-	✓	✓
ont seats: Integrated headrests	✓	✓	✓	✓
ear seats: Integrated neck rest	✓	✓	✓	✓
ear seats: Foldable backrest	-	✓	✓	✓
pholstery	Moon Grey	Moon Grey	Intense Red	Champion Rec
omfort & convenience				
ectric power steering	-	-	✓	✓
ont power windows	-	-	-	✓
eater	✓	✓	✓	✓
r-conditioner	-	✓	✓	✓
speed blower & 5-position air distribution with chrome ring knobs	-	-	-	✓
n-board trip computer	-	-	-	✓
pen storage in front of the passenger seat	✓	✓	✓	✓
ower glove box	-	✓	✓	✓
pper glove box	-	-	-	✓
oor map storage with 1 litre bottle holder (both sides)	✓	✓	✓	✓
ear parcel tray	-	-	-	✓
uto on/off cabin light	-	-	✓	✓
abin lighting with timer & fade out	_		-	✓
abilit lighting with timer & rade out				

VARIANTS	ST	D RX	E RXL	RXT
Assist grips: Rear passengers	-	-		
Sunvisor on passenger side		✓	· ·	<u> </u>
Gear shift indicator (GSI)				<u> </u>
Fuel lid inner release from driver side				<u> </u>
Tailgate inner release from driver side		· /	<u> </u>	
Radio / Multimedia	•	•	· ·	•
Single DIN stereo with radio AM/FM, MP3	_	_	✓	_
Bluetooth audio streaming & handsfree telephony				✓
Touchscreen MediaNAV	<u> </u>			<u>√</u>
Roof mic				<u> </u>
USB port				<u> </u>
AUX-in port	<u> </u>		✓ ✓	<u>√</u>
Front speakers (x2) Antenna	-			
			<u>√</u>	<u>√</u>
12V power socket	-			√
Safety & security	_			
Remote keyless entry with central locking		-	-	√
Front fog lamps	<u>-</u>		<u>-</u> ✓	✓ ✓
Engine immobilizer				
Intermittent front wiper & auto wiping while washing	-	-	-	√
High mounted stop lamp Front & rear seat belts	<u> </u>		√	√
Driver airbag	✓		✓	<u>√</u>
High safety Pro-Sense front seat belt		-		0
Spare wheel				
Warning triangle 2 years corrosion protection	<u> </u>	✓	<u>√</u>	<u>√</u>
	▼	DETPOI		
TECHNICAL SPECIFICATIONS		PETROL	1050	`0
TECHNICAL SPECIFICATIONS Engine & transmission	0.8 SCe	PETROL	1.0 SC	
TECHNICAL SPECIFICATIONS Engine & transmission Displacement	0.8 SCe 799 cc		1.0 SC 999 c	
TECHNICAL SPECIFICATIONS Engine & transmission Displacement Number of cylinders		3		
TECHNICAL SPECIFICATIONS Engine & transmission Displacement Number of cylinders Number of valves		3 12		
TECHNICAL SPECIFICATIONS Engine & transmission Displacement Number of cylinders Number of valves Number of gears	799 cc	3 12 5 + 1 (reverse)	999 c	
TECHNICAL SPECIFICATIONS Engine & transmission Displacement Number of cylinders Number of valves Number of gears Transmission type	799 cc 5-spee	3 12	999 co	С
TECHNICAL SPECIFICATIONS Engine & transmission Displacement Number of cylinders Number of valves Number of gears Transmission type Maximum power output	799 cc 5-spee 54 PS @ 5678 rpm	3 12 5 + 1 (reverse)	999 c romesh 68 PS @ 55	c 00 rpm
TECHNICAL SPECIFICATIONS Engine & transmission Displacement Number of cylinders Number of valves Number of gears Transmission type Maximum power output Maximum torque	799 cc 5-spee	3 12 5 + 1 (reverse)	999 co	c 00 rpm
TECHNICAL SPECIFICATIONS Engine & transmission Displacement Number of cylinders Number of valves Number of gears Transmission type Maximum power output Maximum torque Steering	799 cc 5-spee 54 PS @ 5678 rpm 72 Nm @ 4400 rpm	3 12 5 + 1 (reverse) d manual synch	999 c romesh 68 PS @ 55 91 Nm @ 42	00 rpm 250 rpm
TECHNICAL SPECIFICATIONS Engine & transmission Displacement Number of cylinders Number of valves Number of gears Transmission type Maximum power output Maximum torque Steering Type	799 cc 5-spee 54 PS @ 5678 rpm 72 Nm @ 4400 rpm	3 12 5 + 1 (reverse) d manual synch	999 c romesh 68 PS @ 55	00 rpm 250 rpm
TECHNICAL SPECIFICATIONS Engine & transmission Displacement Number of cylinders Number of valves Number of gears Transmission type Maximum power output Maximum torque Steering Type Suspension	799 cc 5-spee 54 PS @ 5678 rpm 72 Nm @ 4400 rpm Manua	3 12 5 + 1 (reverse) d manual synch al system & Elec	romesh 68 PS @ 55 91 Nm @ 42 tric Power Steeri	00 rpm 250 rpm
TECHNICAL SPECIFICATIONS Engine & transmission Displacement Number of cylinders Number of valves Number of gears Transmission type Maximum power output Maximum torque Steering Type Suspension Front	799 cc 5-spee 54 PS @ 5678 rpm 72 Nm @ 4400 rpm Manua	3 12 5 + 1 (reverse) d manual synch al system & Elec erson strut with	romesh 68 PS @ 55 91 Nm @ 42 tric Power Steeri	c 00 rpm 250 rpm ing*
TECHNICAL SPECIFICATIONS Engine & transmission Displacement Number of cylinders Number of valves Number of gears Transmission type Maximum power output Maximum torque Steering Type Suspension Front Rear	799 cc 5-spee 54 PS @ 5678 rpm 72 Nm @ 4400 rpm Manua	3 12 5 + 1 (reverse) d manual synch al system & Elec erson strut with	romesh 68 PS @ 55 91 Nm @ 42 tric Power Steeri	c 00 rpm 250 rpm ing*
TECHNICAL SPECIFICATIONS Engine & transmission Displacement Number of cylinders Number of valves Number of gears Transmission type Maximum power output Maximum torque Steering Type Suspension Front Rear Brake	799 cc 5-spee 54 PS @ 5678 rpm 72 Nm @ 4400 rpm Manua	3 12 5 + 1 (reverse) d manual synch al system & Electerson strut with beam suspensi	romesh 68 PS @ 55 91 Nm @ 42 tric Power Steeri	c 00 rpm 250 rpm ing*
TECHNICAL SPECIFICATIONS Engine & transmission Displacement Number of cylinders Number of valves Number of gears Transmission type Maximum power output Maximum torque Steering Type Suspension Front Rear Brake Front	799 cc 5-spee 54 PS @ 5678 rpm 72 Nm @ 4400 rpm Manua	3 12 5 + 1 (reverse) d manual synch al system & Electerson strut with beam suspens Disc	romesh 68 PS @ 55 91 Nm @ 42 tric Power Steeri	c 00 rpm 250 rpm ing*
TECHNICAL SPECIFICATIONS Engine & transmission Displacement Number of cylinders Number of yalves Number of gears Transmission type Maximum power output Maximum torque Steering Type Suspension Front Rear Brake Front Rear	799 cc 5-spee 54 PS @ 5678 rpm 72 Nm @ 4400 rpm Manua	3 12 5 + 1 (reverse) d manual synch al system & Electerson strut with beam suspensi	romesh 68 PS @ 55 91 Nm @ 42 tric Power Steeri	c 00 rpm 250 rpm ing*
TECHNICAL SPECIFICATIONS Engine & transmission Displacement Number of cylinders Number of valves Number of gears Transmission type Maximum power output Maximum torque Steering Type Suspension Front Rear Brake Front Rear Wheels & tyres	799 cc 5-spee 54 PS @ 5678 rpm 72 Nm @ 4400 rpm Manua	3 12 5 + 1 (reverse) d manual synch al system & Electerson strut with beam suspens Disc Drum	romesh 68 PS @ 55 91 Nm @ 42 tric Power Steeri	c 00 rpm 250 rpm ing*
TECHNICAL SPECIFICATIONS Engine & transmission Displacement Number of cylinders Number of valves Number of gears Transmission type Maximum power output Maximum torque Steering Type Suspension Front Rear Brake Front Rear Wheels & tyres Tyre size	799 cc 5-spee 54 PS @ 5678 rpm 72 Nm @ 4400 rpm Manua	3 12 5 + 1 (reverse) d manual synch al system & Electerson strut with beam suspens Disc Drum 155/80	romesh 68 PS @ 55 91 Nm @ 42 tric Power Steeri	c 00 rpm 250 rpm ing*
TECHNICAL SPECIFICATIONS Engine & transmission Displacement Number of cylinders Number of valves Number of gears Transmission type Maximum power output Maximum torque Steering Type Suspension Front Rear Brake Front Rear Wheels & tyres Tyre size Wheel rim size	799 cc 5-spee 54 PS @ 5678 rpm 72 Nm @ 4400 rpm Manua	3 12 5 + 1 (reverse) d manual synch al system & Electerson strut with beam suspens Disc Drum 155/80 R13	romesh 68 PS @ 55 91 Nm @ 42 tric Power Steeri lower transverse on with coil sprii	c 00 rpm 250 rpm ing*
TECHNICAL SPECIFICATIONS Engine & transmission Displacement Number of cylinders Number of valves Number of gears Transmission type Maximum power output Maximum torque Steering Type Suspension Front Rear Brake Front Rear Wheels & tyres Tyre size Wheel rim size Tyre type	799 cc 5-spee 54 PS @ 5678 rpm 72 Nm @ 4400 rpm Manua	3 12 5 + 1 (reverse) d manual synch al system & Electerson strut with beam suspens Disc Drum 155/80	romesh 68 PS @ 55 91 Nm @ 42 tric Power Steeri lower transverse on with coil sprii	c 00 rpm 250 rpm ing*
TECHNICAL SPECIFICATIONS Engine & transmission Displacement Number of cylinders Number of valves Number of gears Transmission type Maximum power output Maximum torque Steering Type Suspension Front Rear Brake Front Rear Wheels & tyres Tyre size Wheel rim size Tyre type Dimensions	799 cc 5-spee 54 PS @ 5678 rpm 72 Nm @ 4400 rpm Manua	3 12 5 + 1 (reverse) d manual synch al system & Electerson strut with beam suspens Disc Drum 155/80 R13 Radial tubeless	romesh 68 PS @ 55 91 Nm @ 42 tric Power Steeri lower transverse on with coil sprii	c 00 rpm 250 rpm ing*
TECHNICAL SPECIFICATIONS Engine & transmission Displacement Number of cylinders Number of valves Number of gears Transmission type Maximum power output Maximum torque Steering Type Suspension Front Rear Brake Front Rear Wheels & tyres Tyre size Wheel rim size Tyre type Dimensions & capacities Overall length (mm)	799 cc 5-spee 54 PS @ 5678 rpm 72 Nm @ 4400 rpm Manua	3 12 5 + 1 (reverse) d manual synch al system & Electerson strut with beam suspens Disc Drum 155/80 R13 Radial tubeless 3679	romesh 68 PS @ 55 91 Nm @ 42 tric Power Steeri lower transverse on with coil sprii	c 00 rpm 250 rpm ing*
TECHNICAL SPECIFICATIONS Engine & transmission Displacement Number of cylinders Number of valves Number of gears Transmission type Maximum power output Maximum torque Steering Type Suspension Front Rear Brake Front Rear Wheels & tyres Tyre size Wheel rim size Tyre type Dimensions & capacities Overall length (mm) Overall width (mm)	799 cc 5-spee 54 PS @ 5678 rpm 72 Nm @ 4400 rpm Manua	3 12 5 + 1 (reverse) d manual synch al system & Electerson strut with beam suspensi Disc Drum 155/80 R13 Radial tubeless 3679 1579	romesh 68 PS @ 55 91 Nm @ 42 tric Power Steeri lower transverse on with coil sprii	c 00 rpm 250 rpm ing*
TECHNICAL SPECIFICATIONS Engine & transmission Displacement Number of cylinders Number of valves Number of gears Transmission type Maximum power output Maximum torque Steering Type Suspension Front Rear Brake Front Rear Wheels & tyres Tyre size Wheel rim size Tyre type Dimensions & capacities Overall length (mm) Overall width (mm)	799 cc 5-spee 54 PS @ 5678 rpm 72 Nm @ 4400 rpm Manua	3 12 5 + 1 (reverse) d manual synch al system & Electerson strut with beam suspensi Disc Drum 155/80 R13 Radial tubeless 3679 1579 1478	romesh 68 PS @ 55 91 Nm @ 42 tric Power Steeri lower transverse on with coil sprii	c 00 rpm 250 rpm ing*
TECHNICAL SPECIFICATIONS Engine & transmission Displacement Number of cylinders Number of valves Number of gears Transmission type Maximum power output Maximum torque Steering Type Suspension Front Rear Brake Front Rear Wheels & tyres Tyre size Wheel rim size Tyre type Dimensions & capacities Overall length (mm) Overall width (mm) Overall height (mm)	799 cc 5-spee 54 PS @ 5678 rpm 72 Nm @ 4400 rpm Manua	3 12 5 + 1 (reverse) d manual synch al system & Electerson strut with beam suspensi Disc Drum 155/80 R13 Radial tubeless 3679 1579 1478 2422	romesh 68 PS @ 55 91 Nm @ 42 tric Power Steeri lower transverse on with coil sprii	c 00 rpm 250 rpm ing*
TECHNICAL SPECIFICATIONS Engine & transmission Displacement Number of cylinders Number of valves Number of gears Transmission type Maximum power output Maximum torque Steering Type Suspension Front Rear Brake Front Rear Wheels & tyres Tyre size Wheel rim size Tyre type Dimensions & capacities Overall length (mm) Overall width (mm)	799 cc 5-spee 54 PS @ 5678 rpm 72 Nm @ 4400 rpm Manua	3 12 5 + 1 (reverse) d manual synch al system & Electerson strut with beam suspensi Disc Drum 155/80 R13 Radial tubeless 3679 1579 1478	romesh 68 PS @ 55 91 Nm @ 42 tric Power Steeri lower transverse on with coil sprii	c 00 rpm 250 rpm ing*

Seating capacity ** Electric Power Steering available only in RXL and RXT variants. Fuel efficiency of Renault KWID 1.0 SCe is 23.01 Km/L as per ARAI figures - Test Result of Rule 115 of CMVR.



To book, download the Renault KWID App from App Store or Play Store now





For a test drive, SMS 'KWID' to 53030





Every precaution has been taken to ensure that this publication is accurate and up to date on the date it is printed. This document has been created on the basis of pilot lots and prototypes. As part of its ongoing product improvement policy, Renault India Pvt. Ltd. reserves the right to modify the specifications, vehicles and accessories described and shown at any time. Such modifications are communicated to Renault dealers as quickly as possible. Depending on the country of sale, certain versions may differ and certain equipment may be unavailable (as standard, optional or accessory). Please contact your nearest dealer for the latest information. Due to printing limitations, the colours that appear in this document may differ slightly from the actual paint or upholstery colours. All rights reserved. The reproduction in any format and by any means of all or part of this publication without prior written authorisation from Renault is prohibited.