URBAN EDGE

Arithmetic Instructions



Operands can be int / float etc.
+ - * / are arithmetic operators

```
int b = 2, c = 3;
int z; z = b * c;   ✓ legal
int z;  b * c = z;  ✗ Illegal (Not allowed)
```

% → Modular division operator
% → Returns the remainder
% → Cannot be applied on float
% → Sign is same as of numerator (-5 % 2 = -1)



Note :-

1. No operator is assumed to be present

```
int i = a b  → Invalid
int i = a * b → valid
```

2. There is no operator to perform exponentiation in C. However we can use pow(x, y) from <math.h> (More later)

URBAN EDGE

Type Conversion

An Arithmetic operation between

Int and Int → Int
Int and float → float
float and float → float

$5/2 \rightarrow 2$ $\quad$ $5.0/2 \rightarrow 2.5$

$2/5 \rightarrow 0$ $\quad$ $2.0/5 \rightarrow 0.4$

} Important!!

Note :-

`int a = 3.5;` In this case 3.5 (float) will be demoted to 3 (int) because a is not able to store floats.

`float a = 8;` a will store 8.0
8 → 8.0 (promotion to float)

Quick Quiz :

Q) `int k = 3.0/9` Value of k? and why?

S) $3.0/9 = 0.333..$ but since k is an int, it cannot store floats & value 0.33 is demoted to 0.

URBAN EDGE

Operator precedence In C

$3 * x - 8 y$ is $(3x) - (8y)$ or $3(x - 8y)$?

In C language simple mathematical rules like BODMAS, no longer applies.

The answer to the above question is provided by operator precedence & associativity.

Operator precedence :- The following table lists the operator priority in C

Priority	Operators
1st	* / %
2nd	+ -
3rd	=

Operators of higher priority are evaluated first in the absence of parenthesis.

Operator Associativity :- When operators of equal priority are present in an expression, the tie is taken care of by associativity.

$x * y / z \Rightarrow (x * y) / z$

$x / y * z \Rightarrow (x / y) * z$

*, / follows Left to right associativity

URBAN EDGE

Control Instructions

Determines the flow of control in a program

Four types of control Instructions in C are:

1. Sequence Control Instruction
2. Decision Control Instruction
3. Loop Control Instruction
4. Case Control Instruction.

URBAN EDGE

Chapter 2 - Practice Set

Q1 Which of the following is Invalid in C?

(i) int a; b=a;

(ii) int V = 3^3;

(iii) char dt = '21 Dec 2020';

Q2 What data type will 3.0/8 - 2 return?

Q3 Write a program to check whether a number is divisible by 97 or not.

Q4 Explain step by step evaluation of 3*x/y-z+k where x = 2 y = 3 z = 3 k = 1

Q5 3.0 + 1 will be :

(a) Integer

(b) Floating point number

(c) Character