Elitezaar.com

PROJECT WORK LOG · 18–23 OCTOBER 2026

Everything built, fixed and set up in the last 7 days

A feature-by-feature record of every request made during the week: what was asked, what was delivered, how to use it, and which files changed. Covers the Laravel API, the React website, the AWS server and the new React Native mobile app.

44	11	3	2
requests handled	feature areas	portals: customer, seller, admin	apps: website + mobile

Project folder: **C:\xampp\htdocs\elite-shop-production** · Laravel API: **e-street-backend** · React website: **e-shop-frontend** · Mobile app: **e-shop-mobile** · Server: AWS EC2 **13.55.216.53** · Domain: **elitezaar.com**
Times are India Standard Time. Prepared 23 October 2026.

Contents

1 Customer accounts & dashboard 18 Oct

2 Checkout 18 Oct

3 Live order tracking 18 Oct

4 Portal sign-in links & account menu 18–19 Oct

5 Seller (vendor) portal 18 Oct

6 Online payments — UPI & net banking 18 Oct

7 Storefront design 18–21 Oct

8 Branding, logos & favicons 18–21 Oct

9 AWS server setup & deployment 19–22 Oct

10 SSL (HTTPS) for elitezaar.com 22 Oct

11 Mobile app (React Native) 22–23 Oct

12 Bugs fixed during the week all week

13 Open items & next steps

A Timeline of all requests

The week at a glance

DAY	MAIN WORK
Sat 18 Oct	Customer portal, new checkout, live order tracking, sign-in links, seller portal, redesigned shop, product, bag, checkout and confirmation pages, Razorpay UPI / net banking, first logos (Pure Wear → shopzon.com → Street Shop).
Sun 19 Oct	Header buttons, admin and seller sign-in pages, AWS deployment guide, the "Elite Shop" logo, PuTTY setup, MySQL Workbench connection to RDS, new landing page.
Mon 20 Oct	Where to put the code on the server, Nginx configuration, hero slider redesign.
Tue 21 Oct	Laravel route-cache error, "Unexpected token <" API error on the live site, footer and shop header redesign, the final **Elitezaar** brand.
Wed 22 Oct	The Elitezaar mobile app (all three portals), launch steps, cloud build errors (EAS upload, Expo SDK mismatch, Gradle / Reanimated), SSL steps.
Thu 23 Oct	Mobile app keyboard flicker fix (tested on an Android emulator), this document.

Nothing from this week has been committed to git by Claude; commits and pushes were left to you. Your GitHub workflow deploys automatically on every push to the `elite-production` branch.

1. Customer accounts & dashboard

Website | Laravel API | 18 Oct | Done

Customer sign-in, registration and dashboard

18 Oct · 10:51

> YOU ASKED A customer dashboard and login; new customers register with minimal details plus a mandatory delivery address.

- **/customer/login**: email and password, show-password toggle, forgot-password link.
- **/customer/register**: name, email, mobile, password and a **required** delivery address (street, city, state, PIN code; country defaults to India). It becomes the default address and the customer is signed in straight away.
- **/customer/dashboard**: greeting, counts (orders, in progress, delivered, total spent), recent orders, default address and quick links.
- **/customer/orders** and **/customer/orders/:id**: order history with status filters and paging; order page with progress tracker, items, totals, address and payment.
- **/customer/addresses**: add, edit, set default, remove. The last address can't be removed, so every account always has one.
- **/customer/profile**: name, phone and password.
- Guest orders placed earlier with the same email appear in that customer's history.

Backend

- New `/api/customer/*` endpoints, usable only with customer accounts (admin and seller tokens are refused).
- Migrations: `phone` on users, new `customer_addresses` table. Registration limited to 5 attempts per minute.

Files: `e-shop-frontend/src/components/customer/*`, `Customer/AccountController.php`, `EnsureCustomer` middleware, `CustomerAddressRequest`.

Testing safety: `phpunit.xml` points at your real MySQL database. Run tests only with `DB_CONNECTION=sqlite DB_DATABASE=:memory: php artisan test` (25 tests pass), otherwise the test run can wipe your data.

2. Checkout

Website 18 Oct Done

Returning vs new customer, saved vs new address

18 Oct · 11:19

> YOU ASKED Let customers with an account pick their saved address, or enter a new one, at checkout.

- **Returning customer** (default): sign in on the checkout page itself; the bag is kept.
- **New customer**: name, email, phone, plus an optional "Create an account" switch with password fields. Unticked means guest checkout.
- **Signed in**: "Use a saved address" (default address pre-selected) or "Deliver to a new address", with "Save this address to my account" ticked by default.

Professional checkout redesign

18 Oct · 12:56

- Banner and progress bar: ✓ Bag → Details & delivery → Confirmation.
- Four numbered cards: Contact, Delivery address, Delivery method (selectable price cards), Payment.
- Sticky order summary with thumbnails, delivery method, total, and a "Place order · ₹..." button.

File: `e-shop-frontend/src/components/common/Checkout.jsx`

3. Live order tracking

Website | Laravel API | Mobile app | 18 Oct | Done

Admin posts updates, customers see them live

18 Oct · 11:28

> **YOU ASKED** A tracking system in the admin dashboard that shows live in the customer dashboard (location, status).

- **Admin → Orders → open an order → Delivery tracking**: choose a status, enter a location (e.g. "Delhi sorting hub"), edit the customer message, post. Earlier locations are suggested.
- **Statuses:** Order placed → Order confirmed → Packed → Dispatched → In transit → Out for delivery → Delivery attempted → Delivered, plus Cancelled.
- **Order status follows automatically** (e.g. In transit → shipped, Delivered → delivered). Changing the status directly also adds a matching tracking update.
- Courier, tracking number and expected delivery date fields on every order.
- **Customer order page:** five-step progress bar, "Live tracking" card with last location and time, full history. Refreshes every 10 seconds and shows a pop-up on each new update.

Progress bar kept in sync

18 Oct · 11:39

> **YOU ASKED** "This breadcrumb should be in sync and change at run time."

- Older orders only had an "Order placed" event, so shipped orders looked stuck on step 1. A migration added the missing events.
- The bar now shows whichever is further along: the latest tracking update or the order status. It animates forward when an update arrives.

Files: `OrderTrackingEvent` model, `Admin/OrderTrackingController.php`, `TrackingManager.jsx`, `CustomerOrderDetails.jsx`, `tracking.js`.

4. Portal sign-in links & account menu

Website | 18–19 Oct | Done

Login links for customers, vendors and admins

18 Oct · 11:51

- The account icon in the header opens a menu. Signed out: Sign in / Create account for shoppers; Vendor login, Become a vendor and Admin login under "For business".
- Signed in: name, email, portal, "My dashboard" for the right portal, shortcuts and Sign out. The footer "Your account" column has the same links.

Account menu redesign for all three panels

18 Oct · 12:26

- Accent colour per portal: teal = customer, amber = seller, violet = admin.
- Dark-green profile header with avatar, menu items with icon tiles and hints, Storefront and Sign out buttons.

Creative header buttons

19 Oct · 09:44

- Account pill: initial-letter avatar with portal-coloured ring and "online" dot; "Hello, name · My account".
- Bag pill: dark green with a teal bag icon, coral item-count bubble that bounces when something is added, and the bag total.
- Fixed react-bootstrap's default blue styling that squashed the old button.

Admin, seller and seller-registration sign-in pages

19 Oct · 09:50

- All sign-in pages share the customer design: a dark branded side panel (badge, headline, three selling points) and the form.
- **Admin** (violet): "Store control". **Seller** (amber): "Seller hub — Grow your brand". **Seller registration**: three-step strip and a password strength meter.

Files: `AccountMenu.jsx`, `Header.jsx`, `CustomerAuthShell.jsx`, `admin/Login.jsx`, `VendorRegister.jsx`.

5. Seller (vendor) portal

Website | Laravel API | 18 Oct | Done

Sellers manage their own products and orders

18 Oct · 12:00

> YOU ASKED Replicate the admin product and order features in the vendor dashboard, limited to each vendor's own data.

- **/vendor/dashboard**: sales, orders, orders to ship, live products, recent orders, low-stock list (5 or fewer).
- **/vendor/products**: list, create and edit with image upload. Sellers only see their own products and cannot mark products as Featured.
- **/vendor/orders**: orders containing their products; they see only their own lines and "Your sales".
  - Orders with only their items: they can set status, courier, tracking number, expected delivery, and post tracking updates.
  - Mixed orders (other sellers' items too): read-only; the store team handles shipping.
- Each order line now records which seller sold it; the admin product list shows a Seller column.

Security fix included: the generic product, category, brand and shipping-method endpoints accepted any signed-in account, so a customer or seller could edit or delete catalogue data. They are now admin-only.

Files: `Vendor/ProductController.php`, `Vendor/OrderController.php`, `Vendor/OrderTrackingController.php`, `EnsureVendor`, `admin/portal.js`, `VendorDashboard.jsx`.

6. Online payments — UPI & net banking

Website | Mobile app | Laravel API | 18 Oct | Needs Razorpay keys

Razorpay integration

18 Oct · 13:09

> YOU ASKED Implement online payment at checkout: net banking and UPI.

- Checkout offers **UPI**, **Net banking** and **Cash on delivery**. Online options open Razorpay's window directly on the chosen method.
- If the payment is closed or fails, the order is kept: retry, or switch to cash on delivery. Retrying never creates a second order.
- **Security:** an order is marked paid only after the server verifies Razorpay's signature; a webhook backs this up if the shopper closes the tab; the amount always comes from the server; no card or UPI details are stored.
- The mobile app uses the same Razorpay checkout inside the app and opens UPI apps (GPay, PhonePe, Paytm) directly.

To switch it on

1. Razorpay Dashboard → Account & Settings → API Keys → generate keys (Test mode first).
2. Add them to the server's `e-street-backend/.env`: `RAZORPAY_KEY_ID=…` and `RAZORPAY_KEY_SECRET=…`, then run `php artisan config:cache`.
3. Test with UPI ID `success@razorpay` (or `failure@razorpay`).
4. Add the webhook `https://elitezaar.com/api/payments/razorpay/webhook` (events `payment.captured`, `order.paid`) and its secret.

Files: `PaymentController.php`, `Services/Razorpay.php`, `config/services.php`, `razorpay.js`, mobile `PaymentScreen.js`.

7. Storefront design

Website 18–21 Oct Done

PAGE / AREA	DATE	WHAT CHANGED
Product page	18 Oct 12:37	Large gallery with thumbnails, hover zoom and discount badge; sticky buy panel with price, savings, stock line and quantity; "Add to bag" keeps you on the page with a pop-up, "Buy now" goes to checkout; details, specs and "You may also like".
Shop listing (/shop, /shop/{category})	18 Oct 12:45	Hero with title, count and collection tabs; filter chips; sort (newest, price low–high, high–low; needed a small API change); uniform 4:5 product cards with badges and quick "Add to bag"; brand pills, price slider, mobile filter drawer; numbered pages.
Shopping bag	18 Oct 12:53	Item cards with − / + quantity, remove with Undo, real delivery prices, sticky summary; removed the sideways scrollbar site-wide.
Checkout	18 Oct 12:56	See section 2.
Order confirmation	18 Oct 13:00	Animated success tick, "Thank you, name!", what-happens-next timeline, items with photos, payment summary, cash-on-delivery reminder; reloads from the account after refresh.
Landing page	19 Oct 21:54	Hero with live counts and Editor's pick, trust bar, collection cards, Just landed, Editor's picks carousel, Offers, Brands, How it works, seller invite. Every section uses live data and hides itself when empty. Removed a mis-cased import that would have broken the build on Linux (AWS).
Hero slider	20 Oct 09:35	Editorial slider: slow zoom, caption per slide linked to a collection, progress bars, 01 / 02 counter, arrow buttons, pause on hover; banners cropped so their printed text doesn't show.
Footer (lower part)	21 Oct 23:25	Three perk cards with icons; bottom bar with legal links, "We accept" UPI / Net banking / Cash on delivery badges and a "Back to top" button.
Shop page header	21 Oct 23:45	Editorial headline, stats panel (pieces, brands, starting price), outlined watermark and frosted collection tabs. Fixed the tabs showing only "All", and made the brand count reflect the current collection.

Main files: `Home.jsx`, `Shop.jsx`, `Product.jsx`, `StorefrontProductCard.jsx`, `Cart.jsx`, `OrderConfirmation.jsx`, `Footer.jsx`, `assets/css/style.scss`.

8. Branding, logos & favicons

Website | Mobile app | 18–21 Oct | Final: Elitezaar

The brand changed several times during the week. Each change replaced the logo, favicons, page titles, emails and every place the name appears.

DATE	BRAND	LOGO IDEA
18 Oct 14:05	Pure Wear	Clothes hanger on a green tile; slogan "Everyday, elevated." introduced.
18 Oct 14:13	shopzon.com	Shopping bag with a teal smile. Support email support@shopzon.com.
18 Oct 14:19	Street Shop	Small shopfront with a striped awning. Support email support@streetshop.com.
19 Oct 10:49	Elite Shop	Faceted gem that doubles as a shopping bag; full favicon set (SVG, ICO, PNG, Apple and Android icons, web manifest).
21 Oct 23:52	**Elitezaar.com (current)**	A bold white "Z" inside a gold shopfront arch, with a gold sparkle, on the emerald tile. Wordmark Elite**zaar**.com. The first draft (a pointed arch with a tip) looked like a mosque dome, so it was replaced with a rounded doorway arch.

Current brand assets

- **Logo component** used across the site: `e-shop-frontend/src/components/common/BrandLogo.jsx`.
- **Downloadable logos**: `public/brand/elitezaar-logo.svg` (light backgrounds), `elitezaar-logo-white.svg` (dark backgrounds), `elitezaar-mark.svg` (icon only).
- **Favicons**: `favicon.svg`, `favicon.ico`, `favicon-32.png`, `apple-touch-icon.png`, `icon-192.png`, `icon-512.png`, plus `e-street-backend/public/favicon.ico`.
- **Mobile app**: app icon, Android adaptive icon and splash screen use the same mark.
- **Name and email**: "Elitezaar" everywhere; support email **support@elitezaar.com**; backend `APP_NAME="Elitezaar"`.

9. AWS server setup & deployment

Server | 19–22 Oct | Site live on 13.55.216.53

Deployment plan: EC2 + RDS

19 Oct · 10:10

- One Ubuntu EC2 server with Nginx and PHP serves the React site at `/`, the Laravel API at `/api` and product images at `/uploads`. Same domain, so no cross-domain (CORS) issues.
- MySQL on RDS, private (not reachable from the internet). Security groups: `sg-web` (80, 443, SSH from your IP) and `sg-db` (3306 only from `sg-web`).
- Move the data with a `mysqldump` import rather than `php artisan migrate`: two migrations create the same tables twice, so a fresh migrate fails.
- Upload `public/uploads` separately (product images are not in git).

PuTTY first-time setup

19 Oct · 12:42

1. Convert the `.pem` key to `.ppk` in PuTTYgen.
2. Host `ubuntu@<server IP>`, port 22, keepalive 30 s, key under Connection → SSH → Auth → Credentials.
3. Save the session, connect, accept the host key.
4. Run `sudo apt update && sudo apt upgrade -y`.

MySQL Workbench error 10060

19 Oct · 19:02

The RDS database is private by design, so Workbench must go through the EC2 server:

- Connection method **Standard TCP/IP over SSH**.
- SSH host = EC2 IP, user `ubuntu`, key = `.pem` (export from PuTTYgen if needed).
- MySQL host = the RDS endpoint, port 3306.

Where the code goes and the Nginx setup

20 Oct · 09:29 and 09:51

- Keep both folders in `/var/www/html/elite-shop-production/`. The browser is served the **built** React app (`e-shop-frontend/dist`), not the source.
- The server turned out to run **Nginx**, so an Nginx site config was provided: root = `dist`; `/api/` → PHP-FPM with Laravel's `public/index.php`; `/uploads/` → Laravel `public`; all other paths → `index.html` (for React routes).
- Laravel steps: `composer install --no-dev`, set `.env` (RDS details, `APP_URL`), `php artisan migrate --force`, `config:cache`, `route:cache`, folder permissions for `www-data`.

Live-site errors fixed

21 Oct · 22:42–23:06

- **"Unable to prepare route [api/vendor/products] for serialization"** during `route:cache`: admin, seller and generic product routes shared the name `products.index`. Each now has its own name (`vendor.products.*`, `admin.products.*`, `admin.orders.*`, `admin.users.*`).
- **"Unexpected token '<' ... is not valid JSON"**: `.env.production` had `http://13.55.216.53/` without `/api`. Fixed and rebuilt.
- **The same error after uploading**: FileZilla skipped the new `index.html` because it had the same size as the old one. Fix: overwrite it (or the one-line `sed` command), and set FileZilla's "File exists action" to Overwrite.
- The React API address is now the relative `/api`, so the site works on the IP and the domain, over http and https, without rebuilding.

Your own GitHub Actions workflow (`.github/workflows/deploy.yml` + `deploy.sh`) now deploys automatically on every push to `elite-production` : it pulls the code, builds React on the server, installs Laravel dependencies, migrates and refreshes caches.

10. SSL (HTTPS) for elitezaar.com

Server | 22 Oct · 22:36 | Steps given — run on server

Checked before writing the steps: **elitezaar.com** and **www.elitezaar.com** already point to 13.55.216.53, and the site loads over plain HTTP; nothing answered on port 443 yet.

Steps

1. **PC:** commit and push `e-shop-frontend/.env.production` (now `VITE_API_URL=/api`), so the site doesn't break when HTTPS is switched on.
2. **AWS Console:** security group inbound rule **HTTPS 443** from `0.0.0.0/0` and `::/0` (keep HTTP 80).
3. **PuTTY:** in the Nginx site file set `server_name elitezaar.com www.elitezaar.com 13.55.216.53;`, then `sudo nginx -t && sudo systemctl reload nginx`.
4. Install certbot: `sudo apt install -y certbot python3-certbot-nginx`.
5. Get the certificate: `sudo certbot --nginx -d elitezaar.com -d www.elitezaar.com` (email, Y to terms). Certbot adds HTTPS and the http → https redirect.
6. Check: `curl -I https://elitezaar.com`, open the site and look for the padlock, then `sudo certbot renew --dry-run`.
7. Laravel `.env`: `APP_URL=https://elitezaar.com`, then `php artisan config:cache`.
8. If Razorpay is set up, change its webhook URL to https.

After certbot, plain `http://13.55.216.53` returns 404: use the domain. The mobile app already points at `https://elitezaar.com/api`, so it only loads data once these steps are done.

11. Mobile app (React Native)

Mobile app | 22–23 Oct | Built & tested

The Elitezaar app

22 Oct · 08:52

> **YOU ASKED** A React Native mobile version of the website, with the three panels: admin, vendor and customer.

One app (Expo, folder `e-shop-mobile`) that uses the same Laravel API; no backend changes were needed. Sign in from the Account tab and choose Shopper, Seller or Admin.

PORTAL	FEATURES
Store	Home (slider, collections, new arrivals, editor's picks, offers, brands, seller invite), shop with search, filters, sort and infinite scroll, product page, bag, checkout (guest, sign-in, new account, saved addresses, delivery method, COD / UPI / net banking), Razorpay payment, order confirmation.
Customer	Dashboard, order history, live tracking (refreshes every 10 s with update pop-ups), addresses, profile, change password.
Seller	Sales dashboard with low-stock alerts, products with photo upload from the phone, orders, status / courier / tracking updates.
Admin	Dashboard with order queue, all orders (status, payment, notes, tracking, delete), all products (incl. Featured), categories, brands, shipping methods, users and roles.

Tested by clicking through every portal against a temporary copy of the API: an order was placed, the seller's stock and revenue updated, and an admin tracking update reached the customer.

How to run and publish it

22 Oct · 10:29

- The app is **not** uploaded to the AWS server. It's built on your PC and installed on phones; the server only provides the API.
- **On your phone while developing:** Node.js 22+ (you now have 24), then in `e-shop-mobile`: `npm install` and `npx expo start`; scan the QR code with Expo Go.
- **Installable APK:** `npx eas-cli@latest login`, `npx eas-cli@latest init`, then `npx eas-cli@latest build -p android --profile preview`.
- **Google Play:** `--profile production` gives an `.aab`; upload it in Play Console ($25 account, store listing, privacy policy, data-safety form).
- **iPhone:** Apple Developer Program ($99/yr), then `build -p ios` and `submit -p ios` (no Mac needed).

Build problems solved

22 Oct · 12:47–17:43

ERROR	CAUSE AND FIX
EAS: `EPERM … symlink … storage\app\public`	EAS uploads the whole repository and, because of a Windows bug in EAS, tried to copy Laravel's storage link. Added `.easignore` at the repo root so only `e-shop-mobile` is uploaded (5.3 MB).
VS Code warning on `baseUrl` in `jsconfig.json`	Deprecated setting, not needed: removed.
`expo/internal/bundle-origin` could not be found	`npx expo install expo@^57` had downgraded only the core package. Finished the switch with `npx expo install --fix`: everything is now on **Expo SDK 57** (React Native 0.86).
Gradle: `assertMinimalReactNativeVersionTask FAILED`	An indirect Reanimated 4.2.2 didn't support React Native 0.86. Pinned Reanimated 4.5.1, worklets 0.10.1, gesture-handler 2.32; all 37 Expo-managed packages verified; added `expo-system-ui`.

Inputs flickering, keyboard not opening

23 Oct · 00:07

- Reproduced on an Android 15 emulator. The focused-field style added a shadow; on Android's new renderer that rebuilt the native input, which lost focus and bounced it between fields.
- Fix: focus is shown with a teal border only. Added `react-native-keyboard-controller` so form screens scroll the focused field above the keyboard, with edge-to-edge settings so the status bar stays cream.
- Verified on the emulator: typing in sign-in and registration fields, including fields near the bottom of the form.

12. Bugs fixed during the week

DATE	PROBLEM	FIX
18 Oct	Stepper stuck on step 1 for shipped orders	Backfilled tracking events; stepper uses whichever is further along.
18 Oct	Crash: "Cannot destructure property 'basename'"	Pop-up notifications moved inside the router so their links work.
18 Oct	Sideways scrollbar on pages	Site-wide `overflow-x: clip`.
18 Oct	Catalogue endpoints open to any signed-in user	Made admin-only.
19 Oct	Squashed teal account button	Removed react-bootstrap's default button styles.
19 Oct	Landing page "Failed to fetch"	Backend not running and local `.env` pointing at private RDS; use local DB settings when developing.
19 Oct	Import that would break the Linux build	`./LatestProducts` vs `latestProducts.jsx`; old home components removed.
21 Oct	Laravel `route:cache` failure	Unique route names.
21 Oct	"Unexpected token <" on the live site	API URL missing `/api`; stale `index.html` on the server.
21 Oct	Shop collection tabs showing only "All"	Category list moved up to `App.jsx` so every page can read it.
21 Oct	Wrong brand count on collection pages	Brands filtered by the current collection (API).
21 Oct	Small logo text on sign-in panels	Panel styles no longer override the logo.
22 Oct	EAS upload, Expo SDK mismatch, Gradle / Reanimated	See section 11.
23 Oct	Mobile inputs flicker, no keyboard	See section 11.

13. Open items & next steps

#	ITEM	WHAT TO DO
1	**Commit and push** this week's work	Including `e-shop-mobile/`, `.easignore` and `e-shop-frontend/.env.production`. Pushing deploys the website automatically.
2	**Install SSL** on the server	Section 10. Needed before the mobile app can load data.
3	**Elastic IP**	Attach one in EC2 so 13.55.216.53 doesn't change when the instance restarts.
4	**Razorpay keys**	Section 6, to turn on UPI and net banking.
5	**Mobile app build**	After SSL, run the preview build and install the APK. Before the stores, remove the plain-HTTP exceptions from `app.json`.
6	**RDS region**	The database is in Sydney (ap-southeast-2); Mumbai (ap-south-1) is faster for customers in India.
7	**Product data**	Replace the placeholder product photos (screenshots) and the ₹11 test product before launch.
8	**Mail settings**	Point `MAIL_*` in the server `.env` at a mail service allowed to send for elitezaar.com, so password-reset emails arrive.
9	**Decisions pending**	Release stock when an order is cancelled; add a seller picker to the admin product form.

Appendix A — Timeline of all requests

India Standard Time. Section numbers refer to this document.

WHEN	§	REQUEST
18 Oct 10:51	**1**	Customer dashboard, login and registration with mandatory address
18 Oct 11:19	**2**	Checkout: existing vs new address, returning vs new customer
18 Oct 11:28	**3**	Tracking system in admin, live in customer dashboard
18 Oct 11:39	**3**	Keep the progress bar in sync at run time
18 Oct 11:51	**4**	Login links for customers, vendors and admins
18 Oct 12:00	**5**	Vendor portal: own products and orders
18 Oct 12:26	**4**	Beautify the account menu for all three panels
18 Oct 12:37	**7**	Beautify the product page
18 Oct 12:42	**12**	Fix "Cannot destructure property 'basename'"
18 Oct 12:45	**7**	Beautify /shop and /shop/{category}
18 Oct 12:53	**7**	Beautify the cart page
18 Oct 12:56	**2**	Professional checkout page
18 Oct 13:00	**7**	Beautify the order confirmation page
18 Oct 13:09	**6**	Online payment: net banking and UPI
18 Oct 14:05	**8**	Logo, slogan and favicon (Pure Wear)
18 Oct 14:13	**8**	Rename to shopzon.com
18 Oct 14:16	**8**	Support email support@shopzon.com
18 Oct 14:19	**8**	Logo and favicon for Street Shop
18 Oct 14:21	**8**	Support email support@streetshop.com
19 Oct 09:44	**4**	More creative header buttons
19 Oct 09:50	**4**	Admin login, vendor login and vendor registration like the customer login
19 Oct 10:10	**9**	Steps to move the site to AWS with RDS
19 Oct 10:49	**8**	New logo for "Elite Shop", replace all logos and favicons
19 Oct 12:42	**9**	Configure PuTTY for the new server
19 Oct 19:02	**9**	MySQL Workbench error 10060 to RDS
19 Oct 21:54	**7**	Professional landing page with dynamic sections
20 Oct 09:29	**9**	Where to put the React and Laravel folders on the server
20 Oct 09:35	**7**	More professional hero slider
20 Oct 09:51	**9**	Make http://13.55.216.53 serve the site (Nginx)
21 Oct 22:42	**9**	Route cache error: duplicate route name products.index

21 Oct 22:51	**9**	"Unexpected token '<'" loading categories
21 Oct 23:06	**9**	Same error after upload (old index.html)
21 Oct 23:25	**7**	More professional lower footer
21 Oct 23:45	**7**	More elegant shop page header
21 Oct 23:52	**8**	Elitezaar.com logo and favicon
22 Oct 08:52	**11**	React Native mobile app with the three panels
22 Oct 10:29	**11**	How to use e-shop-mobile and launch the app
22 Oct 12:47	**11**	EAS upload error (EPERM symlink)
22 Oct 16:42	**11**	Same EAS error output pasted again
22 Oct 17:00	**11**	jsconfig.json question
22 Oct 17:03	**11**	VS Code error on jsconfig.json
22 Oct 17:43	**11**	EAS build failed: Gradle error
22 Oct 22:36	**10**	Install SSL using PuTTY
23 Oct 00:07	**11**	Mobile inputs flicker, keyboard doesn't open