



HostConnect Version 5.05.000 DTD

Last Modified on 29/01/2025 4:24 pm NZDT

```
<!-- hostConnect_5_05_000.dtd -->
```

```
<!-- Tourplan Pacific Ltd reserves the right to change, modify, add or  
remove portions of this interface at any time.  
-->
```

```
<!-- Request elements -->
```

```
<!ELEMENT Request (TourplanUser?, BookingUpdateCount?, ServiceLineUpdateCount?,  
(PingRequest | AgentInfoRequest | OptionInfoRequest |  
AddServiceRequest | UpdateServiceRequest | UpdateBookingRequest |  
AmendServiceRemarksRequest | DeleteServiceRequest | CancelServicesRequest |  
QuoteToBookRequest | GetBookingRequest |  
SetBookingRemarksRequest | RecordBookingPaymentRequest |  
GetBookingPaymentSummaryRequest |  
GetBookingMessageRequest | ResequenceRequest | AddDialogueEntryRequest |  
GetLocationsRequest | GetServicesRequest | SupplierInfoRequest |  
ListBookingsRequest | GetAgentSubloginsRequest | AddAgentSubloginRequest |  
UpdateAgentSubloginRequest | DeleteAgentSubloginRequest |  
GetCurrencyConversionsRequest | GetServiceButtonsRequest |  
GetServiceButtonDetailsRequest | GetSystemSettingsRequest |  
AcceptServiceRequest | GetSendSupplierMessageRequest |  
GetSupplierServiceLinesRequest |  
ExternalAirInfoRequest | SupplierUpdateServiceLinesRequest |  
GetProductSearchDataRequest | GetAccountingMessageRequest | SetServicePriceRequest))>
```

```
<!ATTLIST Request CompressReply CDATA #IMPLIED RequestId CDATA #IMPLIED ForceStdBookOpRights (Y|N) "N" Ret  
urnWarnings (Y|N) "N" >
```

```
<!ELEMENT PingRequest EMPTY>
```

```
<!ELEMENT AgentInfoRequest (AgentID, Password, ReturnAccountInfo?,  
ReturnLastReceipt?)>
```

```
<!ELEMENT OptionInfoRequest (AgentID, Password,  
(Opt | OptionNumber | (ButtonName, DestinationName))* , ButtonDestinations?, Info?,  
DateFrom?, (DateTo | SCUQty)?, ACache?, RateConvert?, NoteCategory?,  
LocalityDescription?, ClassDescription?, Description?, SupplierName?,  
(RoomConfigs, MinimumAvailability)?, SortOrder?,  
IndexFirstOption?, MaximumOptions?, LocationCode?, EndLocationCode?, RatePerScu?,  
(NoteFormat | NotesInRtf)?, LastUpdateFrom?, LastUpdateTo?,  
ExternalSearchMode?, (ExternalGetRateRules?, RateId)?,  
ExternalAllRoomTypes?, PriceSelectionMethod?, PriceCode?, Branch?, Department?,  
SalesAnalysis1?, SalesAnalysis2?, SalesAnalysis3?,  
SalesAnalysis4?, SalesAnalysis5?, SalesAnalysis6?, DayBreakChildDates?
```

```

SalesAnalysis4?, SalesAnalysis5?, SalesAnalysis6?, PaxBreakChildRates?,
(TranslationMethod, TranslationLanguage?)?,
ExternalAvailabilityMode?
)>

<!ELEMENT ButtonDestinations (ButtonDestination+)>

<!ELEMENT ButtonDestination (ButtonName, DestinationName)>

<!ELEMENT SortOrder (SortField+, GroupAfterSort?) >

<!ELEMENT SortField (FieldName, Ascending?) >

<!-- Beginning of ExternalAirInfoRequest -->

<!ELEMENT ExternalAirInfoRequest (AgentID, Password,
Info?, (RoomConfigs)?, Branch?, Department?,
SalesAnalysis1?, SalesAnalysis2?, SalesAnalysis3?,
SalesAnalysis4?, SalesAnalysis5?, SalesAnalysis6?,
FlightSectors, Token*, RatelId?, CreditCardDetails?)>

<!ELEMENT FlightSectors (FlightSector+)>

<!ELEMENT FlightSector (Origin, Destination, Depart_Date, Depart_Time?,
(Carrier | SupplierCode)+, Flight?, BagCount?, SectorSequence?)>

<!-- Beginning of AddServiceRequest -->

<!ELEMENT AddServiceRequest (AgentID, Password,
(NewBookingInfo | ExistingBookingInfo),
(Opt | OptionNumber | SupplierCode | SupplierId), RatelId?,
DateFrom, SequenceNumber?,
((Adults, Children?, Infants?, RoomType?) | RoomConfigs),
SCUQty?, OnRequest?, ExtraQuantities?, Consult?, AgentRef?,
(Email? | (UDText1?, UDText2?, UDText3?, UDText4?, UDText5?)),
TourplanConsultant?,
Pickup_Date?, puTime?, puRemark?, puExternalPointID?,
Dropoff_Date?, doTime?, doRemark?, doExternalPointID?,
Remarks?, TourplanServiceStatus?, LocationCode?, ServiceCode?,
DBAnalysisCode1?, DBAnalysisCode2?, DBAnalysisCode3?,
DBAnalysisCode4?, DBAnalysisCode5?, DBAnalysisCode6?,
ServiceLineExpiryDate?, SupplierConfirmation?, SendSupplierMessage?,
PriceCode?, InvoiceText1?, InvoiceText2?, InvoiceText3?, InvoiceText4?, MessageFormatType?,
VoucherText?, ServiceLineNotes?, (Pricing | AirRouting | ExternalAirRoutings)?,
(ExternalRemarks1?, ExternalRemarks2?,
CreditCardDetails?)?, ReturnBookingDetails?, PaymentDetails? )>

<!ELEMENT ReturnBookingDetails (ReturnBooking, NoteFormat?, ReturnPackageServices?, ReturnAccountInfo?)>

<!ELEMENT NewBookingInfo (Name, NameAlias?, QB, Branch?, Department?,
SalesAnalysis1?, SalesAnalysis2?, SalesAnalysis3?,
SalesAnalysis4?, SalesAnalysis5?, SalesAnalysis6?,
TourplanBookingStatus?, TaxIndicator? )>

```

```

<!ELEMENT RoomConfigs (RoomConfig+)>

<!ELEMENT RoomConfig (Adults, Children?, Infants?, RoomType?, PaxList?)>

<!ELEMENT PaxList (PaxDetails+)>

<!ELEMENT PaxDetails (PersonId?, Title?, TitleAlias?, Forename?, ForenameAlias?, Surname?, SurnameAlias?,
    DateOfBirth?, Age?, PaxType?, PaxText1?, PaxText2?, PaxText3?, PaxText4?, PaxText5?, PaxText6?, PaxText7?, Pax
    Text8?, PaxText9?, PaxText10?)>

<!ELEMENT ExistingBookingInfo ((Ref | BookingId))>

<!ELEMENT ExtraQuantities (ExtraQuantityItem+)>

<!ELEMENT ExtraQuantityItem (SequenceNumber, ExtraQuantity)>

<!ELEMENT ServiceLineNotes (ServiceLineNote+)>

<!ELEMENT ServiceLineNote (NoteCategory, NoteText)>

<!ELEMENT BookingNotes (BookingNote+)>

<!ELEMENT BookingNote (NoteCategory, NoteText)>

<!ELEMENT VoucherText (VText1?, VText2?, VText3?, VText4?,
    VText5?, VText6?, VText7?, VText8?, VText9?, VText10?, VText11?, VText12?, VText13?, VText14?,
    VText15?, VText16?, VText17?, VText18?, VText19?, VText20?)>

<!ELEMENT ExternalAirRoutings (ExternalAirRouting+)>

<!ELEMENT ExternalAirRouting (FlightSectors, Token)>

<!ELEMENT Pricing (ItemDescription?,
    CostCurrency, CostConversionRate, CostExclusive, CostTax,
    (SellExclusive, SellTax)?,
    AgentCurrency, AgentExclusive, AgentTax,
    (RetailExclusive, RetailTax)?, ScuFocQty?)>

<!ELEMENT CreditCardDetails (CardHolder, CardNumber, CardType,
    CardExpiryYear, CardExpiryMonth, CardSecurityCode?)>

<!ELEMENT AirRouting (Plate, External_Ref, Total_Distance, AirRoutingInfo?,
    Sectors, Tickets) >

<!ELEMENT Sectors (Sector+)>

<!ELEMENT Sector (SectorSequence, Origin, Carrier, Flight, Depart_Date,
    Arrive_Date, Not_Before?, Not_After?, Stop_Indicator?, Destination,
    AircraftType, Distance, AirSectorInfo)>

<!ELEMENT Tickets (Ticket+)>

<!ELEMENT Ticket (TicketId?, Ticket_Number?, Ticket_Sequence,
    PaxSequence, Pax1, Pax2, PNR_Ref,
    Issue_Due, Face_Value, FV_Surcharge, Total_Override, Total_Commission,
    BSP_Value, Cost, Agent, Retail, Cash_Paid, Credit_Paid, Tax_Estimate,
    Tax_Actual, Tax_Detail, Ticket_Status,
    Ticket_Type, PaxType, Tour_Code, Ticketer, TicketSectors)>

<!ELEMENT TicketSectors (TicketSector+)>

```

<!ELEMENT TicketSectors (TicketSector+)>

<!ELEMENT TicketSector (SectorSequence, Ticket_Class, Fare_Basis,
Ticket_Sector_Status, Allow, Commission_Rate, Commission,
Override_Rate, Override, Agent_OR_Rate?, Agent_OR?,
Agent_Comm_Rate?, Agent_Comm?)>

<!-- End of AddServiceRequest -->

<!ELEMENT UpdateServiceRequest (AgentID, Password,
(Ref | BookingId), ServiceLineId,
DateFrom?, SequenceNumber?,
((Adults, Children?, Infants?, RoomType?) | RoomConfigs)?,
SCUQty?, Pickup_Date?, puTime?, puRemark?, puExternalPointID?, Dropoff_Date?, doTime?,
doRemark?, doExternalPointID?, Remarks?, TourplanServiceStatus?,
DBAnalysisCode1?, DBAnalysisCode2?, DBAnalysisCode3?,
DBAnalysisCode4?, DBAnalysisCode5?, DBAnalysisCode6?,
ServiceLineExpiryDate?, SupplierConfirmation?,
InvoiceText1?, InvoiceText2?, InvoiceText3?, InvoiceText4?, MessageFormatType?,
VoucherText?, ServiceLineNotes?, (Pricing)?)>

<!ELEMENT UpdateBookingRequest (AgentID, Password, (Ref | BookingId), Name?, NameAlias?,
(TourplanOldBookingStatus, TourplanBookingStatus)?, EnteredDate?,
Consult?, AgentRef?,
(Email? | (UDText1?, UDText2?, UDText3?, UDText4?, UDText5?)), TourplanConsultant?,
SalesAnalysis1?, SalesAnalysis2?, SalesAnalysis3?, SalesAnalysis4?, SalesAnalysis5?, SalesAnalysis6?,
BookingNotes?, PaymentDetails?, PaxList?)>

<!ELEMENT AmendServiceRemarksRequest (AgentID, Password, (Ref | BookingId),
(ServiceLineId | (Date, SequenceNumber)), puTime?, puRemark?, puExternalPointID?,
doTime?, doRemark?, doExternalPointID?, Remarks?)>

<!ELEMENT DeleteServiceRequest (AgentID, Password, (Ref | BookingId),
(ServiceLineId | (Date, SequenceNumber)), SendSupplierMessage?, ReturnBookingDetails?)>

<!ELEMENT CancelServicesRequest (AgentID, Password, (Ref | BookingId), SendSupplierMessage?,
ReturnBookingDetails?)>

<!ELEMENT QuoteToBookRequest (AgentID, Password, (Ref | BookingId), SendSupplierMessage?)>

<!ELEMENT GetBookingRequest (AgentID, Password, (Ref | BookingId),
ReturnRoomConfigs?, (NoteFormat | NotesInRtf)?, ReturnPackageServices?, ReturnAccountInfo?, (TranslationMetho
d, TranslationLanguage)?)>

<!ELEMENT SetBookingRemarksRequest (AgentID, Password, (Ref | BookingId),
Remarks?)>

<!ELEMENT RecordBookingPaymentRequest (AgentID, Password, (Ref | BookingId),
Currency, Amount, ReceiptAmountBookingCurrency?, ReceiptType, UDText1?, UDText2?, UDText3?,
TourplanBookingStatus?, MakePaymentInvoiceMode?, ServiceLineIds?)>

<!ELEMENT GetBookingPaymentSummaryRequest (AgentID, Password,

(Ref | BookingId))>

<!ELEMENT GetBookingMessageRequest (AgentID, Password, (Ref | BookingId),
(MessageCode | MessageLabel), OutputFormat?, Language?)>

<!ELEMENT ResequenceRequest (AgentID, Password, (Ref | BookingId),
NewSequence)>

<!ELEMENT NewSequence (ServiceLineId+)>

<!ELEMENT ServiceLineIds (ServiceLineId+)>

<!ELEMENT AddDialogueEntryRequest (AgentID, Password, (Ref | BookingId),
DialogueEntry)>

<!ELEMENT GetLocationsRequest (AgentID, Password)>

<!ELEMENT GetServicesRequest (AgentID, Password)>

<!ELEMENT SupplierInfoRequest ((AgentID | SupplierLogin), Password,
(SupplierCode | SupplierId)*, NoteCategory?, Info?, LocationCode?,
(NoteFormat | NotesInRtf)?, (TranslationMethod, TranslationLanguage?)?)>

<!ELEMENT ListBookingsRequest (AgentID, Password, Ref?, BookingId?,
TravelDateFrom?, TravelDateTo?, EnteredDateFrom?, EnteredDateTo?,
NameContains?, AgentRef?, PNR_Ref?, Currency?,
BookingTypes?, ReturnAccountInfo?)>

<!ELEMENT GetAgentSubloginsRequest (AgentID, Password)>

<!ELEMENT AddAgentSubloginRequest (AgentID, Password, AgentSublogin,
AgentSubPassword, Name, Title?, Forename?, Surname?, Address1?,
Address2?, Address3?, Address4?, Address5?, PostCode?,ContactPhone?,
MobilePhone?, Fax?, Email?, Indicator1?, Indicator2?, Indicator3?)>

<!ELEMENT UpdateAgentSubloginRequest (AgentID, Password, AgentSublogin,
AgentSubPassword?, Name?, Title?, Forename?, Surname?, Address1?,
Address2?, Address3?, Address4?, Address5?, PostCode?,ContactPhone?,
MobilePhone?, Fax?, Email?, Indicator1?, Indicator2?, Indicator3?)>

<!ELEMENT DeleteAgentSubloginRequest (AgentID, Password, AgentSublogin)>

<!ELEMENT GetCurrencyConversionsRequest (AgentID, Password, ReturnAllSubCodes?)>

<!ELEMENT GetServiceButtonsRequest (AgentID, Password)>

```

<!ELEMENT GetServiceButtonDetailsRequest (AgentID, Password, ButtonName,
DestinationName?)>

<!ELEMENT GetSystemSettingsRequest (AgentID, Password)>

<!ELEMENT AcceptServiceRequest (AgentID, Password, (Ref | BookingId),
ServiceLineId)>

<!ELEMENT GetSendSupplierMessageRequest (AgentID, Password, (Ref | BookingId),
ServiceLineId, MessageCode?, SendMethod, OutputFormat?, Language?,
TourplanServiceStatus?, (SendToAddress | SendToContactType)?,
Subject?)>

<!ELEMENT GetSupplierServiceLinesRequest (SupplierLogin, Password,
GetForChain?, (Opt | OptionNumber)?, TravelDateFrom?, TravelDateTo?,
EnteredDateFrom?, EnteredDateTo?, TourplanServiceStatuses?, ServiceLineId? )>

<!ELEMENT TourplanServiceStatuses (TourplanServiceStatus+)>

<!ELEMENT SupplierUpdateServiceLinesRequest (SupplierLogin, Password,
SupplierUpdateServiceLines)>

<!ELEMENT SupplierUpdateServiceLines (SupplierUpdateServiceLine+)>

<!ELEMENT SupplierUpdateServiceLine (ServiceLineId,
SupplierConfirmation?, TourplanServiceStatus?)>

<!ELEMENT GetProductSearchDataRequest (AgentID, Password)>

<!ELEMENT GetAccountingMessageRequest (AgentID, Password, (Ref | BookingId),
MessageCode, TransactionId, OutputFormat?, Language?)>

<!ELEMENT SetServicePriceRequest (AgentID, Password, (Ref | BookingId), ServiceLineId, LinePrice, AgentPrice)>

<!-- Reply elements -->

<!ELEMENT Reply (ErrorReply | ((PingReply | AgentInfoReply | OptionInfoReply |
AddServiceReply | UpdateServiceReply | UpdateBookingReply |
AmendServiceRemarksReply | DeleteServiceReply | CancelServicesReply |
QuoteToBookReply | GetBookingReply |
SetBookingRemarksReply | RecordBookingPaymentReply |
GetBookingPaymentSummaryReply |
GetBookingMessageReply | ResequenceReply | AddDialogueEntryReply |
GetLocationsReply | GetServicesReply | SupplierInfoReply |
ListBookingsReply | GetAgentSubloginsReply | AddAgentSubloginReply |
UpdateAgentSubloginReply | DeleteAgentSubloginReply |
GetCurrencyConversionsReply | GetServiceButtonsReply |
GetServiceButtonDetailsReply | GetSystemSettingsReply |

```

```
AcceptServiceReply | GetSendSupplierMessageReply |
GetSupplierServiceLinesReply | ExternalAirInfoReply |
SupplierUpdateServiceLinesReply | GetProductSearchDataReply |
GetAccountingMessageReply | SetServicePriceReply), Warnings?,
BookingUpdateCount?, ServiceLineUpdateCount?, ServiceUpdateCounts?))>
```

```
<!ELEMENT Warnings (Warning+)>
```

```
<!ELEMENT ServiceUpdateCounts (ServiceUpdateCount*)>
```

```
<!ELEMENT ServiceUpdateCount (ServiceLineId, ServiceLineUpdateCount)>
```

```
<!ELEMENT ErrorReply (Error, ErrorData?)>
```

```
<!ELEMENT PingReply (Version, Backend)>
```

```
<!ELEMENT AgentInfoReply (Currency, CurrencySubCode?, Email, Language, Name,
PriceCodes, IsSubLogin?, HasBookingRights?,
(UDText1, UDText2, UDText3, UDText4, UDText5, UDText6, UDText7, UDText8,
UDText9, UDText10, UDText11, UDText12, UDText13, UDText14, UDText15, UDText16, UDText17, UDText18,
UDText19, UDText20)?, AgentCurrencies?, Balances? )>
```

```
<!ELEMENT AgentCurrencies (AgentCurrencyInfo+)>
```

```
<!ELEMENT AgentCurrencyInfo (Currency, CreditLimit, LastReceiptAmount?,
LastReceiptDate?)>
```

```
<!ELEMENT Balances (Balance+)>
```

```
<!ELEMENT Balance (Currency, CurrentBalance, Overdue1, Overdue2, Overdue3,
Overdue4, FutureEntered, Future1, Future2, Future3, Future4)>
```

```
<!-- Begin OptionInfoReply -->
```

```
<!ELEMENT OptionInfoReply (Option*)>
```

```
<!ELEMENT Option (Opt, OptionNumber, OptGeneral?, OptRates?, OptDateRanges?,
OptAvail?, OptDetailedAvails?, OptFullAvails?, OptEnquiryNotes?, OptionNotes?,
OptStayResults*, FYIs?, Amenities?, SupplierLocations?, PickupPoints?, ValidLocations?,
PackageDetails? )>
```

```
<!ELEMENT ValidLocations (LocationCode*)>
```

```
<!ELEMENT OptGeneral (SupplierId, SupplierName, Description, Description2, Comment?, Comment2?,
Locality?, LocalityDescription?, Class?, ClassDescription?, Periods?,
MoreInformationURL?, SType, MPFCU?, (SCU, MinSCU, MaxSCU)?,
OptExtras?,
VoucherName, Address1, Address2, Address3, Address4, Address5, PostCode,
(Single_Avail, (Single_Ad_Max, Single_Max?, Single_Max_With_Infants?)),
Twin_Avail, (Twin_Ad_Max, Twin_Max?, Twin_Max_With_Infants?),
Double_Avail, (Double_Ad_Max, Double_Max?, Double_Max_With_Infants?),
Triple_Avail, (Triple_Ad_Max, Triple_Max?, Triple_Max_With_Infants?),
Quad_Avail, (Quad_Ad_Max, Quad_Max?, Quad_Max_With_Infants?)),
(Pax_Ad_Min, Pax_Min, Pax_Min_With_Infants?),
(Pax_Ad_Max, Pax_Max, Pax_Max_With_Infants?),
(InfantsAllowed, (Infant_From, Infant_To)?, CountInfantsInPaxBreak?),
(ChildrenAllowed, (Child_From, Child_To)?, CountChildrenInPaxBreak?),
```

```
(AdultsAllowed, (Adult_From, Adult_To)?), PromptForPuDo, ButtonName,
(DBAnalysisCode1, DBAnalysisDescription1)?, (DBAnalysisCode2, DBAnalysisDescription2)?,
(DBAnalysisCode3, DBAnalysisDescription3)?, (DBAnalysisCode4, DBAnalysisDescription4)?,
(DBAnalysisCode5, DBAnalysisDescription5)?, (DBAnalysisCode6, DBAnalysisDescription6)?,
LastUpdate)>
```

```
<!ELEMENT OptExtras (OptExtra*)>
```

```
<!ELEMENT OptExtra (SequenceNumber, Description, IsPricePerPerson, ChargeBasis, IsCompulsory)>
```

```
<!ELEMENT OptRates (Currency, PaxBreaks?, MinSCU?, Availability?, CancelHours?, CancelPolicies?,
LastBookableDate?, SaleFrom?, SaleTo?, PriceCode?, OptRate*)>
```

```
<!ELEMENT PaxBreaks (PaxBreak+)>
```

```
<!ELEMENT OptRate (Date?, RateName?, RateName2?, RateText?, RateText2?, ValueAdds?, FreeOfCharge?, Availabili
ty?,
CancelHours?, (SellBeforeTravel, SellBeforeType)?, CommissionPercent?,
((OptionRates | PersonRates | RoomRates), ExtrasRates?))>
```

```
<!ELEMENT RoomRates (SingleRate?, DoubleRate?, TwinRate?, TripleRate?,
QuadRate?, ExtraAdultRate?, ExtraChildRate*, InfantRate*, AdultRate* )>
```

```
<!ELEMENT PersonRates (AdultRate+, ChildRate*, InfantRate*)>
```

```
<!ELEMENT OptionRates (OptionRate+, ChildRate*, InfantRate*)>
```

```
<!ELEMENT ExtrasRates (ExtrasRate*)>
```

```
<!ELEMENT ExtrasRate (SequenceNumber, FreeOfCharge?,
((AdultRate, ChildRate?, InfantRate?) | ExRate))>
```

```
<!ELEMENT OptDateRanges (PaxBreaks?, PeriodCancelPolicies?, OptDateRange*)>
```

```
<!ELEMENT OptDateRange (PriceCode?, DateFrom, DateTo, SaleFrom?, SaleTo?, Currency,
(SellBeforeTravel, SellBeforeType)?, RateSets)>
```

```
<!ELEMENT RateSets (RateSet*)>
```

```
<!ELEMENT RateSet (RateName, RateName2?, RateText?, RateText2?, ValueAdds?, MinSCU, MaxSCU,
AppliesDaysOfWeek?, IsClosed, (ScuCheckOverlapOnly, CancelHours,
StayPays?, OptRate, ExtraNightRates?)? )>
```

```
<!ELEMENT StayPays (StayPayType, RepeatTimes?, ChargedExtras?, StayPay*)>
```

```
<!ELEMENT StayPay (Stay, Pay)>
```

```
<!ELEMENT ChargedExtras (SequenceNumber*)>
```

```
<!ELEMENT ExtraNightRates ((OptionRates | PersonRates | RoomRates))>
```

```
<!ELEMENT AppliesDaysOfWeek EMPTY>
```

```
<!ATTLIST AppliesDaysOfWeek Mon CDATA #IMPLIED Tue CDATA #IMPLIED
Weds CDATA #IMPLIED Thur CDATA #IMPLIED Fri CDATA #IMPLIED
Sat CDATA #IMPLIED Sun CDATA #IMPLIED>
```

```
<!ELEMENT OptDetailedAvails (OptDetailedAvail*)>
```



```

<!ELEMENT OptDetailedAvail (UnitType, OptAvail)>

<!ELEMENT OptFullAvails (OptFullAvail*)>

<!ELEMENT OptFullAvail ((UnitType | (ExtOptionDescr, ExtRatePlanDescr)), AvailDate*)>

<!ELEMENT AvailDate (Date, Availability)>

<!ELEMENT OptionNotes (OptionNote+)>

<!ELEMENT OptionNote (NoteCategory, NoteText, LastUpdate)>

<!ELEMENT OptStayResults (Availability, (Currency, TotalPrice, CommissionPercent, AgentPrice,
RateId, RateName, RateName2?, RateText?, RateText2?, PeriodValueAdds?, MinSCU?, (Stay, Pay)?, CancelHours?, Ca
ncelPolicies?,
LastBookableDate?, SaleFrom?, SaleTo?, Prefer?, ExternalRateDetails?, PriceCode?, RoomList?))?)>

<!ELEMENT RoomList (RoomType+)>

<!ELEMENT PeriodValueAdds (PeriodValueAdd+)>

<!ELEMENT PeriodValueAdd (DateFrom, DateTo, RateName, RateName2?, RateText?, RateText2?, ValueAdds?)>

<!ELEMENT ValueAdds (ValueAdd+)>

<!ELEMENT ValueAdd (Type, Description)>

<!ATTLIST Type Number CDATA #IMPLIED>

<!ELEMENT ExternalRateDetails (ExtSupplierId?, ExtOptionId, ExtOptionDescr?,
ExtRatePlanCode, ExtRatePlanDescr?, ExtGuarantee?, CancelPolicies?,
AdditionalDetails?, DepotDetail?, ExternalPerDayList?,
ExtStartTimes?, ExtPickupDetails?, ExtDropoffDetails? )>

<!ELEMENT ExtStartTimes (ExtStartTime*)>

<!ELEMENT ExtPickupDetails (ExtPickupDetail*)>
<!ELEMENT ExtPickupDetail (ExtPointName, MinutesPrior?, Address?, ExtPointInfo?)>

<!ELEMENT ExtDropoffDetails (ExtDropoffDetail*)>
<!ELEMENT ExtDropoffDetail (ExtPointName, MinutesPrior?, Address?, ExtPointInfo?)>

<!ELEMENT AdditionalDetails (AdditionalDetail+)>

<!ELEMENT AdditionalDetail (DetailName, DetailDescription)>

<!ELEMENT PeriodCancelPolicies (PeriodCancelPolicy+)>

<!ELEMENT PeriodCancelPolicy (DateFrom, DateTo, CancelPolicies)>

<!ELEMENT CancelPolicies (CancelPenalty+)>

<!ELEMENT CancelPenalty (Deadline?,
(PenaltyDescription
| (CancelRuleType, CancelRuleUnits?, (MinBooked, MaxBooked, BookedUnitType)?, (MinSCU, MaxSCU)?)
| (InEffect, LinePrice, AgentPrice?, SellPrice?))?)>

```

```

<!ELEMENT Deadline ((OffsetUnitMultiplier, OffsetTimeUnit, DeadlineDateTime?) |
  (DeadlineDate?, DeadlineTime))>

<!ELEMENT PackageDetails (PackageServiceLine+)>

<!ELEMENT PackageServiceLine (DayNumber, SequenceNumber, SCUqty, OptionNumber,
  Opt, Availability?, IsOptional)>

<!ELEMENT DepotDetail (PickupDetail, DropoffDetail)>

<!ELEMENT PickupDetail (LocationCode, Point_ID, ExternalDepotID, PointDescription, GroupNumber)>

<!ELEMENT DropoffDetail (LocationCode, Point_ID, ExternalDepotID, PointDescription, GroupNumber)>

<!ELEMENT ExternalPerDayList (Currency, ExternalPerDay+)>

<!ELEMENT ExternalPerDay (Date, Availability, ExternalRate)>

<!-- End OptionInfoReply -->

<!-- Begin ExternalAirInfoReply -->
<!ELEMENT ExternalAirInfoReply (FlightRouting*)>

<!ELEMENT FlightRouting (FlightSectorResults+, AirFare*)>

<!ELEMENT FlightSectorResults (Origin, Destination, Depart_Date, Depart_Time?,
  Carrier, SupplierCode, Flight?, Arrive_Date?, Arrive_Time?, OriginTerminal?,
  DestinationTerminal?, AircraftType?, FlightDuration?, BagCount?, SectorSequence, AirFare*)>

<!ELEMENT AirFare (FareCode, FareName?, RateId?, PlatingCarrier?, SupplierCode?, CabinClass?, Currency,
  TotalRateAmount, TotalRateTax, TotalAgentAmount, TotalAgentTax, CommissionPercent, BaggageCount?,
  BaggageWeight?, FareAmount*, Token*, FareRule*)>

<!ELEMENT FareAmount (AppliesTo, AmountType, AmountCode, RateAmount, AgentAmount, Commissionable, Token*
)>

<!ELEMENT FareRule (RuleAppliesTo, RuleType?, RuleCategory?, RuleBody)>

<!-- End ExternalAirInfoReply -->

<!ELEMENT AddServiceReply ((BookingId, Ref)?,
  (ServiceLineId, SequenceNumber)?, Status, AirTicketIds?, SubServiceLineIds?, (Services | GetBookingReply)?,
  (MessageDetails | SupplierMessageError)?)>

<!ELEMENT AirTicketIds (AirTicketId+)>

<!ELEMENT AirTicketId (Ticket Sequence. TicketId)>

```

```

<!ELEMENT SubServiceLineIds (SubServiceLineId*)>

<!ELEMENT UpdateServiceReply (SequenceNumber)>

<!ELEMENT UpdateBookingReply (TourplanBookingStatus?)>

<!ELEMENT AmendServiceRemarksReply EMPTY>

<!ELEMENT DeleteServiceReply (BookingId, Ref, ServiceLineId, Status,
    CancelPenaltyServiceLineId?, DeleteRefusalReason?, GetBookingReply?)>

<!ELEMENT CancelServicesReply (BookingId, Ref, ServiceStatuses, GetBookingReply?)>

<!ELEMENT ServiceStatuses (ServiceStatus*)>

<!ELEMENT ServiceStatus (ServiceLineId, Date, SequenceNumber, Status,
    (CancelPenaltyServiceLineId | CancelledServiceLineId)?)>

<!ELEMENT QuoteToBookReply (Ref, ServiceStatuses)>

<!ELEMENT GetBookingReply (BookingId, Ref, BookingUpdateCount?, Name, NameAlias, QB,
    Consult, AgentRef, Email, (TourplanBookingStatus, UDTText1, UDTText2,
    UDTText3, UDTText4, UDTText5, TourplanConsultant)?,
    SalesAnalysis1?, SalesAnalysis2?, SalesAnalysis3?,
    SalesAnalysis4?, SalesAnalysis5?, SalesAnalysis6?,
    TaxIndicator?, TravelDate, EnteredDate, BookingStatus, ReadOnly, CanAddServices,
    CanCancel, BookingType, IsInternetBooking, Currency, TotalPrice, AgentPrice?, Remarks,
    Dialogue, BookingNotes?, AccountingDetails?, Services?, PaymentDetails? )>

<!ELEMENT Services (Service*)>

<!ELEMENT PaymentDetails (((DepositDueAmount, DepositDueDate)?, FinalPaymentDate)?)>

<!ELEMENT Service (ServiceLineId, ServiceLineUpdateCount?,
    ((Opt?, OptionNumber) | (SupplierCode?, SupplierId)),
    Date, SequenceNumber,
    ((Adults, Children, Infants, RoomType?) | RoomConfigs),
    CostedInBooking, LinePrice, AgentPrice?, (SellCurrency, SellPrice)?,
    SCU?, SCUQty, Pickup_Date?, puTime?,
    puRemark?, puExternalPointID?, Dropoff_Date?, doTime?, doRemark?, doExternalPointID?, Remarks?,
    SupplierName, Description, Description2, Comment?, Comment2?, CancelDeleteStatus, CanUpdate,
    CanAccept, PriceCode?, TourplanServiceStatus?, ServiceCategory?,
    LocationCode?, ServiceCode?,
    DBAnalysisCode1?, DBAnalysisCode2?, DBAnalysisCode3?,
    DBAnalysisCode4?, DBAnalysisCode5?, DBAnalysisCode6?,
    Voucher_Status?, ServiceLineExpiryDate?, SupplierConfirmation?,
    InvoiceText1?, InvoiceText2?, InvoiceText3?, InvoiceText4?, MessageFormatType?, LinkedServiceLineId?,

```

VoucherText?, Status?,
(HeaderServiceLineId, (ParentServiceLineId, PackageLineId, IsStandardPackageLine)?),
SubServiceLineIds?, CancelPolicies?, (CancelPenaltyServiceLineId | CancelledServiceLineId)?,
ServiceLineNotes?, (Pricing | AirRouting)?, ServiceExtras?, ExternalServiceDetails?)>

<!ELEMENT ServiceExtras (ServiceExtra+)>

<!ELEMENT ServiceExtra (SequenceNumber, Quantity, (Description, IsPricePerPerson, ChargeBasis, IsCompulsory)?)>

<!ELEMENT ExternalServiceDetails (ExtSupplierId, ExtOptionId, ExtOptionDescr,
ExtRatePlanCode, ExtRatePlanDescr, CancelPolicies?, AdditionalDetails?)>

<!ELEMENT SetBookingRemarksReply EMPTY>

<!ELEMENT RecordBookingPaymentReply (ReceiptReference)>

<!ELEMENT GetBookingPaymentSummaryReply (Currency, InvoicedExclusive,
InvoicedTax, CreditsExclusive, CreditsTax, ReceivedExclusive,
ReceivedTax, RetailExclusive, RetailTax, AgentExclusive, AgentTax)>

<!ELEMENT GetBookingMessageReply (OutputFormat, Message)>

<!ELEMENT ResequenceReply (LineSequenceNumbers)>

<!ELEMENT LineSequenceNumbers (LineSequenceNumber+)>

<!ELEMENT LineSequenceNumber (ServiceLineId, SequenceNumber)>

<!ELEMENT AddDialogueEntryReply (Dialogue)>

<!ELEMENT GetLocationsReply (Locations)>

<!ELEMENT Locations (Location+)>

<!ELEMENT Location (Code, Name)>

<!ELEMENT GetServicesReply (TPLServices)>

<!ELEMENT TPLServices (TPLService+)>

<!ELEMENT TPLService (Code, Name)>

<!ELEMENT SupplierInfoReply (Suppliers)>

<!ELEMENT Suppliers (Supplier+)>

<!ELEMENT Supplier (SupplierId, SupplierCode, Name, Address1, Address2, Address3, Address4, Address5, PostCode, (SupplierAnalysis1, SupplierAnalysisDescription1)?, (SupplierAnalysis2, SupplierAnalysisDescription2)?, (SupplierAnalysis3, SupplierAnalysisDescription3)?, (SupplierAnalysis4, SupplierAnalysisDescription4)?, (SupplierAnalysis5, SupplierAnalysisDescription5)?, (SupplierAnalysis6, SupplierAnalysisDescription6)?, LastUpdate, Phone?, Fax?, Email?, Web?, SupplierNotes?, FYIs?, Amenities?, SupplierLocations?)>

<!ELEMENT SupplierLocations (SupplierLocation*)>

<!ELEMENT SupplierLocation (LocationCode, PickupPoints?)>

<!ELEMENT PickupPoints (PickupPoint*)>

<!ELEMENT PickupPoint (Point_ID, PointDescription, CanPickup, CanDropoff, ExternalSearch, GroupNumber, ExternalDepotID, puTime, doTime)>

<!ELEMENT SupplierNotes (SupplierNote+)>

<!ELEMENT SupplierNote (NoteCategory, NoteText, LastUpdate)>

<!ELEMENT FYIs (FYI+)>

<!ELEMENT FYI (DateFrom, DateTo, FYIText)>

<!ELEMENT Amenities (Amenity*)>

<!ELEMENT Amenity (AmenityLevel, AmenityCode?, AmenityCategory, AmenityDescription)>

<!ELEMENT ListBookingsReply (BookingHeaders?)>

<!ELEMENT BookingHeaders (BookingHeader+)>

<!ELEMENT BookingHeader (BookingId, Ref, Name, NameAlias, QB, Consult, AgentRef, TravelDate, EnteredDate, BookingStatus, BookingType, IsInternetBooking, Currency, TotalPrice, AgentPrice?, AccountingDetails?)>

<!ELEMENT AccountingDetails (InvoicedTotal, ReceivedTotal, CreditsTotal, AmountDue, FutureBilling, Transactions?)>

<!ELEMENT Transactions (Transaction+)>

<!ELEMENT Transaction (TransactionId, Date, TransactionRef, RelatedRef,
TransactionType, Amount)>

<!ELEMENT GetAgentSubloginsReply (Sublogins?)>

<!ELEMENT Sublogins (Sublogin+)>

<!ELEMENT Sublogin (AgentID, Name, Title?, Forename?, Surname?, Address1?,
Address2?, Address3?, Address4?, Address5?, PostCode?, ContactPhone?,
MobilePhone?, Fax?, Email?, Indicator1?, Indicator2?, Indicator3?)>

<!ELEMENT AddAgentSubloginReply EMPTY>

<!ELEMENT UpdateAgentSubloginReply EMPTY>

<!ELEMENT DeleteAgentSubloginReply EMPTY>

<!ELEMENT GetCurrencyConversionsReply (AllCurrencyConversions)>

<!ELEMENT AllCurrencyConversions (CurrencyConversionSet+)>

<!ELEMENT CurrencyConversionSet (FromCurrency, ToCurrency, CurrencySubCode,
CurrencyConversions)>

<!ELEMENT CurrencyConversions (CurrencyConversion+)>

<!ELEMENT CurrencyConversion (DateFrom, DateTo, ConversionRate, IsMultiplier)>

<!ELEMENT GetServiceButtonsReply (ButtonNames)>

<!ELEMENT ButtonNames (ButtonName*)>

<!ELEMENT GetServiceButtonDetailsReply (Countries, ScuPrompt?,
RoomBased, ClassLabel, LocalityLabel, RemarksDetails,
DisplayOptionsWithZeroRates?,
(DestinationName, LocalityDescriptions?, ClassDescriptions?, CodeTables?))>

<!ELEMENT LocalityDescriptions (LocalityDescription*)>

<!ELEMENT ClassDescriptions (ClassDescription*)>

<!ELEMENT classDescriptions (classDescription) />

<!ELEMENT CodeTables (CodeTable+)>

<!ELEMENT CodeTable (CodeTableType, CodeTableEntries)>

<!ELEMENT CodeTableEntries (CodeTableEntry+)>

<!ELEMENT CodeTableEntry (Code, Description)>

<!ELEMENT RemarksDetails (PickupLabel, PickupTimeAllowed, PickupRemarksAllowed,
DropoffLabel, DropoffTimeAllowed, DropoffRemarksAllowed,
RemarksLabel, RemarksAllowed)>

<!ELEMENT GetSystemSettingsReply (QuotesEnabled,
AvailableMessages, IsAgentDialogueEnabled, Countries,
BookingStatuses)>

<!ELEMENT Countries (Country*)>

<!ELEMENT Country (CountryName, DestinationNames)>

<!ELEMENT DestinationNames (DestinationName*)>

<!ELEMENT AvailableMessages (QuoteMessageLabel*, BookingMessageLabel*)>

<!ELEMENT BookingStatuses (BookingStatus*)>

<!ELEMENT AcceptServiceReply EMPTY>

<!ELEMENT GetSendSupplierMessageReply (MessageDetails, Status,
TourplanServiceStatus)>

<!ELEMENT MessageDetails (MessageCode, SendMethod,
(Subject, OutputFormat, Message)?, SendToAddress?)>

<!ELEMENT GetSupplierServiceLinesReply (SupplierServiceLines?) >

<!ELEMENT SupplierServiceLines (SupplierServiceLine+)>

<!ELEMENT SupplierServiceLine (BookingId, Ref, BranchName, DepartmentName,
TourplanBookingStatus, Name, AgentCode, AgentName, AgentRef,
UDText1, UDText2, UDText3, UDText4, UDText5, TourplanConsultantName, TourplanConsultantEmail,

ServiceLineId, SupplierCode, SupplierId, SupplierName, LocationCode,
(Opt, OptionNumber, Description, Description2, Comment, Comment2)?,
Date, EnteredDate, SCUQty, Adults, Children, Infants,
SingleCount, TwinCount, DoubleCount, TripleCount, QuadCount, OtherCount,
TourplanServiceStatus, PriceCode, RateText, RateText2,
CostCurrency, CostExclusive, CostTax, ServiceExtras?, SupplierConfirmation,
Pickup_Date, puTime, puRemark, Dropoff_Date, doTime, doRemark, Remarks) >

<!ELEMENT SupplierUpdateServiceLinesReply (SupplierUpdatedServices?,
SupplierFailedServiceUpdates?)>

<!ELEMENT SupplierUpdatedServices (ServiceLineId+)>

<!ELEMENT SupplierFailedServiceUpdates (SupplierFailedServiceUpdate+)>

<!ELEMENT SupplierFailedServiceUpdate (ServiceLineId,
UpdateFailureCode, UpdateFailureReason)>

<!-- Start GetProductSearchDataReply elements -->

<!ELEMENT GetProductSearchDataReply (CodeTables, CountryList, ServiceButtons)>

<!ELEMENT CountryList (CountryInfo*)>

<!ELEMENT CountryInfo (CountryCode, DestinationCode*)>

<!ELEMENT ServiceButtons (ServiceButton*)>

<!ELEMENT ServiceButton (ButtonName, ScuPrompt?, RoomBased, ClassLabel, LocalityLabel, RemarksDetails,
DisplayOptionsWithZeroRates?, ButtonCountries)>

<!ELEMENT ButtonCountries (ButtonCountry*)>

<!ELEMENT ButtonCountry (CountryCode, DestinationList)>

<!ELEMENT DestinationList (DestinationInfo*)>

<!ELEMENT DestinationInfo (DestinationCode, CodeLists)>

<!ELEMENT CodeLists (CodeList*)>

<!ELEMENT CodeList (CodeTableType, Code*)>

<!ELEMENT GetAccountingMessageReply (OutputFormat, Message)>

<!ELEMENT SetServicePriceReply EMPTY>

<!-- Parsed data fields, listed in alphabetical order -->

<!ELEMENT ACache (#PCDATA)>
<!ELEMENT Address (#PCDATA)>
<!ELEMENT Adult_From (#PCDATA)>
<!ELEMENT Adult_To (#PCDATA)>
<!ELEMENT AdultRate (#PCDATA)>
<!ELEMENT Address1 (#PCDATA)>
<!ELEMENT Address2 (#PCDATA)>
<!ELEMENT Address3 (#PCDATA)>
<!ELEMENT Address4 (#PCDATA)>
<!ELEMENT Address5 (#PCDATA)>
<!ELEMENT Adults (#PCDATA)>
<!ELEMENT AdultsAllowed (#PCDATA)>
<!ELEMENT Age (#PCDATA)>
<!ELEMENT Agent (#PCDATA)>
<!ELEMENT Agent_OR_Rate (#PCDATA)>
<!ELEMENT Agent_OR (#PCDATA)>
<!ELEMENT Agent_Comm_Rate (#PCDATA)>
<!ELEMENT Agent_Comm (#PCDATA)>
<!ELEMENT AgentAmount (#PCDATA)>
<!ELEMENT AgentCode (#PCDATA)>
<!ELEMENT AgentCurrency (#PCDATA)>
<!ELEMENT AgentExclusive (#PCDATA)>
<!ELEMENT AgentID (#PCDATA)>
<!ELEMENT AgentName (#PCDATA)>
<!ELEMENT AgentPrice (#PCDATA)>
<!ELEMENT AgentRef (#PCDATA)>
<!ELEMENT AgentSublogin (#PCDATA)>
<!ELEMENT AgentSubPassword (#PCDATA)>
<!ELEMENT AgentTax (#PCDATA)>
<!ELEMENT AirRoutingInfo (#PCDATA)>
<!ELEMENT AirSectorInfo (#PCDATA)>
<!ELEMENT AircraftType (#PCDATA)>
<!ELEMENT Allow (#PCDATA)>
<!ELEMENT AmenityCategory (#PCDATA)>
<!ELEMENT AmenityCode (#PCDATA)>
<!ELEMENT AmenityDescription (#PCDATA)>
<!ELEMENT AmenityLevel (#PCDATA)>
<!ELEMENT Amount (#PCDATA)>
<!ELEMENT AmountCode (#PCDATA)>
<!ELEMENT AmountDue (#PCDATA)>
<!ELEMENT AmountType (#PCDATA)>
<!ELEMENT AppliesTo (#PCDATA)>
<!ELEMENT Arrive_Date (#PCDATA)>
<!ELEMENT Arrive_Time (#PCDATA)>
<!ELEMENT Ascending (#PCDATA)>
<!ELEMENT Availability (#PCDATA)>
<!ELEMENT Backend (#PCDATA)>
<!ELEMENT BagCount (#PCDATA)>
<!ELEMENT BaggageCount (#PCDATA)>
<!ELEMENT BaggageWeight (#PCDATA)>
<!ELEMENT BookedUnitType (#PCDATA)>
<!ELEMENT BookingId (#PCDATA)>
<!ELEMENT BookingMessageLabel (#PCDATA)>
<!ELEMENT BookingStatus (#PCDATA)>

```

<!ELEMENT BookingType (#PCDATA)>
<!ELEMENT BookingTypes (#PCDATA)>
<!ELEMENT BookingUpdateCount (#PCDATA)>
<!ELEMENT Branch (#PCDATA)>
<!ELEMENT BranchName (#PCDATA)>
<!ELEMENT BSP_Value (#PCDATA)>
<!ELEMENT ButtonName (#PCDATA)>
<!ELEMENT CabinClass (#PCDATA)>
<!ELEMENT CanAccept (#PCDATA)>
<!ELEMENT CanAddServices (#PCDATA)>
<!ELEMENT CanCancel (#PCDATA)>
<!ELEMENT CancelDeleteStatus (#PCDATA)>
<!ELEMENT CancelledServiceLineId (#PCDATA)>
<!ELEMENT CancelHours (#PCDATA)>
<!ELEMENT CancelPenaltyServiceLineId (#PCDATA)>
<!ELEMENT CancelRuleType (#PCDATA)>
<!ELEMENT CancelRuleUnits (#PCDATA)>
<!ELEMENT CanDropoff (#PCDATA)>
<!ELEMENT CanPickup (#PCDATA)>
<!ELEMENT CanUpdate (#PCDATA)>
<!ELEMENT CardExpiryMonth (#PCDATA)>
<!ELEMENT CardExpiryYear (#PCDATA)>
<!ELEMENT CardHolder (#PCDATA)>
<!ELEMENT CardNumber (#PCDATA)>
<!ELEMENT CardSecurityCode (#PCDATA)>
<!ELEMENT CardType (#PCDATA)>
<!ELEMENT Carrier (#PCDATA)>
<!ELEMENT Cash_Paid (#PCDATA)>
<!ELEMENT ChargeBasis (#PCDATA)>
<!ELEMENT Child_From (#PCDATA)>
<!ELEMENT Child_To (#PCDATA)>
<!ELEMENT Children (#PCDATA)>
<!ELEMENT ChildrenAllowed (#PCDATA)>
<!ELEMENT ChildRate (#PCDATA)>
<!ELEMENT Class (#PCDATA)>
<!ELEMENT ClassDescription (#PCDATA)>
<!ELEMENT ClassLabel (#PCDATA)>
<!ELEMENT Code (#PCDATA)>
<!ELEMENT CodeTableType (#PCDATA)>
<!ELEMENT Comment (#PCDATA)>
<!ELEMENT Comment2 (#PCDATA)>
<!ELEMENT Commission (#PCDATA)>
<!ELEMENT Commission_Rate (#PCDATA)>
<!ELEMENT Commissionable (#PCDATA)>
<!ELEMENT CommissionPercent (#PCDATA)>
<!ELEMENT Consult (#PCDATA)>
<!ELEMENT ContactPhone (#PCDATA)>
<!ELEMENT ConversionRate (#PCDATA)>
<!ELEMENT Cost (#PCDATA)>
<!ELEMENT CostConversionRate (#PCDATA)>
<!ELEMENT CostCurrency (#PCDATA)>
<!ELEMENT CostExclusive (#PCDATA)>
<!ELEMENT CostedInBooking (#PCDATA)>
<!ELEMENT CostTax (#PCDATA)>
<!ELEMENT CountChildrenInPaxBreak (#PCDATA)>
<!ELEMENT CountInfantsInPaxBreak (#PCDATA)>
<!ELEMENT CountryCode (#PCDATA)>
<!ELEMENT CountryName (#PCDATA)>
<!ELEMENT Credit_Paid (#PCDATA)>
<!ELEMENT CreditLimit (#PCDATA)>
<!ELEMENT CreditsExclusive (#PCDATA)>
<!ELEMENT CreditsTax (#PCDATA)>

```

```

<!--ELEMENT CreditsTax (#PCDATA)-->
<!--ELEMENT CreditsTotal (#PCDATA)>
<!--ELEMENT Currency (#PCDATA)>
<!--ELEMENT CurrencySubCode (#PCDATA)>
<!--ELEMENT CurrentBalance (#PCDATA)>
<!--ELEMENT Date (#PCDATA)>
<!--ELEMENT DateFrom (#PCDATA)>
<!--ELEMENT DateOfBirth (#PCDATA)>
<!--ELEMENT DateTo (#PCDATA)>
<!--ELEMENT DayNumber (#PCDATA)>
<!--ELEMENT DBAnalysisCode1 (#PCDATA)>
<!--ELEMENT DBAnalysisCode2 (#PCDATA)>
<!--ELEMENT DBAnalysisCode3 (#PCDATA)>
<!--ELEMENT DBAnalysisCode4 (#PCDATA)>
<!--ELEMENT DBAnalysisCode5 (#PCDATA)>
<!--ELEMENT DBAnalysisCode6 (#PCDATA)>
<!--ELEMENT DBAnalysisDescription1 (#PCDATA)>
<!--ELEMENT DBAnalysisDescription2 (#PCDATA)>
<!--ELEMENT DBAnalysisDescription3 (#PCDATA)>
<!--ELEMENT DBAnalysisDescription4 (#PCDATA)>
<!--ELEMENT DBAnalysisDescription5 (#PCDATA)>
<!--ELEMENT DBAnalysisDescription6 (#PCDATA)>
<!--ELEMENT DeadlineDate (#PCDATA)>
<!--ELEMENT DeadlineDateTime (#PCDATA)>
<!--ELEMENT DeadlineTime (#PCDATA)>
<!--ELEMENT DeleteRefusalReason (#PCDATA)>
<!--ELEMENT Depart_Date (#PCDATA)>
<!--ELEMENT Depart_Time (#PCDATA)>
<!--ELEMENT Department (#PCDATA)>
<!--ELEMENT DepartmentName (#PCDATA)>
<!--ELEMENT DepositDueAmount (#PCDATA)>
<!--ELEMENT DepositDueDate (#PCDATA)>
<!--ELEMENT Description (#PCDATA)>
<!--ELEMENT Description2 (#PCDATA)>
<!--ELEMENT Destination (#PCDATA)>
<!--ELEMENT DestinationCode (#PCDATA)>
<!--ELEMENT DestinationName (#PCDATA)>
<!--ELEMENT DestinationTerminal (#PCDATA)>
<!--ELEMENT DetailDescription (#PCDATA)>
<!--ELEMENT DetailName (#PCDATA)>
<!--ELEMENT Dialogue (#PCDATA)>
<!--ELEMENT DialogueEntry (#PCDATA)>
<!--ELEMENT DisplayOptionsWithZeroRates (#PCDATA)>
<!--ELEMENT Distance (#PCDATA)>
<!--ELEMENT doExternalPointID (#PCDATA)>
<!--ELEMENT doRemark (#PCDATA)>
<!--ELEMENT doTime (#PCDATA)>
<!--ELEMENT Double_Ad_Max (#PCDATA)>
<!--ELEMENT Double_Avail (#PCDATA)>
<!--ELEMENT Double_Max (#PCDATA)>
<!--ELEMENT Double_Max_With_Infants (#PCDATA)>
<!--ELEMENT DoubleCount (#PCDATA)>
<!--ELEMENT DoubleRate (#PCDATA)>
<!--ELEMENT Dropoff_Date (#PCDATA)>
<!--ELEMENT DropoffLabel (#PCDATA)>
<!--ELEMENT DropoffTimeAllowed (#PCDATA)>
<!--ELEMENT DropoffRemarksAllowed (#PCDATA)>
<!--ELEMENT Email (#PCDATA)>
<!--ELEMENT EndLocationCode (#PCDATA)>
<!--ELEMENT EnteredDate (#PCDATA)>
<!--ELEMENT EnteredDateFrom (#PCDATA)>
<!--ELEMENT EnteredDateTo (#PCDATA)>

```

```

<!ELEMENT Error (#PCDATA)>
<!ELEMENT ErrorData (#PCDATA)>
<!ELEMENT ErrorNumber (#PCDATA)>
<!ELEMENT ExRate (#PCDATA)>
<!ELEMENT External_Ref (#PCDATA)>
<!ELEMENT ExternalAllRoomTypes (#PCDATA)>
<!ELEMENT ExternalAvailabilityMode (#PCDATA)>
<!ELEMENT ExternalDepotID (#PCDATA)>
<!ELEMENT ExternalGetRateRules (#PCDATA)>
<!ELEMENT ExternalRate (#PCDATA)>
<!ELEMENT ExternalRemarks1 (#PCDATA)>
<!ELEMENT ExternalRemarks2 (#PCDATA)>
<!ELEMENT ExternalSearch (#PCDATA)>
<!ELEMENT ExternalSearchMode (#PCDATA)>
<!ELEMENT ExtGuarantee (#PCDATA)>
<!ELEMENT ExtOptionDescr (#PCDATA)>
<!ELEMENT ExtOptionId (#PCDATA)>
<!ELEMENT ExtPointInfo (#PCDATA)>
<!ELEMENT ExtPointName (#PCDATA)>
<!ELEMENT ExtraAdultRate (#PCDATA)>
<!ELEMENT ExtraChildRate (#PCDATA)>
<!ELEMENT ExtraQuantity (#PCDATA)>
<!ELEMENT ExtRatePlanCode (#PCDATA)>
<!ELEMENT ExtRatePlanDescr (#PCDATA)>
<!ELEMENT ExtStartTime (#PCDATA)>
<!ELEMENT ExtSupplierId (#PCDATA)>
<!ELEMENT Face_Value (#PCDATA)>
<!ELEMENT Fare_Basis (#PCDATA)>
<!ELEMENT FareCode (#PCDATA)>
<!ELEMENT FareName (#PCDATA)>
<!ELEMENT Fax (#PCDATA)>
<!ELEMENT FCU (#PCDATA)>
<!ELEMENT FieldName (#PCDATA)>
<!ELEMENT FinalPaymentDate (#PCDATA)>
<!ELEMENT Flight (#PCDATA)>
<!ELEMENT FlightDuration (#PCDATA)>
<!ELEMENT Forename (#PCDATA)>
<!ELEMENT ForenameAlias (#PCDATA)>
<!ELEMENT FreeOfCharge (#PCDATA)>
<!ELEMENT FromCurrency (#PCDATA)>
<!ELEMENT Future1 (#PCDATA)>
<!ELEMENT Future2 (#PCDATA)>
<!ELEMENT Future3 (#PCDATA)>
<!ELEMENT Future4 (#PCDATA)>
<!ELEMENT FutureBilling (#PCDATA)>
<!ELEMENT FutureEntered (#PCDATA)>
<!ELEMENT FV_Surcharge (#PCDATA)>
<!ELEMENT FYIText (#PCDATA)>
<!ELEMENT GetForChain (#PCDATA)>
<!ELEMENT GroupAfterSort (#PCDATA)>
<!ELEMENT GroupNumber (#PCDATA)>
<!ELEMENT HasBookingRights (#PCDATA)>
<!ELEMENT HeaderServiceLineId (#PCDATA)>
<!ELEMENT IndexFirstOption (#PCDATA)>
<!ELEMENT Indicator1 (#PCDATA)>
<!ELEMENT Indicator2 (#PCDATA)>
<!ELEMENT Indicator3 (#PCDATA)>
<!ELEMENT InEffect (#PCDATA)>
<!ELEMENT Infant_From (#PCDATA)>
<!ELEMENT Infant_To (#PCDATA)>
<!ELEMENT InfantRate (#PCDATA)>
<!ELEMENT Infants (#PCDATA)>

```

```

<!ELEMENT infants (#PCDATA)>
<!ELEMENT InfantsAllowed (#PCDATA)>
<!ELEMENT Info (#PCDATA)>
<!ELEMENT InvoicedExclusive (#PCDATA)>
<!ELEMENT InvoicedTax (#PCDATA)>
<!ELEMENT InvoicedTotal (#PCDATA)>
<!ELEMENT InvoiceText1 (#PCDATA)>
<!ELEMENT InvoiceText2 (#PCDATA)>
<!ELEMENT InvoiceText3 (#PCDATA)>
<!ELEMENT InvoiceText4 (#PCDATA)>
<!ELEMENT IsClosed (#PCDATA)>
<!ELEMENT IsCompulsory (#PCDATA)>
<!ELEMENT IsInternetBooking (#PCDATA)>
<!ELEMENT IsMultiplier (#PCDATA)>
<!ELEMENT IsOptional (#PCDATA)>
<!ELEMENT IsPricePerPerson (#PCDATA)>
<!ELEMENT IsStandardPackageLine (#PCDATA)>
<!ELEMENT IsSubLogin (#PCDATA)>
<!ELEMENT Issue_Due (#PCDATA)>
<!ELEMENT IsValid (#PCDATA)>
<!ELEMENT IsAgentDialogueEnabled (#PCDATA)>
<!ELEMENT ItemDescription (#PCDATA)>
<!ELEMENT Language (#PCDATA)>
<!ELEMENT LastBookableDate (#PCDATA)>
<!ELEMENT LastReceiptAmount (#PCDATA)>
<!ELEMENT LastReceiptDate (#PCDATA)>
<!ELEMENT LastUpdate (#PCDATA)>
<!ELEMENT LastUpdateFrom (#PCDATA)>
<!ELEMENT LastUpdateTo (#PCDATA)>
<!ELEMENT LinePrice (#PCDATA)>
<!ELEMENT LinkedServiceLineId (#PCDATA)>
<!ELEMENT Locality (#PCDATA)>
<!ELEMENT LocalityDescription (#PCDATA)>
<!ELEMENT LocalityLabel (#PCDATA)>
<!ELEMENT LocationCode (#PCDATA)>
<!ELEMENT MakePaymentInvoiceMode (#PCDATA)>
<!ELEMENT MaxBooked (#PCDATA)>
<!ELEMENT MaxSCU (#PCDATA)>
<!ELEMENT MaximumOptions (#PCDATA)>
<!ELEMENT Message (#PCDATA)>
<!ELEMENT MessageCode (#PCDATA)>
<!ELEMENT MessageFormatType (#PCDATA)>
<!ELEMENT MessageLabel (#PCDATA)>
<!ELEMENT MinimumAvailability (#PCDATA)>
<!ELEMENT MinBooked (#PCDATA)>
<!ELEMENT MinSCU (#PCDATA)>
<!ELEMENT MinutesPrior (#PCDATA)>
<!ELEMENT MobilePhone (#PCDATA)>
<!ELEMENT MoreInformationURL (#PCDATA)>
<!ELEMENT MPFCU (#PCDATA)>
<!ELEMENT Name (#PCDATA)>
<!ELEMENT NameAlias (#PCDATA)>
<!ELEMENT NameContains (#PCDATA)>
<!ELEMENT Not_After (#PCDATA)>
<!ELEMENT Not_Before (#PCDATA)>
<!ELEMENT NoteCategory (#PCDATA)>
<!ELEMENT NoteFormat (#PCDATA)>
<!ELEMENT NotesInRtf (#PCDATA)>
<!ELEMENT NoteText (#PCDATA)>
<!ELEMENT OffsetUnitMultiplier (#PCDATA)>
<!ELEMENT OffsetTimeUnit (#PCDATA)>
<!ELEMENT OnRequest (#PCDATA)>

```

```

<!ELEMENT Opt (#PCDATA)>
<!ELEMENT OptionDescription (#PCDATA)>
<!ELEMENT OptEnquiryNotes (#PCDATA)>
<!ELEMENT OptAvail (#PCDATA)>
<!ELEMENT OptionNumber (#PCDATA)>
<!ELEMENT OptionRate (#PCDATA)>
<!ELEMENT Origin (#PCDATA)>
<!ELEMENT OriginTerminal (#PCDATA)>
<!ELEMENT OtherCount (#PCDATA)>
<!ELEMENT OutputFormat (#PCDATA)>
<!ELEMENT Overdue1 (#PCDATA)>
<!ELEMENT Overdue2 (#PCDATA)>
<!ELEMENT Overdue3 (#PCDATA)>
<!ELEMENT Overdue4 (#PCDATA)>
<!ELEMENT Override (#PCDATA)>
<!ELEMENT Override_Rate (#PCDATA)>
<!ELEMENT PackageLineId (#PCDATA)>
<!ELEMENT ParentServiceLineId (#PCDATA)>
<!ELEMENT Password (#PCDATA)>
<!ELEMENT Pax1 (#PCDATA)>
<!ELEMENT Pax2 (#PCDATA)>
<!ELEMENT PaxBreak (#PCDATA)>
<!ELEMENT PaxBreakChildRates (#PCDATA)>
<!ELEMENT PaxText1 (#PCDATA)>
<!ELEMENT PaxText2 (#PCDATA)>
<!ELEMENT PaxText3 (#PCDATA)>
<!ELEMENT PaxText4 (#PCDATA)>
<!ELEMENT PaxText5 (#PCDATA)>
<!ELEMENT PaxText6 (#PCDATA)>
<!ELEMENT PaxText7 (#PCDATA)>
<!ELEMENT PaxText8 (#PCDATA)>
<!ELEMENT PaxText9 (#PCDATA)>
<!ELEMENT PaxText10 (#PCDATA)>
<!ELEMENT PaxType (#PCDATA)>
<!ELEMENT Pax_Ad_Max (#PCDATA)>
<!ELEMENT Pax_Ad_Min (#PCDATA)>
<!ELEMENT Pax_Max (#PCDATA)>
<!ELEMENT Pax_Max_With_Infants (#PCDATA)>
<!ELEMENT Pax_Min (#PCDATA)>
<!ELEMENT Pax_Min_With_Infants (#PCDATA)>
<!ELEMENT Pay (#PCDATA)>
<!ELEMENT PenaltyDescription (#PCDATA)>
<!ELEMENT PersonId (#PCDATA)>
<!ELEMENT Phone (#PCDATA)>
<!ELEMENT Pickup_Date (#PCDATA)>
<!ELEMENT PNR_Ref (#PCDATA)>
<!ELEMENT Prefer (#PCDATA)>
<!ELEMENT PriceCode (#PCDATA)>
<!ELEMENT PriceCodes (#PCDATA)>
<!ELEMENT PickupLabel (#PCDATA)>
<!ELEMENT PickupTimeAllowed (#PCDATA)>
<!ELEMENT PickupRemarksAllowed (#PCDATA)>
<!ELEMENT Point_ID (#PCDATA)>
<!ELEMENT PointDescription (#PCDATA)>
<!ELEMENT PostCode (#PCDATA)>
<!ELEMENT PriceSelectionMethod (#PCDATA)>
<!ELEMENT PromptForPuDo (#PCDATA)>
<!ELEMENT puExternalPointID (#PCDATA)>
<!ELEMENT puRemark (#PCDATA)>
<!ELEMENT puTime (#PCDATA)>
<!ELEMENT QB (#PCDATA)>
<!ELEMENT Qued_Ad_Max (#PCDATA)>

```

```

<!ELEMENT Quad_Ad_Max (#PCDATA)>
<!ELEMENT Quad_Avail (#PCDATA)>
<!ELEMENT Quad_Max (#PCDATA)>
<!ELEMENT Quad_Max_With_Infants (#PCDATA)>
<!ELEMENT QuadCount (#PCDATA)>
<!ELEMENT QuadRate (#PCDATA)>
<!ELEMENT Quantity (#PCDATA)>
<!ELEMENT QuoteMessageLabel (#PCDATA)>
<!ELEMENT QuotesEnabled (#PCDATA)>
<!ELEMENT PaxSequence (#PCDATA)>
<!ELEMENT Periods (#PCDATA)>
<!ELEMENT Plate (#PCDATA)>
<!ELEMENT PlatingCarrier (#PCDATA)>
<!ELEMENT RateAmount (#PCDATA)>
<!ELEMENT RateConvert (#PCDATA)>
<!ELEMENT RateId (#PCDATA)>
<!ELEMENT RateName (#PCDATA)>
<!ELEMENT RateName2 (#PCDATA)>
<!ELEMENT RatePerScu (#PCDATA)>
<!ELEMENT RateText (#PCDATA)>
<!ELEMENT RateText2 (#PCDATA)>
<!ELEMENT ReadOnly (#PCDATA)>
<!ELEMENT ReceiptAmountBookingCurrency (#PCDATA)>
<!ELEMENT ReceiptReference (#PCDATA)>
<!ELEMENT ReceiptType (#PCDATA)>
<!ELEMENT ReceivedExclusive (#PCDATA)>
<!ELEMENT ReceivedTax (#PCDATA)>
<!ELEMENT ReceivedTotal (#PCDATA)>
<!ELEMENT Ref (#PCDATA)>
<!ELEMENT RelatedRef (#PCDATA)>
<!ELEMENT Remarks (#PCDATA)>
<!ELEMENT RemarksAllowed (#PCDATA)>
<!ELEMENT RemarksLabel (#PCDATA)>
<!ELEMENT RepeatTimes (#PCDATA)>
<!ELEMENT Retail (#PCDATA)>
<!ELEMENT RetailExclusive (#PCDATA)>
<!ELEMENT RetailTax (#PCDATA)>
<!ELEMENT ReturnAccountInfo (#PCDATA)>
<!ELEMENT ReturnAllSubCodes (#PCDATA)>
<!ELEMENT ReturnBooking (#PCDATA)>
<!ELEMENT ReturnLastReceipt (#PCDATA)>
<!ELEMENT ReturnPackageServices (#PCDATA)>
<!ELEMENT ReturnRoomConfigs (#PCDATA)>
<!ELEMENT RoomBased (#PCDATA)>
<!ELEMENT RoomType (#PCDATA)>
<!ELEMENT RuleAppliesTo (#PCDATA)>
<!ELEMENT RuleBody (#PCDATA)>
<!ELEMENT RuleCategory (#PCDATA)>
<!ELEMENT RuleType (#PCDATA)>
<!ELEMENT SaleFrom (#PCDATA)>
<!ELEMENT SalesAnalysis1 (#PCDATA)>
<!ELEMENT SalesAnalysis2 (#PCDATA)>
<!ELEMENT SalesAnalysis3 (#PCDATA)>
<!ELEMENT SalesAnalysis4 (#PCDATA)>
<!ELEMENT SalesAnalysis5 (#PCDATA)>
<!ELEMENT SalesAnalysis6 (#PCDATA)>
<!ELEMENT SaleTo (#PCDATA)>
<!ELEMENT SCU (#PCDATA)>
<!ELEMENT ScuCheckOverlapOnly (#PCDATA)>
<!ELEMENT ScuPrompt (#PCDATA)>
<!ELEMENT ScuFocQty (#PCDATA)>
<!ELEMENT SCUqty (#PCDATA)>

```

```

<!ELEMENT SectorSequence (#PCDATA)>
<!ELEMENT SellBeforeTravel (#PCDATA)>
<!ELEMENT SellBeforeType (#PCDATA)>
<!ELEMENT SellCurrency (#PCDATA)>
<!ELEMENT SellExclusive (#PCDATA)>
<!ELEMENT SellPrice (#PCDATA)>
<!ELEMENT SellTax (#PCDATA)>
<!ELEMENT SendMethod (#PCDATA)>
<!ELEMENT SendSupplierMessage (#PCDATA)>
<!ELEMENT SendToAddress (#PCDATA)>
<!ELEMENT SendToContactType (#PCDATA)>
<!ELEMENT SequenceNumber (#PCDATA)>
<!ELEMENT ServiceCategory (#PCDATA)>
<!ELEMENT ServiceCode (#PCDATA)>
<!ELEMENT ServiceLineExpiryDate (#PCDATA)>
<!ELEMENT ServiceLineId (#PCDATA)>
<!ELEMENT ServiceLineUpdateCount (#PCDATA)>
<!ELEMENT Single_Ad_Max (#PCDATA)>
<!ELEMENT Single_Avail (#PCDATA)>
<!ELEMENT Single_Max (#PCDATA)>
<!ELEMENT Single_Max_With_Infants (#PCDATA)>
<!ELEMENT SingleCount (#PCDATA)>
<!ELEMENT SingleRate (#PCDATA)>
<!ELEMENT Status (#PCDATA)>
<!ELEMENT Stop_Indicator (#PCDATA)>
<!ELEMENT Subject (#PCDATA)>
<!ELEMENT SubServiceLineId (#PCDATA)>
<!ELEMENT Surname (#PCDATA)>
<!ELEMENT SurnameAlias (#PCDATA)>
<!ELEMENT SupplierAnalysis1 (#PCDATA)>
<!ELEMENT SupplierAnalysis2 (#PCDATA)>
<!ELEMENT SupplierAnalysis3 (#PCDATA)>
<!ELEMENT SupplierAnalysis4 (#PCDATA)>
<!ELEMENT SupplierAnalysis5 (#PCDATA)>
<!ELEMENT SupplierAnalysis6 (#PCDATA)>
<!ELEMENT SupplierAnalysisDescription1 (#PCDATA)>
<!ELEMENT SupplierAnalysisDescription2 (#PCDATA)>
<!ELEMENT SupplierAnalysisDescription3 (#PCDATA)>
<!ELEMENT SupplierAnalysisDescription4 (#PCDATA)>
<!ELEMENT SupplierAnalysisDescription5 (#PCDATA)>
<!ELEMENT SupplierAnalysisDescription6 (#PCDATA)>
<!ELEMENT SupplierCode (#PCDATA)>
<!ELEMENT SupplierConfirmation (#PCDATA)>
<!ELEMENT SupplierId (#PCDATA)>
<!ELEMENT SupplierLogin (#PCDATA)>
<!ELEMENT SupplierMessageError (#PCDATA)>
<!ELEMENT SupplierName (#PCDATA)>
<!ELEMENT Stay (#PCDATA)>
<!ELEMENT StayPayType (#PCDATA)>
<!ELEMENT SType (#PCDATA)>
<!ELEMENT Tax_Actual (#PCDATA)>
<!ELEMENT Tax_Detail (#PCDATA)>
<!ELEMENT Tax_Estimate (#PCDATA)>
<!ELEMENT TaxIndicator (#PCDATA)>
<!ELEMENT Ticket_Class (#PCDATA)>
<!ELEMENT Ticket_Number (#PCDATA)>
<!ELEMENT Ticket_Sector_Status (#PCDATA)>
<!ELEMENT Ticket_Sequence (#PCDATA)>
<!ELEMENT Ticket_Status (#PCDATA)>
<!ELEMENT Ticket_Type (#PCDATA)>
<!ELEMENT Ticketer (#PCDATA)>

```



```

<!ELEMENT TicketId (#PCDATA)>
<!ELEMENT Title (#PCDATA)>
<!ELEMENT TitleAlias (#PCDATA)>
<!ELEMENT ToCurrency (#PCDATA)>
<!ELEMENT Token (#PCDATA)>
<!ELEMENT Total_Commission (#PCDATA)>
<!ELEMENT Total_Distance (#PCDATA)>
<!ELEMENT Total_Override (#PCDATA)>
<!ELEMENT TotalAgentAmount (#PCDATA)>
<!ELEMENT TotalAgentTax (#PCDATA)>
<!ELEMENT TotalAmount (#PCDATA)>
<!ELEMENT TotalPrice (#PCDATA)>
<!ELEMENT TotalRateAmount (#PCDATA)>
<!ELEMENT TotalRateTax (#PCDATA)>
<!ELEMENT TotalTax (#PCDATA)>
<!ELEMENT Tour_Code (#PCDATA)>
<!ELEMENT TourplanBookingStatus (#PCDATA)>
<!ELEMENT TourplanConsultant (#PCDATA)>
<!ELEMENT TourplanConsultantEmail (#PCDATA)>
<!ELEMENT TourplanConsultantName (#PCDATA)>
<!ELEMENT TourplanOldBookingStatus (#PCDATA)>
<!ELEMENT TourplanServiceStatus (#PCDATA)>
<!ELEMENT TourplanUser (#PCDATA)>
<!ELEMENT TransactionId (#PCDATA)>
<!ELEMENT TransactionRef (#PCDATA)>
<!ELEMENT TransactionType (#PCDATA)>
<!ELEMENT TranslationMethod (#PCDATA)>
<!ELEMENT TranslationLanguage (#PCDATA)>
<!ELEMENT TravelDate (#PCDATA)>
<!ELEMENT TravelDateFrom (#PCDATA)>
<!ELEMENT TravelDateTo (#PCDATA)>
<!ELEMENT Triple_Ad_Max (#PCDATA)>
<!ELEMENT Triple_Avail (#PCDATA)>
<!ELEMENT Triple_Max (#PCDATA)>
<!ELEMENT Triple_Max_With_Infants (#PCDATA)>
<!ELEMENT TripleCount (#PCDATA)>
<!ELEMENT TripleRate (#PCDATA)>
<!ELEMENT Twin_Ad_Max (#PCDATA)>
<!ELEMENT Twin_Avail (#PCDATA)>
<!ELEMENT Twin_Max (#PCDATA)>
<!ELEMENT Twin_Max_With_Infants (#PCDATA)>
<!ELEMENT TwinCount (#PCDATA)>
<!ELEMENT TwinRate (#PCDATA)>
<!ELEMENT Type (#PCDATA)>
<!ELEMENT UDText1 (#PCDATA)>
<!ELEMENT UDText2 (#PCDATA)>
<!ELEMENT UDText3 (#PCDATA)>
<!ELEMENT UDText4 (#PCDATA)>
<!ELEMENT UDText5 (#PCDATA)>
<!ELEMENT UDText6 (#PCDATA)>
<!ELEMENT UDText7 (#PCDATA)>
<!ELEMENT UDText8 (#PCDATA)>
<!ELEMENT UDText9 (#PCDATA)>
<!ELEMENT UDText10 (#PCDATA)>
<!ELEMENT UDText11 (#PCDATA)>
<!ELEMENT UDText12 (#PCDATA)>
<!ELEMENT UDText13 (#PCDATA)>
<!ELEMENT UDText14 (#PCDATA)>
<!ELEMENT UDText15 (#PCDATA)>
<!ELEMENT UDText16 (#PCDATA)>
<!ELEMENT UDText17 (#PCDATA)>
<!ELEMENT UDText18 (#PCDATA)>

```

```
<!ELEMENT UDTText19 (#PCDATA)>
<!ELEMENT UDTText20 (#PCDATA)>
<!ELEMENT UnitType (#PCDATA)>
<!ELEMENT UpdateFailureCode (#PCDATA)>
<!ELEMENT UpdateFailureReason (#PCDATA)>
<!ELEMENT Version (#PCDATA)>
<!ELEMENT Voucher_Status (#PCDATA)>
<!ELEMENT VoucherName (#PCDATA)>
<!ELEMENT VText1 (#PCDATA)>
<!ELEMENT VText2 (#PCDATA)>
<!ELEMENT VText3 (#PCDATA)>
<!ELEMENT VText4 (#PCDATA)>
<!ELEMENT VText5 (#PCDATA)>
<!ELEMENT VText6 (#PCDATA)>
<!ELEMENT VText7 (#PCDATA)>
<!ELEMENT VText8 (#PCDATA)>
<!ELEMENT VText9 (#PCDATA)>
<!ELEMENT VText10 (#PCDATA)>
<!ELEMENT VText11 (#PCDATA)>
<!ELEMENT VText12 (#PCDATA)>
<!ELEMENT VText13 (#PCDATA)>
<!ELEMENT VText14 (#PCDATA)>
<!ELEMENT VText15 (#PCDATA)>
<!ELEMENT VText16 (#PCDATA)>
<!ELEMENT VText17 (#PCDATA)>
<!ELEMENT VText18 (#PCDATA)>
<!ELEMENT VText19 (#PCDATA)>
<!ELEMENT VText20 (#PCDATA)>
<!ELEMENT Warning (#PCDATA)>
<!ELEMENT Web (#PCDATA)>
```