

Data.xml

```
<?xml version="1.0" encoding="utf-8"?>
<students>
  <student>
    <name>John</name>
    <roll>101</roll>
    <course>Computer Science</course>
  </student>
  <student>
    <name>Mary</name>
    <roll>102</roll>
    <course>Electronics</course>
  </student>
</students>
```

Activity_main.xml

```
<LinearLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    android:orientation="vertical"
    android:padding="16dp"
    android:layout_width="match_parent"
    android:layout_height="match_parent">

  <Button
      android:id="@+id/btnParse"
      android:layout_width="wrap_content"
      android:layout_height="wrap_content"
      android:text="Parse XML" />
```

```
<TextView
    android:id="@+id/tvResult"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:paddingTop="20dp"
    android:textSize="16sp"/>
</LinearLayout>
```

.kt

```
package com.example.xmlparserdemo

import androidx.appcompat.app.AppCompatActivity
import android.os.Bundle
import android.widget.Button
import android.widget.TextView
import org.xmlpull.v1.XmlPullParser
import org.xmlpull.v1.XmlPullParserFactory

class MainActivity : AppCompatActivity() {

    private lateinit var btnParse: Button
    private lateinit var tvResult: TextView

    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity_main)
```

```

btnParse = findViewById(R.id.btnParse)

tvResult = findViewById(R.id.tvResult)


btnParse.setOnClickListener {
    parseXML()
}
}

private fun parseXML() {
    try {
        val factory = XmlPullParserFactory.newInstance()
        factory.isNamespaceAware = true
        val parser = resources.geXML(R.xml.data)
        var eventType = parser.eventType
        val result = StringBuilder()
        var tagName = ""

        while (eventType != XmlPullParser.END_DOCUMENT) {
            when (eventType) {
                XmlPullParser.START_TAG -> {
                    tagName = parser.name
                }
                XmlPullParser.TEXT -> {
                    val text = parser.text.trim()
                    if (text.isNotEmpty()) {
                        result.append("$tagName: $text\n")
                    }
                }
            }
        }
    }
}

```

```
    }  
    eventType = parser.next()  
}  
  
tvResult.text = result.toString()  
  
} catch (e: Exception) {  
    e.printStackTrace()  
    tvResult.text = "Error parsing XML"  
}  
}  
}
```