

```
mysql> use guvi_zen_class;
```

```
Database changed
```

```
mysql> show databases;
```

```
+-----+
| Database |
+-----+
| guvi_zen_class |
| information_schema |
| mysql |
| performance_schema |
| sys |
+-----+
```

```
5 rows in set (0.00 sec)
```

```
mysql> create table class ();
```

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '')' at line 1
```

```
mysql> create table class (id int AUTO_INCREMENT primary key, topic text );
```

```
Query OK, 0 rows affected (1.52 sec)
```

```
mysql> create table dashboard (id int AUTO_INCREMENT primary key, studentName varchar(30), batch text, webkata text, codekata text, totalClass int, presented int, absents int );
```

```
Query OK, 0 rows affected (0.62 sec)
```

```
mysql> create table task (id int AUTO_INCREMENT primary key, totaltasks int, completedTasks int, pendingTasks int);
```

```
Query OK, 0 rows affected (1.62 sec)
```

```
mysql> create table webcode (id int AUTO_INCREMENT primary key, website varchar(200));
```

```
Query OK, 0 rows affected (1.29 sec)
```

```
mysql> create table capstone (id AUTO_INCREMENT primary key, capstonePosition int);
```

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'AUTO_INCREMENT primary key, capstonePosition int)' at line 1
```

```
mysql> create table capstone (id int AUTO_INCREMENT primary key, capstonePosition int);
```

```
Query OK, 0 rows affected (1.53 sec)
```

```
mysql> create table queries (id int AUTO_INCREMENT primary key, title varchar(100), details varchar(1000), totalQueries int, completedQueries int, pendingQueries int);
```

```
Query OK, 0 rows affected (1.41 sec)
```

```
mysql> create table requirements (id int AUTO_INCREMENT primary key, reqDetails varchar(200));
```

```
Query OK, 0 rows affected (0.55 sec)
```

```
mysql> create table portfolio (id int AUTO_INCREMENT primary key, pfStatus varchar(20), pfUrl varchar(200));
```

```
Query OK, 0 rows affected (1.14 sec)
```

```
mysql> create table application (id int AUTO_INCREMENT primary key, appTitle varchar(100), appTotal int, appconsidered int, appRejected int);
```

```
Query OK, 0 rows affected (1.17 sec)
```

```
mysql> create table interviewTasks (id int AUTO_INCREMENT primary key, interviewTasksTotal int, totalSubmissions int, pending int);
```

```
Query OK, 0 rows affected (1.56 sec)
```

```
mysql> create table leaveApplications (id int AUTO_INCREMENT primary key, totalLeaveApplications int, granted int, rejected int, pending int);
```

```
Query OK, 0 rows affected (0.70 sec)
```

```
mysql> create table leaveApplications (id int AUTO_INCREMENT primary key, totalLeaveApplications int, granted int, rejected int, pending int);
Query OK, 0 rows affected (0.70 sec)
```

```
mysql> create table mockInterview (id int AUTO_INCREMENT primary key, totalMockInterview int, totalScored int, remarks varchar(200));
Query OK, 0 rows affected (0.70 sec)
```

```
mysql> create table certificate (id int AUTO_INCREMENT primary key, certificateURL varchar(200), status varchar(200) );
Query OK, 0 rows affected (1.59 sec)
```

```
mysql> create table testimonial (id int AUTO_INCREMENT primary key, details varchar(2000), result varchar(100));
Query OK, 0 rows affected (1.09 sec)
```

```
mysql> create table leaderboard (id int AUTO_INCREMENT primary key, rank int, name varchar(30), batch varchar(30), score int );
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'rank int, name varchar(30), batch varchar(30), score int )' at line 1
```

```
mysql> create table leaderboard (id int AUTO_INCREMENT primary key, rankDetails int, name varchar(30), batch varchar(30), score int );
Query OK, 0 rows affected (0.77 sec)
```

```
mysql> create table syllabus (id int AUTO_INCREMENT primary key, details varchar(500));
Query OK, 0 rows affected (1.13 sec)
```

```
mysql> create table placementBoard (id int AUTO_INCREMENT primary key, placementStatus varchar(300));
Query OK, 0 rows affected (1.03 sec)
```

```
mysql> insert into class (topic) values ("Road Map Day - 33. MySQL day - 2");
Query OK, 1 row affected (0.67 sec)
```

```
mysql> select * from class;
```

id	topic
1	Road Map Day - 33. MySQL day - 2

1 row in set (0.00 sec)

```
mysql> insert into dashboard(studentName, batch, webkata, codekata, totalClass, presented, absents) values ("Govindaraj N", "B53 WD4 TAMIL", "Completed HTML", "Pursing Array", 100, 99, 1 );
Query OK, 1 row affected (0.12 sec)
```

```
mysql> select * from dashboard;
```

id	studentName	batch	webkata	codekata	totalClass	presented	absents
1	Govindaraj N	B53 WD4 TAMIL	Completed HTML	Pursing Array	100	99	1

1 row in set (0.00 sec)

```
mysql> insert into task (totaltasks, completedTasks, pendingTaks) values (20, 16, 4);
```

ERROR 1054 (42S22): Unknown column 'pendingTaks' in 'field list'

```
mysql> insert into task (totaltasks, completedTasks, pendingTasks) values (20, 16, 4);
Query OK, 1 row affected (0.18 sec)
```

```
mysql> insert into task (totaltasks, completedTasks, pendingTasks) values (20, 16, 4);
Query OK, 1 row affected (0.18 sec)
```

```
mysql> select * from task;
```

id	totaltasks	completedTasks	pendingTasks
1	20	16	4

```
1 row in set (0.00 sec)
```

```
mysql> insert into webcode(website) values ("https://github.com/");
Query OK, 1 row affected (0.20 sec)
```

```
mysql> select * from webcode;
```

id	website
1	https://github.com/

```
1 row in set (0.00 sec)
```

```
mysql> insert into capstone (capstonePosition) values (6);
Query OK, 1 row affected (0.21 sec)
```

```
mysql> select * from capstone;
```

id	capstonePosition
1	6

```
1 row in set (0.00 sec)
```

```
mysql> insert into queries (title, details, totalQueries, completedQueries, pendingQueries) values ("About Task", "Request you please give some more clarifications about task", 30, 29, 1);
Query OK, 1 row affected (0.17 sec)
```

```
mysql> select * from queries;
```

id	title	details	totalQueries	completedQueries	pendingQueries
1	About Task	Request you please give some more clarifications about task	30	29	1

```
1 row in set (0.00 sec)
```

```
mysql> insert into requirements (reqDetails) values ("Position: frontend developer, Experience: 3years, TechSkills: javascript, C++, Java, Python, MongoDB, nodejs, react, Salary :3.5L, close Date: 20/02/2024");
Query OK, 1 row affected (0.09 sec)
```

```
mysql> select * from requirements;
```

id	reqDetails
----	------------


```
:3.5L, close Date: 20/02/2024");  
Query OK, 1 row affected (0.09 sec)
```

```
mysql> select * from requirements;
```

```
+-----+-----+  
| id | reqDetails |  
+-----+-----+  
| 1 | Position: frontend developer, Experience: 3years, TechSkills: javascript, C++, Java, Python, MongoDB, nodejs, react, Salary:3.5L, close Date: 20/02/2024 |  
+-----+-----+  
1 row in set (0.00 sec)
```

```
mysql> insert into portfolio (pfStatus, pfUrl) values ("Sbmitted, waiting for validation", "www.gowindcode.com");
```

```
ERROR 1406 (22001): Data too long for column 'pfStatus' at row 1
```

```
mysql> insert into portfolio (pfStatus, pfUrl) values ("Sbmitted", "www.gowindcode.com");  
Query OK, 1 row affected (0.24 sec)
```

```
mysql> select * from portfolio;
```

```
+-----+-----+  
| id | pfStatus | pfUrl |  
+-----+-----+  
| 1 | Sbmitted | www.gowindcode.com |  
+-----+-----+  
1 row in set (0.00 sec)
```

```
mysql> insert into appTitle varchar(100), appTotal int, appconsidered int, appRejected int);
```

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'varchar(100), appTotal  
int, appconsidered int, appRejected int)' at line 1
```

```
mysql> insert into application(appTitle, appTotal, appconsidered, appRejected) values ("Fullstack Develpoer", 4, 3, 0);  
Query OK, 1 row affected (0.10 sec)
```

```
mysql> select * from application;
```

```
+-----+-----+-----+-----+  
| id | appTitle | appTotal | appconsidered | appRejected |  
+-----+-----+-----+-----+  
| 1 | Fullstack Develpoer | 4 | 3 | 0 |  
+-----+-----+-----+-----+  
1 row in set (0.00 sec)
```

```
mysql> insert into interviewTasks (interviewTasksTotal, totalSubmissions, pending) values (4, 4, 0);
```

```
Query OK, 1 row affected (0.12 sec)
```

```
mysql> select * from interviewTasks;
```

```
+-----+-----+-----+  
| id | interviewTasksTotal | totalSubmissions | pending |  
+-----+-----+-----+  
| 1 | 4 | 4 | 0 |  
+-----+-----+-----+  
1 row in set (0.00 sec)
```

```
mysql> insert into leaveApplications (totalLeaveApplications, granted, rejected, pending) values (1, 1, 0, 0);
```

```
Query OK, 1 row affected (0.20 sec)
```

```
mysql> insert into leaveApplications (totalLeaveApplications, granted, rejected, pending) values (1, 1, 0, 0);
Query OK, 1 row affected (0.20 sec)
```

```
mysql> select * from leaveApplications;
```

id	totalLeaveApplications	granted	rejected	pending
1	1	1	0	0

```
1 row in set (0.00 sec)
```

```
mysql> insert into mockInterview(totalMockinterview, totalScored, remarks) values (2, 2.5, "should improve communications and technical discussions. ");
Query OK, 1 row affected (0.10 sec)
```

```
mysql> select * from mockInterview;
```

id	totalMockinterview	totalScored	remarks
1	2	3	should improve communications and technical discussions.

```
1 row in set (0.00 sec)
```

```
mysql> insert into certificate (certificateURL, status) values ("www.guvi.zenclass.certificates.com/govindaraj_n0039", "certificate issued for MERN");
Query OK, 1 row affected (0.20 sec)
```

```
mysql> select * from certificate;
```

id	certificateURL	status
1	www.guvi.zenclass.certificates.com/govindaraj_n0039	certificate issued for MERN

```
1 row in set (0.00 sec)
```

```
mysql> insert into testimonial (details, result) values ("waiting for the course completion and it will updated soon in zen portal","not provided");
Query OK, 1 row affected (0.18 sec)
```

```
mysql> select * from testimonial;
```

id	details	result
1	waiting for the course completion and it will updated soon in zen portal	not provided

```
1 row in set (0.00 sec)
```

```
mysql> insert into leaderBoard (rankDetails, name, batch, score) values (6, "Govindaraj N", "B53 WD4 Tamil", 41);
Query OK, 1 row affected (0.15 sec)
```

```
mysql> insert into leaderboard (rankDetails, name, batch, score) values (6, "Govindaraj N", "B53 WD4 Tamil", 41);
Query OK, 1 row affected (0.15 sec)
```

```
mysql> select * from leaderboard;
```

```
+-----+-----+-----+-----+-----+
| id | rankDetails | name          | batch      | score |
+-----+-----+-----+-----+-----+
| 1  | 6          | Govindaraj N  | B53 WD4 Tamil | 41    |
+-----+-----+-----+-----+-----+
1 row in set (0.00 sec)
```

```
mysql> insert into syllabus (details) values ("React, JavaScript, CSS, MySQL and MongoDB, nodeJS");
Query OK, 1 row affected (0.58 sec)
```

```
mysql> select * from syllabus;
```

```
+-----+-----+
| id | details |
+-----+-----+
| 1  | React, JavaScript, CSS, MySQL and MongoDB, nodeJS |
+-----+-----+
1 row in set (0.00 sec)
```

```
mysql> insert into placementBoard(placementStatus) values ("course pursing, so after interview will allocate");
Query OK, 1 row affected (0.21 sec)
```

```
mysql> select * from placementBoard;
```

```
+-----+-----+
| id | placementStatus |
+-----+-----+
| 1  | course pursing, so after interview will allocate |
+-----+-----+
1 row in set (0.00 sec)
```

```
mysql> _
```



```
mysql> select * from dashboard;
```

id	studentName	batch	webkata	codekata	totalClass	presented	absents
1	Govindaraj N	B53 WD4 TAMIL	Completed HTML	Pursing Array	100	99	1

```
1 row in set (0.02 sec)
```

```
mysql> select * from dashboard left join task on dashboard.dashboardid = task.taskid;
```

```
ERROR 1054 (42S22): Unknown column 'dashboard.dashboardid' in 'on clause'
```

```
mysql> select * from task;
```

id	totaltasks	completedTasks	pendingTasks
1	20	16	4

```
1 row in set (0.09 sec)
```

```
mysql> select * from task LEFT JOIN dashboard ON task.taskID = dashboard.dashboardID;
```

```
ERROR 1054 (42S22): Unknown column 'task.taskID' in 'on clause'
```

```
mysql> select * from task LEFT JOIN dashboard ON task.id = dashboard.id;
```

id	totaltasks	completedTasks	pendingTasks	id	studentName	batch	webkata	codekata	totalClass	presented	absents
1	20	16	4	1	Govindaraj N	B53 WD4 TAMIL	Completed HTML	Pursing Array	100	99	1

```
1 row in set (0.03 sec)
```

```
mysql> select * from dashboard LEFT JOIN task ON dashboard.id = task.id;
```

id	studentName	batch	webkata	codekata	totalClass	presented	absents	id	totaltasks	completedTasks	pendingTasks
1	Govindaraj N	B53 WD4 TAMIL	Completed HTML	Pursing Array	100	99	1	1	20	16	4

```
1 row in set (0.10 sec)
```

```
mysql> select * from dashboard INNER JOIN task ON dashboard.id = task.id;
```

id	studentName	batch	webkata	codekata	totalClass	presented	absents	id	totaltasks	completedTasks	pendingTasks
1	Govindaraj N	B53 WD4 TAMIL	Completed HTML	Pursing Array	100	99	1	1	20	16	4

```
1 row in set (0.00 sec)
```