ASSIGNMENT 1

Designing unique landing page using HTML and CSS

NAME: Yangalasetty Anusha

EMAIL ID: yangalasettyanusha@gmail.com

PHONE NO:- 8341136309

ROLL NUMBER: - 20HU1A0413

COLLEGE:- CHEBROLU ENGINEERING COLLEGE

Landing page Topic:- Best Learning Education Platform in The World

Source code

index.html:-

```
!DOCTYPE html>
<a href="html lang="en">
<head>
<meta charset="UTF-8" />
<meta http-equiv="X-UA-Compatible" content="IE=edge" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
link rel="stylesheet" href="styles.css" />
<title>akhila | Learning Landing Page</title>
</head>
  <div class="nav logo"><a href="#">Learning</a></div>
  ul class="nav links">
   cli class="link"><a href="#">Home</a>
   cli class="link"><a href="#">About Us</a>
   <a href="#">Services</a>
   class="link"><a href="#">Courses</a>>
   class="link"><a href="#">Blog</a>
   class="link"><a href="#" class="nav btn">Register</a>
  <section class="container">
  <div class="content container">
    Best Learning < br />
    <span class="heading 1">Education Platform/span
    <span class="heading 2">in The World</span>
   </h1>
```

```
Unlock your full learning potential with our intuitive education
    platform. Seamlessly blending technology and education, we provide an
    immersive learning environment that combines interactive lessons,
    virtual classrooms, and intelligent feedback.
    <input type="text" placeholder="What do you want to learn" />
    <button type="submit">Search Course</button>
  </div>
  <div class="image container">
   <img src="assets/header-1.jpg" alt="header" />
   <img src="assets/header-2.jpg" alt="header" />
   <div class="image content">
     Get 30% off on every 1st month
     Expert teachers
    </div>
  </div>
</html>
```

OUTPUT:-

Learning

- <u>Home</u>
- About Us
- <u>Services</u>
- Courses
- Blog
- Register

Best Learning Education Platform in The World

Unlock your full learning potential with our intuitive education platform. Seamlessly blending technology and education, we provide an immersive learning environment that combines interactive lessons, virtual classrooms, and intelligent feedback.





- Get 30% off on every 1st month
- Expert teachers

Style.css:-

```
@import
url("https://fonts.googleapis.com/css2?family=Poppins:wght@400;500;600;700&display=swap");
:root {
 --primary-color: #5c48ee;
 --primary-color-dark: #0f1e6a;
 --secondary-color: #f9fafe;
 --text-color: #333333;
 --white: #ffffff;
 --max-width: 1200px;
 padding: 0;
 margin: 0;
 box-sizing: border-box;
body {
 font-family: "Poppins", sans-serif;
 background-color: var(--secondary-color);
nav {
 max-width: var(--max-width);
 margin: auto;
 padding: 1rem;
 height: 100px;
 display: flex;
 align-items: center;
 justify-content: space-between;
nav logo a {
 font-size: 1.5rem;
 font-weight: 500;
 color: var(--primary-color);
 text-decoration: none;
 transition: 0.3s;
.nav links {
list-style: none;
```

```
display: flex;
align-items: center;
 gap: 1rem;
.link a {
padding: 0.5rem 1rem;
font-size: 1rem;
font-weight: 500;
color: var(--text-color);
text-decoration: none;
 transition: 0.3s;
link a:hover {
color: var(--primary-color);
.link .nav btn {
padding: 0.5rem 2rem;
color: var(--white) !important;
background-color: var(--primary-color);
border-radius: 5px;
.link .nav btn:hover {
background-color: var(--primary-color-dark);
container {
max-width: var(--max-width);
margin: auto;
padding: 1rem;
min-height: calc(100vh - 100px);
display: grid;
grid-template-columns: repeat(2, 1fr);
 gap: 5rem;
content container {
display: flex;
flex-direction: column;
justify-content: center;
.content container h1 {
font-size: 3rem;
```

```
font-weight: 400;
line-height: 3.5rem;
color: var(--primary-color-dark);
 margin-bottom: 1rem;
heading 1 {
 font-weight: 700;
.heading 2 {
font-weight: 700;
color: var(--primary-color);
content container p {
font-size: 1rem;
color: var(--text-color);
margin-bottom: 2rem;
content container form {
display: flex;
align-items: center;
content__container input {
width: 100%;
max-width: 300px;
 padding: 1rem;
font-size: 0.8rem;
outline: none;
border: none;
box-shadow: 5px 5px 20px rgba(0, 0, 0, 0.2);
content container button {
width: fit-content;
padding: 1rem;
 font-size: 0.8rem;
 white-space: nowrap;
background-color: var(--primary-color);
 color: var(--white);
outline: none;
border: none;
box-shadow: 5px 5px 20px rgba(0, 0, 0, 0.2);
transition: 0.3s:
```

```
cursor: pointer;
content container button:hover {
background-color: var(--primary-color-dark);
.image container {
position: relative;
display: grid;
grid-template-columns: repeat(2, 1fr);
gap: 2rem;
place-content: center;
image container img {
width: 100%;
max-width: 300px;
margin: auto;
border-radius: 10px;
.image__container img:nth-child(1) {
transform: translateY(70px);
image__container img:nth-child(2) {
transform: translateY(-70px);
image content {
position: absolute;
width: 100%;
max-width: 310px;
left: 50%;
top: 50%;
transform: translate(-35%, 50%);
background: linear-gradient(
 to right,
 var(--primary-color),
 var(--primary-color-dark)
);
color: var(--white);
padding: 1rem 2rem;
border-radius: 10px;
```

```
.image__content li {
 margin-bottom: 0.5rem;
@media (width < 900px) {
 .link a:not(.nav__btn) {
  display: none;
 .container {
 grid-template-columns: repeat(1, 1fr);
 .content__container {
  text-align: center;
 .content__container form {
  margin-right: auto;
  margin-left: auto;
 .image__container {
 grid-area: 1/1/2/2;
 .image__container img {
  transform: translateY(0) !important;
```

OUTPUT:-

