# **React.js Component Creation**

Name: Deepala Gowri Akhila

Email Id: gowrideepala740@gmail.com

**Phone no :** 9381612560

**Roll NO:** 21HU5A0404

**College Name:** Chebrolu Engineering College

**source code :** CARD COMPONENT :

```
☑ card.css M ×
                                                                                                                                                                                                  ţ<u>ე</u> Ш ...
                                          card > src > components > card > @ Cardjsx > ...
1  import React, { useState } from 'react'
2  import { Button } from '../button/Button'
3  import './card.css'
     ∨ INTERSHIP
                                                                                                                                  card > src > components > card > 3 card.css > 4 .card .image
       border:1px solid □#000;
        > node modules
                                                                                                                                              flex-shrink: 0;
        > 🐹 public
                             5
6    export const Card = ({card}) => {
7    const [show,setShow] = useState(false);
8    function buttonClick(){
9    setShow(!show);
                                                                                                                                             background-color: ■#fff;
          height:250px;
             button.css
                                                                                                                                             display: flex;
flex-direction: column;
                                                 ④
            🥫 card.css M
          ∨ 🖷 images
                                                                                                                                              height:340px;
             🔼 image1.jpeg
             image2.jpeg
            🔣 image3.jpeg
                                                                                                                                             border-radius: 6px:
                                                              show && {card.description}
                                                                                                                                             overflow:hidden;
background: ☐red;
             image4.jpeg
             image5.jpeg
            ™ image6.jpeg
                                                                                                                                          .card .image img{
  width:100%;
            App.css
            index.css
                                                                                                                                            object-fit: cover;
                                                                                                                                          .card .image img:hover{
              package.json
            README.md
                                                                                                                                              text-align: center;
                                                                                                                                              margin:7px;
                                                                                                                                              width:230px;
SOS > OUTLINE
     > TIMELINE
                                                                                                                                                Ln 22, Col 2 Spaces: 4 UTF-8 CRLF CSS @ Go Live II Ninja
    % main* → ⊗ 0 🛦 0 煅 0
```

#### **BUTTON COMPONENT:**

```
📢 File Edit Selection View Go Run Terminal Help
                                                                                                             ፱ button.css ×
0
      EXPLORER
                              ··· ∰ Button.isx ×
                                                                                                             card > src > components > button > 5 button.css > 4 button
     ∨ INTERSHIP
                                    card > src > components > button > M Button.isx > ...
                                      1 import React from 'react
      outline:none;
       > node_modules
       > 🌃 public
                                                                                                                        width:90%;
                                                                                                                        padding: 10px 5px;
        {show ? 'show less' : 'show more' }
                                                                                                                       border-radius: 5px;
            3 button.css
                                                                                                                       margin-inline: auto;
         card.css

    ← Card.jsx

                                                                                                                    button:hover{
        🗸 🖷 images
           image1.jpeg
           image2.jpeg
           image3.jpeg
           ™ image4.jpeg
           ™ image5.jpeg
           image6.jpeg
          App.css
          index.css
         .gitignore
           package-lock.json
           package.json
         README.md
> OUTLINE
    > TIMELINE
У P main* + → ⊗ 0 Δ 0 (№ 0
                                                                                                                          Ln 1, Col 1 Spaces: 4 UTF-8 CRLF CSS @ Go Live II Ninja 🚨
```

#### **APP COMPONENT:**


```
≺ File Edit Selection View Go Run Terminal Help
                                                                                                                                                                                                          ເນື Ⅲ ···
P
                                                JS App.js M X
       ∨ INTERSHIP
                                                         import './App.css';
import { Card } from './components/card/Card';
import image1 from './images/image1.jpeg'
import image2 from './images/image2.jpeg'
        > node_modules
          > 👪 public
62
                                                         import image2 from './images/image2.jpeg'
import image3 from './images/image3.jpeg'
import image4 from './images/image4.jpeg'
import image5 from './images/image5.jpeg'
import image6 from './images/image6.jpeg'
           button.css
                Button.jsx
                                                             const cards = [
            card.css
                title: "Audi R8",

description: "The definition of a supercar describes an expensive car that's flashy,"
            ∨ 📻 images

    image1.jpeg

               image2.jpeg
                                                                  url:image2,
               image3.jpeg
               🔣 image4.jpeg
                                                                  description: "The definition of a supercar describes an expensive car that's flashy"
               🔣 image6.jpeg
              App.css
                                                                  url:image3,
                                                                  title: "Porsche 911 GT3 RS", description: "The definition of a supercar describes an expensive car that's flashy"
              index.css
              JS index.is
             .qitiqnore
                                                                 urn:Amage+,
title:"Lamborghini Huracan Tecnica",
description:"The definition of a supercar describes an expensive car that's flashy"
              package-lock.json
              package.json
                                                                 url:image5,
                                                                 title: "Rimac Nevera",

description: "The definition of a supercar describes an expensive car that's flashy"
                                                                  title: "ferrari F9",
      > OUTLINE
5653
       > TIMELINE
    % main* → ⊗ 0 🛦 0 🦃 0
                                                                                                                                                               Ln 8, Col 42 Spaces: 2 UTF-8 LF {} JavaScript © Go Live II Ninja
```




#### approach:

1. initially taking an array of objects like below

```
const cards = [
   url:image1,
   title: "Audi R8",
   description: "The definition of a supercar describes an expensive car that's flashy,"
   url:image2,
   title: "Maserati MC20",
   description: "The definition of a supercar describes an expensive car that's flashy"
  },
   url:image3,
   title: "Porsche 911 GT3 RS",
   description: "The definition of a supercar describes an expensive car that's flashy"
   url:image4,
   title: "Lamborghini Huracan Tecnica",
   description: "The definition of a supercar describes an expensive car that's flashy"
   url:image5,
   title: "Rimac Nevera",
    description: "The definition of a supercar describes an expensive car that's flashy"
   url:image6,
   title: "ferrari F9",
    description: "The definition of a supercar describes an expensive car that's flashy"
```

- 2. Passing this card array to child (card component) of App component by using props;
- 3. getting data as argument like {card} in card component.
- 4 . in card component i use one state [show, setShow] to get extra info as description.
- 5. When we click the button then show becomes true by assigning setShow (!show).

## **OUTPUT:**



### **AFTER BUTTON CLICKS:**

