











```
QEMU (Win1)
Administrator: Command Prompt

C:\Users\user> ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

    Connection-specific DNS Suffix  . : 
    Link-local IPv6 Address . . . . . : fe80::2ceb:cc15:788:1e35x11
    IPv4 Address. . . . . : 50.0.0.10
    Subnet Mask . . . . . : 255.0.0.0
    Default Gateway . . . . . : 

Tunnel adapter isatap.{42A1F8B7-30A0-4EF7-81AF-C694F5F3D81D}:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . : 

Tunnel adapter 6T04 Adapter:

    Connection-specific DNS Suffix  . : 
    IPv6 Address. . . . . : 2002:3200:a::3200:a
    Default Gateway . . . . . : 

C:\Users\user>
```

```
QEMU (Win2)
Administrator: Command Prompt

C:\Users\user> ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

    Connection-specific DNS Suffix  . : 
    Link-local IPv6 Address . . . . . : fe80::35fd:cc8:9b31:c87ex11
    IPv4 Address. . . . . : 50.0.0.20
    Subnet Mask . . . . . : 255.0.0.0
    Default Gateway . . . . . : 


Tunnel adapter isatap.{42A1F8B7-30A0-4EF7-81AF-C694F5F3D81D}:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . : 

Tunnel adapter 6T04 Adapter:

    Connection-specific DNS Suffix  . : 
    IPv6 Address. . . . . : 2002:3200:14::3200:14
    Default Gateway . . . . . : 

C:\Users\user>
```

WINDOWS PASSWORD : Test123

