




labs.surenetwork.com/legacy/topology

R1 (config)#exit
R1#
*Aug 21 06:34:03.259: %SYS-5-CONFIG_I: Configured from console by console
R1#show ip int br

Interface	IP-Address	OK?	Method	Status	Prot
ooc1					
Ethernet0/0	10.0.0.1	YES	manual	up	up
Ethernet0/1	20.0.0.1	YES	manual	up	up
Ethernet0/2	unassigned	YES	TFTP	down	down
Ethernet0/3	unassigned	YES	TFTP	down	down

R1#
R1#
R1#
R1#
R1#
R1#
R1#

20.0.0.2

R2#
*Aug 21 06:36:38.679: %SYS-5-CONFIG_I: Configured from console by console
R2#show ip int br

Interface	IP-Address	OK?	Method	Status	Prot
ooc1					
Ethernet0/0	20.0.0.2	YES	manual	up	up
Ethernet0/1	30.0.0.1	YES	manual	up	up
Ethernet0/2	unassigned	YES	TFTP	down	down
Ethernet0/3	unassigned	YES	TFTP	down	down

R2#
*Aug 21 06:39:07.395: %PWE-6-PWP_DISCOVERY_STOPPED: PnP Discovery stopped (Config Wizard)
R2#
R2#
R2#
R2#
R2#
R2#
R2#

I

R3#
*Aug 21 06:38:19.406: %SYS-5-CONFIG_I: Configured from console by console
R3#show ip int br

Interface	IP-Address	OK?	Method	Status	Prot
ooc1					
Ethernet0/0	40.0.0.1	YES	manual	up	up
Ethernet0/1	30.0.0.2	YES	manual	up	up
Ethernet0/2	unassigned	YES	TFTP	down	down
Ethernet0/3	unassigned	YES	TFTP	down	down

R3#
*Aug 21 06:39:16.062: %PWE-6-PWP_DISCOVERY_STOPPED: PnP Discovery stopped (Config Wizard)
R3#

10.0.0.10

40.0.0.10

labs.surenetwork.com/legacy/topology

R1
N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PFR

Gateway of last resort is not set

C 10.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
L 10.0.0.0/8 is directly connected, Ethernet0/0
L 10.0.0.1/32 is directly connected, Ethernet0/0
C 20.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 20.0.0.0/8 is directly connected, Ethernet0/1
L 20.0.0.1/32 is directly connected, Ethernet0/1
S 30.0.0.0/8 [1/0] via 20.0.0.2
S 40.0.0.0/8 [1/0] via 20.0.0.2

R1#
R1#
R1#
R1#
R1#
R1#

10.0.0.10

+ - replicated route, % - next hop override, p - overrides from PFR

Gateway of last resort is not set

S 10.0.0.0/8 [1/0] via 30.0.0.1
S 20.0.0.0/8 [1/0] via 30.0.0.1
C 30.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
L 30.0.0.0/8 is directly connected, Ethernet0/1
L 30.0.0.2/32 is directly connected, Ethernet0/1
C 40.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
L 40.0.0.0/8 is directly connected, Ethernet0/0
L 40.0.0.1/32 is directly connected, Ethernet0/0

R3#
R3#
R3#
R3#
R3#
R3#

R2
+ - replicated route, % - next hop override, p - overrides from PFR

Gateway of last resort is not set

S 10.0.0.0/8 [1/0] via 20.0.0.1
C 20.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 20.0.0.0/8 is directly connected, Ethernet0/0
L 20.0.0.2/32 is directly connected, Ethernet0/0
C 30.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 30.0.0.0/8 is directly connected, Ethernet0/1
L 30.0.0.1/32 is directly connected, Ethernet0/1
S 40.0.0.0/8 [1/0] via 30.0.0.2

R2#
R2#
R2#
R2#
R2#
R2#
R2#
R2#

I

40.0.0.10

