







ROUTER#
*Aug 29 22:20:19.403: %SYS-5-CONFIG_I: Configured from console by console

ROUTER#
ROUTER#


ROUTER#show ip int br

Interface	IP-Address	OK?	Method	Status	Prot
Loopback0					
Ethernet0/0	172.16.0.1	YES	manual	up	up
Ethernet0/1	8.0.0.1	YES	manual	up	up
Ethernet0/2	50.0.0.1	YES	manual	up	up
Ethernet0/3	unassigned	YES	TFTP	down	down

ROUTER#

```
QEMU (Linux-1)
ifconfig
eth0  Link encap:Ethernet  HWaddr 50:93:4C:01:AD:00
      inet addr:172.16.0.10  Bcast:172.16.255.255  Mask:255.255.0.0
      UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
      RX packets:236 errors:0 dropped:0 overruns:0 frame:0
      TX packets:371 errors:0 dropped:0 overruns:0 carrier:0
      collisions:0 txqueuelen:1000
      RX bytes:25346 (24.7 KiB)  TX bytes:112315 (109.6 KiB)

lo    Link encap:Local Loopback
      inet addr:127.0.0.1  Mask:255.0.0.0
      UP LOOPBACK RUNNING  MTU:16436  Metric:1
      RX packets:0 errors:0 dropped:0 overruns:0 frame:0
      TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
      collisions:0 txqueuelen:0
      RX bytes:0 (0.0 B)  TX bytes:0 (0.0 B)
```



QEMU (Winserver)

