REGISTRATION PAGE

* Create a "registration form" with the following fields:

1. Name,
2. Password,
3. E-mail,
4. Phone number,
5. College Name,
6. ID. Number,
7. Branch,
8. Gender,
9. Date of Birth,
10. Languages known,
11. Adress.

⇒ We use:

1. Text input controls for: Name, E-mail, Phone number, College name, ID. Number.
2. Password for: Password.
3. Selection Boxes for: Branch & Date of Birth.
4. Radio Boxes for: Gender.
5. Check Boxes for: Languages known.
6. Multiple-line Text input controls for: Adress.

* Program:-

```
<!DOCTYPE html >
< html >
< head >
  <title > REGISTRATION PAGE </title>
</head >
<body >
< center >
<h1 align = " center " > <u> REGISTRATION PAGE </u></h1>
< table border = " 3 " >
< tr >
<td >
<form name = "f1" action = " " method = " post " onsubmit = " " >
< table cellspacing = " 10 " cellpadding = " 5 " >
<tr >
<td > NAME </td >
<td><input type = " text " size = " 30 " name = " uname "/></td>
</tr >
< tr >
<td > PASSWORD </td >
<td > < input type = " password " size = " 30 " name = " pass "/></td>
</tr>
< tr >
<td > ID NUMBER </td >
<td > <input type = " text " size = " 15 " name = " ID " > < /td >
</tr >
```

```
<tr >
<td > COllEGE NAME </td >
<td> <input type ="text" size = "30" name="college"> </td>
</tr >
< tr >
<td > BRANCH </td >
<td> <select name = " branch " >
      < option value = " branch " > Branch < /option>
      < option value = " CSE " > CSE </option>
      < option value = " ECE " > ECE </option >
      < option value = "EEE" > EEE </option >
      < option value = "Mech"> Mechanical </option >
      < option value = "civil "> civil </option >
      </select> </td >
</tr >
<tr >
<td > E-MAIL </td >
<td> <input type ="text" size = "30" name = "email"> </td>
</tr >
<tr >
<td > PHONE NUMBER < /td >
<td> < input type = " text " size = " 15 " name = "phone"></td>
</tr >
< tr >
<td > GENDER < /td >
<td> <input type = " radio" name = "gender" value = "M" > MALE
      <input type = " radio" name="gender" value = "F/" > Female
</td >
</tr>
```

```
<tr>
<td> DATE OF BIRTH </td>
<td> <select name = "day" >
    <option value = "day" > Day </option>
    <option value = "1" > 1 </option>
    <option value = "2" > 2 </option>
    <option value = "3" > 3 </option>
    <option value = "4" > 4 </option>
    <option value = "5" > 5 </option>
    <option value = "6" > 6 </option>
    <option value = "7" > 7 </option>
    <option value = "8" > 8 </option>
    <option value = "9" > 9 </option>
    <option value = "10" > 10 </option>
    <option value = "11" > 11 </option>
    <option value = "12" > 12 </option>
    <option value = "13" > 13 </option>
    <option value = "14" > 14 </option>
    <option value = "15" > 15 </option>
    <option value = "16" > 16 </option>
    <option value = "17" > 17 </option>
    <option value = "18" > 18 </option>
    <option value = "19" > 19 </option>
    <option value = "20" > 20 </option>
    <option value = "21" > 21 </option>
    <option value = "22" > 22 </option>
```

```
<option value = "23" > 23 </option>
<option value = "24" > 24 </option>
<option value = "25" > 25 </option>
<option value = "26" > 26 </option>
<option value = "27" > 27 </option>
<option value = "28" > 28 </option>
<option value = "29" > 29 </option>
<option value = "30" > 30 </option>
<option value = "31" > 31 </option>
</select >
<select name = "Month" >
<option value = "month" > MONTH </option>
<option value = "jan" > JANUARY </option>
<option value = "feb" > FEBRUARY </option>
<option value = "March" > MARCH </option>
<option value = "April" > APRIL </option>
<option value = "May" > MAY </option>
<option value = "June" > JUNE </option>
<option value = "July" > JULY </option>
<option value = "Aug" > AUGUST </option>
<option value = "Sep" > SEPTEMBER </option>
<option value = "Oct" > OCTOBER </option>
<option value = "Nov" > NOVEMBER </option>
<option value = "Dec" > DECEMBER </option>
</select >
```

```
<select name = "year">
<option value = "year"> YEAR </option>
<option value = "1986"> 1986 </option>
<option value = "1987"> 1987 </option>
<option value = "1988"> 1988 </option>
<option value = "1989"> 1989 </option>
<option value = "1990"> 1990 </option>
<option value = "1991"> 1991 </option>
<option value = "1992"> 1992 </option>
<option value = "1993"> 1993 </option>
<option value = "1994"> 1994 </option>
<option value = "1995"> 1995 </option>
<option value = "1996"> 1996 </option>
<option value = "1997"> 1997 </option>
<option value = "1998"> 1998 </option>
<option value = "1999"> 1999 </option>
<option value = "2000"> 2000 </option>
<option value = "2001"> 2001 </option>
<option value = "2002"> 2002 </option>
<option value = "2003"> 2003 </option>
<option value = "2004"> 2004 </option>
<option value = "2005"> 2005 </option>
<option value = "2006"> 2006 </option>
<option value = "2007"> 2007 </option>
<option value = "2008"> 2008 </option>
<option value = "2009"> 2009 </option>
<option value = "2010"> 2010 </option>
```

```
        < option value = "2010"> 2011 </option>
        < option value = "2012" > 2012 </option >
        < option value = "2013" > 2013 </option >
        < option value = "2014" > 2014 </option >
        </select >
</td>
</tr>
<tr>
<td> LANGUAGES KNOWN </td>
<td> < input type = " check box " name = " lang " value = "english/" >
                                                                ENGLISH
      <input type = "check box " name = "lang" value = " Telugu/" > TELUGU
      <input type = "checkbox" name = "lang" value = "hindi/" > HINDI
</td>
</tr>
<tr>
<td> ADRESS </td>
<td> < textarea name = "adress" cols = "25" rows = "5 "
                                        < /textarea > </td>

</tr>
<tr>
<td colspan = "2" align = " center " >
   <inputtype = " submit "  value = " SUBMIT/ " >
   < input type = " reset "  value = " RESET/ " > </td>
</tr>
</table >
</Form >
</td>
</tr >
</table>
</body>
</html>
```

* Output :-

REGISTRATION PAGE

NAME

PASSWORD

ID NUMBER

COLLEGE NAME

BRANCH Branch

E-MAIL

PHONE NUMBER

GENDER ○ MALE ○ FEMALE

DATE OF BIRTH DAY MONTH YEAR

LANGUAGES KNOWN ☐ ENGLISH ☐ TELUGU ☐ HINDI

ADREGS

SUBMIT RESET

* Parts:-

1. Name :-

```
<!DOCTYPE html>
<html>
<head>
  <title> NAME </title>
</head>
<body>
<center>
<h1 align="center">1.NAME </h1>
<h2> <u> REGISTRATION PAGE Part-1 </u> </h2>
<table border = "3">
<tr>
<td>
<form>
<table cellspacing ="10" cellpadding ="5">
<tr>
<td> NAME </td>
<td><input type ="text" size = "30" name=uname"/></td>
</tr>
</table>
</form>
</td>
</tr>
</table>
</body>
</html>
```

* Output:-

1. NAME

REGISTRATION PAGE Part-1

NAME

2. Password :-

```
<!DOCTYPE html>
<html>
<head>
   <title> 2.Password </title>
</head>
<body>
<center>
<h1 align = "center" > <u> 2. PASSWORD </u> </ h1>
<h2> <u> REGISTRATION PAGE part-2 </u> </h2>
<table border = "3" >
< tr >
< td >
< form>
<table cellspacing = "10" cellpadding = "5" >
< tr >
<td > PASSWORD </td>
<td > input type = " Password " size = "30" name="pass"/></td>
</tr>
</table>
</form>
</td>
</tr>
</table>
</ center >
</ body >
</html>
```

* output:

2. PASSWORD

REGISTRATION PAGE Part-2

PASSWORD	

3. ID NUMBER :- , College NAME :-

```
<!DOCTYPE html>
<html>
<head>
    <title> 3. ID And CLG NAME </title>
</head>
<body>
<center>
<h1 align="center"> <u> 3. ID, CLG NAME </u> </h1>
<h2> <u> REGISTRATION PAGE Part-3 </u> </h2>
<table border = "3">
<tr>
<td>
<Form>
<table cellspacing = "10" cellpadding = "5">
<tr>
<td> ID NUMBER </td>
<td> <input type = "text" size = "10" name = "id"/> </td>
</tr>
<tr>
<td> COLLEGE NAME </td>
<td> <input type = "text" size = "30" name = "clg name"/> </td>
</tr>
</table>
</Form>
</td>
</tr>
</table>
</center>
</body>
</html>
```

* Output:-

3. ID, CLG NAME

REGISTRATION PAGE Part - 3

ID NUMBER	
COLLEGE NAME	

4. Branch :-

```
<!DOCTYPE html>
<html>
<head>
   <title> 4. Branch </title>
</head>
<body>
<center>
<h1 align="center"> <u> 4. BRANCH </u> </h1>
<h2> <u> REGISTRATION PAGE Part-4 </u> </h2>
<table border="3">
<tr>
<td>
<form>
<table cellspacing="10" cellpadding="5">
<tr>
<td> BRANCH </td>
<td> <select name="branch">
      <option value="Branch"> Branch </option>
      <option value="CSE"> CSE </option>
      <option value="ECE"> ECE </option>
      <option value="EEE"> EEE </option>
      <option value="civil"> civil </option>
      <option value="Mech"> Mechanical </option>
      </select> </td>
</tr>
</table>
</form>
</td>
</tr>
</table>
</center>
</body>
</html>
```

* Output:-

4. BRANCH

REGISTRATION PAGE part-4

BRANCH

5. E-Mail , Mobile Number :-

```
<!DOCTYPE html>
<html>
<head>
  <title> 5. E-mail and Mob.NUM. </title>
</head>
<body>
<center>
<h1 align = "center"> <u> 5. E-mail, Mobile Num </u> </h1>
<h2> <u> REGISTRATION PAGE Part - 5 </u> </h2>
<table border = "3">
<tr>
<td>
<form>
<table cellspacing = "10" cellpadding = "5">
<tr>
<td> E-MAIL </td>
<td><input type = "text" size = "30" name = "e-mail"> </td>
</tr>
<tr>
<td> PHONE NUMBER </td>
<td><input type = "text" size = "15" name = "phone"> </td>
</tr>
</table>
</form>
</td>
</tr>
</table>
</center>
</body>
</html>
```

* output:-

5. E-MAIL, MOBILE NUM

REGISTRATION PAGE Part- 5

E-MAIL	
PHONE NUMBER	

6. GENDER :-

```
<! DOCTYPE html >
< html >
<head >
   <title> 6. GENDER </ title >
</head >
<body >
<center >
< h1 align = " center " > <u> 6. GENDER </u> </h1 >
<h2 > <u> REGISTRATION PAGE Part - 6 </u> </h2 >
<table border = "3" >
<tr >
<td >
<Form >
<table cellspacing = "10" cellpadding = "5" >
<tr >
<td > GENDER </td >
<td >
    <input type = "radio" name = "gender" value = "M/" > MALE
    <input type = "radio" name = "gender" value = " F/" > FEMALE </td >
</tr >
</table >
</Form >
</td >
</tr >
</table >
</center >
</body >
</html >
```

* output:-

6. GENDER

REGISTRATION PAGE part - 6

GENDER ○ MALE ○ FEMALE

7. DATE of BIRTH :-

```
<! DOCTYPE html >
<html>
<head>
, <title> 7. DATE OF BIRTH </title>
</head>
<body>
<center>
<h1 align = "center" > <u> 7. DATE OF BIRTH </u> </h1>
<h2 > <u> REGISTRATION PAGE Part - 7 </u> </h2>
<table border = "3" >
<tr>
<td>
<form>
<table cellspacing = "10" cellpadding = "5" >
<tr>
<td> DATE OF BIRTH </td>
<td> <select name = " day " >
    <option value = " day" > DAY </option>
    <option value = " 1 " > 1 </ option>
    <option value = "2" > 2 </option>
    <option value = "3" > 3 </option>
    <option value = "4" > 4 </option>
    <option value = "5" > 5 </option>
    <option value = "6" > 6 </option>
    <option value = "7" > 7 </option>
    <option value = "8" > 8 </option>
    <option value = "9" > 9 </option>
    <option value = "10" > 10 </option>
```

```
<option value = "11" > 11 </option >
<option value = "12" > 12 </option >
<option value = "13" > 13 </option >
<option value = "14" > 14 </option >
<option value = "15" > 15 </option >
<option value = "16" > 16 </option >
<option value = "17" > 17 </option >
<option value = "18" > 18 </option >
<option value = "19" > 19 </option >
<option value = "20" > 20 </option >
<option value = "21" > 21 </option >
<option value = "22" > 22 </option >
<option value = "23" > 23 </option >
<option value = "24" > 24 </option >
<option value = "25" > 25 </option >
<option value = "26" > 26 </option >
<option value = "27" > 27 </option >
<option value = "28" > 28 </option >
<option value = "29" > 29 </option >
<option value = "30" > 30 </option >
<option value = "31" > 31 </option >
</select >
```

```
<select name = "month">
<option value = "month"> MONTH </option>
<option value = "jan" > JANUARY </option>
<option value = "feb" > FEBRUARY </option>
<option value = "march"> MARCH </option>
<option value = "April" > APRIL </option>
<option value = "may"> MAY </option>
<option value = "june"> JUNE </option>
<option value = "july" > JULY </option>
<option value = "Aug" > AUGUST </option>
<option value = "sep" > SEPTEMBER </option>
<option value = "oct" > OCTOBER </option>
<option value = "Nov" > NOVEMBER </option>
<option value = "Dec" > DECEMBER </option>
</select>
<select name = "year">
<option value = "Year" > Year </option>
<option value = "1986" > 1986 </option>
<option value = "1987" > 1987 </option>
<option value = "1988" > 1988 </option>
<option value = "1989" > 1989 </option>
<option value = "1990" > 1990 </option>
<option value = "1991" > 1991 </option>
<option value = "1992" > 1992 </option>
<option value = "1993" > 1993 </option>
<option value = "1994" > 1994 </option>
<option value = "1995" > 1995 </option>
<option value = "1996" > 1996 </option>
```

```
<option value = "1997"> 1997 </option>
<option value = "1998"> 1998 </option>
<option value = "1999"> 1999 </option>
<option value = "2000"> 2000 </option>
<option value = "2001"> 2001 </option>
<option value = "2002"> 2002 </option>
<option value = "2003"> 2003 </option>
<option value = "2004"> 2004 </option>
<option value = "2005"> 2005 </option>
<option value = "2006"> 2006 </option>
<option value = "2007"> 2007 </option>
<option value = "2008"> 2008 </option>
<option value = "2009"> 2009 </option>
<option value = "2010"> 2010 </option>
<option value = "2011"> 2011 </option>
<option value = "2012"> 2012 </option>
<option value = "2013"> 2013 </option>
<option value = "2014"> 2014 </option>
</select>
</td>
</tr>
</table>
</form>
</td>
</tr>
</table> </center>
</body>
</html>
```

* output:-

7. DATE OF BIRTH

REGISTRATION PAGE Part - 7

DATE OF BIRTH	DAY ▾	MONTH ▾	YEAR ▾

8. Languages known :-

```
<! DOCTYPE html >
<html >
<head >
    <title> 8. Languages known </title>
</head >
<body >
<center >
<h1 align = "center" > <u> 8. LANGUAGES KNOWN </u> </h1 >
<h2> <u> REGISTRATION PAGE Part - 8 </u > </h2>
<table border = "3" >
<tr >
<td >
<form >
<table cellspacing = "10" cellpadding = "5" >
<tr >
<td> LANGUAGES KNOWN </td >
<td >
<input type = " checkbox " name = "lang" value = "english/ " > ENGLISH
<input type = " checkbox " name = " lang " value = " telugu/ " > TELUGU
<input type = " check box " name = " lang " value = " hindi/ " > HINDI
</td >
</tr >
</table >
</form >
</td >
</tr >
</table >
</center >
</body >
</html >
```

*OUTPUT:-

8. LANGUAGES KNOWN

REGISTRATION PAGE part-8

LANGUAGES KNOWN ☐ ENGLISH ☐ TELUGU ☐ HINDI

9. Adress :-

```
<!DOCTYPE html>
<html>
<head>
  <title> 9. Adress </title>
</head>
<body>
<center>
<h1 align="center"> <u> 9. ADRESS </u> </h1>
<h2> <u> REGISTRATION PAGE part-9 </u> </h2>
<table border="3">
<tr>
<td>
<form>
<table cellspacing="10" cellpadding="5">
<tr>
<td> ADRESS </td>
<td> <textarea name="adress" cols="25" rows="5">
      </textarea> </td>
</tr>
</table>
</form>
</td>
</tr>
</table>
</center>
</body>
</html>
```

* Output:-

9. ADRESS

REGISTRATION PAGE Part - 9

ADRESS

10. Hidden controls (Submit & Reset)

```
<html>
<head>
    <title> 10.Submit And Reset </title>
</head>
<body>
<center>
<h1 align = "center"> <u> 10. Submit and Reset </u></h1>
<h2> <u> REGISTRATION PAGE Part - 10 </u> </h2>
<table border = "3" >
<tr>
<td>
<form>
<table cellspacing = "10" cellpadding = "5" >
<tr>
<td colspan = "2" align = "center" >
    <input type = "submit" value = "SUBMIT" />
    <input type = "reset" value = "RESET" /> </td>
</tr>
</table>
</form>
</td>
</tr>
</table>
</center>
</body>
</html>
```

*output:-

10. SUBMIT and RESET

REGISTRATION PAGE Part -10