

Rajalakshmi Engineering College

Name: S Gowtham
Email: 240701156@rajalakshmi.edu.in
Roll no: 240701156
Phone: 8438897045
Branch: REC
Department: CSE - Section 7
Batch: 2028
Degree: B.E - CSE

Scan to verify results



2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 7_Q3

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

A financial analyst, Alex, needs a program to calculate simple interest for various financial transactions. He requires a straightforward tool that takes in the principal amount, interest rate, and time in years and computes the interest.

The formula to be used is: $\text{Interest} = \text{Principal} \times \text{Rate} \times \text{Time} / 100$

Implement this functionality using the `InterestCalculator` interface and the `SimpleInterestCalculator` class.

Input Format

The first line of input consists of the principal amount `P` as a double value.

The second line of input consists of the annual interest rate r as a double value.

The third line of input consists of the number of years t as a positive integer, which is an integer value.

Output Format

The output displays the calculated simple interest in the following format:
"Simple Interest: [interest_value]", Here, [interest_value] should be replaced with the actual interest value calculated by the program.

Refer to the sample output for the formatting specifications.

Sample Test Case

Input: 1000.00
5.00
2

Output: Simple Interest: 100.0

Answer

```
import java.util.Scanner;  
  
// You are using Java  
interface InterestCalculator{  
    double simpleInterest(double principal,double rate,int time);  
}  
class SimpleInterestCalculator implements InterestCalculator  
{  
  
    public double simpleInterest(double principal,double rate,int time)  
    {  
  
        return (principal*rate*time)/100;  
    }  
}
```

```
}

class Main {
    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);

        double principal = scanner.nextDouble();

        double rate = scanner.nextDouble();

        int time = scanner.nextInt();

        InterestCalculator calculator = new SimpleInterestCalculator();

        double interest = calculator.simpleInterest(principal, rate, time);

        System.out.println("Simple Interest: " + interest);

    }
}
```

Status : Correct

Marks : 10/10