

Importing Libraries

```
In [1]: import numpy as np  
import pandas as pd  
import matplotlib.pyplot as plt  
import seaborn as sns
```

Importing Datasets

```
In [2]: df=pd.read_csv(r'C:\Users\user\Downloads\Rainfall\COASTAL ANDHRA PRADESH.csv')
df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
0	3083	COASTAL ANDHRA PRADESH	1902	2.0	0.0	2.8	23.9	37.6	72.6	144.5	236.1	204.5	262.0
1	3084	COASTAL ANDHRA PRADESH	1903	0.8	13.3	0.2	6.2	73.4	154.0	248.6	258.0	216.5	159.1
2	3085	COASTAL ANDHRA PRADESH	1904	1.3	0.0	5.4	3.0	136.3	107.8	120.2	117.7	116.8	240.9
3	3086	COASTAL ANDHRA PRADESH	1905	1.1	16.7	68.0	37.0	68.8	84.4	64.6	210.8	170.2	66.0
4	3087	COASTAL ANDHRA PRADESH	1906	3.9	23.5	9.9	2.3	11.0	252.6	155.8	241.1	126.9	92.1
...
109	3192	COASTAL ANDHRA PRADESH	2011	0.0	17.9	0.9	62.3	67.9	86.8	196.0	215.8	129.7	74.6
110	3193	COASTAL ANDHRA PRADESH	2012	37.6	0.0	2.7	24.0	39.3	95.4	221.9	221.2	246.5	140.0
111	3194	COASTAL ANDHRA PRADESH	2013	2.0	29.6	0.2	48.0	28.2	127.5	162.4	123.1	132.0	411.5
112	3195	COASTAL ANDHRA PRADESH	2014	0.4	1.2	9.1	6.0	112.9	45.7	151.8	177.8	144.5	195.6
113	3196	COASTAL ANDHRA PRADESH	2015	2.0	0.6	5.5	32.3	34.1	283.8	116.0	192.0	201.8	59.7

114 rows × 20 columns



Data Cleaning and Data Preprocessing

In [3]:

```
df=df.dropna()
df
```

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OC1
0	3083	COASTAL ANDHRA PRADESH	1902	2.0	0.0	2.8	23.9	37.6	72.6	144.5	236.1	204.5	262.0
1	3084	COASTAL ANDHRA PRADESH	1903	0.8	13.3	0.2	6.2	73.4	154.0	248.6	258.0	216.5	159.1
2	3085	COASTAL ANDHRA PRADESH	1904	1.3	0.0	5.4	3.0	136.3	107.8	120.2	117.7	116.8	240.9
3	3086	COASTAL ANDHRA PRADESH	1905	1.1	16.7	68.0	37.0	68.8	84.4	64.6	210.8	170.2	66.0
4	3087	COASTAL ANDHRA PRADESH	1906	3.9	23.5	9.9	2.3	11.0	252.6	155.8	241.1	126.9	92.1
...
109	3192	COASTAL ANDHRA PRADESH	2011	0.0	17.9	0.9	62.3	67.9	86.8	196.0	215.8	129.7	74.6
110	3193	COASTAL ANDHRA PRADESH	2012	37.6	0.0	2.7	24.0	39.3	95.4	221.9	221.2	246.5	140.0
111	3194	COASTAL ANDHRA PRADESH	2013	2.0	29.6	0.2	48.0	28.2	127.5	162.4	123.1	132.0	411.5
112	3195	COASTAL ANDHRA PRADESH	2014	0.4	1.2	9.1	6.0	112.9	45.7	151.8	177.8	144.5	195.6
113	3196	COASTAL ANDHRA PRADESH	2015	2.0	0.6	5.5	32.3	34.1	283.8	116.0	192.0	201.8	59.7

114 rows × 20 columns



In [4]:

```
df.columns
```

Out[4]:

```
Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY', 'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb', 'Mar-May', 'Jun-Sep', 'Oct-Dec'],
      dtype='object')
```


In [5]: df.info()

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 114 entries, 0 to 113
Data columns (total 20 columns):
 #   Column      Non-Null Count  Dtype  
--- 
 0   index       114 non-null    int64  
 1   SUBDIVISION 114 non-null    object  
 2   YEAR        114 non-null    int64  
 3   JAN         114 non-null    float64 
 4   FEB         114 non-null    float64 
 5   MAR         114 non-null    float64 
 6   APR         114 non-null    float64 
 7   MAY         114 non-null    float64 
 8   JUN         114 non-null    float64 
 9   JUL         114 non-null    float64 
 10  AUG         114 non-null    float64 
 11  SEP         114 non-null    float64 
 12  OCT         114 non-null    float64 
 13  NOV         114 non-null    float64 
 14  DEC         114 non-null    float64 
 15  ANNUAL      114 non-null    float64 
 16  Jan-Feb     114 non-null    float64 
 17  Mar-May     114 non-null    float64 
 18  Jun-Sep     114 non-null    float64 
 19  Oct-Dec     114 non-null    float64 
dtypes: float64(17), int64(2), object(1)
memory usage: 18.7+ KB
```

Line Chart


```
In [6]: df.plot.line(subplots=True)
```

```
Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>], dtype=object)
```



```
In [7]: df.plot.line()
```


```
Out[7]: <AxesSubplot:>
```



Bar Chart

In [8]: `df.plot.bar()`


Out[8]: <AxesSubplot:>



Histogram

In [9]: `df.plot.hist()`


Out[9]: <AxesSubplot:ylabel='Frequency'>



Area Chart

```
In [10]: df.plot.area()
```


```
Out[10]: <AxesSubplot:>
```



Box Chart

```
In [11]: df.plot.box()
```


```
Out[11]: <AxesSubplot:>
```




Pie Chart

```
In [12]: df.plot.pie(y='ANNUAL')
```

```
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```







Scatter Plot

```
In [13]: df.plot.scatter(x='JAN',y='FEB')
```

```
Out[13]: <AxesSubplot:xlabel='JAN', ylabel='FEB'>
```



```
In [14]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 114 entries, 0 to 113
Data columns (total 20 columns):
 #   Column      Non-Null Count  Dtype  
--- 
 0   index       114 non-null    int64  
 1   SUBDIVISION 114 non-null    object  
 2   YEAR        114 non-null    int64  
 3   JAN         114 non-null    float64 
 4   FEB         114 non-null    float64 
 5   MAR         114 non-null    float64 
 6   APR         114 non-null    float64 
 7   MAY         114 non-null    float64 
 8   JUN         114 non-null    float64 
 9   JUL         114 non-null    float64 
 10  AUG         114 non-null    float64 
 11  SEP         114 non-null    float64 
 12  OCT         114 non-null    float64 
 13  NOV         114 non-null    float64 
 14  DEC         114 non-null    float64 
 15  ANNUAL      114 non-null    float64 
 16  Jan-Feb     114 non-null    float64 
 17  Mar-May     114 non-null    float64 
 18  Jun-Sep     114 non-null    float64 
 19  Oct-Dec     114 non-null    float64 
dtypes: float64(17), int64(2), object(1)
memory usage: 18.7+ KB
```

In [15]: df.describe()


Out[15]:

	index	YEAR	JAN	FEB	MAR	APR	MAY	
count	114.000000	114.000000	114.000000	114.000000	114.000000	114.000000	114.000000	11
mean	3139.500000	1958.500000	7.384211	12.327193	13.274561	26.723684	62.495614	12
std	33.052988	33.052988	11.526142	19.030773	20.116633	21.404161	63.998420	5
min	3083.000000	1902.000000	0.000000	0.000000	0.000000	1.100000	10.500000	4
25%	3111.250000	1930.250000	0.200000	0.425000	1.525000	12.925000	31.275000	8
50%	3139.500000	1958.500000	2.000000	5.100000	5.650000	21.150000	44.250000	11
75%	3167.750000	1986.750000	10.125000	17.375000	14.575000	35.175000	69.900000	15
max	3196.000000	2015.000000	54.100000	127.100000	96.600000	112.200000	507.700000	30

EDA And Visualization

```
In [16]: sns.pairplot(df)
```

```
Out[16]: <seaborn.axisgrid.PairGrid at 0x255489e1f40>
```




```
In [17]: sns.distplot(df[ 'ANNUAL' ])
```

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

```
warnings.warn(msg, FutureWarning)
```

```
Out[17]: <AxesSubplot:xlabel='ANNUAL', ylabel='Density'>
```



```
In [18]: sns.heatmap(df.corr())
```

```
Out[18]: <AxesSubplot:>
```

