## Day05 Class

## File permission

$$r(4)$$
  $w(2)$   $x(1) = 7$ 

Default Permission in Directory - 755

Default Permission in file - 644

Umask - 022

Full Permission – 777 (7 – user,7 –group,7 –others and read,write and execute)

Permission - 666

## Here are 10 Combination of the Permission you provide

1. -rw-r---x = 641 myfile1

2. -r---w---x = 421 myfile2

3. -rw-rwxr-- =674 myfile3

4. -rw-r-x--x =651 myfile4

5. -r-xr---x =541 myfile5

6. -rw-rw---x =661 myfile6

7. -r---wx—x =431 myfile7

8. -rw-r---wx =643 myfile8

9. -r-x-w---x =521 myfile9

10. -rw-rwxr-x =675 myfile10

```
[root@localhost ~]# touch myfile{1..10
[root@localhost ~]# ls -l
total 4
-rw-----. 1 root root 822 May
                                6 10:
                           May
                                6 10:
-rw-r--r--. 1 root root
                         0
-rw-r--r--. 1 root root
                           May
                                6 10:
                         0
                         0 May
                                6 10:
-rw-r--r--. 1 root root
-rw-r--r--. 1 root root
                         0 May
                                6 10:
                         0 May
                                6 10:
-rw-r--r--. 1 root root
-rw-r--r--. 1 root root
                         0 May
                                6 10:
                         0 May
-rw-r--r--. 1 root root
                                6 10:
-rw-r--r--. 1 root root
                         0 May
                                6 10:
-rw-r--r--. 1 root root
                         0 May
                                6 10:
-rw-r--r-. 1 root root
                         0 May
                                6 10:
-rw-r--r--. 1 root root
                         0 May 6 10:
[root@localhost ~]# chmod 641 myfile1
root@localhost ~1# chmod 421 myfile?
```

```
[root@localhost ~]# ls -l
total 4
-rw-----. 1 root root 822 M
-rw-r--r--. 1 root root 0 M
-rw-r---x. 1 root root 0 M
-rw-rwxr-x. 1 root root 0 M
-r---w--x. 1 root root 0 M
-rw-rwxr--. 1 root root 0 M
-rw-rwxr--. 1 root root 0 M
```

## Here are 10 Combination of the Permission you provide

drw-r---x = 641 test1
dr---w---x = 421 test2
drw-rwxr-- = 674 test3
drw-r-x---x = 651 test4
dr-xr----x = 541 test5
drw-rw---x = 661 test6
dr---wx--x = 431 test7
drw-r---wx = 643 test8
dr-x-w---x = 521 test9
drw-rwxr-x = 675 test10

```
[root@localhost ~]# mkdir test{
[root@localhost ~]# ls -l
total 4
-rw-----. 1 root root 822 May
-rw-r--r--. 1 root
                          0
                            May
                  root
-rw-r---x. 1 root root
                          0
                            May
-rw-rwxr-x. 1 root root
                            May
                          0
-r---w---x. 1 root root
                          0
                            May
                            May
-rw-rwxr--. 1 root root
                          0
-rw-r-x--x. 1 root root
                          0
                            May
-r-xr---x. 1 root root
                            May
                          0
-rw-rw---x. 1 root root
                            May
                          0
-r---wx--x. 1 root root
                          0
                            May
-rw-r---wx. 1 root root
                            May
                          0
-r-x-w---x. 1 root root
                          0
                            May
drwxr-xr-x. 2 root root
                            May
                          6
drwxr-xr-x. 2 root root
                          6 May
```

```
[root@localhost ~]# chmod 641
[root@localhost ~]# chmod 421
[root@localhost ~]# chmod 674
[root@localhost ~]# chmod 651
[root@localhost ~]# chmod 541
[root@localhost ~]# chmod 661
[root@localhost ~]# chmod 431
```