

## Day one given below basics for linux

1.Create 3 user with the following name

- i. useradd Name:aug
- ii. useradd Name:sep
- iii. useradd Name:oct

```
[root@localhost ~]# useradd aug  
[root@localhost ~]# useradd sep  
[root@localhost ~]# useradd oct
```

2.Assign the password as below

- i. aug : password(root)
- ii. sep :password(root)
- iii. oct:password(root)

```
[root@localhost ~]# passwd aug  
Changing password for user aug.  
New password:  
BAD PASSWORD: The password is shorter than 8 characters  
Retype new password:  
passwd: all authentication tokens updated successfully.  
[root@localhost ~]# passwd sep  
Changing password for user sep.  
New password:  
BAD PASSWORD: The password is shorter than 8 characters
```

```
Retype new password:
passwd: all authentication tokens updated successfully.
[root@localhost ~]# useradd oct
useradd: user 'oct' already exists
[root@localhost ~]# passwd oct
Changing password for user oct.
New password:
BAD PASSWORD: The password is shorter than 8 characters
Retype new password:
passwd: all authentication tokens updated successfully.
```

### 3. Switch between accounts

root

i. root:aug

ii. aug:sep

iii. sep:oct

```
[root@localhost ~]# su - sep
[sep@localhost ~]$ su - aug
Password:
[aug@localhost ~]$ su - oct
Password:
[oct@localhost ~]$ su -
Password:
[root@localhost ~]#
```