
Kioptrix1.2



22/tcp

80/tcp

	Name	Link
1	Apache httpd 2.2.8	
2	PHP/- 5.2.4-2ubuntu5.6 with Suhosin-Patch	https://www.exploit- db.com/exploits/- 29290
3	Lotus CMS	https://www.exploit- db.com/exploits/- 15964

Enum

Nikto

- Nikto v2.1.6

+ Target IP: 192.168.103.144 + Target Hostname: 192.168.103.144


+ Target Port: 80


+ Start Time: 2021-03-06 05:23:54 (GMT-5)

- + Server: Apache/2.2.8 (Ubuntu) PHP/5.2.4-2ubuntu5.6 with Suhosin-Patch
- + Cookie PHPSESSID created without the httponly flag
- + Retrieved x-powered-by header: PHP/5.2.4-2ubuntu5.6
- + The anti-clickjacking X-Frame-Options header is not present.
- + The X-XSS-Protection header is not defined. This header can hint to the user agent to protect against some forms of XSS
- + The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type
- + No CGI Directories found (use '-C all' to force check all possible dirs)
- \boxtimes + Apache/2.2.8 appears to be outdated (current is at least Apache/2.4.37). Apache 2.2.34 is the EOL for the 2.x branch.
- \square + PHP/5.2.4-2ubuntu5.6 appears to be outdated (current is at least 7.2.12). PHP 5.6.33, 7.0.27, 7.1.13, 7.2.1 may also current release for each branch.
- + Server may leak inodes via ETags, header found with file /favicon.ico, inode: 631780, size: 23126, mtime: Fri Jun 5 15:22:00 2009
- + Web Server returns a valid response with junk HTTP methods, this may cause false positives.
- + OSVDB-877: HTTP TRACE method is active, suggesting the host is vulnerable to XST
- + OSVDB-12184: /?=PHPB8B5F2A0-3C92-11d3-A3A9-4C7B08C10000: PHP reveals potentially sensitive information via certain HTTP requests that contain specific QUERY strings.
- + OSVDB-12184: /?=PHPE9568F36-D428-11d2-A769-00AA001ACF42: PHP reveals potentially sensitive information via certain HTTP requests that contain specific QUERY strings.
- + OSVDB-12184: /?=PHPE9568F34-D428-11d2-A769-00AA001ACF42: PHP reveals potentially sensitive information via certain HTTP requests that contain specific QUERY strings.
- + OSVDB-12184: /?=PHPE9568F35-D428-11d2-A769-00AA001ACF42: PHP reveals potentially sensitive information via certain HTTP requests that contain specific QUERY strings.
- + OSVDB-3092: /phpmyadmin/changelog.php: phpMyAdmin is for managing MySQL databases, and should be protected or limited to authorized hosts.
- + OSVDB-3268: /icons/: Directory indexing found.
- + OSVDB-3233: /icons/README: Apache default file found.
- + /phpmyadmin/: phpMyAdmin directory found

- + OSVDB-3092: /phpmyadmin/Documentation.html: phpMyAdmin is for managing MySQL databases, and should be protected or limited to authorized hosts.
- + 7914 requests: 0 error(s) and 19 item(s) reported on remote host
- + End Time: 2021-03-06 05:24:40 (GMT-5) (46 seconds)

dirbuster





Exploit

Lotus CMS

```
| Continue to the continue to
```

- (+) Testing the file inclusion vulnerability.. file inclusion failed..
- (-) Exiting..