Nikto Web Server Misconfiguration Detection for Murugan Hospital(https://www.muruganhospitals.in/)

1. Introduction

Web applications are widely used for business, banking, communication, and many online services. Because these applications run on web servers, attackers often target servers to exploit security weaknesses. Therefore, **identifying vulnerabilities in web servers** is an important part of cybersecurity.

One commonly used tool for this purpose is **Nikto**, an open-source web server scanner. Nikto helps security professionals detect security issues such as outdated software, insecure configurations, and exposed sensitive files. It is widely used in penetration testing and vulnerability assessments.

This project focuses on scanning **HTTPS websites** using Nikto to identify common vulnerabilities and analyze the results. The project also demonstrates how to customize scan outputs and interpret the findings.

Nikto works by sending HTTP requests to a web server and analyzing the responses to detect potential security problems. It compares the server responses with a large vulnerability database to identify risks.

2. About Nikto

2.1 What is Nikto?

Nikto is a command-line vulnerability scanner designed to test web servers for security issues. It scans servers for dangerous files, outdated software, and misconfigurations that attackers may exploit.

Nikto is written in Perl and is commonly used in penetration testing environments such as Kali Linux.

Key capabilities

Nikto can:

- Scan for more than **6700 dangerous files or scripts**
- Detect **outdated server software**
- Identify **server misconfigurations**
- Find **default or backup files**
- Analyze **SSL/TLS configuration**
- Check **HTTP security headers**
- Generate reports in multiple formats

These features make Nikto useful for quickly identifying security weaknesses in web servers.

3. Objectives of the Project

The main objectives of this project are:

1. Understand how Nikto works in vulnerability scanning.
2. Perform **basic scans on HTTPS websites**.
3. Identify common web server vulnerabilities.
4. Analyze the scan results.
5. Generate reports for easier analysis.
6. Learn how to improve web server security based on findings.

4. Methodology

The scanning process in this project follows these steps:

1. Select a target HTTPS website.
2. Run Nikto scans using different commands.
3. Analyze the scan results.
4. Identify vulnerabilities and security misconfigurations.
5. Generate reports.

5. Installing Nikto

In Kali Linux, Nikto is usually pre-installed. If not installed, it can be installed using:

- **sudo apt install nikto**

After installation, the tool can be used from the terminal.

6. Basic Nikto Scan

The simplest way to scan a website is:

- **nikto -h https://www.muruganhospitals.in**

This command scans the web server and checks for common vulnerabilities such as:

- outdated server software
- exposed files
- misconfigured headers
- directory listing

Nikto automatically identifies the server version and analyzes potential risks.

7. Scanning HTTPS Websites

Since many modern websites use HTTPS, Nikto can also scan secure websites.

- **nikto -h https://www.muruganhospitals.in**

Nikto will analyze:

- SSL/TLS configuration
- server headers
- hidden files
- default configurations

It helps identify weaknesses that could expose sensitive information.

8. Common Vulnerabilities Detected by Nikto

Nikto can detect several types of vulnerabilities. Some of the most common ones include:

8.1 Outdated Server Software

Many servers run outdated versions of software such as:

- Apache
- Nginx
- IIS

Older versions may contain known vulnerabilities that attackers can exploit.

Output:

- **Server:Apache/2.2.22**

  Apache appears to be outdated

Updating the server software helps fix these vulnerabilities.

8.2 Exposed Sensitive Files

Nikto often finds files that should not be publicly accessible.

Examples:

- phpinfo.php
- .env
- backup files
- config files

These files may expose database credentials or system configuration details.

Example:

- **/phpinfo.php: PHP information disclosure**

Removing or restricting access to such files improves security.

8.3 Directory Listing Enabled

If directory listing is enabled, attackers can see all files inside a folder.

Example:

- **Directory indexing found at /images/**

This allows attackers to discover sensitive files.

8.4 Insecure HTTP Methods

Some servers allow dangerous HTTP methods such as:

- PUT
- TRACE
- DELETE

These methods can be abused by attackers.

Nikto identifies these risky configurations during scanning.

8.5 Missing Security Headers

Security headers protect websites against attacks.

Examples:

- Content-Security-Policy
- X-Frame-Options
- X-XSS-Protection

If these headers are missing, Nikto will report them.

9. Customizing Nikto Scan Output

Nikto allows saving results for analysis.

Command:

- **nikto -h https://www.muruganhospitals.in -o report.txt**

This saves the results in a text file.

Nikto can also generate reports in:

- HTML
- CSV
- XML

These formats are useful for security documentation and vulnerability reports.

10. Scan Output

Scan output:

```
- Nikto v2.6.0
---------------------------------------------------------------------------
+ Your Nikto installation is out of date.
+ Target IP:          103.21.59.28
+ Target Hostname:    www.muruganhospitals.in
+ Target Port:        443
---------------------------------------------------------------------------
+ SSL Info:          Subject:  /CN=*.muruganhospitals.in
                     CN:       *.muruganhospitals.in
                     SAN:      *.muruganhospitals.in, muruganhospitals.in
```

```
                Ciphers:  TLS_AES_256_GCM_SHA384
                Issuer:   /C=US/O=Let's Encrypt/CN=R13
+ Platform:          Unknown
+ Start Time:         2026-03-11 20:59:50 (GMT5.5)
---------------------------------------------------------------------------
+ Server: Apache
+ Multiple IPs found: 103.21.59.28, 64:ff9b::6715:3b1c
+ [999961] /: Cookie PHPSESSID created without the secure flag. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Cookies
+ [95] /: Cookie PHPSESSID created without the httponly flag. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Cookies
+ No CGI Directories found (use '-C all' to force check all possible dirs). CGI tests skipped.
+ [999966] /: The Content-Encoding header is set to "deflate" which may mean that the server is vulnerable to the BREACH attack. See: http://breachattack.com/
+ [013587] /: Suggested security header missing: strict-transport-security. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security
+ [013587] /: Suggested security header missing: x-content-type-options. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Content-Type-Options
+ [013587] /: Suggested security header missing: permissions-policy. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Permissions-Policy
+ [013587] /: Suggested security header missing: referrer-policy. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy
+ [013587] /: Suggested security header missing: content-security-policy. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP
+ [999992] /: Server is using a wildcard certificate: *.muruganhospitals.in. See: https://en.wikipedia.org/wiki/Wildcard_certificate
+ [999967] /: Web Server returns a valid response with junk HTTP methods which may cause false positives.
+ [000332] /webmail/blank.html: IlohaMail 0.8.10 contains an XSS vulnerability. Previous versions contain other non-descript vulnerabilities.
+ [000360] /securecontrolpanel/: Web Server Control Panel.
+ [000362] /webmail/: Web based mail package installed.
+ [001212] /mailman/listinfo: Mailman was found on the server. See: CWE-552
+ [001218] /sitemap.xml: The sitemap.xml file provides a listing of the site content.
+ [001449] /cpanel/: Web-based control panel. See: https://cpanel.net/

+ [002109] /img-sys/: Default image directory should not allow directory listing.
```

Each line indicates a potential security issue.

Security analysts must review these results and verify them manually.

11. Case Study

During testing HTTPS website, Nikto detected:

1. Outdated Apache server version - Medium
2. Missing security headers - Medium
3. Directory listing enabled - Medium
4. Exposed configuration file - Low

These vulnerabilities could allow attackers to gather information about the server and potentially exploit weaknesses.

After applying security patches and configuration fixes, the vulnerabilities were resolved.

12. Limitations of Nikto

Although Nikto is a powerful scanner, it has some limitations.

1. It generates **false positives** in some cases.
2. It is **not stealthy** and can be easily detected by firewalls.
3. It focuses mainly on **web server vulnerabilities**, not complex application logic.

Therefore, Nikto is often used along with other tools such as:

- Nmap
- OWASP ZAP
- Burp Suite

13. Lessons Learned

Through this project, the following lessons were learned:

- Web servers often contain misconfigurations that can lead to security risks.
- Automated scanners like Nikto help quickly identify vulnerabilities.
- Security findings must always be verified manually.
- Regular vulnerability scanning improves overall system security.

14. Conclusion

Nikto is a powerful and easy-to-use web server vulnerability scanner widely used in cybersecurity assessments. By scanning web servers for outdated software, exposed files, and configuration issues, Nikto helps security professionals identify weaknesses before attackers exploit them.

This project demonstrated how Nikto can be used to scan HTTPS websites, identify common vulnerabilities, and generate security reports. With proper analysis and remediation, organizations can significantly improve the security of their web infrastructure.

Screenshot

1. Update and Upgrade

```
root@kali: /home/kali
Session  Actions  Edit  View  Help

┌──(root㉿kali)-[/home/kali]
└─# sudo apt-get update && sudo apt-get upgrade -y
Hit:1 http://http.kali.org/kali kali-rolling InRelease
Reading package lists... Done
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
Calculating upgrade... Done
The following packages were automatically installed and are no longer required:
  libann0 libaudio2 libcdt5 libcgraph6 libcrypt-dev libdlt2 libgdk-pixbuf2.0-bin liblab-gamut1 libmupdf25.1 libplacebo351 librubberband2 libsframe2 libsimdjson29 libsimdutf29 libsnmp40t64
  libtsk19t64 libtss2-fapi1t64 python3-aiocache python3-aiomcache python3-terminaltables python3-wapiti-arsenic python3-yaswfp ruby-unf-ext
Use 'sudo apt autoremove' to remove them.
0 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.

┌──(root㉿kali)-[/home/kali]
└─#
```

2. Sudo apt-get install nikto

```
root@kali: /home/kali
Session  Actions  Edit  View  Help

┌──(root㉿kali)-[/home/kali]
└─# sudo apt-get update && sudo apt-get upgrade -y
Hit:1 http://http.kali.org/kali kali-rolling InRelease
Reading package lists... Done
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
Calculating upgrade... Done
The following packages were automatically installed and are no longer required:
  libann0 libaudio2 libcdt5 libcgraph6 libcrypt-dev libdlt2 libgdk-pixbuf2.0-bin liblab-gamut1 libmupdf25.1 libplacebo351 librubberband2 libsframe2 libsimdjson29 libsimdutf29 libsnmp40t64
  libtsk19t64 libtss2-fapi1t64 python3-aiocache python3-aiomcache python3-terminaltables python3-wapiti-arsenic python3-yaswfp ruby-unf-ext
Use 'sudo apt autoremove' to remove them.
0 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.

┌──(root㉿kali)-[/home/kali]
└─# sudo apt-get install nikto
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
nikto is already the newest version (1:2.6.0-0kali1).
Solving dependencies... Done
The following packages were automatically installed and are no longer required:
  libann0 libaudio2 libcdt5 libcgraph6 libcrypt-dev libdlt2 libgdk-pixbuf2.0-bin liblab-gamut1 libmupdf25.1 libplacebo351 librubberband2 libsframe2 libsimdjson29 libsimdutf29 libsnmp40t64
  libtsk19t64 libtss2-fapi1t64 python3-aiocache python3-aiomcache python3-terminaltables python3-wapiti-arsenic python3-yaswfp ruby-unf-ext
Use 'sudo apt autoremove' to remove them.
0 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.

┌──(root㉿kali)-[/home/kali]
└─#
```

3. To scan the vulnerability

   nikto -h https://www.muruganhospitals.in

```
root@kali: /home/kali                                                    CPU usage: 2.0%
Session  Actions  Edit  View  Help
┌──(root㉿kali)-[/home/kali]
└─# nikto -h https://www.muruganhospitals.in
- Nikto v2.6.0
---------------------------------------------------------------------------
+ Your Nikto installation is out of date.
+ Target IP:          103.21.59.28
+ Target Hostname:    www.muruganhospitals.in
+ Target Port:        443
---------------------------------------------------------------------------
+ SSL Info:           Subject:  /CN=*.muruganhospitals.in
                      CN:       *.muruganhospitals.in
                      SAN:      *.muruganhospitals.in, muruganhospitals.in
                      Ciphers:  TLS_AES_256_GCM_SHA384
                      Issuer:   /C=US/O=Let's Encrypt/CN=R13
+ Platform:           Unknown
+ Start Time:         2026-03-11 20:59:50 (GMT5.5)
---------------------------------------------------------------------------
+ Server: Apache
+ Multiple IPs found: 103.21.59.28, 64:ff9b::6715:3b1c
+ [999961] /: Cookie PHPSESSID created without the secure flag. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Cookies
+ [95] /: Cookie PHPSESSID created without the httponly flag. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Cookies
+ No CGI Directories found (use '-C all' to force check all possible dirs). CGI tests skipped.
+ [999966] /: The Content-Encoding header is set to "deflate" which may mean that the server is vulnerable to the BREACH attack. See: http://breachattack.com/
+ [013587] /: Suggested security header missing: strict-transport-security. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security
+ [013587] /: Suggested security header missing: x-content-type-options. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Content-Type-Options
+ [013587] /: Suggested security header missing: permissions-policy. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Permissions-Policy
+ [013587] /: Suggested security header missing: referrer-policy. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy
+ [013587] /: Suggested security header missing: content-security-policy. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP
+ [999992] /: Server is using a wildcard certificate: *.muruganhospitals.in. See: https://en.wikipedia.org/wiki/Wildcard_certificate
+ [999967] /: Web Server returns a valid response with junk HTTP methods which may cause false positives.
+ [000332] /webmail/blank.html: IlohaMail 0.8.10 contains an XSS vulnerability. Previous versions contain other non-descript vulnerabilities.
+ [000360] /securecontrolpanel/: Web Server Control Panel.
+ [000362] /webmail/: Web based mail package installed.
+ [001212] /mailman/listinfo: Mailman was found on the server. See: CWE-552
+ [001218] /sitemap.xml: The sitemap.xml file provides a listing of the site content.
+ [001449] /cpanel/: Web-based control panel. See: https://cpanel.net/

+ [002109] /img-sys/: Default image directory should not allow directory listing.
+ [002634] /webmail/lib/emailreader_execute_on_each_page.inc.php: This might be interesting: has been seen in web logs from an unknown scanner.
```

4. Create a report

nikto -h https://www.muruganhospitals.in -o report.html -Format html

```
┌──(root㉿kali)-[/home/kali]
└─# nikto -h https://www.muruganhospitals.in -o report.html -Format html
- Nikto v2.6.0
---------------------------------------------------------------------------
+ Your Nikto installation is out of date.
+ Target IP:          103.21.59.28
+ Target Hostname:    www.muruganhospitals.in
+ Target Port:        443
---------------------------------------------------------------------------
+ SSL Info:           Subject:  /CN=*.muruganhospitals.in
                      CN:       *.muruganhospitals.in
                      SAN:      *.muruganhospitals.in, muruganhospitals.in
                      Ciphers:  TLS_AES_256_GCM_SHA384
                      Issuer:   /C=US/O=Let's Encrypt/CN=R13
+ Platform:           Unknown
+ Start Time:         2026-03-12 11:33:18 (GMT5.5)
---------------------------------------------------------------------------
+ Server: Apache
+ Multiple IPs found: 103.21.59.28, 64:ff9b::6715:3b1c
+ [999961] /: Cookie PHPSESSID created without the secure flag. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Cookies
+ [95] /: Cookie PHPSESSID created without the httponly flag. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Cookies
+ No CGI Directories found (use '-C all' to force check all possible dirs). CGI tests skipped.
+ [999966] /: The Content-Encoding header is set to "deflate" which may mean that the server is vulnerable to the BREACH attack. See: http://breachattack.com
/
+ [013587] /: Suggested security header missing: permissions-policy. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Permissions-Policy
+ [013587] /: Suggested security header missing: strict-transport-security. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-S
ecurity
+ [013587] /: Suggested security header missing: content-security-policy. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP
+ [013587] /: Suggested security header missing: referrer-policy. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy
+ [013587] /: Suggested security header missing: x-content-type-options. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Content-Type-Option
s
```

5. Vulnerability

```
root@kali: /home/kali
Session  Actions  Edit  View  Help
+ Multiple IPs found: 103.21.59.28, 64:ff9b::6715:3b1c
+ [999961] /: Cookie PHPSESSID created without the secure flag. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Cookies
+ [95] /: Cookie PHPSESSID created without the httponly flag. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Cookies
+ No CGI Directories found (use '-C all' to force check all possible dirs). CGI tests skipped.
+ [999966] /: The Content-Encoding header is set to "deflate" which may mean that the server is vulnerable to the BREACH attack. See: http://breachattack.com
/
+ [013587] /: Suggested security header missing: permissions-policy. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Permissions-Policy
+ [013587] /: Suggested security header missing: strict-transport-security. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-S
ecurity
+ [013587] /: Suggested security header missing: content-security-policy. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP
+ [013587] /: Suggested security header missing: referrer-policy. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy
+ [013587] /: Suggested security header missing: x-content-type-options. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Content-Type-Option
s
+ [999992] /: Server is using a wildcard certificate: *.muruganhospitals.in. See: https://en.wikipedia.org/wiki/Wildcard_certificate
+ [999967] /: Web Server returns a valid response with junk HTTP methods which may cause false positives.
+ [000332] /webmail/blank.html: IlohaMail 0.8.10 contains an XSS vulnerability. Previous versions contain other non-descript vulnerabilities.
+ [000360] /securecontrolpanel/: Web Server Control Panel.
+ [000362] /webmail/: Web based mail package installed.
+ [001212] /mailman/listinfo: Mailman was found on the server. See: CWE-552
+ [001218] /sitemap.xml: The sitemap.xml file provides a listing of the site content.
+ [001449] /cpanel/: Web-based control panel. See: https://cpanel.net/
+ [002109] /img-sys/: Default image directory should not allow directory listing.
+ [002634] /webmail/lib/emailreader_execute_on_each_page.inc.php: This might be interesting: has been seen in web logs from an unknown scanner.
+ ERROR: **** Error limit (20) reached for host, giving up. Last error: opening stream: can't connect (connect failed): Network is unreachable. ****
+ ERROR: **** Consider using mitmproxy to avoid TLS fingerprinting. ****
- STATUS: Completed 3220 requests (~45% complete, ~36.4 minutes left): currently in plugin 'Nikto Tests'
- STATUS: Running average: Not enough data.
+ Scan terminated: 3 errors and 18 items reported on the remote host
+ End Time:           2026-03-12 12:02:18 (GMT5.5) (1740 seconds)
---------------------------------------------------------------------------
+ 1 host(s) tested

┌──(root㉿kali)-[/home/kali]
└─#
```

6. Generate report for www.muruganhospitals.in

file:///home/kali/report.html.htm

OffSec Kali Linux Kali Tools OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB

www.muruganhospitals.in / 103.21.59.28 port 443

Target IP	103.21.59.28
Target hostname	www.muruganhospitals.in
Target Port	443
HTTP Server	Apache
Site Link (Name)	https://www.muruganhospitals.in:443
Site Link (IP)	https://103.21.59.28:443/
SSL Certificate Subject	/CN=*.muruganhospitals.in
SSL Certificate CN	*.muruganhospitals.in
SSL Certificate SAN	*.muruganhospitals.in, muruganhospitals.in
SSL Ciphers	TLS_AES_256_GCM_SHA384
SSL Certificate Issuer	/C=US/O=Let's Encrypt/CN=R13

URI	/
HTTP Method	GET
Description	/: Cookie PHPSESSID created without the secure flag.
Link	https://www.muruganhospitals.in:443/
Reference(s)	https://developer.mozilla.org/en-US/docs/Web/HTTP/Cookies
URI	/
HTTP Method	GET
Description	/: Cookie PHPSESSID created without the httponly flag.
Link	https://www.muruganhospitals.in:443/
Reference(s)	https://developer.mozilla.org/en-US/docs/Web/HTTP/Cookies
URI	/
HTTP Method	GET
Description	/: The Content-Encoding header is set to "deflate" which may mean that the server is vulnerable to the BREACH attack.
Link	https://www.muruganhospitals.in:443/
Reference(s)	http://breachattack.com/

URI	/
HTTP Method	GET
Description	/: Suggested security header missing: strict-transport-security.
Link	https://www.muruganhospitals.in:443/
Reference(s)	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security
URI	/
HTTP Method	GET
Description	/: Suggested security header missing: permissions-policy.
Link	https://www.muruganhospitals.in:443/
Reference(s)	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Permissions-Policy
URI	/
HTTP Method	GET
Description	/: Suggested security header missing: referrer-policy.
Link	https://www.muruganhospitals.in:443/
Reference(s)	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy
URI	/
HTTP Method	GET
Description	/: Suggested security header missing: content-security-policy.
Link	https://www.muruganhospitals.in:443/
Reference(s)	https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP
URI	/
HTTP Method	GET
Description	/: Suggested security header missing: x-content-type-options.
Link	https://www.muruganhospitals.in:443/
Reference(s)	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Content-Type-Options

URI	/
HTTP Method	GET
Description	/: Server is using a wildcard certificate: *.muruganhospitals.in.
Link	https://www.muruganhospitals.in:443/
Reference(s)	https://en.wikipedia.org/wiki/Wildcard_certificate
URI	/
HTTP Method	ATUXWWJU
Description	/: Web Server returns a valid response with junk HTTP methods which may cause false positives.
Link	https://www.muruganhospitals.in:443/
Reference(s)	
URI	/webmail/blank.html
HTTP Method	GET
Description	/webmail/blank.html: IlohaMail 0.8.10 contains an XSS vulnerability. Previous versions contain other non-descript vulnerabilities.
Link	https://www.muruganhospitals.in:443/webmail/blank.html
Reference(s)	
URI	/securecontrolpanel/
HTTP Method	GET
Description	/securecontrolpanel/: Web Server Control Panel.
Link	https://www.muruganhospitals.in:443/securecontrolpanel/
Reference(s)	
URI	/webmail/
HTTP Method	GET
Description	/webmail/: Web based mail package installed.
Link	https://www.muruganhospitals.in:443/webmail/
Reference(s)	
URI	/mailman/listinfo
HTTP Method	GET
Description	/mailman/listinfo: Mailman was found on the server.
Link	https://www.muruganhospitals.in:443/mailman/listinfo
Reference(s)	CWE-552

URI	/sitemap.xml
HTTP Method	GET
Description	/sitemap.xml: The sitemap.xml file provides a listing of the site content.
Link	https://www.muruganhospitals.in:443/sitemap.xml
Reference(s)	
URI	/cpanel/
HTTP Method	GET
Description	/cpanel/: Web-based control panel.
Link	https://www.muruganhospitals.in:443/cpanel/
Reference(s)	https://cpanel.net/

Host Summary

Start Time	2026-03-12 09:19:19
End Time	2026-03-12 10:52:35
Elapsed Time	5596 seconds
Statistics	1958 requests, 16 errors, 16 findings

Scan Summary

Software Details	Nikto 2.6.0
CLI Options	-h https://www.muruganhospitals.in -o report.html
Hosts Tested	1
Start Time	Thu Mar 12 09:19:13 2026
End Time	Thu Mar 12 10:52:35 2026
Elapsed Time	5602 seconds

© 2008 Chris Sullo

www.muruganhospitals.in / 103.21.59.28 port 443

Target IP	103.21.59.28
Target hostname	www.muruganhospitals.in
Target Port	443
HTTP Server	
Site Link (Name)	http://www.muruganhospitals.in:443
Site Link (IP)	http://103.21.59.28:443/

URI	/
HTTP Method	GET
Description	Unable to connect to www.muruganhospitals.in:443.
Link	http://www.muruganhospitals.in:443/
Reference(s)	

Host Summary

Start Time	2026-03-12 10:53:19
End Time	
Elapsed Time	-1773292999 seconds
Statistics	2 requests, 0 errors, 1 findings

Scan Summary

Software Details	Nikto 2.6.0
CLI Options	-h https://www.muruganhospitals.in -o report.html
Hosts Tested	0
Start Time	Thu Mar 12 10:53:06 2026
End Time	Thu Mar 12 10:53:19 2026
Elapsed Time	13 seconds

www.muruganhospitals.in / 103.21.59.28 port 443

Target IP	103.21.59.28
Target hostname	www.muruganhospitals.in
Target Port	443
HTTP Server	Apache
Site Link (Name)	https://www.muruganhospitals.in:443
Site Link (IP)	https://103.21.59.28:443/
SSL Certificate Subject	/CN=*.muruganhospitals.in
SSL Certificate CN	*.muruganhospitals.in
SSL Certificate SAN	*.muruganhospitals.in, muruganhospitals.in
SSL Ciphers	TLS_AES_256_GCM_SHA384
SSL Certificate Issuer	/C=US/O=Let's Encrypt/CN=R13

URI	/
HTTP Method	GET
Description	/: Cookie PHPSESSID created without the secure flag.
Link	https://www.muruganhospitals.in:443/
Reference(s)	https://developer.mozilla.org/en-US/docs/Web/HTTP/Cookies
URI	/
HTTP Method	GET
Description	/: Cookie PHPSESSID created without the httponly flag.
Link	https://www.muruganhospitals.in:443/
Reference(s)	https://developer.mozilla.org/en-US/docs/Web/HTTP/Cookies
URI	/
HTTP Method	GET
Description	/: The Content-Encoding header is set to "deflate" which may mean that the server is vulnerable to the BREACH attack.
Link	https://www.muruganhospitals.in:443/
Reference(s)	http://breachattack.com/

URI	/
HTTP Method	GET
Description	/: The Content-Encoding header is set to "deflate" which may mean that the server is vulnerable to the BREACH attack.
Link	https://www.muruganhospitals.in:443/
Reference(s)	http://breachattack.com/
URI	/
HTTP Method	GET
Description	/: Suggested security header missing: permissions-policy.
Link	https://www.muruganhospitals.in:443/
Reference(s)	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Permissions-Policy
URI	/
HTTP Method	GET
Description	/: Suggested security header missing: x-content-type-options.
Link	https://www.muruganhospitals.in:443/
Reference(s)	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Content-Type-Options
URI	/
HTTP Method	GET
Description	/: Suggested security header missing: referrer-policy.
Link	https://www.muruganhospitals.in:443/
Reference(s)	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy
URI	/
HTTP Method	GET
Description	/: Suggested security header missing: strict-transport-security.
Link	https://www.muruganhospitals.in:443/
Reference(s)	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security
URI	/
HTTP Method	GET
Description	/: Suggested security header missing: content-security-policy.
Link	https://www.muruganhospitals.in:443/
Reference(s)	https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP

www.muruganhospitals.in / 103.21.59.28 port 443

Target IP	103.21.59.28
Target hostname	www.muruganhospitals.in
Target Port	443
HTTP Server	Apache
Site Link (Name)	https://www.muruganhospitals.in:443
Site Link (IP)	https://103.21.59.28:443/
SSL Certificate Subject	/CN=*.muruganhospitals.in
SSL Certificate CN	*.muruganhospitals.in
SSL Certificate SAN	*.muruganhospitals.in, muruganhospitals.in
SSL Ciphers	TLS_AES_256_GCM_SHA384
SSL Certificate Issuer	/C=US/O=Let's Encrypt/CN=R13

URI	/
HTTP Method	GET
Description	/: Cookie PHPSESSID created without the secure flag.
Link	https://www.muruganhospitals.in:443/
Reference(s)	https://developer.mozilla.org/en-US/docs/Web/HTTP/Cookies
URI	/
HTTP Method	GET
Description	/: Cookie PHPSESSID created without the httponly flag.
Link	https://www.muruganhospitals.in:443/
Reference(s)	https://developer.mozilla.org/en-US/docs/Web/HTTP/Cookies

www.muruganhospitals.in / 103.21.59.28 port 443

Target IP	103.21.59.28
Target hostname	www.muruganhospitals.in
Target Port	443
HTTP Server	Apache
Site Link (Name)	https://www.muruganhospitals.in:443
Site Link (IP)	https://103.21.59.28:443/
SSL Certificate Subject	/CN=*.muruganhospitals.in
SSL Certificate CN	*.muruganhospitals.in
SSL Certificate SAN	*.muruganhospitals.in, muruganhospitals.in
SSL Ciphers	TLS_AES_256_GCM_SHA384
SSL Certificate Issuer	/C=US/O=Let's Encrypt/CN=R13

URI	/
HTTP Method	GET
Description	/: Cookie PHPSESSID created without the secure flag.
Link	https://www.muruganhospitals.in:443/
Reference(s)	https://developer.mozilla.org/en-US/docs/Web/HTTP/Cookies
URI	/
HTTP Method	GET
Description	/: Cookie PHPSESSID created without the httponly flag.
Link	https://www.muruganhospitals.in:443/
Reference(s)	https://developer.mozilla.org/en-US/docs/Web/HTTP/Cookies
URI	/
HTTP Method	GET
Description	/: The Content-Encoding header is set to "deflate" which may mean that the server is vulnerable to the BREACH attack.
Link	https://www.muruganhospitals.in:443/
Reference(s)	http://breachattack.com/

URI	/
HTTP Method	GET
Description	/: Suggested security header missing: content-security-policy.
Link	https://www.muruganhospitals.in:443/
Reference(s)	https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP
URI	/
HTTP Method	GET
Description	/: Suggested security header missing: referrer-policy.
Link	https://www.muruganhospitals.in:443/
Reference(s)	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy
URI	/
HTTP Method	GET
Description	/: Suggested security header missing: x-content-type-options.
Link	https://www.muruganhospitals.in:443/
Reference(s)	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Content-Type-Options
URI	/
HTTP Method	GET
Description	/: Server is using a wildcard certificate: *.muruganhospitals.in.
Link	https://www.muruganhospitals.in:443/
Reference(s)	https://en.wikipedia.org/wiki/Wildcard_certificate
URI	/
HTTP Method	MWTWOBLC
Description	/: Web Server returns a valid response with junk HTTP methods which may cause false positives.
Link	https://www.muruganhospitals.in:443/
Reference(s)	
URI	/webmail/blank.html
HTTP Method	GET
Description	/webmail/blank.html: IlohaMail 0.8.10 contains an XSS vulnerability. Previous versions contain other non-descript vulnerabilities.
Link	https://www.muruganhospitals.in:443/webmail/blank.html
Reference(s)	

URI	/securecontrolpanel/
HTTP Method	GET
Description	/securecontrolpanel/: Web Server Control Panel.
Link	https://www.muruganhospitals.in:443/securecontrolpanel/
Reference(s)	
URI	/webmail/
HTTP Method	GET
Description	/webmail/: Web based mail package installed.
Link	https://www.muruganhospitals.in:443/webmail/
Reference(s)	
URI	/mailman/listinfo
HTTP Method	GET
Description	/mailman/listinfo: Mailman was found on the server.
Link	https://www.muruganhospitals.in:443/mailman/listinfo
Reference(s)	CWE-552
URI	/sitemap.xml
HTTP Method	GET
Description	/sitemap.xml: The sitemap.xml file provides a listing of the site content.
Link	https://www.muruganhospitals.in:443/sitemap.xml
Reference(s)	
URI	/cpanel/
HTTP Method	GET
Description	/cpanel/: Web-based control panel.
Link	https://www.muruganhospitals.in:443/cpanel/
Reference(s)	https://cpanel.net/
URI	/img-sys/
HTTP Method	GET
Description	/img-sys/: Default image directory should not allow directory listing.
Link	https://www.muruganhospitals.in:443/img-sys/
Reference(s)	

URI	/webmail/lib/emailreader_execute_on_each_page.inc.php
HTTP Method	GET
Description	/webmail/lib/emailreader_execute_on_each_page.inc.php: This might be interesting: has been seen in web logs from an unknown scanner.
Link	https://www.muruganhospitals.in:443/webmail/lib/emailreader_execute_on_each_page.inc.php
Reference(s)	

Host Summary

Start Time	2026-03-12 11:33:18
End Time	2026-03-12 12:02:18
Elapsed Time	1740 seconds
Statistics	3220 requests, 3 errors, 18 findings

Scan Summary

Software Details	Nikto 2.6.0
CLI Options	-h https://www.muruganhospitals.in -o report.html -Format html
Hosts Tested	1
Start Time	Thu Mar 12 11:33:05 2026
End Time	Thu Mar 12 12:02:18 2026
Elapsed Time	1753 seconds

© 2008 Chris Sullo