Status	Finished
Started	Tuesday, 13 October 2026, 4:04 PM
Completed	Tuesday, 13 October 2026, 4:07 PM
Duration	2 mins 57 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

a. A dictionary can have two same keys with different values.

b. A dictionary can have two same keys or same values but cannot have two same key-value pair

c. A dictionary can have two same values with different keys. ✓

d. A python, a dictionary can neither have two same keys nor two same values.

Question **2**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={1:"A",2:"B",3:"C"}
print(a.get(5,4))
```

a. 4 ✓

b. Invalid Synatx,Error

c. 5

d. A

Question **3**

Incorrect

Mark 0.00 out of 1.00

Which statement is used to create an empty dictionary?

a. d1 =  ✗

b. d1 = { }

c. d1 = [ ]

d. d1 = dict{ }

Question **4**

Correct

Mark 1.00 out of 1.00

Keys in dictionary are ____.

a. integers

b. Mutable

c. antique

d. Immutable ✓

Question **5**

Correct

Mark 1.00 out of 1.00

What is the value of counter after the code is run?

```
phrase = "Cheese!!!! Cheese!!!! Python is a programming Language.Python!!"
counter = 0
letters = {}
for word in phrase.split():
    for letter in word:
        letter = letter.lower()
        if letter not in letters.keys():
            letters[letter] = 0
        letters[letter] += 1
for key in letters.keys():
    if letters[key] > 2:
        counter += 1
print(counter)
```

Answer: 9 ✓

Question **6**

Correct

Mark 1.00 out of 1.00

Following statement return values in the form of: D1.keys() # D1 is a dictionary

a. dictionary
b. list ✓
c. string
d. tuple

Question **7**

Correct

Mark 1.00 out of 1.00

The key-value pair in dictionary is called ____.

a. value
b. paired value
c. item ✓
d. pair item

Question **8**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={}
a['a']=1
a['b']=[2,3,4]
print(a)
```

a. ✓
{'b': [2, 3, 4], 'a': 1}
b. {'b': [2], 'a': [3]}
c. Error
d. {'b': [2], 'a': 1}

Question **9**

Correct

Mark 1.00 out of 1.00

pop() function delete and ____ the element of dictionary.

a. add
b. not return
c. display
d. return ✓

Question **10**

Correct

Mark 1.00 out of 1.00

There is no index value in dictionary like we have in List.(T/F)

a. False
b. True ✓

Question **11**

Correct

Mark 1.00 out of 1.00

Which function helps to merge dictionary 'D1' and 'D2'?

a. update() ✓
b. get()
c. merge()
d. append()

Question **12**

Correct

Mark 1.00 out of 1.00

Dictionary is a ____ data type.

a. None of the mentioned
b. Sequence
c. Ordered
d. Mapping ✓

Question **13**

Correct

Mark 1.00 out of 1.00

____ function returns the number of key: value pairs of the dictionary.

a. total
b. items
c. length
d. len ✓

Question **14**

Correct

Mark 1.00 out of 1.00

1,2,3 are the ____ in the following dictionary. D = {1 : "One", 2 : "Two", 3 : "Three"}

a. Values
b. Items
c. None of the mentioned
d. Keys ✓

Question **15**

Incorrect

Mark 0.00 out of 1.00

A = {"A" : "Apple", "B" : "Ball", "C" : "Cat"} Which of the following statement will return : dict_items([('A', 'Apple'), ('B', 'Ball'), ('C', 'Cat')])

a. print(A.get)
b. print(A.values)
c. print(A.Items)
d. print(A.keys) ✗