```
C:\Users\GOWTHAM RAJ>getmac

Physical Address    Transport Name
=================== ==========================================================
10-6F-D9-F5-EF-13   \Device\Tcpip_{B2B87C68-11B0-4C57-B4D2-AAA683872F4F}
10-6F-D9-F5-EF-14   Media disconnected
0A-00-27-00-00-10   \Device\Tcpip_{CBEC808F-F3C5-4290-9DBB-406A7B4848DD}

C:\Users\GOWTHAM RAJ>hostname
zeke

C:\Users\GOWTHAM RAJ>arp -a

Interface: 192.168.1.5 --- 0xf
  Internet Address      Physical Address      Type
  192.168.1.1           44-95-3b-f1-17-c0     dynamic
  192.168.1.255         ff-ff-ff-ff-ff-ff     static
  224.0.0.2             01-00-5e-00-00-02     static
  224.0.0.22            01-00-5e-00-00-16     static
  224.0.0.251           01-00-5e-00-00-fb     static
  224.0.0.252           01-00-5e-00-00-fc     static
  239.255.255.250       01-00-5e-7f-ff-fa     static
  255.255.255.255       ff-ff-ff-ff-ff-ff     static

Interface: 192.168.56.1 --- 0x10
  Internet Address      Physical Address      Type
  192.168.56.255        ff-ff-ff-ff-ff-ff     static
  224.0.0.22            01-00-5e-00-00-16     static
  224.0.0.251           01-00-5e-00-00-fb     static
  224.0.0.252           01-00-5e-00-00-fc     static

Interface: 192.168.32.1 --- 0x2f
  Internet Address      Physical Address      Type
  192.168.47.255        ff-ff-ff-ff-ff-ff     static
  224.0.0.2             01-00-5e-00-00-02     static
  224.0.0.22            01-00-5e-00-00-16     static
  224.0.0.251           01-00-5e-00-00-fb     static
  224.0.0.252           01-00-5e-00-00-fc     static
  239.255.255.250       01-00-5e-7f-ff-fa     static
```

```
Persistent Routes:
  None

IPv6 Route Table
===========================================================================
Active Routes:
 If Metric Network Destination      Gateway
 15    296 ::/0                     fe80::1
  1    331 ::1/128                  On-link
 16    281 fe80::/64                On-link
 15    296 fe80::/64                On-link
 47    271 fe80::/64                On-link
 16    281 fe80::1684:12fc:4e81:2227/128
                                    On-link
 47    271 fe80::bb6e:77ad:858:18b8/128
                                    On-link
 15    296 fe80::c352:f4c9:13fe:3ee9/128
                                    On-link
  1    331 ff00::/8                 On-link
 16    281 ff00::/8                 On-link
 15    296 ff00::/8                 On-link
 47    271 ff00::/8                 On-link
===========================================================================
Persistent Routes:
  None

C:\Users\GOWTHAM RAJ>netstat

Active Connections

  Proto  Local Address          Foreign Address        State
  TCP    127.0.0.1:49670        sn:49671               ESTABLISHED
  TCP    127.0.0.1:49671        sn:49670               ESTABLISHED
  TCP    127.0.0.1:49672        sn:49673               ESTABLISHED
  TCP    127.0.0.1:49673        sn:49672               ESTABLISHED
  TCP    192.168.1.5:49422      4.213.25.242:https     ESTABLISHED
^C
C:\Users\GOWTHAM RAJ>netstat -a

Active Connections

  Proto  Local Address          Foreign Address        State
  TCP    0.0.0.0:135            zeke:0                 LISTENING
  TCP    0.0.0.0:445            zeke:0                 LISTENING
```

```
C:\Users\GOWTHAM RAJ>nslookup google.com
Server:  UnKnown
Address:  192.168.1.1

Non-authoritative answer:
Name:    google.com
Addresses:  2404:6800:4007:831::200e
          142.251.106.102
          142.251.106.101
          142.251.106.138
          142.251.106.139
          142.251.106.100
          142.251.106.113


C:\Users\GOWTHAM RAJ>route print
===========================================================================
Interface List
 47...00 15 5d 82 47 28 ......Hyper-V Virtual Ethernet Adapter
 16...0a 00 27 00 00 10 ......VirtualBox Host-Only Ethernet Adapter
 17...12 6f d9 f5 ef 13 ......Microsoft Wi-Fi Direct Virtual Adapter
 13...16 6f d9 f5 ef 13 ......Microsoft Wi-Fi Direct Virtual Adapter #2
 15...10 6f d9 f5 ef 13 ......Realtek 8821CE Wireless LAN 802.11ac PCI-E NIC
 14...10 6f d9 f5 ef 14 ......Bluetooth Device (Personal Area Network)
  1...........................Software Loopback Interface 1
===========================================================================

IPv4 Route Table
===========================================================================
Active Routes:
Network Destination        Netmask          Gateway       Interface  Metric
          0.0.0.0          0.0.0.0      192.168.1.1      192.168.1.5     40
        127.0.0.0        255.0.0.0         On-link         127.0.0.1    331
        127.0.0.1  255.255.255.255         On-link         127.0.0.1    331
  127.255.255.255  255.255.255.255         On-link         127.0.0.1    331
      192.168.1.0    255.255.255.0         On-link       192.168.1.5    296
      192.168.1.5  255.255.255.255         On-link       192.168.1.5    296
    192.168.1.255  255.255.255.255         On-link       192.168.1.5    296
     192.168.32.0    255.255.240.0         On-link      192.168.32.1    271
     192.168.32.1  255.255.255.255         On-link      192.168.32.1    271
   192.168.47.255  255.255.255.255         On-link      192.168.32.1    271
     192.168.56.0    255.255.255.0         On-link      192.168.56.1    281
     192.168.56.1  255.255.255.255         On-link      192.168.56.1    281
```

```
   Media State . . . . . . . . . . . : Media disconnected
   Connection-specific DNS Suffix  . :

C:\Users\GOWTHAM RAJ>ping google.com

Pinging google.com [142.251.221.174] with 32 bytes of data:
Reply from 142.251.221.174: bytes=32 time=4ms TTL=118
Reply from 142.251.221.174: bytes=32 time=4ms TTL=118
Reply from 142.251.221.174: bytes=32 time=4ms TTL=118
Reply from 142.251.221.174: bytes=32 time=4ms TTL=118

Ping statistics for 142.251.221.174:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 4ms, Maximum = 4ms, Average = 4ms

C:\Users\GOWTHAM RAJ>ping 8.8.8.8

Pinging 8.8.8.8 with 32 bytes of data:
Reply from 8.8.8.8: bytes=32 time=4ms TTL=118
Reply from 8.8.8.8: bytes=32 time=4ms TTL=118
Reply from 8.8.8.8: bytes=32 time=3ms TTL=118
Reply from 8.8.8.8: bytes=32 time=3ms TTL=118

Ping statistics for 8.8.8.8:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 3ms, Maximum = 4ms, Average = 3ms

C:\Users\GOWTHAM RAJ>tracert google.com

Tracing route to google.com [142.251.221.174]
over a maximum of 30 hops:

  1     1 ms     1 ms     1 ms  192.168.1.1
```

```
Microsoft Windows [Version 10.0.26200.9550]
(c) Microsoft Corporation. All rights reserved.

C:\Users\GOWTHAM RAJ>ipconfig

Windows IP Configuration


Ethernet adapter vEthernet (WSL (Hyper-V firewall)):

   Connection-specific DNS Suffix  . :
   Link-local IPv6 Address . . . . . : fe80::bb6e:77ad:858:18b8%47
   IPv4 Address. . . . . . . . . . . : 192.168.32.1
   Subnet Mask . . . . . . . . . . . : 255.255.240.0
   Default Gateway . . . . . . . . . :

Ethernet adapter Ethernet:

   Connection-specific DNS Suffix  . :
   Link-local IPv6 Address . . . . . : fe80::1684:12fc:4e81:2227%16
   IPv4 Address. . . . . . . . . . . : 192.168.56.1
   Subnet Mask . . . . . . . . . . . : 255.255.255.0
   Default Gateway . . . . . . . . . :

Wireless LAN adapter Local Area Connection* 9:

   Media State . . . . . . . . . . . : Media disconnected
   Connection-specific DNS Suffix  . :

Wireless LAN adapter Local Area Connection* 10:

   Media State . . . . . . . . . . . : Media disconnected
   Connection-specific DNS Suffix  . :

Wireless LAN adapter WiFi:

   Connection-specific DNS Suffix  . :
   Link-local IPv6 Address . . . . . : fe80::c352:f4c9:13fe:3ee9%15
   IPv4 Address. . . . . . . . . . . : 192.168.1.5
   Subnet Mask . . . . . . . . . . . : 255.255.255.0
   Default Gateway . . . . . . . . . : fe80::1%15
                                       192.168.1.1

Ethernet adapter Bluetooth Network Connection:
```

```
gowthamraj@zeke:~$ ip addr
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
       valid_lft forever preferred_lft forever
    inet 10.255.255.254/32 brd 10.255.255.254 scope global lo
       valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host proto kernel_lo
       valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1450 qdisc mq state UP group default qlen 1000
    link/ether 00:15:5d:73:5e:69 brd ff:ff:ff:ff:ff:ff
    altname enx00155d735e69
    inet 192.168.45.34/20 brd 192.168.47.255 scope global eth0
       valid_lft forever preferred_lft forever
    inet6 fe80::215:5dff:fe73:5e69/64 scope link proto kernel_ll
       valid_lft forever preferred_lft forever
gowthamraj@zeke:~$ ipconfig
Command 'ipconfig' not found, did you mean:
  command 'iprconfig' from deb iprutils (2.4.19-4)
  command 'ifconfig' from deb net-tools (2.10-2ubuntu1)
Try: sudo apt install <deb name>
gowthamraj@zeke:~$ ping google.com
PING google.com (142.251.106.102) 56(84) bytes of data.
64 bytes from cm-in-f102.1e100.net (142.251.106.102): icmp_seq=1 ttl=112 time=30.5 ms
64 bytes from cm-in-f102.1e100.net (142.251.106.102): icmp_seq=2 ttl=112 time=31.2 ms
64 bytes from cm-in-f102.1e100.net (142.251.106.102): icmp_seq=3 ttl=112 time=30.6 ms
^C
```

```
gowthamraj@zeke:~$ cat /etc/resolv.conf
# This file was automatically generated by WSL. To stop automatic generation of this file, add the following entry to /etc/wsl.conf:
# [network]
# generateResolvConf = false
nameserver 10.255.255.254
gowthamraj@zeke:~$ ss -tuln
Netid  State   Recv-Q  Send-Q     Local Address:Port     Peer Address:Port
udp    UNCONN  0       0             127.0.0.54:53           0.0.0.0:*
udp    UNCONN  0       0          127.0.0.53%lo:53           0.0.0.0:*
udp    UNCONN  0       0         10.255.255.254:53           0.0.0.0:*
udp    UNCONN  0       0              127.0.0.1:323          0.0.0.0:*
udp    UNCONN  0       0              127.0.0.1:323          0.0.0.0:*
udp    UNCONN  0       0                  [::1]:323             [::]:*
udp    UNCONN  0       0                  [::1]:323             [::]:*
tcp    LISTEN  0       4096          127.0.0.54:53           0.0.0.0:*
tcp    LISTEN  0       1000      10.255.255.254:53           0.0.0.0:*
tcp    LISTEN  0       4096       127.0.0.53%lo:53           0.0.0.0:*
gowthamraj@zeke:~$ curl google.com
<HTML><HEAD><meta http-equiv="content-type" content="text/html;charset=utf-8">
<TITLE>301 Moved</TITLE></HEAD><BODY>
<H1>301 Moved</H1>
The document has moved
<A HREF="http://www.google.com/">here</A>.
</BODY></HTML>
gowthamraj@zeke:~$ wget google.com
Prepended http:// to 'google.com'
```