

☐ Obtain DNS server address automatically

☒ Use the following DNS server addresses:

Preferred DNS server:

192 . 168 . 1 . 10

Alternate DNS server:

. . .

Administrator: Command Prompt



```
Microsoft Windows [Version 10.0.20348.587]
(c) Microsoft Corporation. All rights reserved.



C:\Users\Administrator>ping cs.n.local

Pinging cs.n.local [192.168.1.10] with 32 bytes of data:
Reply from 192.168.1.10: bytes=32 time<1ms TTL=128
Reply from 192.168.1.10: bytes=32 time<1ms TTL=128
Reply from 192.168.1.10: bytes=32 time<1ms TTL=128
Reply from 192.168.1.10: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.1.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\Users\Administrator>
```







- User rights [WIN-H5J997T8IS4.C
- > Computer Configuration
- ▼ User Configuration
 - ▼ Policies
 - > Software Settings
 - > Windows Settings
 - ▼ Administrative Temp
 - ▼ Control Panel
 - Add or Remo
 - Display
 - Personalizatic
 - Printers
 - Programs
 - > Regional and
 - > Desktop
 - > Network
 - Shared Folders
 - > Start Menu and T
 - > System
 - > Windows Comp
 - All Settings
 - > Preferences

Personalization

Select an item to view its description.

Setting

- Prevent changing color scheme
- Prevent changing theme
- Prevent changing visual style for windows and buttons
- Enable screen saver
- Prohibit selection of visual style font size
- Prevent changing color and appearance
- Prevent changing desktop background
- Prevent changing desktop icons
- Prevent changing mouse pointers
- Prevent changing screen saver
- Prevent changing sounds
- Password protect the screen saver
- Screen saver timeout
- Force specific screen saver
- Load a specific theme
- Force a specific visual style file or force Windows Classi